

# **TABLE OF CONTENTS**

## **CHAPTER 1 – GENERAL**

<b>Sec. 1.01</b>	<b>Legal Status of the Survey</b>
<b>Sec. 1.02</b>	<b>Authorization and Assignment of Surveys</b>
<b>Sec. 1.03</b>	<b>Working Hours</b>
<b>Sec. 1.04</b>	<b>Daily Diary / Field Notes</b>
<b>Sec. 1.05</b>	<b>Refuse Disposal</b>
<b>Sec. 1.06</b>	<b>Specifications and Standards</b>
<b>Sec. 1.07</b>	<b>Accuracy of Surveys</b>
<b>Sec. 1.08</b>	<b>Submission of Completed Surveys</b>
<b>Sec. 1.09</b>	<b>Safety</b>
<b>Sec. 1.10</b>	<b>Outside Requests for Survey Information</b>
<b>Sec. 1.11</b>	<b>The Location Survey Report</b>
<b>Sec. 1.12</b>	<b>Human Resources Planning System</b>
<b>Sec. 1.13</b>	<b>Advanced Survey Technologies: UAS, Laser Scanning and LiDAR</b>
<b>Fig. 1-A</b>	<b>Project Management System (IPM) Codes</b>
<b>Fig. 1-B</b>	<b>Daily Diary / Field Notes Explained</b>

## **CHAPTER 2 - EQUIPMENT**

<b>Sec. 2.01</b>	<b>Responsibility and Inventory</b>
<b>Sec. 2.02</b>	<b>Care and Adjustments of Instruments</b>
<b>Sec. 2.03</b>	<b>Field Controllers and/or Data Collectors</b>
<b>Sec. 2.04</b>	<b>Electronic Distance Meter (EDM) Reflector (Prism) Constants</b>
<b>Sec. 2.05</b>	<b>Survey and Miscellaneous Supplies</b>
<b>Sec. 2.06</b>	<b>Periodic Checks of Electronic Total Stations and Accessories</b>
<b>Sec. 2.07</b>	<b>Routine Equipment Checks</b>
<b>Sec. 2.08</b>	<b>GPS</b>

## **CHAPTER 3 – SIGNING AND SEALING OF PROFESSIONAL SURVEY DELIVERABLES**

<b>Sec. 3.01</b>	<b>Introduction</b>
<b>Sec. 3.02</b>	<b>Business &amp; Legal Purpose for Signing and Sealing Survey Products</b>
<b>Sec. 3.03</b>	<b>Engineering/Topographic Surveys</b>
<b>Sec. 3.04</b>	<b>Right of way, Boundary and Easement Surveys</b>
<b>Sec. 3.05</b>	<b>Construction Surveys</b>
<b>Sec. 3.06</b>	<b>Survey Information Not Requiring a Seal or Signature</b>
<b>Figure 3-A</b>	<b>Location of Seal and Signature in MicroStation File</b>
<b>Figure 3-B</b>	<b>Sample Right of Way Acquisition Plat</b>
<b>Figure 3-C</b>	<b>Sample Right of Way Plan</b>
<b>Figure 3-D</b>	<b>Sample Right of Way Plan</b>

## **CHAPTER 4 – RIGHT OF ENTRY, PROPERTY, PRESCRIPTIVE EASEMENTS, & METES AND BOUNDS**

<b>Sec. 4.01</b>	<b>Right of Entry Notifications</b>
<b>Sec. 4.02</b>	<b>Property Data, Right of Way, and Municipal Boundaries</b>
<b>Sec. 4.03</b>	<b>Prescriptive Easements - Guidance</b>
<b>Sec. 4.04</b>	<b>Metes and Bounds Surveys</b>
<b>Figure 4-A</b>	<b>Permission to Enter Letter (Example Only)</b>
<b>Attachment 1</b>	<b>Entity List for Right of Entry (Example Only)</b>
<b>Figure 4-B</b>	<b>Permission to Enter Post Card (Example Only)</b>
<b>Figure 4-C</b>	<b>Parcel Owner Response Options (Example Only)</b>
<b>Figure 4-D</b>	<b>Right of Entry Process Flow Chart (Example Only)</b>
<b>Figure 4-E</b>	<b>Sample Acquisition Plat</b>

## **CHAPTER 5 - GNSS & CONTROL**

<b>Sec. 5.01</b>	<b>General</b>
<b>Sec. 5.02</b>	<b>GNSS Equipment</b>
<b>Sec. 5.03</b>	<b>GNSS Networks and Accuracy Standards</b>
<b>Sec. 5.04</b>	<b>General Specifications for GNSS Surveys</b>
<b>Sec. 5.05</b>	<b>Quality Control Procedures</b>
<b>Sec. 5.06</b>	<b>Deliverables</b>
<b>Sec. 5.07</b>	<b>LD-200 Card (Rev. 10/2014)</b>
<b>Sec. 5.08</b>	<b>Basis of the State Plane Coordinate System</b>
<b>Sec. 5.09</b>	<b>Depiction of Two Coordinate Zones</b>
<b>Sec. 5.10</b>	<b>Relation of Grid North and True North</b>
<b>Sec. 5.11</b>	<b>The VDOT Project Coordinate System</b>
<b>Sec. 5.12</b>	<b>Airborne GNSS</b>
<b>Sec. 5.13</b>	<b>Horizontal and Vertical Control</b>
<b>Sec. 5.14</b>	<b>Traverse Baselines</b>
<b>Figure 5-A</b>	<b>Illustration for Antenna Height Measurements</b>
<b>Figure 5-B</b>	<b>Example GNSS Session Scheme</b>
<b>Figure 5-C</b>	<b>GPS Satellite Visibility Obstruction Data Sheet</b>
<b>Figure 5-D</b>	<b>Stamped VDOT Disk Set in Concrete or Stamped VDOT Disk Set on Rebar (Example)</b>
<b>Figure 5-E</b>	<b>VDOT GNSS Observation Site Log</b>
<b>Figure 5-F</b>	<b>Sample LD-200 Card for Horizontal Control</b>
<b>Figure 5-G</b>	<b>Example of Virginia's Latitude Explained</b>
<b>Figure 5-H</b>	<b>Example of Virginia's Longitude Explained</b>
<b>Figure 5-I</b>	<b>Profile View of Virginia's State Plane Coordinate System</b>
<b>Figure 5-J</b>	<b>Relationship of Grid North &amp; True North</b>
<b>Figure 5-K</b>	<b>Combined Scale and Elev. Factors by County</b>
<b>Figure 5-L</b>	<b>County Code Ref. Numbers by City or Town</b>
<b>Figure 5-M</b>	<b>GNSS Survey Specs for Project Monuments</b>

## **CHAPTER 6 – PHOTOGRAMMETRIC SURVEYS**

<b>Sec. 6.01</b>	<b>General</b>
<b>Sec. 6.02</b>	<b>Pre-Photography Control</b>
<b>Sec. 6.03</b>	<b>Targets</b>
<b>Sec. 6.04</b>	<b>Post-Photography Control</b>
<b>Sec. 6.05</b>	<b>Annotation of Control Points</b>
<b>Sec. 6.06</b>	<b>Delivery of Control Point Information</b>
<b>Sec. 6.07</b>	<b>Digital Terrain Models, Cross-Sections, Profiles, and Bridge Situations</b>
<b>Sec. 6.08</b>	<b>Helicopter Photography</b>
<b>Sec. 6.09</b>	<b>Requesting Aerial Photography</b>
<b>Sec. 6.10</b>	<b>Requesting Photographic Products (Photo Counter)</b>
<b>Sec. 6.11</b>	<b>Field Responsibility for Quality Photo Control</b>
<b>Sec. 6.12</b>	<b>Field Responsibility for Quality Control of Photogrammetric Data</b>
<b>Sec. 6.13</b>	<b>Aerial Photography Quality Control Procedures</b>
<b>Sec. 6.14</b>	<b>Photogrammetry Quality Control Procedures</b>
<b>Sec. 6.15</b>	<b>Photogrammetry and Aerial Photography Products Delivery Schedule</b>
<b>Sec. 6.16</b>	<b>Airborne Light Detection and Ranging (A-LIDAR)</b>
<b>Sec. 6.17</b>	<b>Image Processing</b>

## **CHAPTER 7 – LOCATION SURVEYS**

<b>Sec. 7.01</b>	<b>General Remarks</b>
<b>Sec. 7.02</b>	<b>Survey Scope</b>
<b>Sec. 7.03</b>	<b>Field Data</b>
<b>Sec. 7.04</b>	<b>Topography</b>
<b>Sec. 7.05</b>	<b>DTM's</b>
<b>Sec. 7.06</b>	<b>Bridge Site Plans</b>
<b>Sec. 7.07</b>	<b>Minimum Plan Projects</b>
<b>Sec. 7.08</b>	<b>Additional Survey Data Requests</b>
<b>Sec. 7.09</b>	<b>Submission of the Survey Report and Data</b>
<b>Sec. 7.10</b>	<b>Digital Sealing of MicroStation and Adobe Files</b>

## **CHAPTER 8 – HYDRAULIC SURVEYS**

<b>Sec. 8.01</b>	<b>Introduction</b>
<b>Sec. 8.02</b>	<b>General</b>
<b>Sec. 8.03</b>	<b>Hydraulic &amp; Major Structures</b>
<b>Sec. 8.04</b>	<b>Hydraulic Topographical Features</b>
<b>Sec. 8.05</b>	<b>Water Features</b>
<b>Sec. 8.06</b>	<b>Bridge Data Sheets (Form LD-23)</b>

## **CHAPTER 9 – LASER SCANNING AND LiDAR APPLICATIONS**

<b>Sec. 9.00</b>	<b>Introduction &amp; References</b>
<b>Sec. 9.01</b>	<b>General</b>
<b>Sec. 9.01.1</b>	<b>Project Selection</b>
<b>Sec. 9.01.2</b>	<b>Laser Scanning &amp; LiDAR Basics</b>
<b>Sec. 9.02</b>	<b>Eye Safety</b>
<b>Sec. 9.03</b>	<b>Useful Range of Scanner</b>
<b>Sec. 9.04</b>	<b>STLS Equipment</b>
<b>Sec. 9.05</b>	<b>STLS Guidelines and Procedures</b>
<b>Sec. 9.05.1</b>	<b>STLS Project Planning</b>
<b>Sec. 9.05.2</b>	<b>STLS Project Control and Target Placement</b>
<b>Sec. 9.05.3</b>	<b>Equipment Set-up &amp; Calibration</b>
<b>Sec. 9.05.4</b>	<b>Redundancy &amp; Quality Control</b>
<b>Sec. 9.06</b>	<b>STLS Deliverables &amp; Documentation</b>
<b>Sec. 9.07</b>	<b>Mobile LiDAR (M-LiDAR)</b>
<b>Sec. 9.08</b>	<b>M-LiDAR Guidelines &amp; Procedures</b>
<b>Sec. 9.08.1</b>	<b>M-LiDAR Mission Planning</b>
<b>Sec. 9.08.2</b>	<b>M-LiDAR Local Registration &amp; Validation</b>
<b>Sec. 9.08.3</b>	<b>M-LiDAR Quality Control</b>
<b>Sec. 9.09</b>	<b>M-LiDAR Deliverables &amp; Documentation</b>
<b>Sec. 9.10</b>	<b>Airborne LiDAR (A-LiDAR)</b>

## **CHAPTER 10 – FINAL SURVEYS**

<b>Sec. 10.01</b>	<b>General</b>
<b>Sec. 10.02</b>	<b>Alignment</b>
<b>Sec. 10.03</b>	<b>Levels</b>
<b>Sec. 10.04</b>	<b>Cross-Sections</b>
<b>Sec. 10.05</b>	<b>Borrow Pits</b>
<b>Sec. 10.06</b>	<b>Plan Quantity Projects</b>
<b>Sec. 10.07</b>	<b>Federal Aid State Force Account Projects</b>
<b>Sec. 10.08</b>	<b>Non-Federal Aid State Force Account Projects</b>
<b>Sec. 10.09</b>	<b>Minimum Plan Projects</b>
<b>Sec. 10.10</b>	<b>Submitting Survey Data</b>

## **CHAPTER 11 – CONSTRUCTION SURVEYS**

<b>Sec. 11.01</b>	<b>General</b>
<b>Sec. 11.02</b>	<b>Alignment</b>
<b>Sec. 11.03</b>	<b>Levels, Benchmarks &amp; Project Elevations</b>
<b>Sec. 11.04</b>	<b>DTMs</b>
<b>Sec. 11.05</b>	<b>Borrow Pits</b>
<b>Sec. 11.06</b>	<b>Culvert Stakeout</b>
<b>Sec. 11.07</b>	<b>Bridge Stakeout</b>
<b>Sec. 11.08</b>	<b>Slope Stakes</b>
<b>Sec. 11.09</b>	<b>Fine Grade Stakes</b>
<b>Sec. 11.10</b>	<b>Right of Way Stakes</b>
<b>Sec. 11.11</b>	<b>Federal and Non-Federal Aid State Force Account Projects</b>
<b>Sec. 11.12</b>	<b>No Plan Projects</b>
<b>Sec. 11.13</b>	<b>Minimum Plan Projects</b>
<b>Sec. 11.14</b>	<b>Condemnation Staking</b>
<b>Sec. 11.15</b>	<b>As-built Plan of Right of Way Monumentation</b>
<b>Sec. 11.16</b>	<b>Submitting Survey Data</b>
<b>Figures 11-A-D</b>	<b>Alignment Staking (Field Notes)</b>
<b>Figures 11-E-G</b>	<b>Level &amp; Slope Staking (Field Notes)</b>
<b>Figure 11-H</b>	<b>Benchmark Leveling (Field Notes)</b>
<b>Figure 11-I</b>	<b>Various Stake Markings</b>
<b>Figure 11-J</b>	<b>Bridge Stake-Out Sketch</b>
<b>Figure 11-K</b>	<b>Slope Staking on Tangents and Curves</b>
<b>Figure 11-L</b>	<b>Checking a Box Culvert</b>
<b>Figure 11-1</b>	<b>Culvert Staking</b>
<b>Figure 11-2-3</b>	<b>Bridge Staking</b>
<b>Figure 11-4-5</b>	<b>Right of Way Staking</b>

## **CHAPTER 12 – SUBSURFACE UTILITY ENGINEERING (SUE) DESIGNATION AND LOCATION**

<b>Sec. 12.01</b>	<b>Introduction</b>
<b>Sec. 12.02</b>	<b>Designation &amp; Location Policy and Standards</b>
<b>Sec. 12.03</b>	<b>Work Flow Process</b>
<b>Sec. 12.04</b>	<b>Data Distribution</b>
<b>Sec. 12.05</b>	<b>Evaluation of Location (Test Hole) Data</b>
<b>Sec. 12.06</b>	<b>Roadway and Utility Field Inspections</b>

## **APPENDIX A – STANDARDS OF PRACTICE SUE LOCATIONS AND DESIGNATIONS**

- **Deliverables**
- **Quality Level A (QLA) – Locations**
  - **VDOT’s Responsibilities**
  - **SUE Consultant Responsibilities**
- **Quality Level B (QLB) – Designations**
  - **VDOT’s Responsibilities**
  - **SUE Consultant Responsibilities**

## **APPENDIX B – MISCELLANEOUS FORMULAE & CONVERSION TABLES**

<b>Page</b>	
<b>B-1</b>	<b>Metric Conversions</b>
	<b>Additional Conversions</b>
	<b>Precision of Individual Measurements</b>
<b>B-2</b>	<b>Inches, Decimal of Inches and Metric Conversions</b>
<b>B-3</b>	<b>Minutes and Seconds to Decimal of Degree</b>
<b>B-4</b>	<b>Triangle Formulae</b>
<b>B-5</b>	<b>Right Triangle Formulae</b>
<b>B-6</b>	<b>Horizontal Curve Formulae</b>
<b>B-7</b>	<b>Compound Curve Formulae</b>
<b>B-8</b>	<b>Vertical Curve Formulae</b>
<b>B-9</b>	<b>Spiral Curve Formulae</b>
<b>B-10</b>	<b>Transition (Spiral) Curve Formulae</b>