

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

25

Dickenson County
Town of Clintwood
Town of Haysi
Town of Clinchco

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
[63] Dante Mountain Rd	Dickenson County	4.02	1300	F	92%	0%	1%	5%	2%	0%	F	0.092	F	0.648	1400	F
[63] Dante Mountain Rd	Dickenson County	7.83	1500	F	92%	0%	1%	5%	2%	0%	F	0.086	F	0.561	1600	F
[63] Dante Mountain Rd	Dickenson County	2.05	2700	F	77%	0%	1%	2%	19%	0%	C	0.085	F	0.504	2800	F
[63] [83] Dickenson Hwy	Dickenson County	4.94	4600	F								0.090	F	0.551	4800	F
[63] Big Ridge Rd	Dickenson County	3.51	930	F	97%	1%	2%	0%	0%	0%	F	0.089	F	0.588	960	F
[63] Big Ridge Rd	Dickenson County	2.70	460	F	97%	1%	2%	0%	0%	0%	C	0.1	F	0.542	480	F
[63] Big Ridge Rd	Dickenson County	3.01	1900	F	97%	1%	2%	0%	0%	0%	F	0.1	F	0.504	2000	F
[63]	Town of Haysi (Maint: 25)	0.79	1900	N	97%	1%	2%	0%	0%	0%	N	0.1	N	0.504	2000	N
[72] Coeburn Rd	Dickenson County	2.55	2900	F	88%	0%	1%	0%	11%	0%	F	0.079	F	0.539	3000	F
[72] Coburn Rd	Dickenson County	5.13	2000	F	88%	0%	1%	0%	11%	0%	C	0.085	F	0.683	2100	F
[80] Hellen Henderson Hwy	Dickenson County	3.49	1300	F	89%	1%	1%	3%	6%	0%	F	0.087	F	0.662	1300	F
[80] Hellen Henderson Hwy	Dickenson County	7.05	1700	F	89%	1%	1%	3%	6%	0%	C	0.094	F	0.567	1800	F
[80] Helen Henderson Hwy	Town of Haysi (Maint: 25)	0.27	3300	F	89%	1%	1%	3%	6%	0%	F	0.107	F	0.579	3400	F
[80] [83] Dickenson Hwy	Town of Haysi (Maint: 25)	0.34	4700	F	91%	1%	2%	1%	6%	0%	F	0.091	F	0.583	4900	F
[80] [83] Dickenson Hwy	Town of Haysi (Maint: 25)	1.08	3800	F	91%	1%	2%	1%	6%	0%	F	0.082	F	0.547	3900	F
[80] [83]	Dickenson County	0.01	3800	N	91%	1%	2%	1%	6%	0%	N	0.082	N	0.547	3900	N
[80] Breaks Park Rd	Dickenson County	8.49	1100	F	82%	1%	1%	1%	15%	0%	C	0.107	F	0.597	1200	F

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
83 Dickenson Hwy	Dickenson County	3.91	6500	F	91%	1%	2%	1%	6%	0%	F	0.091	F	0.769	6700	F
83 W Main St	Dickenson County	0.69	8700	F								0.092	F	0.509	9000	F
83	Town of Clintwood (Maint: 25)	1.78	8700	N								0.092	N	0.509	9000	N
83 Dickenson Hwy	Dickenson County	5.57	5100	F	91%	1%	2%	1%	6%	0%	F	0.093	F	0.605	5300	F
83 63 Dickenson Hwy	Dickenson County	4.94	4600	F								0.090	F	0.551	4800	F
83	From: SR 63 North of Clinchco															
83 Dickenson Hwy	Dickenson County	2.44	3800	F	91%	1%	2%	1%	6%	0%	F	0.089	F	0.616	4000	F
83 Dickenson Hwy	Dickenson County	3.23	3600	F	91%	1%	2%	1%	6%	0%	F	0.088	F	0.558	3700	F
83	From: 25-607															
83	Town of Haysi (Maint: 25)	0.56	3600	N	91%	1%	2%	1%	6%	0%	N	0.088	N	0.558	3700	N
83 80 Dickenson Hwy	Town of Haysi (Maint: 25)	0.34	4700	F	91%	1%	2%	1%	6%	0%	F	0.091	F	0.583	4900	F
83 80 Dickenson Hwy	Town of Haysi (Maint: 25)	1.08	3800	F	91%	1%	2%	1%	6%	0%	F	0.082	F	0.547	3900	F
83 80	From: NCL Haysi															
83	Dickenson County	0.01	3800	N	91%	1%	2%	1%	6%	0%	N	0.082	N	0.547	3900	N
83	From: SR 80 Breaks Park Rd															
83 Dickenson Hwy	Dickenson County	0.04	2200	F	91%	1%	2%	1%	6%	0%	C	0.088	F	0.507	2200	F
83	Town of Haysi (Maint: 25)	0.04	2200	N	91%	1%	2%	1%	6%	0%	N	0.088	N	0.507	2200	N
83	From: ECL Haysi															
83	Dickenson County	3.38	2200	N	91%	1%	2%	1%	6%	0%	N	0.088	N	0.507	2200	N
	To: Buchanan County Line															

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(600) Wilder Rd	1.10	140	F	93%	0%	1%	4%	3%	0%	C	0.145	F	0.7	140	F	2009
			From:	Russell County Line												
			To:	25-657; 25-618 E Hazel Mtn Rd												
(600)	7.70	470	R									NA		NA		08/04/2003
			From:	25-657; 25-618												
(600)	0.80	520	R									NA		NA		08/04/2003
			To:	25-687												
(600)	0.70	8	R									NA		NA		08/04/2003
			From:	25-625												
			To:	Dead End												
(601) Indian Creek Rd	4.06	260	F	64%	0%	4%	9%	22%	0%	C	0.158	F	0.565	270	F	2009
			From:	Buchanan County Line												
			To:	Russell County Line												
(602) Indian Creek Rd	0.50	570	F	88%	1%	1%	7%	3%	0%	C	0.122	F	0.688	580	F	2009
			From:	SR 80 Helen Henderson Hwy												
			To:	Buchanan County Line												
(603)	1.30	140	R									NA		NA		08/04/2003
			From:	SR 80												
			To:	Buchanan County Line												
(604)	2.00	240	R									NA		NA		08/04/2003
			From:	SR 63												
(604)	0.50	170	R									NA		NA		08/04/2003
			To:	25-660 Bear Ridge												
(604)	2.60	150	R									NA		NA		08/04/2003
			From:	0.50 MN 25-660 Bear Ridge												
(604)	0.10	30	R									NA		NA		08/04/2003
			To:	25-670												
(604)	1.60	340	R									NA		NA		08/26/2003
			From:	SR 80												
(605)	0.89	130	R									NA		NA		08/26/2003
			To:	25-606												
(605)	1.91	120	R									NA		NA		08/26/2003
			To:	0.89 ME 25-606												
(606)	1.35	430	R									NA		NA		08/26/2003
			From:	25-605												
(606)	0.40	260	R									NA		NA		08/26/2003
			To:	25-797 Viers Ridge												
(606)			From:	Buchanan County Line												
Town of Clintwood																
(607) E Main St; Clintwood Ma	0.63	4200	F	98%	1%	1%	0%	0%	0%	C	0.115	F	0.575	4400	F	2009
			From:	SR 83; 25-1015												
(607)			To:	25-1010 W. Walnut St												
(607) Main St	0.17	4100	F	98%	1%	1%	0%	0%	0%	F	0.118	F	0.574	4200	F	2009
			From:	25-1019 W. Phipps Circle												
(607) E Main St	0.33	3900	F	98%	1%	1%	0%	0%	0%	F	0.12	F	0.567	4000	F	2009
			To:	25-733 Hospital Rd												
(607) E Main St; The Lake Rd	0.56	2700	F	98%	1%	1%	0%	0%	0%	F	0.092	F	0.765	2800	F	2009
			To:	ECL Clintwood												
Dickenson County																
(607)	3.41	2700	N	98%	1%	1%	0%	0%	0%	N	0.092	N	0.765	2800	N	2009
			From:	ECL Clintwood												
			To:	25-619												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(607) The Lake Rd	2.27	850	F	98%	1%	1%	0%	0%	0%	F	0.105	F	0.825	880	F	2009
			From:			25-619										
(607)	0.49	150	R											NA		08/14/2003
			To:			25-614										
(607)	2.05	250	R											NA		08/21/2003
			From:			Dead End; Gap										
(607)	0.65	90	R											NA		08/21/2003
			To:			Dead End ; Gap										
(607)	1.01	540	R											NA		08/21/2003
			From:			SR 63										
(607)	3.35	620	R											NA		08/21/2003
			To:			25-667										
(607) Lick Creek Rd	0.10	1900	F	94%	3%	2%	1%	1%	0%	C	0.158	F	0.525	2000	F	2009
			From:			25-670 Lick Creek										
			To:			SR 80 N, Hellen Henderson Hwy										
(607)	3.79	820	R											NA		08/26/2003
			From:			SR 80 SOUTH										
			To:			Buchanan County Line										
Buchanan County																
(607)	0.30	820	N											NA		08/26/2003
			From:			Dickenson County Line										
			To:			Buchanan CL; 13-606										
Dickenson County																
(608)	0.90	180	R											NA		08/19/2003
			From:			SR 83										
			To:			Dead End										
(609) King Solomon Colley Rd	1.00	600	F	97%	1%	0%	1%	1%	0%	C	0.101	F	0.557	660	F	2009
			From:			25-768 King Solomon Colley Rd										
			To:			13-609										
(610) Leck Rd	0.62	60	R											NA		12/07/2006
			From:			Dead End										
			To:			25-644										
(611)	5.52	480	R											NA		08/14/2003
			From:			25-631 Brush Creek Rd										
(611) Blowing Rock Rd	3.41	80	R											NA		02/05/2006
			From:			25-619										
(611)	1.51	50	R											NA		08/19/2003
			From:			25-686 Branaham Farm Lane										
(611)	0.06	80	R											NA		08/19/2003
			To:			1.51 ME 25-686										
(611)	2.53	240	R											NA		08/19/2003
			From:			25-683										
(611) Bartlick Rd	2.37	130	F	98%	0%	2%	1%	0%	0%	F	0.133	F	0.722	140	F	2009
			From:			25-739										
(611) Bartlick Rd	3.43	310	F	98%	0%	2%	1%	0%	0%	C	0.1	F	0.595	330	F	2009
			From:			25-612 Toms Bottom Rd										
			To:			SR 80 Breaks Park Rd										
(612)	0.50	90	R											NA		08/19/2003
			From:			Dead End										
			To:			25-611 Bartlick Rd										
Town of Haysi																
(613)	0.47	400	R											NA		08/19/2003
			From:			SR 63										
			To:			NCL Haysi										

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(613)	0.30	360	R											NA	08/19/2003	
			From:	NCL Haysi												
			To:	0.30 MM of NCL												
(613)	0.80	350	R											NA	08/19/2003	
			From:	0.30 MN of NCL												
			To:	Dead End												
(614) The Lake Rd	2.33	530	F	98%	0%	1%	0%	0%	0%	F	0.106	F	0.55	550	F	2009
			From:	25-607 Walnut St												
			To:	25-755 Marina Cove												
(614) The Lake Rd	1.50	610	F	98%	0%	1%	0%	0%	0%	F	0.106	F	0.579	640	F	2009
			From:	25-720 McCowan Dr												
(614) Cowpath Rd	0.70	610	F	98%	0%	1%	0%	0%	0%	F	0.098	F	0.550	630	F	2009
			From:	25-739 Flannagan Dam Rd												
(614) Flannagan Dam Rd	0.50	940	F	98%	0%	1%	0%	0%	0%	C	0.115	F	0.519	970	F	2009
			To:	SR 63												
(615)	1.75	110	R											NA	08/19/2003	
			From:	Dead End												
			To:	25-611												
(616)	1.20	280	R											NA	08/21/2003	
			From:	SR 63												
			To:	25-614 The Lake Rd												
(617)	0.88	60	R											NA	08/26/2003	
			From:	25-607 Walnut St												
			To:	Dead End												
(618)	0.34	60	R											NA	08/04/2003	
			From:	25-600; 25-657												
(618)	0.36	10	R											NA	08/04/2003	
			From:	0.34 ME 25-600												
			To:	Russell County Line												
(619) Skeetrock Rd	2.65	420	F	97%	0%	1%	1%	0%	0%	C	0.117	F	0.593	440	F	2009
			From:	25-607; 25-700 The Lake Rd												
			To:	25-695 The Flats Rd												
(619) Skeetrock Rd	0.50	200	F	97%	0%	1%	1%	0%	0%	F	0.137	F	0.5	210	F	2009
			From:	25-695 The Flats Dr												
			To:	25-744 Old Stone Dr; Meadow												
(619)	1.40	190	R											NA	08/14/2003	
			From:	25-611 Blowing Rock Rd												
(620)	1.80	290	R											NA	08/14/2003	
			From:	Dead End												
			To:	25-631												
(621)	1.30	210	R											NA	08/12/2003	
			From:	SR 72 Cranes Nest Rd												
			To:	SR 83 Dickenson Hwy												
(621)	2.90	240	R											NA	08/14/2003	
			From:	25-631												
(622)	1.65	90	R											NA	08/14/2003	
			To:	Dead End												
(623)	1.17	60	R											NA	08/14/2003	
			From:	Dead End												
			To:	25-624												
(624) Camp Creek Rd	2.70	490	F	92%	0%	1%	1%	6%	0%	C	0.127	F	0.516	510	F	2009
			From:	SR 83 Dickenson Hwy												
			To:	25-631 S Ventura Rd												
(624) Camp Jacob Rd	0.20	240	F	92%	0%	1%	1%	6%	0%	F	0.098	F	0.655	250	F	2009
			To:	25-631 N Camp Creek Rd												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(624)	1.92	110	R			From:	25-631 NORTH				NA		NA		08/14/2003	
						To:	25-630									
(625)	1.70	480	R			From:	25-600				NA		NA		08/04/2003	
						To:	SR 80									
(626) Phillips Hollow	0.70	40	R			From:	Russell County Line				NA		NA		12/05/2006	
						To:	25-694									
(626) Phillips Hollow	2.20	50	R			From:	2.20 MN 25-694				NA		NA		12/05/2006	
						From:	2.20 M 25-694									
(626) Phillips Hollow	0.30	110	R			From:	SR 63 Dante Mountain Rd				NA		NA		12/05/2006	
						To:	Russell County Line									
(627)	1.00	290	R			From:					NA		NA		08/06/2003	
						To:	25-628									
(627)	1.61	460	R			From:					NA		NA		08/06/2003	
						To:	25-650									
(627)	3.61	110	R			From:					NA		NA		08/06/2003	
						To:	3.61 MS 25-650									
(627)	1.39	30	R			From:					NA		NA		08/06/2003	
						To:	25-655									
(627) Long Ridge	2.80	70	R			From:					NA		NA		12/07/2006	
						To:	25-651									
(628)	0.65	320	R			From:	Wise County Line				NA		NA		08/06/2003	
						To:	25-627									
(629)	0.15	70	R			From:	Dead End				NA		NA		08/14/2003	
						To:	25-631									
(630)	3.40	200	R			From:	Wise County Line				NA		NA		08/14/2003	
						To:	25-631									
Town of Clintwood																
(631) Brush Creek Rd	0.04	270	R			From:	25-1014 Wave Dr				NA		NA		08/14/2003	
						To:	SR 83									
(631) Brush Creek Rd	0.15	2300	F	96%	0%	1%	2%	1%	0%	C	0.088	F	0.535	2500	F	2009
						From:	SR 83 Dickenson Hwy									
(631) Brush Creek Rd	0.37	2000	F	96%	0%	1%	2%	1%	0%	F	0.091	F	0.568	2200	F	2009
						To:	0.15 MN SR 83 Dickenson Hwy									
						From:	NCL Clintwood									
Dickenson County																
(631) Brush Creek Rd	1.29	1500	F	96%	0%	1%	2%	1%	0%	F	0.096	F	0.675	1600	F	2009
						From:	NCL Clintwood									
(631) Brush Creek Rd	1.12	1100	F	96%	0%	1%	2%	1%	0%	F	0.101	F	0.672	1100	F	2009
						To:	25-690 Stone Hollow Rd									
(631) Brush Creek Rd	2.07	430	F	96%	0%	1%	2%	1%	0%	F	0.13	F	0.517	450	F	2009
						From:	25-611									
(631) Brush Creek Rd	3.53	110	F	96%	0%	1%	2%	1%	0%	F	0.126	F	0.588	110	F	2009
						To:	25-622 Cutter Creek Rd									
(631)	2.47	130	R			From:	25-624 North				NA		NA		08/14/2003	
						To:	25-624 S. Camp Creek Rd									
(631)						From:	Wise County Line									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(632)	0.38	160	R								NA		NA		08/14/2003	
(632)	0.62	230	R								NA		NA		08/14/2003	
(633) Strouth Rd	1.40	290	R								NA		NA		08/12/2003	
(633)	1.30	330	R								NA		NA		08/12/2003	
(633)	1.10	300	R								NA		NA		08/12/2003	
(633) Strouth Rd	0.53	30	R								NA		NA		01/09/2006	
(634)	0.50	70	R								NA		NA		08/12/2003	
(635)	0.95	120	R								NA		NA		08/12/2003	
(636)	2.60	220	R								NA		NA		08/12/2003	
(637)	0.06	1100	R								NA		NA		08/12/2003	
(637)	3.33	910	R								NA		NA		08/12/2003	
(637) DC Caney Ridge Rd	4.19	520	F	98%	0%	1%	1%	1%	0%	F	0.096	F	0.596	540	F	2009
(637) DC Caney Ridge Rd	1.10	1400	F	98%	0%	1%	1%	1%	0%	C	0.091	F	0.688	1400	F	2009
(637)	0.69	870	R								NA		NA		08/29/2003	
(637)	4.96	620	R								NA		NA		08/29/2003	
(638)	1.40	180	R								NA		NA		08/29/2003	
(639)	1.80	210	R								NA		NA		08/29/2003	
Wise County																
(640)	0.20	230	R								NA		NA		08/12/2003	
Dickenson County																
(640)	0.30	190	R								NA		NA		08/12/2003	
(640)	1.10	120	R								NA		NA		08/12/2003	
(641)	0.40	100	R								NA		NA		08/12/2003	

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(642)	1.30	180	R			From:	25-652 Dr Ralph Stanley Hwy			NA		NA		NA	08/06/2003	
						To:	Dead End									
(643)	1.50	210	R			From:	25-652 Dr Ralph Stanley Hwy			NA		NA		NA	08/06/2003	
						To:	1.50 MN 25-652									
(643)	1.50	170	R			From:				NA		NA		NA	08/06/2003	
						To:	25-654 SOUTH									
(643)	2.00	60	R			From:				NA		NA		NA	08/06/2003	
						To:	25-698 Rainwater Trail Rd									
(643) Carter Stanley Hwy	1.97	60	R			From:				NA		NA		NA	12/07/2006	
						To:	1.97 MN 25-698									
(643) Carter Stanley Hwy	0.03	130	R			From:				NA		NA		NA	12/07/2006	
						To:	25-654 NORTH									
(643)	0.08	400	R			From:				NA		NA		NA	08/06/2003	
						To:	SR 63									
(644)	0.50	120	R			From:	25-649 DC Caney Ridge Rd			NA		NA		NA	08/06/2003	
						To:	0.50 ME 25-649									
(644)	4.82	70	R			From:				NA		NA		NA	08/06/2003	
						To:	25-719 Flat Top Rd									
(644)	1.12	230	R			From:				NA		NA		NA	08/06/2003	
						To:	25-652 Dr Ralph Stanley Hwy									
(645) Canyon Rd	0.39	50	R			From:	25-649 DC Caney Ridge Rd			NA		NA		NA	01/04/2006	
						To:	Dead End; Gap									
(645) Bad Ridge	3.00	170	R			From:				NA		NA		NA	12/07/2006	
						To:	25-652 Dr Ralph Stanley Hwy									
(646)	0.42	70	R			From:	Dead End			NA		NA		NA	08/12/2003	
						To:	25-659									
(646)	0.58	170	R			From:				NA		NA		NA	08/12/2003	
						To:	25-649 DC Caney Ridge Rd									
(647) Lewis Stone Rd	0.34	40	R			From:	Dead End			NA		NA		NA	02/09/2006	
						To:	25-695									
(648)	0.90	100	R			From:	25-649 S, DC Caney Ridge Rd			NA		NA		NA	08/12/2003	
						To:	25-641									
(648)	1.00	270	R			From:				NA		NA		NA	08/12/2003	
						To:	25-649 N, DC Caney Ridge Rd									
(649) DC Caney Ridge Rd	7.20	300	F	96%	1%	1%	1%	1%	0%	C	0.105	F	0.758	310	F	2009
(649) DC Caney Ridge Rd	4.05	320	R			From:	Wise County Line									
						To:	25-637 W Rockhouse Rd									
(649) Rush Creek	1.00	170	R			From:	25-637 EAST									
						To:	4.05 MN 25-637 E									
(649) Rush Creek	1.00	170	R			From:				NA		NA		NA		01/04/2006
						To:	SR 83									
(650)	2.97	510	R			From:	Wise County Line; 97-651			NA		NA		NA		08/06/2003
						To:	97-654; Wise County Line									
(650)	4.90	300	R			From:				NA		NA		NA		08/06/2003
						To:	25-627									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(651)	2.70	350	R			From:	25-650				NA		NA		08/06/2003	
(651)	0.48	270	R			To:	25-697				NA		NA		08/06/2003	
(651)	4.37	270	R			From:	25-855 Highland Rd				NA		NA		08/06/2003	
(651)						To:	25-652 Dr Ralph Stanley Hwy									
(652) Dr Ralph Stanley Hwy	1.03	1400	F	81%	1%	1%	4%	13%	0%	F	0.095	F	0.622	1400	F	2009
(652) Dr Ralph Stanley Hwy	3.18	1000	F	81%	1%	1%	4%	13%	0%	F	0.089	F	0.613	1100	F	2009
(652) Dr Ralph Stanley Hwy	0.71	1000	F	81%	1%	1%	4%	13%	0%	F	0.107	F	0.59	1100	F	2009
(652) Dr Ralph Stanley Hwy	4.41	900	F	81%	1%	1%	4%	13%	0%	C	0.100	F	0.674	930	F	2009
(652)	1.46	270	R			From:	SR 63 S Dante Mountain Rd				NA		NA		08/06/2003	
(652) Dyers Chapel Rd	1.00	290	R			From:	SR 63 NORTH				NA		NA		12/12/2006	
(652) Dyers Chapel Rd	0.24	150	R			To:	25-662 Sutherland Ridge				NA		NA		12/12/2006	
(652) Dyers Chapel Rd	0.07	150	R			From:	1.00 MS 25-662				NA		NA		12/12/2006	
(652) Dog Branch Gap Rd	0.41	470	F	91%	0%	1%	4%	4%	0%	C	0.120	F	0.508	510	F	2009
(652) Nealy Ridge	1.12	90	F	91%	0%	1%	4%	4%	0%	F	0.158	F	0.559	90	F	2009
(652) Nealy Ridge	1.84	110	F	91%	0%	1%	4%	4%	0%	F	0.134	F	0.533	110	F	2009
(652) Nealy Ridge	2.04	120	F	91%	0%	1%	4%	4%	0%	F	0.152	F	0.628	130	F	2009
(652) Turkey Branch Rd	0.23	290	F	91%	0%	1%	4%	4%	0%	F	0.130	F	0.535	300	F	2009
(652)	0.53	250	R			From:	25-664 W Mill Creek Rd				NA		NA		08/21/2003	
(652)	3.19	120	R			To:	25-664 EAST				NA		NA		08/21/2003	
(652)	0.53	360	R			From:	25-669				NA		NA		08/21/2003	
(652)						To:	25-722 Lazarus				NA		NA		08/21/2003	
(652)						From:	WCL Haysi				NA		NA		08/21/2003	
Town of Haysi																
(652)	0.48	360	N			From:	WCL Haysi				NA		NA		08/21/2003	
(652)						To:	SR 83									
Dickenson County																
(653)	0.41	70	R			From:	25-611				NA		NA		08/14/2003	
(654)	1.47	90	R			To:	Dead End									
(654)						From:	25-643 SOUTH				NA		NA		08/06/2003	
(654)						To:	1.47 MN 25-643									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(654)	1.82	120	R								NA		NA		08/06/2003	
(654)	0.28	150	R								NA		NA		08/06/2003	
(655)	0.69	30	R								NA		NA		08/06/2003	
(655)	1.01	30	R								NA		NA		08/06/2003	
(655)	1.00	60	R								NA		NA		08/06/2003	
(656)	0.60	370	R								NA		NA		08/04/2003	
(656)	2.60	330	R								NA		NA		08/04/2003	
(656)	2.20	80	R								NA		NA		08/04/2003	
Russell County																
(657)	0.31	320	F	82%	1%	1%	12%	4%	0%	C	0.101	F	0.526	330	F	2009
Dickenson County																
(657) East Hazel Mountain Rd	4.28	320	F	82%	1%	1%	12%	4%	0%	C	0.101	F	0.526	330	F	2009
(657) East Hazel Mountain Rd	1.02	270	F	82%	1%	1%	12%	4%	0%	F	0.1	F	0.542	280	F	2009
(658)	2.20	180	R								NA		NA		08/04/2003	
(659)	0.28	48	R								NA		NA		08/12/2003	
(660) Bear Ridge	6.40	50	R								NA		NA		12/05/2006	
(661) Dog Branch Gap	3.14	410	F	92%	0%	0%	2%	5%	0%	C	0.12	F	0.531	420	F	2009
(661)	1.70	430	R								NA		NA		08/04/2003	
(661)	1.00	410	R								NA		NA		08/04/2003	
(661)	2.00	70	R								NA		NA		08/04/2003	
(662) Sutherland Ridge	1.65	80	R								NA		NA		12/12/2006	
(663)	3.48	90	R								NA		NA		08/29/2003	

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(664) Turkey Branch Rd	1.10	140	F	94%	1%	2%	3%	0%	0%	F	0.111	F	0.576	140	F	2009
			From:	25-670 Lick Creek												
			To:	25-652 E; Edwards Ridge Rd												
(664) Mill St	1.15	310	F	94%	1%	2%	3%	0%	0%	F	0.117	F	0.584	320	F	2009
			From:	25-652 W; Nealy Ridge Rd												
			To:	ECL Clinchco												
Town of Clinchco																
(664)	0.31	310	N	94%	1%	2%	3%	0%	0%	N	0.117	N	0.584	320	N	2009
			From:	ECL Clinchco												
(664) Mill St	1.67	560	F	94%	1%	2%	3%	0%	0%	F	0.106	F	0.769	580	F	2009
			From:	25-786 Perry St												
(664) Clinchco Main St	0.22	930	F	94%	1%	2%	3%	0%	0%	C	0.101	F	0.606	970	F	2009
			From:	25-675 Palmer-Adams St												
(664)	0.06	NA												NA		
			From:	SR 83 Dickenson Hwy												
(664)	0.14	110	R											NA		08/29/2003
			To:	25-781 Banner St												
			From:	Dead End												
Dickenson County																
(665)	0.70	190	R											NA		08/12/2003
			From:	Wise County Line												
			To:	25-703 Lickfork Rd												
(665)	0.80	860	R											NA		08/12/2003
			From:	SR 72 Cranes Nest Rd; Coeburn Rd												
Town of Clinchco																
(666)	0.24	40	R											NA		08/29/2003
			To:	Dead End												
Dickenson County																
(667)	0.60	420	R											NA		08/21/2003
			From:	25-607												
(667) Derby Lane	0.20	30	R											NA		01/17/2006
			From:	25-668												
			To:	Dead End												
(668)	2.17	230	R											NA		08/21/2003
			From:	Dead End												
(668)	0.90	200	R											NA		08/21/2003
			From:	25-667 Derby Lane												
(669)	2.60	310	R											NA		08/21/2003
			From:	25-652												
(670)	3.60	270	R											NA		08/04/2003
			From:	25-604												
(670)	2.00	440	R											NA		08/04/2003
			From:	25-661 SOUTH												
(670) Lick Creek	4.62	500	F	93%	0%	0%	5%	1%	0%	C	0.099	F	0.518	520	F	2009
			To:	25-670 Lick Creek												
(671)	0.40	140	R											NA		08/04/2003
			From:	25-679												
(671)	2.30	80	R											NA		08/04/2003
			To:	25-712 Rocky Gap Hollow												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(671)	0.80	270	R			From:	25-712 Rocky Gap Hollow				NA		NA		08/04/2003
						To:	SR 80								
Town of Clintwood															
(672)	Fox Town Rd	0.13	2900	R		From:	25-607 E Main St				NA		NA		08/14/2003
						To:	25-1005 Pleasant St								
(672)	Fox Town Rd	0.33	1800	R		From:	25-707 Happy Valley Dr				NA		NA		08/14/2003
						To:	ECL Clintwood								
Dickenson County															
(672)		0.70	510	R		From:	ECL Clintwood				NA		NA		08/14/2003
						To:	25-727 Happy Valley Dr								
(672)		0.55	180	R		From:	Dead End				NA		NA		08/14/2003
						To:	Dead End								
(673)		0.10	60	R		From:	Dead End				NA		NA		08/06/2003
						To:	0.10 MN Dead End								
(673)		0.60	190	R		From:	25-627				NA		NA		08/06/2003
						To:									
(674)		0.15	10	R		From:	Dead End				NA		NA		08/06/2003
						To:	25-652 Dr Ralph Stanley Hwy								
Town of Clinchco															
(675)		0.76	250	R		From:	Dead End				NA		NA		08/29/2003
						To:	25-664 Clinchco Main St; Mill St								
(675)		0.20	70	R		From:	25-782 Lyonton Circle				NA		NA		08/29/2003
Dickenson County															
(676)		1.80	160	R		From:	Dead End				NA		NA		08/04/2003
						To:	25-652; 25-661								
(677)		0.40	120	R		From:	25-607				NA		NA		08/14/2003
						To:	Dead End								
(678)		1.02	170	R		From:	Dead End				NA		NA		08/26/2003
						To:	1.02 MN Dead End								
(678)		0.06	170	R		From:	25-607				NA		NA		08/26/2003
						To:									
(679)		3.55	120	R		From:	25-671				NA		NA		08/04/2003
						To:	Dead End								
(680)		1.10	240	R		From:	SR 83				NA		NA		08/19/2003
						To:	Dead End								
(681)		1.21	130	R		From:	SR 63				NA		NA		08/06/2003
						To:	25-788 Recipe Rd								
(681)		0.41	40	R		From:	Dead End				NA		NA		08/06/2003
						To:									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(682)	0.25	30	R			From: Dead End					NA		NA		08/04/2003
(682)	1.70	130	R			From: SR 80					NA		NA		08/04/2003
(682)			To: Dead End												
(683)	1.00	90	R			From: Dead End					NA		NA		08/19/2003
(683)			To: 25-611												
(684)	0.05	40	R			From: Dead End					NA		NA		08/06/2003
(684)			To: SR 63												
Town of Haysi															
(685)	0.02	310	R			From: 25-693					NA		NA		08/19/2003
(685)			To: SR 63												
Dickenson County															
(686) Branaham Farm Lane	0.60	8	R			From: 25-611 Blowing Rock Rd					NA		NA		02/05/2006
(686)			To: Dead End												
(687)	0.05	10	R			From: 25-600					NA		NA		08/04/2003
(687)			To: 0.05 ME 25-600												
(687)	0.05	8	R			From: Dead End					NA		NA		08/04/2003
(687)			To: Dead End												
(688) Sullivan	1.25	270	R			From: Dead End					NA		NA		01/17/2006
(688)			To: Buchanan County Line												
(689)	3.15	270	R			From: 25-607 WEST					NA		NA		08/14/2003
(689)			To: 25-607 E; 25-704												
(690)	1.00	140	R			From: 25-631 Brush Creek Rd					NA		NA		08/14/2003
(690)			To: Dead End												
(691) Wilderness Lane	0.90	110	R			From: 25-607					NA		NA		01/17/2007
(691)			To: Dead End												
(692)	0.60	80	R			From: Dead End					NA		NA		08/12/2003
(692)			To: 25-637												
Town of Haysi															
(693)	0.07	90	R			From: Dead End					NA		NA		08/19/2003
(693)			To: 25-717 North McClure Btm; J and M Belcher Dr												
(693)	0.28	270	R			From: 25-685					NA		NA		08/19/2003
(693)	0.27	350	R			To: SR 83					NA		NA		08/19/2003
Dickenson County															
(694)	1.10	120	R			From: 25-626 Phillips Hollow					NA		NA		08/06/2003
(694)			To: Russell County Line												
(695)	0.04	46	R			From: Dead End					NA		NA		08/14/2003
(695)			To: 25-701 The Flats Dr												
(695)	0.41	160	R			From: 25-647 Lewis Stone Rd					NA		NA		08/14/2003
(695)			To: 25-647 Lewis Stone Rd												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(695)	0.15	280	R								NA		NA		08/14/2003	
Town of Clintwood																
(696)	0.50	210	R								NA		NA		08/14/2003	
Dickenson County																
(697)	0.80	70	R								NA		NA		08/06/2003	
(698) Rainwater Trail Rd	1.00	90	R								NA		NA		12/07/2006	
(699) Counts Ridge Rd	3.10	80	F	79%	1%	2%	16%	3%	0%	C	NA		80	F	2009	
(699) Counts Ridge Rd	1.00	20	F	79%	1%	2%	16%	3%	0%	F	NA		20	F	2009	
(700) Big Smith Ridge Rd	0.80	310	R								NA		NA		02/09/2007	
(700) Big Smith Ridge Rd	0.10	170	R								NA		NA		02/09/2007	
(700) Big Smith Ridge Rd	0.07	120	R								NA		NA		02/09/2007	
(701) The Flats Dr	0.25	30	R								NA		NA		02/09/2007	
(702) Park Rd	0.40	390	F	98%	1%	0%	0%	0%	0%	C	0.125	F	0.58	430	F	2009
(702) Commission Circle	1.20	70	F	98%	1%	0%	0%	0%	0%	F	NA		80	F	2009	
(702) Commission Circle	0.18	40	F	98%	1%	0%	0%	0%	0%	F	NA		48	F	2009	
(703) Lickfork Rd	1.00	1900	R								NA		NA		01/11/2007	
(704) Wolf Pen Rd	0.55	90	R								NA		NA		02/09/2007	
(704) Wolf Pen Rd	0.95	320	R								NA		NA		02/09/2007	
(705) Cooks Fork	0.52	120	R								NA		NA		01/11/2007	
(706) Pine Creek	0.85	100	R								NA		NA		01/11/2007	
Town of Clintwood																
(707) Happy Valley Dr	0.55	830	R								NA		NA		02/13/2007	

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(707)	0.61	870	R								NA		NA		08/29/2000
(707) Dumps Hollow	0.25	90	R								NA		NA		02/13/2007
(708) Little Brushy Rd	0.90	200	R								NA		NA		01/04/2007
(709) Tan Through Br	0.70	60	R								NA		NA		01/31/2007
(710) Wagon Trail	0.78	310	R								NA		NA		01/31/2007
(711) Harm Ridge	1.22	100	R								NA		NA		01/04/2007
(712) Rocky Gap Hollow	1.10	50	R								NA		NA		12/12/2006
(713) Oley Fleming Rd	0.39	60	R								NA		NA		01/11/2007
(714) Ritter Circle	0.07	80	R								NA		NA		12/12/2006
(715) Wakenva Hollow	0.02	7	R								NA		NA		12/05/2006
(715) Wakenva Hollow	0.36	100	R								NA		NA		12/05/2006
(715)	0.42	100	R								NA		NA		12/05/2006
(716) Church St	0.21	190	R								NA		NA		12/12/2006
Town of Haysi															
(717) J and M Belcher Dr	0.12	90	R								NA		NA		01/31/2007
(717) North McClure Btm	0.16	50	R								NA		NA		01/31/2007
Dickenson County															
(718) Morgan Anderson Lane	0.49	50	R								NA		NA		01/17/2007
(719) Flat Top Rd	0.57	30	R								NA		NA		12/07/2006
(720) McCowan Dr	0.31	60	R								NA		NA		01/31/2007
(721) Jakes Br	0.47	20	R								NA		NA		01/09/2007

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(722) Lazarus Br	1.33	120	R			From:	SR 80				NA		NA		01/19/2007	
						To:	25-652									
(723) Mull Rd	0.30	40	R			From:	25-710 Wagon Trail				NA		NA		01/31/2007	
						To:	Dead End									
(724) Little John Kennedy Rd	0.34	30	R			From:	25-649 DC Caney Ridge Rd				NA		NA		01/04/2007	
						To:	Dead End									
(725) Pilgrim Way	0.32	140	R			From:	Wise CL; 97-650				NA		NA		12/07/2006	
						To:	Dead End									
Town of Clintwood																
(726) Holly Dr	0.21	120	R			From:	Dead End				NA		NA		02/13/2007	
						To:	25-707 Happy Valley Dr									
Dickenson County																
(727) Happy Valley Dr	0.27	220	R			From:	25-707 Dumps Hollow				NA		NA		02/13/2007	
						To:	25-672									
(728) State Route Rd	0.62	140	R			From:	25-638				NA		NA		01/17/2007	
						To:	Dead End									
(729) Fairview Rd	1.10	90	R			From:	Dead End				NA		NA		01/04/2007	
						To:	25-631									
(730) Pleasure Dr	0.54	70	R			From:	25-652				NA		NA		01/17/2007	
						To:	Dead End									
(731) Bise Ridge	1.08	220	R			From:	Dead End				NA		NA		01/04/2007	
						To:	25-637									
(732) Fearls Br	0.38	130	R			From:	SR 83				NA		NA		01/19/2007	
						To:	Dead End									
Town of Clintwood																
(733) Hospital Rd	0.32	730	R			From:	25-607 E Main St; The Lake Rd; E Main St				NA		NA		02/13/2007	
						To:	NCL Clintwood									
Dickenson County																
(733)	0.33	880	R			From:	NCL Clintwood				NA		NA		08/29/2000	
						To:	Dead End									
(734) Commission Circle	0.80	330	F	98%	1%	0%	0%	0%	0%	C	0.124	F	0.565	360	F	2009
						From:	25-702 Park Rd									
(734)	0.45	120	R			To:	25-787				NA		NA		09/25/2000	
						To:	25-791									
(735) DeLaney Lane	0.40	60	R			From:	Dead End				NA		NA		01/17/2007	
						To:	25-616									
(736) Flemington Rd	0.40	200	R			From:	25-607				NA		NA		02/09/2007	
						To:	Dead End									
(737) Stanley Hollow	0.31	70	R			From:	25-633 Strouth Rd				NA		NA		01/09/2007	
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(738) Steinman Circle	0.20	30	R			From: Dead End								NA		01/19/2007
						To: SR 83										
(739) Flagannan Dam Rd	2.04	360	F	97%	1%	1%	0%	0%	0%	C	0.119	F	0.537	370	F	2009
						From: 25-614 Cowpath Rd										
(739) John Flannagan Dam R	1.21	370	F	97%	1%	1%	0%	0%	0%	F	0.1	F	0.511	400	F	2009
						To: Jefferson Forest Brndy										
						From: 25-611										
(740) Rob Ridge	0.50	20	R			From: Dead End								NA		01/04/2007
						To: 25-648										
(741) Poker Flats	0.65	170	R			From: Dead End								NA		12/07/2006
						To: 25-651										
(742) The New Rd	0.95	80	R			From: 25-611								NA		01/11/2007
						To: 25-754 Ramey Flats Rd										
(743)	0.25	60	R			From: Dead End								NA		09/25/2000
						To: 25-734										
(744) Meadow Br	0.30	20	R			From: Dead End								NA		02/09/2007
						To: 25-619 Skeetrock Rd										
(744) Old Stone Dr	0.69	70	R			From: Dead End								NA		02/19/2007
						To: Dead End										
(745) Hurricane Br	0.99	60	R			From: 25-670 Lick Creek								NA		01/17/2007
						To: Dead End										
(746) Fruit Tree Rd	0.38	45	R			From: 25-650								NA		12/07/2006
						To: Dead End										
(747) Tara Rd	0.32	40	R			From: Dead End								NA		01/31/2007
						To: SR 63										
(748) Frank Large Rd	0.20	40	R			From: Dead End								NA		01/17/2007
						To: 25-637										
(749) Crow Hollow	0.05	60	R			From: SR 63								NA		01/12/2007
						To: Dead End										
(750) Old Three C Rd	0.83	90	R			From: 25-611								NA		02/05/2007
						To: Dead End										
(751) Old Vanover Farm Rd	0.49	80	R			From: Dead End								NA		02/13/2007
						To: 25-632										
(752) Centennial Heights Rd	0.54	340	R			From: Dead End								NA		01/31/2007
						To: 25-818 Patsy Lane										
(752) Centennial Heights Rd	0.37	450	R			From: SR 63								NA		01/31/2007
						To: SR 63										
(753) School House Hollow	0.26	280	R			From: Dead End								NA		01/09/2007
						To: 25-621										

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(754) Ramey Flats Rd	1.50	70	R			From:	25-631				NA		NA		01/11/2007
(754) Ramey Flats Rd	1.91	120	R			To:	25-742 The New Rd				NA		NA		01/11/2007
						To:	Dead End								
(755) Marina Cove	0.47	20	R			From:	25-614 The Lake Rd				NA		NA		01/31/2007
						To:	Dead End								
(756) Travis Stanley Rd	0.41	110	R			From:	SR 63				NA		NA		01/31/2007
						To:	Dead End								
(757)	0.25	20	R			From:	Dead End				NA		NA		12/05/2006
						To:	25-715 Wakenva Hollow								
(758) Nighthawk Hollow	0.21	45	R			From:	25-635				NA		NA		01/09/2007
						To:	Dead End								
(759) R L Edwards Lane	0.18	40	R			From:	25-615				NA		NA		02/05/2007
						To:	Dead End								
(760) Winnie Lane	0.10	20	R			From:	Dead End				NA		NA		01/04/2007
						To:	25-649 DC Caney Ridge Rd								
(761) Naugatuck Rd	0.05	10	R			From:	SR 80				NA		NA		01/17/2007
						To:	Dead End								
(762) Hillside Farms Rd	0.20	80	R			From:	Dead End				NA		NA		01/04/2007
						To:	25-637								
(763) Pat Field Rd	0.50	60	R			From:	SR 63				NA		NA		01/25/2007
						To:	Dead End								
(764) Hackney Ridge	0.80	60	R			From:	Dead End				NA		NA		01/25/2007
						To:	25-797 Viers Ridge								
(764) Hackney Ridge	0.80	100	R			From:	25-607				NA		NA		01/25/2007
Town of Clintwood															
(765) Old Clintwood Hwy	0.03	220	R			From:	SR 83				NA		NA		02/23/2007
						To:	WCL Clintwood								
Dickenson County															
(765)	0.84	170	R			From:	WCL Clintwood				NA		NA		08/29/2000
						To:	SR 72 Cranes Nest Rd								
(765) Killen Lane	0.13	20	R			From:	Dead End				NA		NA		01/09/2007
						To:									
(766) Old Georges Fork Rd	0.28	40	R			From:	SR 83 W, Dickenson Hwy				NA		NA		01/11/2007
						To:	SR 83 E, Dickenson Hwy								
Town of Haysi															
(767) OQuinn St	0.05	30	R			From:	SR 83				NA		NA		01/19/2007
						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(768) King Solomon Colley Rd	0.33	350	R								NA		NA		02/05/2007	
			From:	SR 80 N, Breaks Park Rd												
			To:	25-609												
(768) Breaks Park Rd	0.25	300	F	97%	1%	0%	1%	1%	0%	C	0.130	F	0.512	330	F	2009
			From:	25-609 King Solomon Colley Rd												
			To:	SR 80 S, Breaks Park Rd												
(769) Marion Edwards Dr	0.37	40	R								NA		NA		01/19/2007	
			From:	Dead End												
(769) Marion Edwards Dr	0.15	48	R								NA		NA		01/19/2007	
			From:	0.37 MN Dead End												
			To:	25-607												
(770) Tipton Lane	0.06	40	R								NA		NA		02/09/2007	
			From:	25-619												
			To:	Dead End												
(771) Copperhead Rd	0.57	40	R								NA		NA		01/04/2007	
			From:	25-646												
			To:	Dead End												
(772) Hool Own Hollow	0.10	30	R								NA		NA		02/09/2007	
			From:	Dead End												
			To:	25-619												
(773) Herndon Rd	1.04	2800	R								NA		NA		12/12/2006	
			From:	Dead End												
			To:	SR 63												
(774) Raven Lane	0.10	20	R								NA		NA		01/11/2007	
			From:	Dead End												
			To:	SR 83 Dickenson Hwy												
(775) Stevens Ridge	0.36	60	R								NA		NA		12/12/2006	
			From:	25-652												
			To:	Dead End												
(776) Little Lick Hollow	1.41	70	R								NA		NA		02/05/2007	
			From:	25-611												
			To:	Dead End												
(777) Horse Shoe Rd	0.42	30	R								NA		NA		01/09/2007	
			From:	SR 72 Cranes Nest Rd												
			To:	Dead End												
(778) Deel Lane	0.20	45	R								NA		NA		12/12/2006	
			From:	Dead End												
			To:	25-652												
Town of Clinchco																
(779) New Camp Rd	0.09	80	R								NA		NA		01/19/2007	
			From:	Dead End												
			To:	SR 83 Dickenson Hwy												
(780) Shifty Lane	0.12	100	R								NA		NA		01/19/2007	
			From:	25-783 Walnut St												
			To:	SR 83 Dickenson Hwy												
(781) Banner St	0.12	90	R								NA		NA		01/19/2007	
			From:	25-664												
			To:	SR 83 Dickenson Hwy												
(782) Lytton Circle	0.02	130	R								NA		NA		01/19/2007	
			From:	25-664 Clinchco Main St												
			To:	25-675												
(782) Lytton Circle	0.05	30	R								NA		NA		01/19/2007	
			From:	Dead End												
			To:	Dead End												
(783) Walnut St	0.05	30	R								NA		NA		01/19/2007	
			From:	Dead End												
			To:	25-780 Shifty Lane												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Clinchco															
(783) Walnut St	0.03	6	R			From: 25-780 Shifty Lane					NA		NA		01/19/2007
Dickenson County															
(784) Deer Lick Hollow	0.25	20	R			From: 25-633 Strouth Rd					NA		NA		01/09/2007
(785) Draw Bar Hollow	0.55	50	R			From: Dead End					NA		NA		02/09/2007
Town of Clinchco															
(786) Perry St	0.05	30	R			From: 25-664 Mill St					NA		NA		01/19/2007
Dickenson County															
(786)	0.15	30	N			From: NCL Clinchco					NA		NA		01/19/2007
(787)	0.70	20	R			From: 25-702 Park Rd					NA		NA		09/25/2000
(788) Recipe Rd	0.15	10	R			From: 25-681					NA		NA		12/12/2006
(789) Snowball Hollow	0.40	90	R			From: SR 72 Cranes Nest Rd					NA		NA		01/09/2007
(790)	0.20	60	R			From: 25-734					NA		NA		09/25/2000
(791)	0.40	50	R			From: 25-734					NA		NA		09/25/2000
(792) Henry Harrison Dr	0.57	90	R			From: 25-607					NA		NA		01/25/2007
(793) Stony Br	0.13	20	R			From: Dead End					NA		NA		02/09/2007
(794) Jasper Lane	0.30	40	R			From: Dead End					NA		NA		12/05/2006
(795) Ira Owens Lane	0.38	70	R			From: Dead End					NA		NA		01/31/2007
(796) Ratliff Rd	0.20	9	R			From: 25-611 Blowing Rock Rd					NA		NA		02/05/2007
(797) Viers Ridge	1.23	120	R			From: 25-764 Hackney Ridge					NA		NA		01/25/2007
(798) Old County Rd	0.10	30	R			From: 25-661					NA		NA		12/12/2006
(799) Dead End Rd	0.20	70	R			From: SR 63					NA		NA		01/17/2007

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(800) J R Bryant Rd	1.40	70	R			From: Dead End					NA		NA		12/05/2006
						To: 25-658									
Town of Clinchco															
(802)	0.21	NA				From: 25-664 Mill St					NA		NA		
						To: 25-782 Lytton Circle									
Dickenson County															
(803) Burrhead Dr	0.06	50	R			From: Dead End					NA		NA		01/31/2007
						To: SCL Haysi									
Town of Haysi															
(803)	0.12	30	R			From: SCL Haysi					NA		NA		09/11/2000
						To: 25-652									
Dickenson County															
(805) Lambert Lane	0.10	30	R			From: 25-700 Big Smith Ridge Rd					NA		NA		02/09/2007
						To: Dead End									
Town of Haysi															
(806) Railroad St	0.08	70	R			From: Dead End					NA		NA		01/31/2007
						To: 25-717 North McClure Btm									
Dickenson County															
(810) Dark Hollow	0.34	40	R			From: 25-605					NA		NA		01/17/2007
						To: Dead End									
(812) Kiwanis Park Rd	1.55	290	R			From: 25-613					NA		NA		01/31/2007
						To: Cul-de-Sac									
(815) Hagar Mountain Loop	0.12	70	R			From: SR 63					NA		NA		01/31/2007
						To: Dead End									
(816) Flamingo Rd	0.20	80	R			From: SR 63					NA		NA		01/31/2007
						To: Dead End									
(817) Driftwood Rd	0.14	40	R			From: Dead End					NA		NA		01/31/2007
						To: 25-710 Wagon Trail									
(818) Patsy Lane	0.24	47	R			From: 25-752 Centennial Heights Rd					NA		NA		01/31/2007
						To: Dead End									
(820) Russ Edwards Rd	0.37	60	R			From: 25-669					NA		NA		01/19/2007
						To: Dead End									
(822) Thunder Rd	0.40	40	R			From: 25-607					NA		NA		01/25/2007
						To: Dead End									
(823)	0.39	NA				From: 25-669					NA		NA		
						To: Dead End									
(824) Elbert Ramsey Rd	0.30	10	R			From: 25-676					NA		NA		12/12/2006
						To: Dead End									
(825) Raines Way Dr	0.09	10	R			From: 25-607					NA		NA		02/09/2007
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(827) Tildy Br	0.50	40	R			From: SR 80					NA		NA		01/17/2007
			To: Dead End												
(830) Mountain House Rd	0.20	40	R			From: 25-648					NA		NA		01/04/2007
			To: 25-648												
(835) Steves Br	0.47	100	R			From: 25-603					NA		NA		01/25/2007
			To: Dead End												
(837)	0.25	NA				From: SR 83 Dickenson Hwy					NA		NA		
			To: Cul-de-Sac												
(840) Vinegar Knob Rd	0.20	50	R			From: 25-754 Ramey Flats Rd					NA		NA		01/11/2007
			To: Dead End												
(843) Bass Rd	0.04	40	R			From: Dead End					NA		NA		02/09/2007
			To: 25-619 Skeetrock Rd												
(846) Johnson Hollow	0.18	47	R			From: 25-673					NA		NA		12/05/2006
			To: Dead End												
(848)	0.96	NA				From: SR 63 S, Dante Mountain Rd					NA		NA		
			To: SR 63 N, Dante Mountain Rd												
(849)	0.11	NA				From: SR 63 SOUTHEAST					NA		NA		
			To: SR 63 NORTHWEST												
(850) Commanders Lane	0.40	50	R			From: Dead End					NA		NA		02/09/2007
			To: 25-695												
(853) Pond Ridge	0.52	60	R			From: 25-652 Dr Ralph Stanley Hwy					NA		NA		12/07/2006
			To: Dead End												
(855) Highland Rd	0.38	40	R			From: Dead End					NA		NA		12/07/2006
			To: 25-651												
(860) Alpine Dr	0.04	20	R			From: Dead End					NA		NA		12/05/2006
			To: 25-627												
(870) Chapel Lane	0.05	20	R			From: 25-615					NA		NA		02/05/2007
			To: Dead End												
(880) Arrington Dr	0.38	60	R			From: 25-606					NA		NA		01/17/2007
			To: Dead End												
(885) Technology Dr	0.60	630	R			From: SR 83					NA		NA		02/13/2007
			To: 25-707												
(890) Liza Flats	0.30	110	R			From: Dead End					NA		NA		01/31/2007
			To: 25-710 Wagon Trail												
(892) Hadley Rd	0.38	100	R			From: SR 80 Hellen Henderson Hwy					NA		NA		01/19/2007
			To: Dead End												
(893) Basin Br	0.44	30	R			From: 25-892 Hadley Rd					NA		NA		01/19/2007
			To: Dead End												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Clintwood															
(1001) Ida Lane	0.10	90	R								NA		NA		02/21/2007
(1001) Ida Lane	0.07	90	R								NA		NA		02/21/2007
(1001) McClure Ave	0.25	1600	R								NA		NA		02/13/2007
Dickenson County															
(1002) Powerhouse Hollow	0.38	70	R								NA		NA		02/21/2007
Town of Clintwood															
(1002)	0.11	90	R								NA		NA		10/03/2000
(1003) Volunteer Ave	0.10	740	R								NA		NA		02/23/2007
(1003) High St	0.05	120	R								NA		NA		02/23/2007
(1004) Fairground Hollow	0.30	400	R								NA		NA		02/23/2007
(1005) Pleasant St	0.12	120	R								NA		NA		02/13/2007
(1006) Pioneer St	0.13	280	R								NA		NA		02/21/2007
(1007) Short St	0.02	80	R								NA		NA		02/21/2007
(1007) Short St	0.03	70	R								NA		NA		02/21/2007
(1008) Jesse St	0.27	300	R								NA		NA		02/21/2007
(1008) Jesse St	0.03	370	R								NA		NA		02/21/2007
(1009) Chase St	0.03	3800	R								NA		NA		02/23/2007
(1009) Chase St	0.13	3300	R								NA		NA		02/23/2007
(1009) Chase St	0.09	3500	R								NA		NA		02/13/2007
(1010) Walnut St	0.13	280	R								NA		NA		02/13/2007
(1011) French St	0.02	160	R								NA		NA		1994
(1011) French St	0.04	100	R								NA		NA		02/13/2007

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Clintwood															
(1012) Factory Dr	0.13	140	R			From:	SR 83				NA		NA	02/21/2007	
						To:	Dead End								
(1013) Hampton St	0.13	130	R			From:	ECL Clintwood				NA		NA	02/13/2007	
						To:	25-672 Fox Town Rd								
(1014) Wave Dr	0.17	90	R			From:	SR 83				NA		NA	02/23/2007	
						To:	25-631 Brush Creek Rd								
(1015) Jonah Mullins Dr	0.08	980	R			From:	SR 83; 25-607				NA		NA	02/23/2007	
						To:	25-1009 Chase St								
(1015) Settler St	0.04	360	R			From:	25-1009 Chase St				NA		NA	02/23/2007	
						To:	Dead End								
(1016) Crimson St	0.03	60	R			From:	25-1006 Pioneer St				NA		NA	02/21/2007	
						To:	25-1008 Jesse St								
(1016) Crimson St	0.05	60	R			From:	25-1008 Jesse St				NA		NA	02/21/2007	
						To:	25-1001 Ida Lane								
Dickenson County															
(1017) Vanover Hollow	0.37	90	R			From:	Dead End				NA		NA	02/21/2007	
						To:	SR 83								
Town of Clintwood															
(1018) College View Addition L	0.42	160	R			From:	25-672				NA		NA	02/13/2007	
						To:	ECL Clintwood								
Dickenson County															
(1018) College View Addition L	0.09	130	R			From:	ECL Clintwood				NA		NA	02/13/2007	
						To:	Dead End								
Town of Clintwood															
(1019) Phipps Circle	0.29	70	R			From:	25-607 W, Walnut St				NA		NA	02/13/2007	
						To:	25-607 E, Walnut St								
(1020) Jacob Yates Rd	0.24	60	R			From:	Dead End				NA		NA	02/23/2007	
						To:	SR 83								
(1021) Hughes Hollow	0.19	60	R			From:	Dead End				NA		NA	02/23/2007	
						To:	25-1020 Jacob Yates Rd								
(1022) Old Orchard Rd	0.19	70	R			From:	25-1020 Jacob Yates Rd				NA		NA	02/23/2007	
						To:	Dead End								
(1023) Spruce Lane	0.07	6	R			From:	Dead End				NA		NA	02/23/2007	
						To:	25-1004 Fairground Hollow								
(1024) Orchard Dr	0.15	90	R			From:	25-696				NA		NA	02/23/2007	
						To:	Dead End								
Dickenson County															
(1025) Newton Mullins Rd	0.50	80	R			From:	Dead End				NA		NA	01/09/2007	
						To:	SR 83 Dickenson Hwy								
(1026) Tomken Rd	0.08	40	R			From:	SR 83 Dickenson Hwy				NA		NA	01/09/2007	
						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Clintwood																
(1027)	0.32	NA				From: SR 83					NA		NA			
						To: Dead End										
Dickenson County																
(1030) Whispering Pine Rd	0.25	40	R			From: Dead End					NA		NA		01/09/2007	
						To: SR 72 Cranes Nest Rd										
(1031) Mary Lou Dr	0.08	45	R			From: Dead End					NA		NA		01/09/2007	
						To: SR 72 Cranes Nest Rd										
(9650) Anderson Lane	0.21	690	R			From: Dead End					NA		NA		01/19/2007	
						To: Sandlick Elem Sch										
Town of Clinchco																
(9693) Vocational Dr	0.18	560	R			From: Dickenson Voc Sch					NA		NA		01/19/2007	
						To: SR 83 Dickenson Hwy										
Dickenson County																
(9696) Rebel Dr	0.22	820	R			From: 25-652 Dr Ralph Stanley Hwy					NA		NA		12/07/2006	
						To: Ervinton High Sch										
Town of Haysi																
(9697) Tiger Circle	0.27	450	R			From: Haysi High School					NA		NA		01/31/2007	
						To: SR 80										
Dickenson County																
(9698) Ervinton Circle	0.16	160	R			From: Ervinton Elem Sch					NA		NA		12/07/2006	
						To: SR 63										
Town of Clintwood																
(9699) Greenwave Circle	0.10	510	R			From: SR 83					NA		NA		02/23/2007	
						To: Clintwood High Sch										
(9702) Elementary Circle	0.18	770	R			From: 25-607 S, E Main St; The Lake Rd					NA		NA		02/09/2007	
						To: 25-9703										
(9702) Elementary Circle	0.01	130	R			From: 25-607 N, E Main St; The Lake Rd					NA		NA		02/09/2007	
						To: Cul-de-Sac										
(9703)	0.11	260	R			From: Cul-de-Sac					NA		NA		02/09/2007	
						To: 25-9702 Parking Lot										
Dickenson County																
(9704)	0.13	280	R			From: SR 72 Longfork					NA		NA		01/09/2007	
						To: 25-621 Elem School										
(634 ⁹⁷)	0.30	390	N	98%	0%	1%	0%	0%	0%	N	0.117	N	0.641	400	N	2009
						To: SR 72										