

**2009**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**26**

Dinwiddie County  
City of Petersburg  
Town of McKenney

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Boydton Plank Rd	Dinwiddie County	2.46	<b>1400</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	NA			1500	G
1 Boydton Plank Rd	Town of McKenney (Maint: 26)	0.23	<b>1400</b>	<b>N</b>	96%	1%	1%	1%	1%	0%	N	NA			1500	N
1 Boydton Plank Rd	Town of McKenney (Maint: 26)	0.33	<b>1900</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.093	F		2100	G
1 Boydton Plank Rd	Dinwiddie County	4.05	<b>1900</b>	<b>N</b>	96%	1%	1%	1%	1%	0%	N	0.093	N		2100	N
1 Boydton Plank Rd	Dinwiddie County	5.65	<b>2200</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.098	F	0.689	2300	G
1 Boydton Plank Rd	Dinwiddie County	2.48	<b>3800</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	C	0.099	F		4100	G
1 Boydton Plank Rd	Dinwiddie County	3.61	<b>5200</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.101	F		5600	G
1 Boydton Plank Rd	Dinwiddie County	3.09	<b>8000</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.093	F		8700	G
1 Bus 460 Boydton Plank Rd	Dinwiddie County	1.70	<b>12000</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.090	F		13000	G
1 Bus 460 Boydton Plank Rd	Dinwiddie County	1.22	<b>14000</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	C	0.098	F		15000	G
1 Bus 460	Dinwiddie County	0.45	<b>13000</b>	<b>A</b>	98%	0%	1%	1%	1%	0%	C	0.105	A	0.533	14000	A
1 Bus 460 Washington St	City of Petersburg	0.40	<b>13000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	NA			14000	G
1 Bus 460 Washington St	City of Petersburg	0.18	<b>13000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	NA			14000	G
1 Bus 460 Washington St	City of Petersburg	0.57	<b>14000</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.085	F		16000	G
1 Bus 460 Wythe St	City of Petersburg	1.08	<b>7600</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	C	0.082	F		8300	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>16000</b>	<b>G</b>	96%	1%	1%	1%	1%	1%	0%	F	NA			18000	G
1 Bus 460 Wythe St	City of Petersburg	0.15	<b>9200</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	NA			10000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>19000</b>	<b>G</b>	96%	1%	1%	1%	1%	1%	0%	F	NA			20000	G
To:		SR 36 Market St														

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Bus 460 36 Wythe St	City of Petersburg	0.20	9900	G	96%	1%	1%	1%	1%	0%	F	NA			11000	G
1 ALT Bus 301 460 36 Wythe St	City of Petersburg	0.20	12000	G	96%	1%	1%	1%	1%	0%	F	NA			13000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 27000 G 95% 1% 1%																29000 G
1 ALT 301 Jefferson St	City of Petersburg	0.09	3900	G	96%	1%	1%	1%	1%	0%	F	0.082	F	0.687	4300	G
1 ALT 301 Jefferson St	City of Petersburg	0.26	790	G	96%	1%	1%	1%	1%	0%	F	0.096	F	0.674	860	G
1 ALT 301 3rd St	City of Petersburg	0.05	330	G	96%	1%	1%	1%	1%	0%	F	0.115	F	0.573	350	G
1 ALT 301 3rd St	City of Petersburg	0.05	400	G	96%	1%	1%	1%	1%	0%	F	0.11	F	0.634	430	G
1 ALT 301 301 36 P Bollingbrook St	City of Petersburg	0.08	4600	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	G
1 301 2nd St	City of Petersburg	0.35	13000	G	99%	0%	0%	0%	0%	0%	F	NA			13000	G
1 Bus 460 Washington St	City of Petersburg	0.31	8500	G	97%	1%	1%	1%	1%	0%	F	0.089	F		9300	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 16000 G 96% 1% 1%																18000 G
1 Bus 460 Washington St	City of Petersburg	0.40	9100	G	97%	1%	1%	1%	1%	0%	F	0.089	F		9900	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 17000 G 97% 1% 1%																18000 G
1 Bus 460 Washington St	City of Petersburg	0.27	9500	G	97%	1%	1%	1%	1%	0%	C	0.087	F		10000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 19000 G 96% 1% 1%																20000 G
1 Bus 460 Washington St	City of Petersburg	0.24	9500	G	97%	1%	1%	1%	1%	0%	F	0.088	F		10000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 19000 G 96% 1% 1%																20000 G
1 36 Market St	City of Petersburg	0.38	3300	G	97%	1%	1%	0%	0%	0%	C	0.089	F		3600	G
1 36 Old St	City of Petersburg	0.13	3500	G	97%	1%	1%	0%	0%	0%	F	0.094	F		3800	G

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
  Sycamore St	City of Petersburg	0.04	<b>3400</b>	<b>G</b>	97%	1%	1%	0%	0%	0%	F	0.094	F	3700	G	
  Bollingbrook St	City of Petersburg	0.10	<b>3500</b>	<b>G</b>	97%	1%	1%	0%	0%	0%	F	0.088	F	0.772	3800	G
 Fleet St	City of Petersburg	0.12	<b>7900</b>	<b>G</b>	99%	0%	0%	0%	0%	0%	C	0.088	F	8400	G	
 Grove Ave	City of Petersburg	0.54	<b>3000</b>	<b>G</b>	97%	0%	1%	1%	0%	0%	C	0.101	F	0.609	3200	G
  Market St	City of Petersburg	0.38	<b>3300</b>	<b>G</b>	97%	1%	1%	0%	0%	0%	C	0.089	F	3600	G	
 Market St	City of Petersburg	0.11	<b>5700</b>	<b>G</b>	99%	0%	0%	0%	0%	0%	F	0.09	F	0.769	6100	G
  Bus Wythe St	City of Petersburg	0.20	<b>9900</b>	<b>G</b>	96%	1%	1%	1%	0%	F	NA			11000	G	
  ALT Bus Wythe St	City of Petersburg	0.20	<b>12000</b>	<b>G</b>	96%	1%	1%	1%	0%	F	NA			13000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>27000</b>	<b>G</b>	95%	1%	1%	1%	2%	0%	F	NA				29000	G
  Wythe St	City of Petersburg	0.20	<b>16000</b>	<b>G</b>	97%	1%	1%	1%	0%	C	0.087	F		17000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>31000</b>	<b>G</b>	95%	1%	1%	1%	2%	0%	F	NA				34000	G
  Wythe St	City of Petersburg	0.30	<b>11000</b>	<b>G</b>	97%	1%	1%	1%	0%	F	NA			12000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>24000</b>	<b>G</b>	95%	1%	1%	1%	2%	0%	F	NA				26000	G
 Wythe St	City of Petersburg	0.43	<b>9900</b>	<b>G</b>	97%	0%	1%	1%	0%	F	NA			11000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>21000</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	F	NA				22000	G
 Washington St	City of Petersburg	0.87	<b>20000</b>	<b>G</b>	97%	0%	1%	1%	0%	F	0.081	F		22000	G	
 Washington St	City of Petersburg	0.58	<b>16000</b>	<b>G</b>	97%	0%	1%	1%	0%	F	0.079	F		18000	G	
 Old St	City of Petersburg	0.13	<b>3500</b>	<b>G</b>	97%	1%	1%	0%	F	0.094	F			3800	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
36 p 1 Sycamore St	City of Petersburg	0.04	3400	G	97%	1%	1%	0%	0%	0%	F	0.094	F		3700	G
	From: Old St															
	To: Bollingbrook St															
36 p 1 Bollingbrook St	City of Petersburg	0.10	3500	G	97%	1%	1%	0%	0%	0%	F	0.088	F	0.772	3800	G
	From: Sycamore St															
	To: US 1, US 301 2nd St															
36 301 1 ALT 301 Bollingbrook St	City of Petersburg	0.08	4600	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	G
	From: US 1, Par, 2nd St															
	To: US 1, ALT US 301 3rd St															
36 301 Bollingbrook St	City of Petersburg	0.15	4400	G	98%	0%	1%	0%	0%	0%	F	0.108	F	0.786	4800	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	6100	G	98%	0%	1%	0%	0%	1%	0%	F	NA			6700	G
36 301 Bollingbrook St	City of Petersburg	0.23	4200	G	98%	0%	1%	0%	0%	0%	C	0.116	F		4600	G
	From: 5th St															
	To: Crater Rd															
36 301 Crater Rd	City of Petersburg	0.14	3700	G	98%	0%	1%	0%	0%	0%	F	0.115	F	0.839	4000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	7600	G	97%	1%	1%	1%	1%	1%	0%	F	NA			8200	G
36 301 Crater Rd	City of Petersburg	0.18	3900	G	97%	1%	1%	0%	0%	0%	F	NA			4200	G
	From: US 301 Par, Bank St															
36 Washington St	City of Petersburg	0.18	11000	G	97%	0%	1%	1%	1%	0%	F	0.09	F		11000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	20000	G	97%	0%	1%	1%	1%	1%	0%	F	NA			22000	G
36 Washington St	City of Petersburg	0.25	11000	G	97%	0%	1%	1%	1%	0%	F	0.091	F		12000	G
	From: Burch St															
	To: SR 36 Wythe St; Amelia St															
40 Darvills Rd	Dinwiddie County	4.90	1000	G	90%	1%	1%	1%	7%	0%	F	0.102	F	0.640	1000	G
	From: Nottoway County Line															
40 Old Cryors Rd	Dinwiddie County	6.15	1000	A	90%	1%	1%	1%	7%	0%	C	0.111	A	0.546	1000	A
	From: 26-644 Brills Rd															
40 McKenney Hwy	Dinwiddie County	2.46	1600	G	90%	1%	1%	1%	7%	0%	F	0.089	F	0.552	1600	G
	From: 26-610 Old White Oak Rd															
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.34	1600	N	90%	1%	1%	1%	7%	0%	N	0.089	N	0.552	1600	N
	From: WCL McKenney															
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.57	2600	G	90%	1%	1%	1%	7%	0%	F	0.097	F	0.543	2600	G
	From: 26-1002 Railroad St															
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.43	2700	G								0.1	F	0.523	2900	G
	From: US 1 Boydton Plank Rd															
40 Doyle Blvd	Town of McKenney (Maint: 26)															
	To: ECL McKenney															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
40	McKenney Hwy	From: [REDACTED] ECL McKenney										0.1	N	0.523	2900	N		
40	Dinwiddie County	0.14	2700	N														
40	McKenney Hwy	To: [REDACTED] I-85											F	0.093	F	0.613	1900 G	
40	Dinwiddie County	0.56	1900	G	88%	1%	1%		1%	9%	0%							
40	McKenney Hwy	To: [REDACTED] 26-692 Spony Church Rd											C	0.116	A	0.531	970 A	
40	Dinwiddie County	5.15	980	A	88%	1%	1%		1%	9%	0%							
40	McKenney Hwy	To: [REDACTED] 26-609 Old Stage Rd																
40	Dinwiddie County	2.04	1100	G	88%	1%	1%		1%	9%	0%		F	0.083	F	0.502	1100 G	
40	McKenney Hwy	To: [REDACTED] 26-609 Cherry Hill Rd																
40	Dinwiddie County	2.04	1100	G	88%	1%	1%		1%	9%	0%		F	0.083	F	0.502	1100 G	
40	McKenney Hwy	To: [REDACTED] 26-619 Courthouse Rd																
40	Dinwiddie County	5.19	1100	G	88%	1%	1%		1%	9%	0%		F	0.101	F	0.658	1100 G	
40	McKenney Hwy	To: [REDACTED] Sussex County Line																
North	[REDACTED]	From: [REDACTED] Brunswick County Line																
85	Dinwiddie County	2.38	11000	G	79%	1%	1%		0%	17%	2%		F	NA			9500 G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							23000	G	79%	1%	1%						19000 G	
North	[REDACTED]	To: [REDACTED] SR 40																
85	Dinwiddie County	5.95	11000	G	84%	1%	1%		0%	13%	1%		F	NA			9700 G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							22000	G	84%	1%	1%						20000 G	
North	[REDACTED]	To: [REDACTED] 26-650																
85	Dinwiddie County	4.88	12000	G	84%	1%	1%		0%	13%	1%		F	NA			11000 G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							23000	G	84%	1%	1%						21000 G	
North	[REDACTED]	To: [REDACTED] 26-703																
85	Dinwiddie County	8.52	13000	A	84%	1%	1%		0%	13%	1%		C	0.121	A		12000 A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							26000	A	84%	1%	1%			C	0.106	A	0.525	23000 A
North	[REDACTED]	To: [REDACTED] US 460																
85	Dinwiddie County	1.77	20000	F	84%	1%	1%		0%	13%	1%		F	NA			18000 F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							40000	F	86%	1%	1%			F	NA		36000 F	
North	[REDACTED]	To: [REDACTED] US 1																
85	Dinwiddie County	1.18	23000	F	88%	1%	1%		1%	9%	1%		C	0.088	F		24000 F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							47000	F	88%	1%	1%			C	NA		46000 F	
North	[REDACTED]	To: [REDACTED] SCL Petersburg																
85	City of Petersburg (Maint: 26)	1.01	23000	F	88%	1%	1%		1%	9%	1%		C	0.088	F		24000 F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							47000	F	88%	1%	1%			C	0.088	F	46000 F	
North	[REDACTED]	To: [REDACTED] Squirrel Level Road																
85	City of Petersburg (Maint: 26)	2.57	25000	F	88%	1%	1%		1%	9%	1%		F	NA			26000 F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							52000	F	88%	1%	1%			F	NA		50000 F	
North	[REDACTED]	To: [REDACTED] I-95																

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North   Ramp	City of Petersburg (Maint: 26)	0.10	<b>5600</b>	<b>B</b>							0.110	A		5700	B	
	From:	I-85 North														
	To:	I-95 South														
North  Ramp	City of Petersburg (Maint: 26)	0.22	<b>5600</b>	<b>B</b>							0.107	A		6000	B	
	From:	I-95 North														
	To:	Wythe St & Washington St														
North  Ramp	City of Petersburg (Maint: 26)	0.17	<b>NA</b>									NA		NA		
	From:	I-85 North Exit 68C														
	To:	CEUS 460-P Washington St														
North  Ramp	City of Petersburg (Maint: 26)	0.07	<b>NA</b>									NA		NA		
	From:	I-85 North Exit 68B														
	To:	CEUS 460 Wythe St														
South 	Dinwiddie County	2.78	<b>12000</b>	<b>G</b>	79%	1%	1%	0%	18%	2%	F	NA		9800	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>23000</b>	<b>G</b>	79%	1%	1%	0%	17%	2%	F	NA			19000	G	
	From:	Brunswick County Line														
	To:	SR 40														
South 	Dinwiddie County	5.95	<b>11000</b>	<b>G</b>	83%	1%	1%	0%	14%	1%	F	NA		10000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>22000</b>	<b>G</b>	84%	1%	1%	0%	13%	1%	F	NA			20000	G	
	From:	26-650														
South 	Dinwiddie County	4.95	<b>11000</b>	<b>G</b>	83%	1%	1%	0%	14%	1%	F	NA		10000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>23000</b>	<b>G</b>	84%	1%	1%	0%	13%	1%	F	NA			21000	G	
	From:	26-703														
South 	Dinwiddie County	8.36	<b>13000</b>	<b>A</b>	83%	1%	1%	0%	14%	1%	C	0.119	A	12000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>26000</b>	<b>A</b>	84%	1%	1%	0%	13%	1%	C	0.106	A	0.525	23000	A	
	From:	26-703														
South  	Dinwiddie County	1.83	<b>20000</b>	<b>F</b>	87%	1%	1%	1%	10%	1%	F	NA		18000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>40000</b>	<b>F</b>	86%	1%	1%	1%	12%	1%	F	NA			36000	F	
	From:	US 460														
South  	Dinwiddie County	0.81	<b>24000</b>	<b>F</b>	87%	1%	1%	1%	10%	1%	C	0.104	A	22000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>47000</b>	<b>F</b>	88%	1%	1%	1%	10%	1%	C	NA			46000	F	
	From:	SCL Petersburg														
South  	City of Petersburg (Maint: 26)	1.25	<b>24000</b>	<b>F</b>	87%	1%	1%	1%	10%	1%	C	0.104	A	22000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>47000</b>	<b>F</b>	88%	1%	1%	1%	10%	1%	C	NA			46000	F	
	From:	SCL Petersburg														
South  	City of Petersburg (Maint: 26)	2.72	<b>27000</b>	<b>F</b>	87%	1%	1%	1%	10%	1%	F	NA		24000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>52000</b>	<b>F</b>	88%	1%	1%	1%	10%	1%	F	NA			50000	F	
	From:	I-95														

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 	City of Petersburg (Maint: 74)	1.15	<b>15000</b>	<b>A</b>	85%	1%	1%	0%	13%	0%	F	0.118	<b>A</b>	14000	<b>A</b>	
North 	City of Petersburg (Maint: 74)	2.79	<b>19000</b>	<b>B</b>	85%	1%	1%	0%	13%	0%	F	0.109	<b>A</b>	18000	<b>B</b>	
North 	City of Petersburg (Maint: 74)	0.50	<b>19000</b>	<b>N</b>	85%	1%	1%	0%	13%	0%	N	0.109	<b>N</b>	18000	<b>N</b>	
North 	City of Petersburg (Maint: 26)	0.44	<b>44000</b>	<b>B</b>	91%	1%	1%	1%	7%	0%	F	0.094	<b>A</b>	43000	<b>B</b>	
North 	City of Petersburg (Maint: 26)	0.64	<b>NA</b>								NA		NA		NA	
North 	City of Petersburg (Maint: 74)	0.17	<b>840</b>	<b>A</b>							NA		830	<b>A</b>		
North 	City of Petersburg (Maint: 74)	0.35	<b>290</b>	<b>A</b>							0.198	<b>B</b>		320	<b>A</b>	
North 	City of Petersburg (Maint: 74)	0.26	<b>10000</b>	<b>A</b>							0.139	<b>A</b>		11000	<b>A</b>	
North 	City of Petersburg (Maint: 74)	0.14	<b>14000</b>	<b>B</b>							0.119	<b>A</b>		15000	<b>B</b>	
South 	City of Petersburg (Maint: 74)	0.34	<b>14000</b>	<b>A</b>	85%	1%	1%	0%	13%	0%	F	0.117	<b>A</b>	13000	<b>A</b>	
South 	City of Petersburg (Maint: 74)	1.22	<b>16000</b>	<b>A</b>	85%	1%	1%	0%	13%	0%	F	0.113	<b>A</b>	15000	<b>A</b>	
South 	City of Petersburg (Maint: 74)	2.29	<b>23000</b>	<b>B</b>	85%	1%	1%	0%	13%	0%	F	0.097	<b>A</b>	22000	<b>B</b>	
South 	City of Petersburg (Maint: 74)	3.10	<b>28000</b>	<b>A</b>	85%	1%	1%	0%	13%	0%	F	0.107	<b>A</b>	25000	<b>A</b>	
South 	City of Petersburg (Maint: 74)	2.29	<b>31000</b>	<b>A</b>	85%	1%	1%	0%	13%	0%	F	0.096	<b>A</b>	29000	<b>A</b>	
South 	City of Petersburg (Maint: 74)	2.29	<b>43000</b>	<b>B</b>	85%	1%	1%	0%	13%	0%	F	0.096	<b>A</b>	40000	<b>B</b>	
South 	City of Petersburg (Maint: 74)	2.29	<b>US 460 County Rd; US 301 Crater Rd</b>													

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
South  95	City of Petersburg (Maint: 74)	0.53	<b>23000</b>	<b>N</b>	85%	1%	1%	0%	13%	0%	N	0.097	N	22000	N
South  95	City of Petersburg (Maint: 26)	0.66	<b>43000</b>	<b>B</b>	90%	1%	1%	1%	7%	0%	F	0.095	A	41000	B
South  95	City of Petersburg (Maint: 26)	0.48	<b>NA</b>								NA		NA		NA
South  95 Ramp	City of Petersburg (Maint: 74)	0.31	<b>4900</b>	<b>B</b>							0.100	A	5400	B	
South  95 460 Ramp	City of Petersburg (Maint: 74)	0.06	<b>8900</b>	<b>B</b>							0.101	A	9700	B	
South Bus  95 460 460 Bus	City of Petersburg (Maint: 74)	0.27	<b>11000</b>	<b>A</b>							0.118	A	12000	A	
106 Courthouse Rd	City of Petersburg	0.10	<b>7500</b>	<b>G</b>	95%	1%	1%	1%	2%	0%	F	0.089	F	8100	G
109 Hickory Hill Rd	City of Petersburg	0.88	<b>6600</b>	<b>G</b>	98%	0%	0%	1%	0%	0%	C	0.124	F	7100	G
109 Hickory Hill Rd	City of Petersburg	0.03	<b>6600</b>	<b>N</b>	98%	0%	0%	1%	0%	0%	N	0.124	N	7100	N
142 Simpson Rd	Dinwiddie County	1.27	<b>3100</b>	<b>G</b>	96%	0%	0%	1%	2%	0%	C	0.102	F	3300	G
142 Boydton Plank Rd	City of Petersburg	0.16	<b>3400</b>	<b>G</b>	98%	0%	0%	0%	1%	0%	F	0.096	F	3700	G
142 Boydton Plank Rd	City of Petersburg	1.24	<b>3100</b>	<b>G</b>	98%	0%	0%	0%	1%	0%	C	0.083	F	3400	G
142 Halifax Rd	City of Petersburg	0.06	<b>5800</b>	<b>G</b>	98%	0%	0%	0%	1%	0%	F	0.079	F	6300	G
226 Cox Rd	Dinwiddie County	3.38	<b>9900</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	C	0.099	F	11000	G

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
301 Crater Rd	City of Petersburg	0.21	8600	G	99%	0%	0%	0%	0%	0%	F	0.096	F		9400	G
301 Crater Rd	City of Petersburg	0.90	9800	G	99%	0%	0%	0%	0%	0%	C	0.091	F		11000	G
301 Crater Rd	City of Petersburg	0.43	21000	G	99%	0%	0%	0%	0%	0%	F	NA			23000	G
301 Crater Rd	City of Petersburg	0.87	22000	G	99%	0%	0%	0%	0%	0%	F	0.084	F		24000	G
301 Crater Rd	City of Petersburg	0.26	16000	G	98%	0%	1%	0%	0%	0%	C	0.088	F		17000	G
301 Crater Rd	City of Petersburg	0.73	22000	G	98%	0%	1%	0%	0%	0%	F	0.084	F		24000	G
301 Bus 460 Crater Rd	City of Petersburg (Maint: 26)	0.09	11000	N	97%	1%	1%	0%	0%	0%	N	0.087	N		12000	N
301 Bus 460 Crater Rd	City of Petersburg	0.98	11000	G	97%	1%	1%	0%	0%	0%	C	0.087	F		12000	G
301 Bus 460 P Crater Rd	City of Petersburg	0.10	7800	G	97%	1%	1%	0%	0%	0%	F	0.087	F		8500	G
301 36 Crater Rd	City of Petersburg	0.18	3900	G	97%	1%	1%	0%	0%	0%	F	NA			4200	G
301 36 Crater Rd	City of Petersburg	0.14	3700	G	98%	0%	1%	0%	0%	0%	F	0.115	F	0.839	4000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		7600	G	97%	1%	1%	1%	1%	0%	F	NA			8200	G
301 36 Bollingbrook St	City of Petersburg	0.23	4200	G	98%	0%	1%	0%	0%	0%	C	0.116	F		4600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6300	G	98%	0%	1%	0%	1%	0%	C	NA			6900	G
301 36 Bollingbrook St	City of Petersburg	0.15	4400	G	98%	0%	1%	0%	0%	0%	F	0.108	F	0.786	4800	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6100	G	98%	0%	1%	0%	1%	0%	F	NA			6700	G
301 ALT 1 301 36 Bollingbrook St	City of Petersburg	0.08	4600	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	G
301 1 2nd St	City of Petersburg	0.35	13000	G	99%	0%	0%	0%	0%	0%	F	NA			13000	G
	To: SCL Colonial Heights															

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
  Bank St	City of Petersburg	0.24	2100	G	96%	1%	1%	1%	1%	0%	C	0.102	F		2300	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6300	G	98%	0%	1%	0%	1%	0%	C	NA			6900	G
  Bank St	City of Petersburg	0.15	1700	G	96%	1%	1%	1%	1%	0%	F	0.105	F		1900	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6100	G	98%	0%	1%	0%	1%	0%	F	NA			6700	G
    Bank St	City of Petersburg	0.09	1600	G	96%	1%	1%	1%	1%	0%	F	0.100	F		1800	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6300	G	98%	0%	1%	0%	1%	0%	F	NA			6800	G
ALT																
 Sycamore St	City of Petersburg	0.30	7600	G	99%	0%	0%	0%	0%	0%	F	NA			8200	G
ALT																
 Sycamore St	City of Petersburg	0.95	5000	G	99%	0%	0%	0%	0%	0%	C	0.084	F		5500	G
ALT																
 Sycamore St	City of Petersburg	0.42	7300	G	99%	0%	0%	0%	0%	0%	F	0.075	F		8000	G
ALT																
 Sycamore St	City of Petersburg	0.56	9600	G	99%	0%	0%	0%	0%	0%	F	0.078	F		10000	G
ALT																
    Wythe St	City of Petersburg	0.20	12000	G	96%	1%	1%	1%	1%	0%	F	NA			13000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	G	95%	1%	1%	1%	2%	0%	F	NA			29000	G
ALT																
  Jefferson St	City of Petersburg	0.09	3900	G	96%	1%	1%	1%	1%	0%	F	0.082	F	0.687	4300	G
ALT																
  Jefferson St	City of Petersburg	0.26	790	G	96%	1%	1%	1%	1%	0%	F	0.096	F	0.674	860	G
ALT																
 3rd St	City of Petersburg	0.05	330	G	96%	1%	1%	1%	1%	0%	F	0.115	F	0.573	350	G
ALT																
  3rd St	City of Petersburg	0.05	400	G	96%	1%	1%	1%	1%	0%	F	0.11	F	0.634	430	G
ALT																
    Bollingbrook St	City of Petersburg	0.08	4600	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	G
ALT																
 Sycamore St	City of Petersburg	0.09	6700	G	99%	0%	0%	0%	0%	0%	F	NA			7300	G
ALT																

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
ALT Bus Bus 301 460 460 36 Washington St	City of Petersburg	0.09	14000	G	93%	1%	1%	2%	3%	0%	F	0.079	F	16000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000		G	95%	1%	1%	1%	2%	0%	F	NA		29000	G
ALT 301 Adams St	City of Petersburg	0.06	7600	G	99%	0%	0%	0%	0%	0%	F	NA		8200	G
ALT 301 Adams St	City of Petersburg	0.16	7300	G	99%	0%	0%	0%	0%	0%	C	NA		8000	G
From: 460	Dinwiddie County	6.80	5900	G	88%	1%	1%	1%	9%	0%	F	0.076	F	6000	G
To: 460	Dinwiddie County	2.99	6100	G	88%	1%	1%	1%	9%	0%	F	0.08	F	6200	G
From: 460	Dinwiddie County	2.32	6500	A	88%	1%	1%	1%	9%	0%	C	0.105	A	621	A
To: 460	Dinwiddie County	3.29	7100	G	88%	1%	1%	1%	9%	0%	F	0.076	F	7200	G
From: 460 New Cox Rd	Dinwiddie County	2.36	7500	G	88%	1%	1%	1%	9%	0%	F	0.079	F	7600	G
To: 460 Cox Rd	Dinwiddie County	2.12	9700	G	88%	1%	1%	1%	9%	0%	F	0.082	F	9800	G
From: 460 Cox Rd	Dinwiddie County	0.25	13000	G	88%	1%	1%	1%	9%	0%	F	0.088	F	13000	G
To: 460 Cox Rd	Dinwiddie County	2.00	13000	G	88%	1%	1%	1%	9%	0%	F	0.086	F	13000	G
From: 460 Cox Rd	Dinwiddie County	0.61	17000	G	88%	1%	1%	1%	9%	0%	F	0.08	F	17000	G
To: 460 Cox Rd	Dinwiddie County	0.18	17000	G	88%	1%	1%	1%	9%	0%	F	0.081	F	17000	G
From: 460 Airport St	Dinwiddie County	1.21	16000	G	88%	1%	1%	1%	9%	0%	F	0.076	F	16000	G
To: 460 85	Dinwiddie County	1.77												See I-85 for directional traffic volume estimates for this segment.	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000		F	86%	1%	1%	1%	12%	1%	F	NA		36000	F
To: 460 85	Dinwiddie County	1.18												See I-85 for directional traffic volume estimates for this segment.	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		47000		F	88%	1%	1%	1%	10%	1%	C	NA		46000	F
To: SCL Petersburg															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
460 85	From: SCL Petersburg															
	City of Petersburg (Maint: 26)	1.01														
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>47000</b>	<b>F</b>	88%	1%	1%	1%	10%	1%	C	0.088	F		46000	F	
460 85	To: Squirrel Level Road															
	City of Petersburg (Maint: 26)	2.57														
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>52000</b>	<b>F</b>	88%	1%	1%	1%	10%	1%	F	NA			50000	F	
460 85 Ramp	To: I-85 S															
	From: City of Petersburg (Maint: 26)	0.10														
	To: I-95 SB															
460 95 Ramp	From: I-85															
	City of Petersburg (Maint: 74)	0.06														
	To: Graham Rd															
460 95 Bus 460	From: Ramp from US 301															
	City of Petersburg (Maint: 74)	0.27														
	To: US 460															
460 County Dr	From: I-95															
	City of Petersburg	0.60	<b>18000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	C	0.096	F		20000	G
460 County Dr	To: SR 109 Hickory Hill Rd															
	From: City of Petersburg	2.16	<b>9300</b>	<b>A</b>	89%	1%	1%	1%	8%	0%	C	0.099	A	0.501	9800	A
460 County Dr	To: SR 106 Courthouse Rd															
	From: City of Petersburg	0.34	<b>13000</b>	<b>G</b>	89%	1%	1%	1%	8%	0%	F	0.087	F		14000	G
	To: ECL Petersburg															
Bus 460 Airport St	From: I-85; US 460															
	Dinwiddie County	0.17	<b>7000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	0.086	F		7600	G
Bus 460 1 Boydton Plank Rd	To: US 1 Boydton Plank Rd															
	From: US 1 Plank Rd															
460 1 Boydton Plank Rd	Dinwiddie County	1.70	<b>12000</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.090	F		13000	G
	To: I-85 SW of Petersburg															
460 1 Boydton Plank Rd	From: Dinwiddie County	1.22	<b>14000</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	C	0.098	F		15000	G
Bus 460 1	To: SR 226 Cox Rd															
	From: Dinwiddie County	0.45	<b>13000</b>	<b>A</b>	98%	0%	1%	1%	1%	0%	C	0.105	A	0.533	14000	A
Bus 460 1 Washington St	To: WCL Petersburg															
	From: City of Petersburg	0.40	<b>13000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	NA			14000	G
Bus 460 1 Washington St	To: Summit St															
	From: City of Petersburg	0.18	<b>13000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	NA			14000	G
Bus 460 1 Washington St	To: Elm St															
	From: City of Petersburg	0.57	<b>14000</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	F	0.085	F		16000	G
	To: US 1 Par; Wythe St															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
Bus 460 1 Wythe St	City of Petersburg	1.08	7600	G	96%	1%	1%	1%	1%	0%	C	0.082	F	8300	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000		G	96%	1%	1%	1%	1%	0%	F	NA		18000	G
Bus 460 1 Wythe St	City of Petersburg	0.15	9200	G	96%	1%	1%	1%	1%	0%	F	NA		10000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	19000		G	96%	1%	1%	1%	1%	0%	F	NA		20000	G
Bus 460 1 36 Wythe St	City of Petersburg	0.20	9900	G	96%	1%	1%	1%	1%	0%	F	NA		11000	G
Bus 460 1 ALT 301 36 Wythe St	City of Petersburg	0.20	12000	G	96%	1%	1%	1%	1%	0%	F	NA		13000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	27000		G	95%	1%	1%	1%	2%	0%	F	NA		29000	G
Bus 460 36 Wythe St	City of Petersburg	0.20	16000	G	97%	1%	1%	1%	1%	0%	C	0.087	F	17000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	31000		G	95%	1%	1%	1%	2%	0%	F	NA		34000	G
Bus 460 36 Wythe St	City of Petersburg	0.30	11000	G	97%	1%	1%	1%	1%	0%	F	0.079	F	12000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	24000		G	95%	1%	1%	1%	2%	0%	F	NA		26000	G
Bus 460 301 Crater Rd	City of Petersburg	0.98	11000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	12000	G
	To: SR 36; US 301 Crater Rd														
	From: SR 36; US 301 Wythe St														
Bus 460 301 Crater Rd	City of Petersburg	0.98	11000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	12000	G
	To: Maintenance Jurisdiction Change														
Bus 460 301 Crater Rd	City of Petersburg (Maint: 26)	0.09	11000	N	97%	1%	1%	0%	0%	0%	N	0.087	N	12000	N
	To: US 301 Crater Rd														
Bus 460 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.27													
	See I-95 for directional traffic volume estimates for this segment.														
	To: Bus US 460														
Bus 460 1 Washington St	City of Petersburg	0.31	8500	G	97%	1%	1%	1%	1%	0%	F	0.089	F	9300	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000		G	96%	1%	1%	1%	1%	0%	F	NA		18000	G
Bus 460 1 Washington St	City of Petersburg	0.40	9100	G	97%	1%	1%	1%	1%	0%	F	0.089	F	9900	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	17000		G	97%	1%	1%	1%	1%	0%	F	NA		18000	G
Bus 460 1 Washington St	City of Petersburg	0.27	9500	G	97%	1%	1%	1%	1%	0%	C	0.087	F	10000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	19000		G	96%	1%	1%	1%	1%	0%	F	NA		20000	G
	To: Guarantee St														

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 460 1 Washington St	City of Petersburg	0.24	9500	G	97%	1%	1%	1%	1%	0%	F	0.088	F		10000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		19000	G	96%	1%	1%	1%	1%	0%	F	NA			20000	G
Bus 460 36 Washington St	City of Petersburg	0.19	12000	G	93%	1%	1%	2%	3%	0%	F	NA			13000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		22000	G	95%	1%	1%	1%	2%	0%	F	NA			24000	G
Bus 460 ALT 301 36 Washington St	City of Petersburg	0.09	14000	G	93%	1%	1%	2%	3%	0%	F	0.079	F		16000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	G	95%	1%	1%	1%	2%	0%	F	NA			29000	G
Bus 460 ALT 301 36 Washington St	City of Petersburg	0.10	14000	G	93%	1%	1%	2%	3%	0%	F	0.081	F		15000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	G	95%	1%	1%	1%	2%	0%	F	NA			29000	G
Bus 460 36 Washington St	City of Petersburg	0.24	15000	G	93%	1%	1%	2%	3%	0%	F	0.079	F		17000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		31000	G	95%	1%	1%	1%	2%	0%	F	NA			34000	G
Bus 460 36 Washington St	I-95															
Bus 460 301 Crater Rd	City of Petersburg	0.24	13000	G	93%	1%	1%	2%	3%	0%	C	0.088	F		14000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		24000	G	95%	1%	1%	1%	2%	0%	F	NA			26000	G
Bus 460 301 Crater Rd	US 301 Crater Rd															
Bus 460 301 Crater Rd	SR 36, BUS US 460 Wythe St															
Bus 460 Winfield Rd	City of Petersburg	0.98	11000	G	97%	1%	1%	0%	0%	0%	C	0.087	F		8500	G
	Maintenance Jurisdiction Change															
Bus 460 Winfield Rd	US 301 Crater Rd															
Bus 460 Winfield Rd	City of Petersburg	0.43	1500	G	97%	1%	1%	0%	1%	0%	C	0.096	F	0.969	1600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1500	G									NA		NA	
Bus 460 Winfield Rd	State Maintenance Boundary															
Bus 460 Winfield Rd	City of Petersburg (Maint: 26)	0.09	1500	G	97%	1%	1%	0%	1%	0%	C	0.096	F	0.969	1600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1500	G									NA		NA	
	US 460 County Rd															

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(F80) Buckskin Dr	0.21	8	R			From: SR 40 McKenney Hwy					NA		NA		05/14/2008	
			To: Dead End													
(F81) Frontage Rd	1.24	330	R			From: Dead End					NA		NA		05/19/2008	
			To: US 1 Boydton Plank Rd													
(F82) Plane Dr	0.20	60	R			From: US 1 Boydton Plank Rd					NA		NA		05/19/2008	
			To: 26-749													
(F83) Rock Rd	0.10	80	R			From: 26-603 Sterling Rd					NA		NA		05/15/2008	
			To: Dead End													
(F273) Mine Mountain Rd	0.14	60	R			From: Dead End					NA		NA		05/21/2008	
			To: FR-290 Front Rd													
(F290) Front Rd	0.51	1300	R			From: 26-1334; 26-1335					NA		NA		05/21/2008	
			To: Dead End													
<b>City of Petersburg</b>																
(F329) Lake Shore Dr	0.17	10	R			From: Dead End					NA		NA		03/17/2008	
			To: 74-1102 Lakeshore Dr													
(F330) N Normandy Dr	2.93	3700	R			From: Dead End					NA		NA		03/17/2008	
			To: FR-331 Service Rd													
(F331) Service Rd	0.78	1400	R			From: Dead End					NA		NA		03/17/2008	
			To: Dead End													
<b>Dinwiddie County</b>																
(F804)	0.19	60	R			From: Dead End					NA		NA		05/07/2008	
			To: US 460; 26-721													
(F805)	0.10	7	R			From: 26-627 Courthouse Rd					NA		NA		04/30/2008	
			To: Dead End													
(F806) Walkers Rd	0.50	70	R			From: 26-624 Coleman Lake Rd					NA		NA		04/30/2008	
			To: Dead End													
(F855) Blessing Lane	0.26	50	R			From: Dead End					NA		NA		05/05/2008	
			To: US 1 Boydton Plank Rd													
(600) Ferndale Rd	0.88	9900	G	98%	0%	1%	1%	0%	0%	C	0.1	F		11000	G	2009
			To: SR 226 Cox Rd													
(600) Ferndale Rd	0.53	6900	G	98%	0%	1%	1%	0%	0%	F	0.109	F		7500	G	2009
			To: Chesterfield County Line													
(601) River Rd	0.52	730	G	98%	0%	0%	1%	0%	0%	F	0.112	F	0.679	790	G	2009
			To: 26-708 Namozine Rd													
(601) River Rd	3.25	1500	G	98%	0%	0%	1%	0%	0%	F	0.108	F	0.651	1600	G	2009
			To: 26-743 Hart Rd													
(601) River Rd	1.92	6500	G	98%	0%	0%	1%	0%	0%	C	0.099	F	0.667	7000	G	2009
			To: 26-718 Henshaw Dr													
(601) River Rd	1.92	6500	G	98%	0%	0%	1%	0%	0%	C	0.099	F	0.667	7000	G	2009
			To: 26-600 River Rd													
(602) Corinth Dr	0.20	110	R			From: US 460 W; 26-622					NA		NA		04/28/2008	
			To: US 460 EAST													

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(603) Weakley Rd	0.50	1100	R											NA	05/19/2008	
						From:	26-672 Church Rd									
						To:	SR 142 Simpson Rd; 26-1320; Gap									
(603) Sterling Rd	0.23	1800	G	99%	1%	0%	0%	0%	0%	F	0.100	F	0.63	1900	G	2009
						From:	US 1; US 460; Gap									
(603) Sterling Rd	0.68	1800	G	99%	1%	0%	0%	0%	0%	C	0.103	F	0.559	2000	G	2009
						From:	26-1362 Oak Ct									
(603) Sterling Rd	0.27	1600	G	99%	1%	0%	0%	0%	0%	F	0.099	F	0.617	1700	G	2009
						From:	26-1319 Short St									
(603) Sterling Rd						To:	SR 226 Cox Rd									
(604) Halifax Rd	1.87	610	G	98%	0%	0%	0%	1%	0%	F	0.1	F	0.629	650	G	2009
						From:	Prince George County Line									
(604) Halifax Rd	2.96	1000	G	98%	0%	0%	0%	1%	0%	F	0.102	F	0.783	1100	G	2009
						From:	26-605 S, Ellington Rd									
(604) Halifax Rd	1.88	1600	G	98%	0%	0%	0%	1%	0%	F	0.1	F	0.746	1700	G	2009
						From:	26-607 Butler Branch Rd									
(604) Halifax Rd	0.49	1700	G	98%	0%	0%	0%	1%	0%	F	0.101	F	0.739	1800	G	2009
						From:	Urban Boundary									
(604) Halifax Rd	0.63	2500	G	98%	0%	0%	0%	1%	0%	C	0.094	F	0.565	2800	G	2009
						From:	26-677 Carson Rd									
(604) Halifax Rd						To:	SCL Petersburg									
(605) Hunnicut Rd	2.53	600	R											NA	05/15/2008	
						From:	US 1 Boydton Plank Rd									
(605) Old Vaughan Rd	3.20	430	R											NA	05/15/2008	
						To:	26-660 E, Quaker Rd									
(605) Old Vaughan Rd	0.08	770	G	95%	3%	0%	1%	1%	0%	C	0.100	F	0.607	820	G	2009
						From:	26-670 W, Old Stage Rd									
(605) Old Stage Rd	0.50	610	R											NA	05/15/2008	
						To:	26-670 E, Duncan Rd									
(605) Monks Neck Rd	4.49	370	R											NA	05/15/2008	
						From:	26-669; Monks Neck Rd									
(605) Monks Neck Rd						To:	26-669 Old Stage Rd									
(605) Ellington Rd	1.40	350	R											NA	05/15/2008	
						From:	26-604 N, Halifax Rd									
(605) Ellington Rd						To:	26-604 S, Halifax Rd									
(605) Ellington Rd						From:	Prince George County Line									
(606) Reams Dr	2.00	410	R											NA	05/19/2008	
						From:	26-669 Old Stage Rd									
(606) Oak Grove Rd	1.40	220	R											NA	05/19/2008	
						To:	26-604 S, Halifax Rd									
(606) Oak Grove Rd						From:	26-604 N, Halifax Rd									
(607) Butler Branch Rd	1.50	370	R											NA	05/19/2008	
						To:	26-604 Halifax Rd									
(607) Butler Branch Rd						From:	Prince George County Line									
(608) Zion Rd	0.46	130	R											NA	04/28/2008	
						From:	US 460									
(608) Zion Rd						To:	26-622 Baltimore Rd									
(609) Cherry Hill Rd	0.80	150	R											NA	05/12/2008	
						From:	Brunswick County Line									
(609) Cherryhill Rd	3.40	30	R											NA	05/12/2008	
						To:	26-687 Cutbank Rd									
(609) Old Stage Rd	0.70	120	R											NA	05/12/2008	
						From:	26-616 Ridge Rd									
(609) Old Stage Rd						To:	SR 40 McKenney Hwy									

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(609) Cherry Hill Rd	2.30	50	R											NA	05/12/2008	
			From:	SR 40 McKenney Hwy												
			To:	26-619 S, Courthouse Rd												
(609) Old Stage Rd	1.58	190	R											NA	05/12/2008	
			From:	26-619 N, Courthouse Rd												
(609) Old Stage Rd	2.90	160	R											NA	06/08/2005	
			To:	26-664 Reese Rd												
(609) Old Stage Rd	2.20	320	G	93%	2%	0%	4%	1%	0%	C	0.096	F	0.529	340	G	2009
			From:	26-626 Flatfoot Rd												
			To:	26-670 Old Stage Rd; Shady Lane												
(610) Baskerville Mill Rd	1.40	130	G	95%	3%	1%	0%	2%	0%	C	0.135	F	0.81	140	G	2009
			From:	Brunswick County Line												
(610) Old White Oak Rd	0.50	140	G	95%	3%	1%	0%	2%	0%	F	0.107	F	0.73	150	G	2009
			To:	SR 40 McKenney Hwy; Old Cryors Rd												
(610) Old White Oak Rd	0.20	220	R											NA	04/28/2008	
			From:	26-650 Lew Jones Rd												
(610) Old White Oak Rd	2.40	170	R											NA	04/28/2008	
			To:	26-701 Quail Hollow Rd												
(610) Old White Oak Rd	1.40	210	R											NA	04/28/2008	
			From:	26-651 Whitmore Rd												
(610) Old White Oak Rd	1.20	280	R											NA	04/28/2008	
			To:	26-644 Brills Rd												
(610) Old White Oak Rd	2.30	20	R											NA	04/28/2008	
			From:	26-645 Scotts Rd												
(610) Old White Oak Rd	0.90	230	R											NA	04/28/2008	
			To:	26-622 Baltimore Rd												
(610) Old White Oak Rd	3.44	480	G	96%	3%	0%	0%	0%	0%	C	0.118	F	0.607	520	G	2009
			From:	26-627 Courthouse Rd												
(611) Wilkinson Rd	1.82	330	G	96%	3%	0%	0%	0%	0%	F	0.095	F	0.603	360	G	2009
			To:	26-613 White Oak Rd												
(611) Wilkinson Rd	3.25	160	G	96%	3%	0%	0%	0%	0%	F	0.099	F	0.535	180	G	2009
			From:	26-613 White Oak Rd												
(611) Trinity Church Rd	0.15	1000	R											NA	05/05/2008	
			To:	US 460												
(611) Trinity Church Rd	0.92	880	R											NA	05/05/2008	
			From:	26-751 S; 26-752												
(611) Trinity Church Rd	0.79	460	R											NA	05/05/2008	
			To:	26-751 N; 26-716												
(611) Trinity Church Rd	0.99	350	R											NA	05/05/2008	
			From:	26-731 Ruth Hill Rd												
(611) Brown Rd	3.08	380	R											NA	05/05/2008	
			To:	26-723 Pearson Hardy Rd												
(611) Brown Rd	0.36	230	R											NA	05/05/2008	
			From:	26-624 Coleman Lake Rd												
(611) Exeter Mill Rd	1.45	130	R											NA	05/05/2008	
			To:	26-708 E, Namozine Rd												
(611) Exeter Mill Rd	1.45	130	R											NA	05/05/2008	
			From:	26-708 W, Namozine Rd												
(612) Harpers Bridge Rd	0.10	240	G	96%	2%	1%	0%	1%	0%	F	0.115	F	0.567	260	G	2009
			To:	26-638 Harpers Rd												
			From:	Brunswick County Line												

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(612) Old Beaver Pond Rd	0.77	330	G	96%	2%	1%	0%	1%	0%	C	0.114	F	0.675	360	G	2009
			From:	26-638 Harpers Rd						To:	SR 40 Old Cryors Rd					
(613) Gills Bridge Rd	1.12	190	R											NA		05/05/2008
			From:	Brunswick County Line						To:	26-638 Harpers Rd					
(613) Gills Bridge Rd	1.92	190	R											NA		05/05/2008
			From:	26-651 Whitmore Rd						To:	SR 40 W. Darvills Rd					
(613) Gills Bridge Rd	1.82	150	R											NA		05/05/2008
			From:	SR 40 E. Darvills Rd						To:	SR 40 W. Darvills Rd					
(613) White Oak Rd	7.37	180	G	92%	3%	0%	1%	4%	0%	C	0.126	F	0.615	200	G	2009
			From:	26-622 Baltimore Rd						To:	26-622 Baltimore Rd					
(613) White Oak Rd	0.93	360	G	92%	3%	0%	1%	4%	0%	F	0.137	F	0.686	380	G	2009
			From:	26-646 Glebe Rd						To:	26-646 Glebe Rd					
(613) Whie Oak Rd	1.13	270	R											NA		05/07/2008
			From:	26-624 W. Coleman Lake Rd						To:	26-624 W. Coleman Lake Rd					
(613) White Oak Rd	1.93	430	R											NA		05/07/2008
			From:	26-611 Wilkinson Rd						To:	26-611 Wilkinson Rd					
(613) White Oak Rd	3.27	430	R											NA		05/07/2008
			From:	26-627; 26-645						To:	26-627; 26-645					
(613) White Oak Rd	1.38	350	R											NA		05/07/2008
			From:	26-628 Tranquility Lane						To:	26-628 Tranquility Lane					
(613) White Oak Rd	1.26	570	R											NA		05/07/2008
			From:	26-661 Boisseau Rd						To:	26-661 Boisseau Rd					
(613) White Oak Rd	1.77	1100	G	92%	3%	0%	1%	4%	0%	F	0.122	F	0.611	1100	G	2009
			From:	26-631 Claiborne Rd						To:	26-631 Claiborne Rd					
(613) White Oak Rd	1.71	1200	G	94%	2%	0%	2%	2%	0%	F	0.098	F	0.631	1400	G	2009
			From:	US 1 N, Boydton Plank Rd						To:	US 1 S, Boydton Plank Rd					
(613) Dabney Mill Rd	1.70	940	G	94%	2%	0%	2%	2%	0%	C	0.116	F	0.549	1000	G	2009
			From:	26-758 Steers Rd						To:	26-758 Steers Rd					
(613) Dabney Mill Rd	1.22	420	G	94%	2%	0%	2%	2%	0%	F	0.111	F	0.719	450	G	2009
			From:	26-670 W. Duncan Rd						To:	26-670 W. Duncan Rd					
(613) Dabney Mill Rd	0.51	420	G	94%	2%	0%	2%	2%	0%	F	0.109	F	0.576	440	G	2009
			From:	26-670 E. Duncan Rd						To:	26-670 E. Duncan Rd					
(613) Squirrel Level Rd	1.43	260	G	94%	2%	0%	2%	2%	0%	F	0.142	F	0.506	280	G	2009
			From:	26-742 Plantation Rd						To:	26-742 Plantation Rd					
(613) Squirrel Level Rd	0.86	360	G	94%	2%	0%	2%	2%	0%	F	0.111	F	0.581	380	G	2009
			From:	26-1120 Tanglewood Rd						To:	26-1120 Tanglewood Rd					
(613) Squirrel Level Rd	1.39	860	G	94%	2%	0%	2%	2%	0%	F	0.105	F	0.692	920	G	2009
			From:	26-741 Fort Emery Rd						To:	26-741 Fort Emery Rd					
(613) Squirrel Level Rd	0.43	1100	G	94%	2%	0%	2%	2%	0%	F	0.102	F	0.641	1200	G	2009
			From:	26-672 Church Rd						To:	26-672 Church Rd					
(613) Squirrel Level Rd	0.56	800	G	94%	2%	0%	2%	2%	0%	F	0.168	F	0.552	870	G	2009
			From:	26-676 Flank Rd						To:	26-676 Flank Rd					
(613) Squirrel Level Rd	1.03	820	G	94%	2%	0%	2%	2%	0%	F	0.164	F	0.544	890	G	2009
			From:	SCL Petersburg						To:	SCL Petersburg					
(614) Sunnyside Dr	1.23	360	R											NA		05/07/2008
			From:	SR 40 W. McKenney Hwy						To:	SR 40 W. McKenney Hwy					
			From:	WCL McKenney						To:	WCL McKenney					

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of McKenney</b>																
(614) Sunnyside Dr	0.30	240	R								NA		NA		08/14/2002	
<b>Dinwiddie County</b>																
(615) Blue Tartan Rd	0.42	60	R								NA		NA		05/02/2005	
(615) Blue Tartan Rd	0.90	220	R								NA		NA		05/02/2005	
(616) Ridge Rd	2.20	70	R								NA		NA		05/12/2008	
(616) Ridge Rd	1.90	80	R								NA		NA		05/12/2008	
(617) Bolster Rd	1.50	270	R								NA		NA		05/12/2008	
(617) Bolster Rd	1.70	260	R								NA		NA		05/12/2008	
(618) Halligan Park Rd	1.20	320	R								NA		NA		05/19/2008	
(618) Halligan Park Rd	2.82	410	R								NA		NA		05/19/2008	
(619) Courthouse Rd	3.59	480	G	97%	1%	1%	0%	0%	0%	F	0.109	F	0.504	520	G	2009
(619) Courthouse Rd	7.05	600	G	97%	1%	1%	0%	0%	0%	F	0.095	F	0.545	640	G	2009
(619) Courthouse Rd	0.86	1200	G	97%	1%	1%	0%	0%	0%	F	0.103	F	0.634	1300	G	2009
(619) Courthouse Rd	1.06	1200	G	97%	1%	1%	0%	0%	0%	F	0.106	F	0.625	1300	G	2009
(619) Courthouse Rd	0.25	1400	G	97%	1%	1%	0%	0%	0%	F	0.105	F	0.62	1500	G	2009
(619) Courthouse Rd	0.59	1700	G	97%	1%	1%	0%	0%	0%	C	0.105	F	0.594	1800	G	2009
(620) Foster Rd	1.20	40	R								NA		NA		04/28/2008	
(620) White Oak Church Rd	1.80	420	R								NA		NA		04/28/2008	
(620) White Oak Church Rd	1.90	60	R								NA		NA		04/28/2008	
(621) Clay Street Rd	1.60	310	R								NA		NA		06/08/2005	
(621) Clay Street Rd	0.40	220	R								NA		NA		06/08/2005	
(622) Baltimore Rd	1.60	40	R								NA		NA		04/28/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(622) Baltimore Rd	3.70	60	R											NA	04/28/2008	
(622) Baltimore Rd	0.80	110	R											NA	04/28/2008	
(622) Baltimore Rd	3.50	740	G	93%	1%	1%	1%	5%	0%	C	0.117	F	0.635	790	G	2009
(622) Baltimore Rd	1.66	340	R											NA	04/28/2008	
(622) Baltimore Rd	2.10	1100	R											NA	04/28/2008	
(623)	2.00	590	R											NA	05/05/2008	
(623) Sutherland Rd	3.28	970	R											NA	05/05/2008	
(623) Sutherland Rd	0.62	1500	R											NA	05/05/2008	
(623) Station Rd	0.42	200	R											NA	05/05/2008	
(623) Station Rd	0.68	300	R											NA	05/05/2008	
(624) Coleman Lake Rd	2.60	150	R											NA	04/30/2008	
(624) Coleman Lake Rd	3.80	560	R											NA	04/30/2008	
(624) Coleman Lake Rd	6.00	470	R											NA	04/30/2008	
(625) Wells Rd	3.52	290	R											NA	04/28/2008	
(626) Flatfoot Rd	5.67	310	G	95%	2%	1%	0%	3%	0%	F	0.133	F	0.521	330	G	2009
(626) Flatfoot Rd	4.09	440	G	95%	2%	1%	0%	3%	0%	F	0.120	F	0.639	470	G	2009
(626) Flatfoot Rd	0.43	1100	G	95%	2%	1%	0%	3%	0%	C	0.1	F	0.594	1200	G	2009
(627) Courthouse Rd	0.90	2500	G	97%	1%	0%	1%	1%	0%	C	0.129	F	0.583	2600	G	2009
(627) Courthouse Rd	1.40	2000	G	97%	1%	0%	1%	1%	0%	F	0.15	F	0.752	2100	G	2009
(627) Courthouse Rd	2.81	1900	R											NA	05/21/2008	
(627) Courthouse Rd	2.61	2200	R											NA	05/21/2008	
(627) Courthouse Rd	0.80	1000	R											NA	05/21/2008	
(627) Trinity Church Rd	2.20	340	R											NA	05/21/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(628) Tranquility Lane	0.33	70	R								NA		NA		05/21/2008
(628) Tranquility Lane	3.10	70	R								NA		NA		05/21/2008
(628) Tranquility Lane	0.87	280	R								NA		NA		05/02/2005
(628) Tranquility Lane	0.70	590	R								NA		NA		05/21/2008
(628) Tranquility Lane	0.09	1100	R								NA		NA		05/21/2008
(629) Anderson Mill Rd	0.93	340	R								NA		NA		04/30/2008
(629) Anderson Mill Rd	0.25	10	R								NA		NA		04/30/2008
(630) Winfield Rd	0.30	290	R								NA		NA		05/12/2008
(631) Claiborne Rd	2.70	920	R								NA		NA		05/07/2008
(631) Claiborne Rd	0.80	2200	R								NA		NA		05/07/2008
(632) Butterwood Rd	3.00	800	R								NA		NA		05/07/2008
(632) Olgers Dr	1.20	1800	G 97% 1%	1% 0% 0%	0% 0% C	0.118	F	0.623			1900	G			2009
(633) Addison St	0.50	120	R								NA		NA		05/21/2008
(634) Pine Grove Pl	0.25	260	R								NA		NA		05/19/2008
(635) Hilltop Dr	0.40	330	R								NA		NA		05/07/2008
(636) Rocky Branch Rd	0.27	110	R								NA		NA		05/23/2005
(637) Madison Rd	0.49	120	R								NA		NA		04/30/2008
(638) Harpers Rd	2.00	250	R								NA		NA		05/05/2008
(638) Harpers Rd	1.20	280	R								NA		NA		05/05/2008
(639) Wilson Rd	0.90	280	R								NA		NA		04/28/2008
(639) Springston Rd/Wilson R	1.98	290	R								NA		NA		04/28/2008

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(639) Grubby Rd	0.20	210	G	94%	4%	0%	1%	1%	0%	C	0.122	F	0.759	220	G	2009
(639) Wilson Rd	1.60	210	R							NA			NA		04/28/2008	
(639) Wilson Rd	1.40	290	R							NA			NA		04/28/2008	
(640) Hobbs Mill Rd	1.40	160	R							NA			NA		04/28/2008	
(641) Airport Rd	0.55	270	R							NA			NA		05/22/2008	
(642) W Zilles Rd	1.82	330	G	89%	1%	0%	1%	8%	0%	C	0.118	F	0.721	350	G	2009
(642) Grubby Rd	0.60	130	G	89%	1%	0%	1%	8%	0%	F	0.152	F	0.739	130	G	2009
(642) Grubby Rd	2.00	130	G	89%	1%	0%	1%	8%	0%	F	0.142	F	0.522	140	G	2009
(642) Grubby Rd	2.40	120	G	89%	1%	0%	1%	8%	0%	F	0.123	F	0.59	130	G	2009
(642) Continental Rd	1.52	80	R							NA			NA		04/28/2008	
(642) Continental Rd	0.83	70	R							NA			NA		05/12/2005	
(643) Zilles Rd	3.20	350	R							NA			NA		05/27/2008	
<b>Town of McKenney</b>																
(644) Depot Rd	0.20	570	G	93%	2%	1%	0%	4%	0%	F	0.125	F	0.616	610	G	2009
<b>Dinwiddie County</b>																
(644) Depot Rd	1.92	410	G	93%	2%	1%	0%	4%	0%	C	0.123	F	0.587	440	G	2009
(644) Brills Rd	2.50	390	R							NA			NA		04/28/2008	
(644) Brills Rd	2.50	110	R							NA			NA		04/28/2008	
(644) Brills Rd	2.50	120	R							NA			NA		04/28/2008	
(645) Scotts Rd	1.40	200	R							NA			NA		05/07/2008	
(645) Scotts Rd	1.80	430	R							NA			NA		05/07/2008	
(645) Scotts Rd	1.60	430	R							NA			NA		05/07/2008	
(645) Wheelers Pond Rd	0.70	290	R							NA			NA		05/07/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(645) Wheelers Pond Rd	0.73	260	R											NA	05/07/2008	
(645) Wheelers Pond Rd	1.07	410	R											NA	05/07/2008	
(645) Wheelers Pond Rd	2.50	520	R											NA	05/07/2008	
(646) Glebe Rd	6.00	280	G	94%	0%	0%	1%	4%	0%	C	0.131	F	0.605	300	G	2009
(646) Glebe Rd			To:													
(647) Doyle Rd	1.00	40	R											NA	05/07/2008	
(647) Nash Rd	1.60	200	R											NA	05/07/2008	
(647) Nash Rd	2.24	350	R											NA	05/07/2008	
(647) Nash Rd	1.92	730	R											NA	05/07/2008	
(647) Nash Rd	0.94	880	R											NA	05/07/2008	
(648) Hudgins Rd	1.50	150	R											NA	05/07/2008	
(649) Snap Lodge Rd	0.50	50	R											NA	05/07/2008	
(650) Lew Jones Rd	1.60	40	G	99%	1%	0%	0%	0%	0%	F	0.146	F	0.571	47	G	2009
(650) Lew Jones Rd	1.10	230	G	99%	1%	0%	0%	0%	0%	F	0.108	F	0.667	250	G	2009
(650) Lew Jones Rd	1.60	380	G	99%	1%	0%	0%	0%	0%	F	0.105	F	0.717	410	G	2009
(650) Lew Jones Rd	0.80	390	G	99%	1%	0%	0%	0%	0%	F	0.103	F	0.783	420	G	2009
(650) Lew Jones Rd	2.50	440	G	99%	1%	0%	0%	0%	0%	C	0.116	F	0.807	470	G	2009
(650) Hamilton Arms Rd	0.15	1100	G	96%	1%	1%	0%	2%	0%	C	0.096	F	0.59	1100	G	2009
(650) Hamilton Arms Rd	0.68	1000	G	99%	1%	0%	0%	0%	0%	F	0.102	F	0.759	1100	G	2009
(650) Hawkins Church Rd	1.43	300	G	96%	1%	1%	0%	2%	0%	C	0.109	F	0.605	320	G	2009
(650) Hawkins Church Rd	2.20	180	G	96%	1%	1%	0%	2%	0%	F	0.12	F	0.597	200	G	2009
(651) Whitmore Rd	2.40	350	R											NA	05/27/2008	
(651) Whitmore Rd	1.80	260	R											NA	05/12/2005	
(651) Mason Church Rd	2.25	250	R											NA	05/05/2008	
(651) Mason Church Rd			To:													

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(651) Mason Church Rd	1.58	170	R								NA		NA		05/05/2008
(651) Mason Church Rd	1.27	350	R								NA		NA		05/05/2008
(652) Asbury Rd	1.56	340	R								NA		NA		05/14/2008
(653) Richie Rd	0.16	250	R								NA		NA		05/15/2008
(654) Rainey Rd	3.02	250	R								NA		NA		05/12/2008
(654) Rainey Rd	0.20	490	R								NA		NA		05/12/2008
(655) Little Deer Rd	0.58	20	R								NA		NA		05/12/2008
(656) Eppes Rd	1.20	80	R								NA		NA		05/07/2008
(656) Eppes Rd	1.20	190	R								NA		NA		05/07/2008
(656) Gatewood Rd	2.55	480	R								NA		NA		05/07/2008
(656) Gatewood Rd	0.90	150	R								NA		NA		05/07/2008
(657) Keelers Mill Rd	2.10	410	R								NA		NA		05/07/2008
(658) Branches Rd	1.61	300	R								NA		NA		05/07/2008
(658) Branches Rd	2.70	70	R								NA		NA		05/07/2008
(659) Jones Rd	0.90	90	R								NA		NA		05/12/2008
(659) Jones Rd	1.50	120	R								NA		NA		05/12/2008
(659) Bain Rd	1.40	220	R								NA		NA		05/12/2008
(660) Hardways Mill Rd	1.89	1100	R								NA		NA		05/15/2008
(660) Old Vaughan Rd	1.20	420	R								NA		NA		05/15/2008
(660) Quaker Rd	2.40	410	R								NA		NA		05/15/2008
(660) Quaker Rd	1.20	590	R								NA		NA		05/15/2008

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(661) Boisseau Rd	2.40	700	G	98%	1%	1%	0%	0%	0%	C	0.157	F	0.731	750	G	2009
			From:	26-627 Courthouse Rd												
			To:	26-613 White Oak Rd												
(662) Hardwood Creek Rd	1.20	60	R											NA		05/12/2008
			From:	26-617 Bolster Rd												
			To:	26-619 Courthouse Rd												
(663) Bain Rd	1.20	80	R											NA		05/12/2008
			From:	26-659 Jones Rd												
			To:	26-665 Walkers Mill Rd												
(664) Reese Rd	1.20	60	R											NA		05/12/2008
			From:	Dead End												
			To:	26-609 Old Stage Rd												
(665) Walkers Mill Rd	0.70	570	R											NA		05/12/2008
			From:	Sussex County Line												
			To:	26-617 Bolster Rd												
(665) Walkers Mill Rd	2.35	570	R											NA		05/12/2008
			From:	SR 40 McKenney Hwy												
(665) Walkers Mill Rd	1.44	220	R											NA		05/12/2008
			To:	26-728 Wingfield Rd												
(665) Walkers Mill Rd	2.76	200	R											NA		05/12/2008
			From:	26-626 Flatfoot Rd												
(665) Black Mill Rd	0.70	290	R											NA		05/12/2008
			To:	26-681 Black Branch Rd												
(665) Mortar Branch Rd	0.40	48	R											NA		05/15/2008
			To:	Dead End												
(666) Baugh Rd	1.20	100	R											NA		05/19/2008
			From:	26-626 Flatfoot Rd												
(666) Baugh Rd	4.20	240	R											NA		05/19/2008
			From:	26-670 Shady Lane												
			To:	26-618 Halligan Park Rd												
(667) Malones Rd	3.20	140	R											NA		05/19/2008
			From:	26-666 Baugh Rd												
			To:	26-703 Carson Rd												
(668) Brick Rd	1.90	220	R											NA		05/19/2008
			To:	26-604 Halifax Rd												
(669) Old Stage Rd	3.30	420	R											NA		05/19/2008
			From:	26-605 Monks Neck Rd; Old Stage Rd												
			To:	26-604 Halifax Rd												
(670) Shady Lane	1.82	150	R											NA		05/04/2005
			From:	26-666 Baugh Rd												
(670) Shady Lane	0.04	100	R											NA		05/19/2008
			To:	1.82 MN 26-666 Baugh Rd												
(670) Shady Lane	0.10	150	R											NA		05/19/2008
			To:	26-682 Ole Bole Rd												
(670) Shady Lane	0.77	170	R											NA		05/19/2008
			To:	26-688 Sawmill Rd												
(670) Old Stage Rd	1.45	380	G	95%	1%	2%	0%	2%	0%	F	0.096	F	0.5	410	G	2009
			From:	26-609 Old Stage Rd												
(670) Old Stage Rd	2.51	270	G	95%	1%	2%	0%	2%	0%	F	0.100	F	0.641	290	G	2009
			To:	26-605 W, Old Vaughan Rd												
(670) Duncan Rd	2.29	610	G	95%	1%	2%	0%	2%	0%	F	0.098	F	0.671	660	G	2009
			To:	26-613 S, Squirrel Level Rd; Dabney Mill Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(670) Duncan Rd	2.07	500	G	95%	1%	2%	0%	2%	0%	F	0.1	F	0.517	530	G	2009
(670) Duncan Rd	1.21	750	G	95%	1%	2%	0%	2%	0%	F	0.106	F	0.590	800	G	2009
(670) Duncan Rd	1.49	1100	G	95%	1%	2%	0%	2%	0%	C	0.101	F	0.584	1200	G	2009
(671) Brownwall Rd	0.40	90	R											NA		05/22/2008
(672) Church Rd	1.49	670	G	98%	1%	0%	1%	0%	0%	F	0.103	F	0.636	720	G	2009
(672) Church Rd	0.58	670	G	98%	1%	0%	1%	0%	0%	C	0.105	F	0.571	720	G	2009
(672) Weakley Rd	0.27	520	G	98%	0%	0%	1%	1%	0%	F	0.104	F	0.659	560	G	2009
(672) Weakley Rd	0.19	510	G	98%	0%	0%	1%	1%	0%	C	0.096	F	0.673	560	G	2009
(673) Smith Grove Rd	1.77	390	R											NA		05/22/2008
(674) Wheaton Rd	1.85	130	R											NA		06/13/2005
(675) Vaughan Rd	3.74	630	G	97%	0%	1%	1%	1%	0%	F	0.087	F	0.677	680	G	2009
(675) Vaughan Rd	0.90	1200	G	97%	0%	1%	1%	1%	0%	C	0.099	F	0.617	1300	G	2009
(675) Vaughan Rd	0.94	800	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.665	870	G	2009
(676) Flank Rd	0.80	580	R											NA		05/22/2008
(677) Carson Dr	0.80	960	G	98%	0%	0%	1%	1%	0%	C	0.115	F	0.680	1000	G	2009
(678) Spain Dr	1.00	30	R											NA		05/19/2008
(679)	1.45	210	R											NA		05/15/2008
(680) Troublefield Rd	2.01	290	R											NA		05/19/2008
(680) Troublefield Rd	1.19	370	R											NA		05/15/2008
(681) Black Branch Rd	1.80	300	R											NA		05/12/2008
(682) Ole Bole Rd	0.70	110	R											NA		05/19/2008

Virginia Department of Transportation  
Traffic Engineering Division

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(683) Continental Rd	0.45	120	R								NA		NA		04/28/2008
						From:	26-651 Whitmore Rd								
(683) Continental Rd	0.60	80	R								NA		NA		04/28/2008
						From:	26-707 Cantree Rd								
(683) Continental Rd	0.20	50	R								NA		NA		06/08/2005
						To:	0.60 MN 26-707								
(684) Airpark Dr	0.56	2300	R								NA		NA		05/22/2008
						From:	Dead End								
						To:	US 460 Airport St								
(685) Oakley Dr	0.16	90	R								NA		NA		05/05/2008
						From:	Dead End								
						To:	US 1 Boydton Plank Rd								
(686) Smith Grove Lane	0.20	40	R								NA		NA		05/22/2008
						From:	26-673 Smith Grove Rd								
						To:	Dead End								
(687) Cutbank Rd	0.10	100	R								NA		NA		06/06/2005
						From:	26-609 Cherryhill Rd								
						To:	26-654 S, Rainey Rd								
(687) Cutbank Rd	1.54	30	R								NA		NA		05/12/2008
						From:	1.54 MN 26-654 S								
(687) Cutbank Rd	1.06	80	R								NA		NA		05/12/2008
						To:	26-696 Bourdon Creek Rd								
(687) Cutbank Rd	1.62	300	R								NA		NA		05/12/2008
						From:	SR 40 McKenney Hwy								
(688) Sawmill Rd	0.85	170	R								NA		NA		05/19/2008
						To:	26-670 Shady Lane								
(688) Sawmill Rd	1.28	30	R								NA		NA		05/19/2008
						From:	26-705 Fox Branch Rd								
						To:	1.28 ME 26-705 Fox Branch Rd								
(688) Sawmill Rd	0.27	70	R								NA		NA		05/19/2008
						To:	26-667 Malones Rd								
(689) Bobcat Rd	0.60	180	R								NA		NA		05/21/2008
						From:	26-629 Anderson Mill Rd								
						To:	26-628 Tranquility Lane								
(690) Harris Dr	0.94	280	R								NA		NA		05/07/2008
						From:	26-631 Claiborne Rd								
						To:	Dead End								
(691) Cryors Rd	1.00	140	R								NA		NA		05/05/2008
						From:	Dead End								
						To:	SR 40 Old Cryors Rd								
(692) Spony Church Rd	1.89	60	R								NA		NA		05/12/2005
						From:	Dead End								
						To:	SR 40 McKenney Hwy								
(692) Spony Church Rd	3.20	160	R								NA		NA		05/12/2005
						From:	26-709 Shipping Rd								
						To:	Dead End								
(692) Spony Church Rd	0.60	60	R								NA		NA		05/07/2008
						From:	Dead End								
(693) Williamson Rd	2.87	210	R								NA		NA		05/27/2008
						From:	26-703 Carson Rd								
						To:	26-670 Old Stage Rd								
(694) Old Pine Rd	0.70	70	R								NA		NA		06/08/2005
						From:	Dead End								
						To:	26-622 Baltimore Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(696) Bourdon Creek Rd	1.20	70	R			From:	Dead End							NA	05/12/2008	
						To:	26-687 Cutbank Rd									
(697) Spicely Rd	0.40	110	R			From:	26-613 White Oak Rd							NA	05/12/2005	
						To:	Dead End									
(698) Double Branch Rd	1.20	150	R			From:	26-665 Walkers Mill Rd							NA	05/12/2008	
						To:	Sussex County Line									
(699) Horsetail Rd	1.89	60	R			From:	26-611 Wilkinson Rd							NA	05/27/2008	
						To:	1.89 MN 26-611 Wilkinson Rd									
(699) Horsetail Rd	1.41	50	R			From:								NA	05/27/2008	
						To:	26-708 Namozine Rd									
(700) Boze Rd	0.88	60	R			From:	Dead End							NA	04/28/2008	
						To:	26-613 White Oak Rd									
(700) Hawkins Rd	2.54	250	R			From:								NA	05/12/2005	
						To:	26-622 Baltimore Rd									
(701) Quail Hollow Rd	0.60	20	R			From:	Dead End							NA	04/28/2008	
						To:	26-610 Old White Oak Rd									
(702) Lennie Rd	1.32	80	R			From:	26-638 Harpers Rd							NA	05/05/2008	
						To:	SR 40 Old Cryors Rd									
(703) Carson Rd	0.13	3600	G	96%	1%	1%	1%	1%	0%	F	0.095	F		3800	G	2009
						To:	US 1 Boydton Plank Rd									
(703) Carson Rd	1.17	3400	G	96%	1%	1%	1%	1%	0%	C	0.097	F	0.504	3600	G	2009
						To:	26-1403									
(703) Carson Rd	5.18	850	G	93%	2%	1%	3%	1%	0%	C	0.097	F	0.681	910	G	2009
						To:	I-85									
(703) Carson Rd	5.97	700	G	93%	2%	1%	3%	1%	0%	F	0.089	F	0.641	750	G	2009
						To:	26-670 Old Stage Rd									
(703) Carson Rd	0.09	1000	G	93%	2%	1%	3%	1%	0%	F	0.106	F	0.702	1100	G	2009
						To:	26-618 Halligan Park Rd									
(703) Carson Rd						To:	Prince George County Line; 74-604									
(704) Blackwell Rd	0.24	60	R			From:	Dead End							NA	05/15/2008	
						To:	26-660 Quaker Rd									
(705) Fox Branch Rd	1.42	180	R			From:	26-688 Sawmill Rd							NA	05/19/2008	
						To:	26-733 Little Zion Rd									
(706) Old Cox Rd	0.55	220	R			From:	SR 226 W, Cox Rd							NA	05/27/2008	
						To:	26-725 Cherokee Rd									
(706) Old Cox Rd	0.15	190	R			From:	SR 226 E, Cox Rd							NA	05/27/2008	
						To:	26-683 Continental Rd									
(707) Cantree Rd	0.85	160	R			From:	26-651 Whitmore Rd							NA	04/28/2008	
						To:	Amelia County Line									
(708) Namozine Rd	0.30	500	G	96%	0%	1%	1%	1%	0%	F	0.117	F	0.715	540	G	2009
						To:	26-746 Birdnest Rd									
(708) Namozine Rd	5.93	920	G	96%	0%	1%	1%	1%	0%	C	0.109	F	0.777	980	G	2009
						To:	26-601 River Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(708) Namozine Rd	0.70	2200	G	96%	0%	1%	1%	1%	0%	F	0.095	F	0.685	2400	G	2009
			From:			26-601 River Rd				To:						
						US 460; 26-631										
(709) Shipping Rd	2.70	60	R									NA		NA		05/05/2008
			From:			26-609 Cherryhill Rd				To:						
						SR 40 McKenney Hwy										
(709) Shipping Rd	3.70	210	R									NA		NA		05/05/2008
			From:			26-656 Eppes Rd				To:						
						Dead End										
(709) Shipping Rd	1.70	410	R									NA		NA		05/05/2008
			From:			26-658 Branches Rd				To:						
						26-650 Hamilton Arms Rd										
(710) Cemetery Rd	0.85	30	R									NA		NA		05/07/2008
			From:			Dead End				To:						
						SCL McKenney										
<b>Town of McKenney</b>																
(710) Cemetery Rd	0.11	9	R									NA		NA		08/27/2002
			From:			SCL McKenney				To:						
						SR 40 Doyle Blvd										
<b>Dinwiddie County</b>																
(711) Ridley Rd	1.30	40	R									NA		NA		05/04/2005
			From:			Dead End				To:						
						26-670 Old Stage Rd										
(712) Greentree Rd	0.55	30	R									NA		NA		05/19/2008
			From:			26-703 Carson Rd				To:						
						Dead End										
(713) Cutbank Church Rd	2.54	200	R									NA		NA		05/12/2008
			From:			US 1 Boydton Plank Rd				To:						
						26-687 Cutbank Rd										
(714) Lewis Rd	0.46	330	R									NA		NA		05/19/2008
			From:			US 1 Boydton Plank Rd				To:						
						Dead End										
(715) Patillo Rd	1.78	120	R									NA		NA		04/30/2008
			From:			26-645 Wheelers Pond Rd				To:						
						26-613 White Oak Rd										
(716) Poole Siding Rd	0.36	110	R									NA		NA		04/30/2008
			From:			26-611; 26-751				To:						
						26-751 Cox Rd										
(717) Anderson Dr	0.50	45	R									NA		NA		05/02/2005
			From:			26-629 Anderson Mill Rd				To:						
						Dead End										
(718) Henshaw Rd	0.38	380	R									NA		NA		05/27/2008
			From:			26-601 River Rd				To:						
						Dead End										
(719) Lee Dr	0.39	240	R									NA		NA		05/27/2008
			From:			26-601 River Rd				To:						
						Dead End										
(720) Chestnut Dr	0.15	110	R									NA		NA		05/27/2008
			From:			26-601 River Rd				To:						
						Dead End										
(721) Pine Hill Rd	0.60	130	R									NA		NA		05/07/2008
			From:			US 460; FR-804				To:						
						Dead End										
(722) Abernathy Rd	0.81	20	R									NA		NA		05/12/2008
			From:			26-619 Courthouse Rd				To:						
						Dead End										

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(723) Pearson Hardy Rd	0.58	120	R			From: 26-611 Wilkinson Rd					NA		NA		06/08/2005
			To: Dead End												
(724) Springston Rd	0.58	240	R			From: 26-639 Springston Rd Wilson Rd					NA		NA		04/28/2008
			To: US 460												
(725) Cherokee Rd	0.17	140	R			From: Dead End					NA		NA		05/02/2005
			To: 26-706 Old Cox Rd												
(726) Mitchell Ave	0.23	170	R			From: US 1 Boydton Plank Rd					NA		NA		05/05/2008
			To: Dead End												
(727) Bethune Rd	0.79	320	R			From: Dead End					NA		NA		05/22/2008
			To: 26-675 Vaughan Rd												
(728) Wingfield Rd	0.34	60	R			From: Dead End					NA		NA		06/08/2005
			To: 26-665 Walkers Mill Rd												
(729) Spriggs Rd	0.53	80	R			From: 26-661 Boisseau Rd					NA		NA		05/02/2005
			To: Dead End												
(730) Williams Rd	0.28	70	R			From: US 460 Cox Rd					NA		NA		05/02/2005
			To: Dead End												
(731) Ruth Hill Rd	0.02	190	R			From: 26-611 Wilkinson Rd					NA		NA		04/30/2008
			To: 0.02 ME 26-611 Wilkinson Rd												
(731) Ruth Hill Rd	0.40	210	R			From: Dead End					NA		NA		04/30/2008
			To: Dead End												
(732) Davis Rd	0.60	360	R			From: Dead End					NA		NA		04/30/2008
			To: 26-627 Courthouse Rd												
(733) Little Zion Rd	1.20	220	R			From: 26-670 Old Stage Rd					NA		NA		05/19/2008
			To: 26-703 Carson Rd												
(734) Rainey Rd	3.14	190	R			From: 26-619 Courthouse Rd					NA		NA		05/07/2008
			To: 26-626 Flatfoot Rd												
(735) Goose Pond Rd	1.40	60	R			From: 26-619 Courthouse Rd					NA		NA		05/07/2008
			To: Dead End												
(736) Barnes Rd	0.50	60	R			From: 26-659 Bain Rd; Jones Rd					NA		NA		05/12/2008
			To: Dead End												
(737) Booth Rd	1.60	20	R			From: 26-665 Walkers Mill Rd					NA		NA		05/12/2008
			To: 26-626 Flatfoot Rd												
(738) Scotts Rd	1.33	520	R			From: 26-645 Wheelers Pond Rd; Scotts Rd					NA		NA		05/07/2008
			To: 26-647 Nash Rd												
(739) Midway Rd	1.70	480	R			From: 26-751 Cox Rd					NA		NA		05/27/2008
			To: 26-708 Namozine Rd												
(740) Turkey Egg Rd	1.50	1900	R			From: 26-627 Courthouse Rd					NA		NA		05/15/2008
			To: US 1 Boydton Plank Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(741) Fort Emory Rd	0.70	510	R			From:	26-613 Squirrel Level Rd							NA	05/22/2008
			To:			26-675 Vaughan Rd									
(742) Plantation Rd	0.50	270	R			From:	26-613 Squirrel Level Rd							NA	05/22/2008
			To:			26-675 Vaughan Rd									
(743) Hart Rd	0.57	470	R			From:	US 460 Cox Rd							NA	05/07/2008
			To:			26-601 River Rd									
(744) McKissicks Rd	0.70	80	R			From:	26-644 Brills Rd							NA	04/28/2008
			To:			Dead End									
(745) Fisher Rd	0.20	50	R			From:	Dead End							NA	05/05/2008
			To:			26-651 Mason Church Rd									
(746) Birdnest Rd	0.95	90	R			From:	26-708 Namozine Rd							NA	05/02/2005
			To:			Dead End									
(747) Wheelers Lane	0.35	10	R			From:	26-611 Wilkinson Rd							NA	05/05/2008
			To:			Dead End									
(748) Unico Rd	0.49	180	R			From:	Dead End							NA	05/14/2008
			To:			26-652 Asbury Rd									
(749)	0.04	50	R			From:	FR-82 Plane Dr							NA	05/19/2008
			To:			Dead End									
(750) Oxford Rd	1.51	590	R			From:	26-623 Southerland Rd							NA	05/05/2008
			To:			Dead End									
(751) Cox Rd	0.78	480	R			From:	US 460 WEST							NA	04/30/2008
			To:			26-611 W; 26-752									
(751) Cox Rd	0.26	1500	R			From:	26-611 E; 26-716							NA	04/30/2008
			To:			26-627 W, Trinity Church Rd									
(751) Cox Rd	3.25	1600	R			From:	US 460 E, Cox Rd							NA	04/30/2008
			To:			26-611; 26-751									
(752) Siding Dr	0.40	150	R			From:	26-611 Wilkinson Rd							NA	04/30/2008
			To:			Dead End									
(753) Siding Dr	0.40	160	R			From:	Dead End							NA	04/30/2008
			To:			Dead End									
(754) Anderson Mill Rd	0.88	210	R			From:	Dead End							NA	04/30/2008
			To:			26-751 Cox Rd									
(755) Slates Rd	0.50	90	R			From:	Dead End							NA	04/30/2008
			To:			26-751 Cox Rd									
(756) Slates Rd	0.28	60	R			From:	26-628 Tranquility Lane							NA	05/07/2008
			To:			Dead End									

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(757) Marmora Dr	0.62	100	R			From:	26-708 Namozine Rd				NA		NA		05/05/2008
						To:	Dead End								
(758) Steers Rd	0.39	190	R			From:	Dead End				NA		NA		05/22/2008
						To:	26-613 Dabney Mill Rd								
(759) Gunn Rd	0.57	9	R			From:	Dead End				NA		NA		05/05/2008
						To:	26-650 Lew Jones Rd								
(760) Sutherland Ave	0.37	90	R			From:	26-623 Station Rd				NA		NA		05/05/2008
						To:	Dead End								
(764) Oxford Rd	0.33	200	R			From:	26-750 Oxford Rd				NA		NA		05/05/2008
						To:	Cul-de-Sac								
(770) Olde Keswick Lane	0.08	50	R			From:	Cul-de-Sac				NA		NA		05/27/2008
						To:	Prince George County Line								
(775) Hoffeimer Way	0.92	1900	R			From:	26-672 Church Rd				NA		NA		06/13/2005
						To:	US 1 Boydton Plank Rd								
(776) Chesdin Lake Rd	0.57	300	R			From:	26-601 River Rd				NA		NA		05/22/2008
						To:	Dead End								
(1001) Margarita Ragsdale St	0.02	2	R			From:	Dead End				NA		NA		05/14/2008
						To:	ECL McKenney								
<b>Town of McKenney</b>															
(1001) Bolling Rd	0.02	4	R			From:	ECL McKenney				NA		NA		05/14/2008
						To:									
(1001) Bolling Rd	0.10	130	R			From:	26-1014 Denbigh St				NA		NA		05/14/2008
						To:									
(1001) Bolling Rd	0.32	420	R			From:	26-1013 Johnson St				NA		NA		05/14/2008
						To:									
(1001) Bolling Rd	0.13	870	R			From:	US 1 Boydton Plank Rd				NA		NA		05/14/2008
						To:									
(1001) Rives Ave	0.16	720	R			From:	26-1007 Fifth St				NA		NA		05/14/2008
						To:									
(1001) Rives Ave	0.07	710	R			From:	26-1006 Fourth St				NA		NA		05/14/2008
						To:									
(1001) Rives Ave	0.07	710	R			From:	26-1005 Third St				NA		NA		05/14/2008
						To:									
(1001) Rives Ave	0.07	700	R			From:	26-1004 Second St				NA		NA		05/14/2008
						To:									
(1001) Rives Ave	0.03	170	R			From:	26-1003 First St				NA		NA		05/14/2008
						To:									
(1002) Railroad Ave	0.10	170	R			From:	26-1002 Railroad Ave				NA		NA		05/14/2008
						To:									
(1002) Railroad Ave	0.10	170	R			From:	SR 40 Doyle Blvd				NA		NA		05/14/2008
						To:									
(1003) First St	0.02	20	R			From:	26-1001 Rives Ave				NA		NA		05/14/2008
						To:									
(1003) First St	0.15	70	R			From:	Dead End				NA		NA		05/14/2008
						To:									
(1003) First St	0.15	70	R			From:	26-1010 Jack Zehmer Rd				NA		NA		05/14/2008
						To:									
(1003) First St	0.15	70	R			From:	26-1009 Westover Dr				NA		NA		05/14/2008
						To:									

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of McKenney</b>															
(1003) First St	0.03	280	R			From:	26-1009 Westover Dr				NA		NA	NA	05/14/2008
(1003) First St	0.10	670	R			To:	SR 40 Doyle Blvd				NA		NA	NA	05/14/2008
						From:	26-1001 Rives Ave								
(1004) Second St	0.09	100	R			From:	SR 40 Doyle Blvd				NA		NA	NA	05/15/2008
						To:	26-1001 Rives Ave								
(1005) Third St	0.14	90	R			From:	26-1009 Westover Dr				NA		NA	NA	05/15/2008
						To:	SR 40 Doyle Blvd								
(1005) Third St	0.23	250	R			From:	SR 40 Doyle Blvd				NA		NA	NA	05/15/2008
						To:	26-1008 Zehmer Ave								
(1006) Fourth St	0.08	40	R			From:	SR 40 Doyle Blvd				NA		NA	NA	05/15/2008
						To:	26-1001 Rives Ave								
(1007) Fifth St	0.08	70	R			From:	SR 40 Doyle Blvd				NA		NA	NA	05/15/2008
						To:	26-1001 Rives Ave								
(1007) Fifth St	0.11	130	R			From:	SR 40 Doyle Blvd				NA		NA	NA	05/15/2008
						To:	26-1008 Zehmer Ave								
(1008) Zehmer Ave	0.07	40	R			From:	Dead End				NA		NA	NA	05/15/2008
						To:	26-1007 Fifth St								
(1008) Zehmer Ave	0.19	60	R			From:	26-1007 Fifth St				NA		NA	NA	05/15/2008
						To:	26-1005 Third St								
<b>Dinwiddie County</b>															
(1009) Westover Rd	0.65	240	R			From:	US 1 Boydtown Plank Rd				NA		NA	NA	05/14/2008
						To:	SCL McKenney								
<b>Town of McKenney</b>															
(1009) Westover Dr	0.27	240	R			From:	SCL McKenney				NA		NA	NA	05/14/2008
						To:	26-1005 Third St								
(1009) Westover Dr	0.13	220	R			From:	26-1005 Third St				NA		NA	NA	05/14/2008
						To:	26-1003 First St								
(1010) Jack Zehmer Rd	0.25	70	R			From:	SCL McKenney				NA		NA	NA	05/14/2008
						To:	26-1012 Factory St								
(1010) Jack Zehmer Rd	0.04	40	R			From:	26-1012 Factory St				NA		NA	NA	05/14/2008
						To:	26-1003 First St								
(1011) Community St	0.05	90	R			From:	Dead End				NA		NA	NA	05/14/2008
						To:	26-614 Sunnyside Dr								
(1012) Factory St	0.10	50	R			From:	26-1010 Jack Zehmer Rd				NA		NA	NA	05/14/2008
						To:	Dead End								
(1013) Johnson St	0.08	300	R			From:	SR 40 Doyle Blvd				NA		NA	NA	05/14/2008
						To:	26-1001 Bolling Rd								
(1014) Denbigh St	0.08	100	R			From:	26-1001 Bolling Rd				NA		NA	NA	05/14/2008
						To:	ECL McKenney								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1014) Denbigh St	0.31	100	R								NA		NA		05/14/2008
From: ECL McKenney															
To: Dead End															
<b>Town of McKenney</b>															
(1015) Bethel Rd	0.10	50	R								NA		NA		05/12/2005
From: Dead End															
To: US 1 Boydton Plank Rd															
<b>Dinwiddie County</b>															
(1020) Seaboard Dr	0.08	130	R								NA		NA		06/08/2005
From: 26-644 Depot Rd															
To: 26-1021 Southern Ave															
(1021) Southern Ave	0.12	45	R								NA		NA		06/08/2005
From: Dead End															
(1021) Southern Ave	0.09	70	R								NA		NA		06/08/2005
From: 26-1020 Seaboard Dr															
To: Dead End															
(1039) Shannon Rd	0.30	90	R								NA		NA		05/22/2008
From: Dead End															
To: 26-611 Wilkerson Rd															
(1040) Greenhead Dr	0.55	350	R								NA		NA		05/22/2008
From: 26-675 Vaughan Rd															
To: 26-1042 Woody Ct															
(1041) Greenhead Ct	0.04	20	R								NA		NA		05/22/2008
From: Dead End															
(1042) Woody Ct	0.15	120	R								NA		NA		05/22/2008
From: Dead End															
(1101) Acorn Dr	0.30	70	R								NA		NA		06/08/2005
From: 26-604 Halifax Rd															
To: 26-606 Oak Grove Rd															
(1102)	0.46	NA									NA		NA		
From: Cul-de-Sac															
To: US 1 Boydton Plank Rd															
(1103)	0.20	NA									NA		NA		
From: Cul-de-Sac															
To: 26-1102															
(1110) Dabney Dr	0.31	60	R								NA		NA		05/02/2005
From: 26-1111 Anne Rd															
To: 26-1113 Charlotte Rd															
(1110) Dabney Dr	0.21	140	R								NA		NA		05/02/2005
From: 26-613 White Oak Rd															
To: 26-1112 Gibson Dr															
(1111) Anne Rd	0.16	60	R								NA		NA		05/02/2005
From: 26-1110 Dabney Dr															
(1112) Gibson Dr	0.31	70	R								NA		NA		05/02/2005
From: 26-1113 Charlotte Rd															
To: 26-613 White Oak Rd															
(1113) Charlotte Rd	0.16	40	R								NA		NA		05/02/2005
From: 26-1112 Gibson Dr															
To: 26-1110 Dabney Dr															
(1120) Tanglewood Dr	0.25	470	R								NA		NA		06/08/2005
From: 26-1122 Northwood Dr															
To: 26-1121 Southwood Dr															

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1120) Tanglewood Dr	0.10	570	R			From:	26-1121 Southwood Dr							NA	06/08/2005
						To:	26-613 Squirrel Level Rd								
(1121) Southwood Dr	0.14	110	R			From:	Dead End							NA	06/08/2005
						To:	26-1120 Tanglewood Dr								
(1122) Northwood Dr	0.08	310	R			From:	26-1123 Circlewood Dr							NA	06/08/2005
						To:	26-1120 Tanglewood Dr								
(1123) Circlewood Dr	0.46	300	R			From:	26-1122 Northwood Dr							NA	06/08/2005
						To:	Dead End								
(1201) McKenney Ave	0.25	90	R			From:	Dead End							NA	05/12/2005
						To:	US 1; 26-650								
(1210) Waterford Dr	0.45	100	R			From:	Cul-de-Sac							NA	06/13/2005
						To:	26-750 Oxford Rd								
(1240) Wrenn Forest Dr	0.21	560	R			From:	Cul-de-Sac							NA	06/13/2005
						To:	26-601 River Rd								
(1241) Swan Circle	0.15	80	R			From:	26-1243 Canvasback Ct							NA	06/13/2005
						To:	26-1240 Wrenn Forest Dr								
(1242) Pintail Lane	0.11	70	R			From:	26-1243 Canvasback Ct							NA	06/13/2005
						To:	26-1240 Wrenn Forest Dr								
(1242) Pintail Lane	0.23	270	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1246 Pheasant Ct								
(1243) Canvasback Ct	0.23	60	R			From:	Cul-de-Sac							NA	06/13/2005
						To:	Cul-de-Sac								
(1244) Pintail Lane	0.08	100	R			From:	26-1242 Pintail Lane							NA	05/27/2008
						To:	Cul-de-Sac								
(1245) Teal Circle	0.06	70	R			From:	26-1242 Pintail Lane							NA	05/27/2008
						To:	Cul-de-Sac								
(1246) Pheasant Ct	0.22	220	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1242 Pintail Lane								
(1246) Pheasant Ct	0.09	200	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	Cul-de-Sac								
(1301) Lee Blvd	0.23	590	R			From:	SR 226 Cox Rd							NA	05/16/2005
						To:	26-1332 Hill St								
(1301) Lee Blvd	0.18	200	R			From:	Dead End							NA	05/16/2005
						To:									
(1302) Dinwiddie Ave	0.10	120	R			From:	26-1306 Roanoke St							NA	05/18/2005
						To:									
(1302) Dinwiddie Ave	0.03	190	R			From:	26-1348 Potomac St							NA	05/18/2005
						To:									
(1302) Dinwiddie Ave	0.11	260	R			From:	26-1309 York St							NA	05/18/2005
						To:	US 1 Boydton Plank Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1303) Simmons Ave	0.37	220	R								NA		NA		05/18/2005
(1303) Simmons Ave	0.03	2200	R								NA		NA		05/18/2005
(1304) Nottoway Ave	0.10	170	R								NA		NA		05/18/2005
(1304) Nottoway Ave	0.10	210	R								NA		NA		05/18/2005
(1304) Nottoway Ave	0.13	250	R								NA		NA		05/18/2005
(1305) Surry Ave	0.14	230	R								NA		NA		05/18/2005
(1305) Surry Ave	0.19	340	R								NA		NA		05/18/2005
(1305) Surry Ave	0.09	430	R								NA		NA		05/18/2005
(1305) Surry Ave	0.11	530	R								NA		NA		05/18/2005
(1306) Roanoke St	0.04	110	R								NA		NA		05/18/2005
(1306) Roanoke St	0.04	140	R								NA		NA		05/18/2005
(1306) Roanoke St	0.04	130	R								NA		NA		05/18/2005
(1306) Roanoke St	0.04	100	R								NA		NA		05/18/2005
(1307) Brunswick Ave	0.10	210	R								NA		NA		05/18/2005
(1307) Brunswick Ave	0.10	280	R								NA		NA		05/18/2005
(1307) Brunswick Ave	0.12	330	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.13	60	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.09	370	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.10	500	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.09	550	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.12	620	R								NA		NA		05/18/2005
(1309) York St	0.10	47	R								NA		NA		05/18/2005
(1310) Rockdale Rd	0.10	90	R								NA		NA		05/16/2005

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1310) Cedar Hart Rd	0.11	1800	R								NA		NA		05/16/2005
(1310) Cedar Hart Rd	0.10	1700	R								NA		NA		05/16/2005
(1311) Grant Ave	0.31	310	R								NA		NA		05/16/2005
(1311) Grant Ave	0.10	80	R								NA		NA		05/16/2005
(1312) Sunset Dr	0.12	1000	R								NA		NA		05/16/2005
(1313) Franklin St	0.22	1000	R								NA		NA		05/16/2005
(1314) Glendale Ave	0.03	20	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.12	140	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.10	170	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.06	220	R								NA		NA		05/23/2005
(1315) Del Keith Rd	0.06	70	R								NA		NA		05/23/2005
(1315) Del Keith Rd	0.11	80	R								NA		NA		05/23/2005
(1316) Meridan Ave	0.07	50	R								NA		NA		05/23/2005
(1316) Meridan Ave	0.06	170	R								NA		NA		05/23/2005
(1316) Meridan Ave	0.10	80	R								NA		NA		05/23/2005
(1317) Meadow Lane	0.07	70	R								NA		NA		05/23/2005
(1318) Callear Rd	0.13	100	R								NA		NA		05/23/2005
(1319) Short St	0.06	180	R								NA		NA		05/23/2005
(1320) Ritchie Ave	0.09	200	R								NA		NA		05/23/2005
(1320) Ritchie Ave	0.13	190	R								NA		NA		05/23/2005
(1321) Ashley Lane	0.18	190	R								NA		NA		05/16/2005

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1322) Harwell Dr	0.14	290	R			From:	Dead End				NA		NA	NA	05/23/2005
						To:	US 1 Boynton Plank Rd								
(1323) West Dr	0.40	390	R			From:	26-600 Ferndale Rd				NA		NA	NA	05/16/2005
						To:	Dead End								
(1324) Ford Ave	0.15	1200	R			From:	26-1363 Cross St				NA		NA	NA	05/23/2005
						To:	US 1 Boyton Plank Rd								
(1325) Creek Ave	0.21	220	R			From:	Cul-de-Sac				NA		NA	NA	05/23/2005
						To:	26-1326 Mt Pleasant St								
(1325) Creek Ave	0.06	290	R			From:	26-1326 Mt Pleasant St				NA		NA	NA	05/23/2005
						To:	SR 226 Cox Rd								
(1326) Mt Pleasant St	0.21	60	R			From:	26-1325 Creek Ave				NA		NA	NA	05/23/2005
						To:	26-1327 Cedar Lane								
(1327) Cedar Lane	0.05	130	R			From:	26-1326 Mt Pleasant St				NA		NA	NA	05/23/2005
						To:	SR 226 Cox Rd								
(1328) Pinecroft Rd	0.10	70	R			From:	Dead End				NA		NA	NA	05/16/2005
						To:	26-1329 Brooksdale Rd								
(1328) Pinecroft Rd	0.12	200	R			From:	26-1329 Brooksdale Rd				NA		NA	NA	05/16/2005
						To:	26-1330 Balsam Lane								
(1328) Pinecroft Rd	0.07	390	R			From:	26-1330 Balsam Lane				NA		NA	NA	05/16/2005
						To:	26-600 Ferndale Rd								
(1329) Brooksdale Rd	0.06	180	R			From:	26-1330 Balsam Lane				NA		NA	NA	05/16/2005
						To:	26-1328 Pinecroft Rd								
(1330) Balsam Lane	0.17	190	R			From:	26-1329 Brooksdale Rd				NA		NA	NA	05/16/2005
						To:	26-1328 Pinecroft Rd								
(1331) Creek Circle	0.03	40	R			From:	26-1325 Creek Ave				NA		NA	NA	06/13/2005
						To:	Cul-de-Sac								
(1332) Hill St	0.05	190	R			From:	26-1301 Lee Blvd				NA		NA	NA	05/16/2005
						To:	Dead End								
(1333) Ferndale Circle	0.54	300	R			From:	26-600 Ferndale Rd				NA		NA	NA	05/16/2005
						To:	26-600 Ferndale Rd								
(1334) Floyd Ave	0.12	40	R			From:	Dead End				NA		NA	NA	05/23/2005
						To:	26-1336 Forest Ave								
(1334) Floyd Ave	0.22	530	R			From:	26-1336 Forest Ave				NA		NA	NA	05/23/2005
						To:	FR-290; 26-1335								
(1335) Church Rd	0.19	280	R			From:	0.19 MS FR-290				NA		NA	NA	05/23/2005
						To:	FR-290; 26-1334								
(1335) Church Rd	0.08	20	R			From:	FR-290; 26-1334				NA		NA	NA	05/23/2005
						To:	Dead End								
(1336) Forest Ave	0.30	410	R			From:	26-1334 Floyd Ave				NA		NA	NA	05/23/2005
						To:	Cul-de-Sac								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1337) James Ave	0.12	80	R			From:	Dead End							NA	05/23/2005
						To:	26-1336 Forest Ave								
(1338) Shadyside Dr	0.20	160	R			From:	26-1335 Church Rd							NA	05/23/2005
						To:	Cul-de-Sac								
(1339) Creek Lane	0.07	50	R			From:	26-1325 Creek Ave							NA	05/23/2005
						To:	Cul-de-Sac								
(1340) Fairway Lane	0.15	50	R			From:	SR 226 Cox Rd							NA	05/15/2008
						To:	26-1341 Driver Rd								
(1340) Fairway Lane	0.09	270	R			From:	26-1341 Driver Rd							NA	05/18/2005
						To:	26-1342 Wedgewood Rd								
(1340) Fairway Lane	0.12	80	R			From:	26-1342 Wedgewood Rd							NA	05/18/2005
						To:	Dead End								
(1341) Driver Rd	0.17	150	R			From:	26-1343 Greenway Rd							NA	05/18/2005
						To:	26-1340 Fairway Lane								
(1342) Wedgewood Rd	0.20	110	R			From:	26-1343 Greenway Rd							NA	05/18/2005
						To:	26-1340 Fairway Lane								
(1343) Greenway Rd	0.09	100	R			From:	26-1341 Driver Rd							NA	05/18/2005
						To:	26-1342 Wedgewood Rd								
(1344) Orchard Rd	0.09	320	R			From:	SR 226 Cox Rd							NA	05/16/2005
						To:	26-1345 Steven Ave								
(1344) Orchard Rd	0.09	270	R			From:	26-1345 Steven Ave							NA	05/16/2005
						To:	26-1346 Wayne Ave								
(1345) Steven Ave	0.06	40	R			From:	Dead End							NA	05/18/2005
						To:	26-1344 Orchard Rd								
(1345) Steven Ave	0.04	40	R			From:	26-1344 Orchard Rd							NA	05/18/2005
						To:	Dead End								
(1346) Wayne Ave	0.07	30	R			From:	Dead End							NA	05/18/2005
						To:	26-1344 Orchard Rd								
(1346) Wayne Ave	0.04	210	R			From:	26-1344 Orchard Rd							NA	05/18/2005
						To:	26-1347 Orchard Dr								
(1346) Wayne Ave	0.01	47	R			From:	26-1347 Orchard Dr							NA	05/18/2005
						To:	Dead End								
(1347) Orchard Dr	0.17	130	R			From:	Dead End							NA	05/18/2005
						To:	26-1346 Wayne Ave								
(1348) Potomac St	0.04	120	R			From:	26-1305 Surry Ave							NA	05/23/2005
						To:	26-1308 Greensville Ave								
(1348) Potomac St	0.04	150	R			From:	26-1308 Greensville Ave							NA	05/23/2005
						To:	26-1307 Brunswick Ave								
(1348) Potomac St	0.04	130	R			From:	26-1307 Brunswick Ave							NA	05/23/2005
						To:	26-1304 Nottoway Ave								
(1348) Potomac St	0.04	120	R			From:	26-1304 Nottoway Ave							NA	05/23/2005
						To:	26-1302 Dinwiddie Ave								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1349) Warwick St	0.04	130	R								NA		NA		05/18/2005
(1349) Warwick St	0.04	80	R								NA		NA		05/18/2005
(1350) Pagan St	0.04	50	R								NA		NA		05/18/2005
(1352) Elsie Dr	0.19	260	R								NA		NA		05/16/2005
(1352) Elsie Dr	0.10	120	R								NA		NA		05/16/2005
(1353) Susie Dr	0.19	280	R								NA		NA		05/16/2005
(1353) Susie Dr	0.10	100	R								NA		NA		05/16/2005
(1354) Mark Dr	0.08	60	R								NA		NA		05/16/2005
(1354) Mark Dr	0.12	70	R								NA		NA		05/27/2008
(1354) Mark Dr	0.07	60	R								NA		NA		05/27/2008
(1355) E Autumn Dr	0.18	550	R								NA		NA		05/27/2008
(1355) E Autumn Dr	0.07	190	R								NA		NA		05/16/2005
(1355) E Autumn Dr	0.10	140	R								NA		NA		05/16/2005
(1355) W Autumn Dr	0.28	250	R								NA		NA		05/23/2005
(1355) W Autumn Dr	0.13	380	R								NA		NA		05/23/2005
(1356) Sparrow Ct	0.09	50	R								NA		NA		05/27/2008
(1356) Sparrow Ct	0.06	90	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.26	150	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.13	250	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.08	670	R								NA		NA		05/27/2008
(1358) Mansfield Dr	0.03	20	R								NA		NA		05/27/2008
(1358) Mansfield Dr	0.07	270	R								NA		NA		05/27/2008

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1358) Mansfield Dr	0.08	700	R			From:	26-1359 Gap							NA	05/27/2008
						To:	26-601 River Rd								
(1359) Gaydell Dr	0.04	20	R			From:	Dead End							NA	05/16/2005
						To:	26-1364 Keithwood Dr								
(1359) Gaydell Dr	0.10	450	R			From:	26-1364 Keithwood Dr							NA	05/16/2005
						To:	26-1357 Bancroft Dr								
(1359) Gaydell Dr	0.29	350	R			From:	26-1357 Bancroft Dr							NA	05/27/2008
						To:	26-1358 Mansfield Dr								
(1359) Gaydell Dr	0.22	280	R			From:	26-1358 Mansfield Dr							NA	05/27/2008
						To:	26-1387 Beth Lane								
(1359) Gaydell Dr	0.10	440	R			From:	26-1387 Beth Lane							NA	05/27/2008
						To:	26-1385 McIlwaine Dr								
(1360) Fieldshire Lane	0.23	180	R			From:	26-1357 Bancroft Dr							NA	05/27/2008
						To:	26-1358 Mansfield Dr								
(1361) Walking Landing Dr	0.14	500	R			From:	26-1366 Walking Landing Ct							NA	05/21/2008
						To:	SR 226 Cox Rd								
(1362) Oak Ct	0.12	230	R			From:	26-603 Sterling Rd							NA	05/23/2005
						To:	26-1320 Ritchie Ave								
(1363) Cross St	0.08	70	R			From:	26-1320 Ritchie Ave							NA	05/23/2005
						To:	26-1324 Ford Ave								
(1364) Keithwood Dr	0.07	30	R			From:	Dead End							NA	05/16/2005
						To:	26-1365 Timpan Lane								
(1364) Keithwood Dr	0.21	320	R			From:	26-1365 Timpan Lane							NA	05/16/2005
						To:	26-1359 Gaydell Dr								
(1365) Timpan Lane	0.11	140	R			From:	26-1364 Keithwood Dr							NA	05/16/2005
						To:	Cul-de-Sac								
(1366) Walking Landing Ct	0.46	500	R			From:	Dead End							NA	05/21/2008
						To:	Dead End								
(1367) Iris Circle	0.04	30	R			From:	26-1355, E Autumn Dr							NA	05/16/2005
						To:	Cul-de-Sac								
(1368) Woods Ct	0.05	40	R			From:	Cul-de-Sac							NA	05/16/2005
						To:	26-1355, W Autumn Dr								
(1369) Westbriar Lane	0.04	30	R			From:	26-1355, W Autumn Dr							NA	05/16/2005
						To:	Cul-de-Sac								
(1370) Bell St	0.16	50	R			From:	26-1371 Hazel Ave							NA	05/23/2005
						To:	26-672 Weakley Rd								
(1371) Hazel Ave	0.18	90	R			From:	Cul-de-Sac							NA	05/19/2008
						To:	26-1370 Bell St								
(1371) Hazel Ave	0.07	120	R			From:	26-1370 Bell St							NA	05/19/2008
						To:	26-672 Weakley Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1372) A P Hill Dr	0.09	520	R			From:	US 1 Boydton Plank Rd						NA	NA	05/19/2008
						To:	26-1373 Sentry Hill Ct								
(1373) Sentry Hill Ct	0.44	400	R			From:	26-1372 Begin Loop						NA	NA	05/19/2008
						To:	End Loop								
(1375) Sequoia Ct	0.13	120	R			From:	26-1382 Sequoia Rd						NA	NA	05/23/2005
						To:	Cul-de-Sac								
(1376) Sierra Rd	0.07	60	R			From:	Cul-de-Sac						NA	NA	05/23/2005
						To:	26-1381 Chesdin Dr								
(1377) Yosemite Rd	0.07	50	R			From:	Cul-de-Sac						NA	NA	05/21/2008
						To:	26-1381 Chesdin Dr								
(1378) Woodstream Ct	0.11	120	R			From:	Cul-de-Sac						NA	NA	05/21/2008
						To:	26-1379 Woodstream Ct								
(1379) Woodstream Ct	0.24	170	R			From:	26-1380 Woodstream Dr						NA	NA	05/21/2008
						To:	26-1393 Brickwood Meadow Dr								
(1380) Woodstream Dr	0.31	680	R			From:	Dead End						NA	NA	05/18/2005
						To:	SR 226 Cox Rd								
(1380) Woodstream Dr	0.53	150	R			From:	Dead End						NA	NA	05/18/2005
						To:	Dead End								
(1381) Chesdin Dr	0.43	590	R			From:	Dead End						NA	NA	05/23/2005
						To:	SR 226 Cox Rd								
(1382) Sequoia Rd	0.27	190	R			From:	Dead End						NA	NA	05/15/2008
						To:	26-1381 Chesdin Dr								
(1383) Olympic Lane	0.08	90	R			From:	26-1382 Sequoia Rd						NA	NA	05/15/2008
						To:	Cul-de-Sac								
(1384) Yellowstone Dr	0.15	600	R			From:	26-1382 Sequoia Rd						NA	NA	05/15/2008
						To:	SR 226; 26-1384								
(1385) McIlwaine Dr	0.30	580	R			From:	Dead End						NA	NA	05/27/2008
						To:	26-1386 Raymond Rd								
(1385) McIlwaine Dr	0.13	920	R			From:	26-1386 Raymond Rd						NA	NA	05/27/2008
						To:	26-1359 Gaydell Dr								
(1385) McIlwaine Dr	0.11	1400	R			From:	26-1359 Gaydell Dr						NA	NA	05/27/2008
						To:	26-601 River Rd								
(1386) Raymond Rd	0.17	140	R			From:	Cul-de-Sac						NA	NA	05/27/2008
						To:	26-1399 Tower Ct								
(1387) Beth Lane	0.12	120	R			From:	26-1386 Raymond Rd						NA	NA	05/27/2008
						To:	26-1359 Gaydell Dr								
(1388) Gloria Dr	0.03	10	R			From:	Dead End						NA	NA	05/16/2005
						To:	26-1389 Paul Dr								
(1388) Gloria Dr	0.07	180	R			From:	26-1389 Paul Dr						NA	NA	05/16/2005
						To:	26-1385 McIlwaine Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1389) Paul Dr	0.10	110	R			From:	26-1388 Gloria Dr							NA	05/16/2005
						To:	Cul-de-Sac								
(1390) Jackie Dr	0.09	450	R			From:	26-601 River Rd							NA	05/27/2008
						To:	26-1391 James Ct								
(1390) Jackie Dr	0.10	390	R			From:	26-1391 James Ct							NA	05/27/2008
						To:	26-1354 Mark Dr								
(1390) Jackie Dr	0.08	160	R			From:	26-1354 Mark Dr							NA	05/27/2008
						To:	26-1392 Donnie Ct								
(1390) Jackie Dr	0.06	70	R			From:	26-1392 Donnie Ct							NA	05/27/2008
						To:	Cul-de-Sac								
(1391) James Ct	0.06	70	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1390 Jackie Dr								
(1392) Donnie Ct	0.06	60	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1390 Jackie Dr								
(1393) Brickwood Meadow Dr	0.19	400	R			From:	SR 226 Cox Rd							NA	05/21/2008
						To:	26-1395 Brickwood Meadow Lane								
(1394) Brickwood Meadow Terr	0.05	40	R			From:	Cul-de-Sac							NA	05/21/2008
						To:	26-1393 Brickwood Meadow Dr								
(1395) Brickwood Meadow Lan	0.35	180	R			From:	26-1380 Woodstream Dr							NA	05/21/2008
						To:	Cul-de-Sac								
(1396) Brickwood Meadow Ct	0.15	130	R			From:	Cul-de-Sac							NA	05/21/2008
						To:	26-1395 Brickwood Meadow Lane								
(1397) Woodstream Place	0.05	47	R			From:	Dead End							NA	05/25/2005
						To:	26-1380 Woodstream Dr								
(1398) Woodstream Circle	0.06	50	R			From:	Dead End							NA	05/25/2005
						To:	26-1380 Woodstream Dr								
(1399) Tower Ct	0.09	220	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1386 Raymond Rd								
(1399) Tower Ct	0.19	NA				From:								NA	
						To:	Cul-de-Sac								
(1401) Springcreek Rd	0.41	150	R			From:	Dead End							NA	05/25/2005
						To:	US 1 S, Boydton Plank Rd								
(1402) Main St	0.10	200	R			From:	US 1 S, Boydton Plank Rd							NA	05/25/2005
						To:	26-619 Courthouse Rd								
(1402) Sycamore Dr	0.15	260	R			From:	US 1 N, Boydton Plank Rd							NA	05/25/2005
						To:	26-703 Carson Rd								
(1403)	0.11	20	R			From:	26-703 Carson Rd							NA	06/13/2005
						To:	Dead End								
(1404) Rowanty Lane	0.06	50	R			From:	26-619 Courthouse Rd							NA	05/25/2005
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1405) Lakewood Dr	0.20	220	R								NA		NA		05/02/2005
(1405) Lakewood Dr	0.16	60	R								NA		NA		05/02/2005
(1406) Stonewall Dr	0.43	150	R								NA		NA		05/02/2005
(1407) Bonneville Lane	0.50	180	R								NA		NA		05/02/2005
(1410) Allen Rd	0.08	540	R								NA		NA		05/25/2005
(1410) Allen Rd	0.06	480	R								NA		NA		05/25/2005
(1410) Allen Rd	0.11	320	R								NA		NA		05/25/2005
(1410) Allen Rd	0.07	80	R								NA		NA		05/25/2005
(1410) Allen Rd	0.05	5	R								NA		NA		05/25/2005
(1411) Dorothy Ct	0.12	60	R								NA		NA		05/25/2005
(1412) Frances Dr	0.12	70	R								NA		NA		05/25/2005
(1413) Albert St	0.28	110	R								NA		NA		05/25/2005
(1414) Bishop St	0.16	140	R								NA		NA		05/25/2005
(1414) Bishop St	0.13	100	R								NA		NA		05/25/2005
(1415) Rainbow St	0.12	20	R								NA		NA		05/25/2005
(1420) River Run Dr	0.15	950	R								NA		NA		06/13/2005
(1421) Lake Dr	0.27	110	R								NA		NA		06/13/2005
(1422) Plantation PI	0.04	40	R								NA		NA		06/13/2005
(1423) Plantation Dr	0.22	80	R								NA		NA		06/13/2005
(1424) Plantation Ct	0.05	50	R								NA		NA		06/13/2005

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1425) Mark Dr	0.05	110	R			From:	26-1354 Mark Dr				NA		NA		06/13/2005
						To:	26-1423 Plantation Dr								
(1430) Sons Way	0.15	190	R			From:	Cul-de-Sac				NA		NA		05/19/2008
						To:	26-1382 Sequoia Rd								
(1431) Bryans Circle	0.04	20	R			From:	26-1430 Sons Way				NA		NA		05/19/2008
						To:	Cul-de-Sac								
(1432) Kyles Ct	0.03	30	R			From:	Cul-de-Sac				NA		NA		05/19/2008
						To:	26-1430 Sons Way								
(1441)	0.07	NA				From:	26-1442				NA		NA		
						To:	26-1336								
(1442)	0.11	NA				From:	Cul-de-Sac				NA		NA		
						To:	26-1441								
(1442)	0.09	NA				From:	Cul-de-Sac				NA		NA		
						To:	26-1441								
(1501) Sutherland Dr	0.17	120	R			From:	26-1504 Woodland Dr				NA		NA		05/25/2005
						To:	26-1502 Woodland Rd								
(1501) Sutherland Dr	0.29	290	R			From:	26-1502 Woodland Rd				NA		NA		05/25/2005
						To:	US 460 Cox Rd								
(1502) Woodland Rd	0.08	80	R			From:	26-1501 Sutherland Dr				NA		NA		05/25/2005
						To:	26-1503 Belville Dr								
(1503) Belville Dr	0.12	60	R			From:	26-1502 Woodland Rd				NA		NA		05/25/2005
						To:	Dead End								
(1504) Woodland Dr	0.10	80	R			From:	26-1505 Tara Dr				NA		NA		05/25/2005
						To:	26-1501 Sutherland Dr								
(1504) Woodland Dr	0.14	30	R			From:	26-1501 Sutherland Dr				NA		NA		05/25/2005
						To:	Dead End								
(1505) Tara Dr	0.10	70	R			From:	26-1504 Woodland Dr				NA		NA		05/25/2005
						To:	Dead End								
(1509) Leonard Dr	0.23	200	R			From:	26-1510 Chesdin Blvd				NA		NA		05/05/2008
						To:	Dead End								
(1510) Chesdin Blvd	0.57	850	R			From:	26-601 River Rd				NA		NA		05/25/2005
						To:	26-1512 Ridgecrest Dr								
(1510) Chesdin Blvd	0.46	290	R			From:	26-1512 Ridgecrest Dr				NA		NA		05/25/2005
						To:	26-1511 Chesdin Ct								
(1510) Chesdin Blvd	0.06	30	R			From:	26-1511 Chesdin Ct				NA		NA		05/25/2005
						To:	Dead End								
(1511) Chesdin Ct	0.04	40	R			From:	26-1510 Chesdin Blvd				NA		NA		05/25/2005
						To:	Cul-de-Sac								
(1512) Ridgecrest Dr	0.10	46	R			From:	26-1510 Chesdin Blvd				NA		NA		05/25/2005
						To:	26-1513 Shoreview Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1513) Shoreview Dr	0.13	220	R								NA		NA		05/05/2008
(1513) Shoreview Dr	0.15	160	R								NA		NA		05/25/2005
(1513) Shoreview Dr	0.13	80	R								NA		NA		05/25/2005
(1514) Waterview Ct	0.05	30	R								NA		NA		05/25/2005
(1515) Edrie Dr	0.13	430	R								NA		NA		05/25/2005
(1515) Edrie Dr	0.04	20	R								NA		NA		05/25/2005
(1516) Eugene Dr	0.12	90	R								NA		NA		05/25/2005
(1516) Eugene Dr	0.22	410	R								NA		NA		05/25/2005
(1517) Independence Dr	0.07	170	R								NA		NA		05/25/2005
(1518) Hope Dr	0.07	70	R								NA		NA		05/25/2005
(1518) Hope Dr	0.10	80	R								NA		NA		05/25/2005
(1519) Seay Dr	0.09	30	R								NA		NA		05/27/2008
(1530) Oak St	0.07	40	R								NA		NA		04/30/2008
(1530) Oak St	0.09	80	R								NA		NA		04/30/2008
(1531) Elm St	0.23	60	R								NA		NA		04/30/2008
(9116)	0.14	740	R								NA		NA		05/02/2005
<b>Town of McKenney</b>															
(9117)	0.04	240	R								NA		NA		05/12/2005
<b>Dinwiddie County</b>															
(9118)	0.07	260	R								NA		NA		05/19/2008
(9118)	0.05	100	R								NA		NA		05/02/2005
(9118)	0.09	160	R								NA		NA		05/02/2005

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b>Dinwiddie County</b>																	
(9118)	0.09	200	R			From:	0.21 MN US 1					NA		NA	05/02/2005		
						To:	US 1 Boydton Plank Rd										
<b>Town of McKenney</b>																	
(9119)	0.02	30	R			From:	26-1001 Bolling Rd					NA		NA	1999		
						To:	0.02 MN 26-1001 Bolling Rd										
(9119)	0.10	40	R			From:	0.02 MN 26-1001 Bolling Rd					NA		NA	1999		
						To:	Cul-de-Sac										
<b>Dinwiddie County</b>																	
(9535) Eastview Dr	0.23	890	R			From:	US 1 Boydton Plank Rd					NA		NA	05/19/2008		
						To:	0.23 MN US 1										
(9535) Eastview Dr	0.20	800	R			From:	0.23 MN US 1					NA		NA	05/19/2008		
						To:	0.43 MN US 1										
(9535) Eastview Dr	0.13	700	R			From:	0.43 MN US 1					NA		NA	05/19/2008		
						To:	US 1 Boydton Plank Rd										
(9920)	0.10	40	R			From:	Cul-de-Sac					NA		NA	05/19/2008		
						To:	26-751 Cox Rd										
(9921)	0.11	590	R			From:	US 460 Airport St					NA		NA	05/02/2005		
						To:	US 460 Airport St										
(9922)	0.11	150	R			From:	US 1 Boydton Plank Rd					NA		NA	05/02/2005		
						To:	Eastside Elem Sch										
(9923)	0.05	620	R			From:	Dinwiddie High School					NA		NA	05/19/2008		
						To:	0.05 MN 26-627 Courthouse Rd										
(9923)	0.13	720	R			From:	0.05 MN 26-627 Courthouse Rd					NA		NA	05/02/2005		
						To:	0.18 MN 26-627 Courthouse Rd										
(9923)	0.15	700	R			From:	0.18 MN 26-627 Courthouse Rd					NA		NA	05/02/2005		
						To:	0.33 MN 26-627 Courthouse Rd										
(9923)	0.11	700	R			From:	0.33 MN 26-627 Courthouse Rd					NA		NA	05/02/2005		
						To:	26-627 Courthouse Rd										
(608) Johnson Rd	0.31	930	N	99%	0%	0%	1%	0%	0%	N	0.113	N	0.597	990	N	2009	
						From:	Prince George County Line										
(608) Johnson Rd	1.00	1300	G	99%	0%	0%	0%	0%	0%	C	0.101	F	0.558	1400	G	2009	
						From:	SR 345; 26-677										
						To:	SCL Petersburg										
<b>City of Petersburg</b>																	
(3) Vaughn Rd	0.64	1000	G			From:	SCL Petersburg; 26-675					0.087	F	0.689	1100	G	2009
						To:	123-9013 Halifax Rd										
(4) Wells Rd	0.41	3900	G	87%	0%	1%	3%	8%	0%	C	0.087	F	0.559	4300	G	2009	
						To:	Halifax Rd										
						To:	Squirrel Level Rd										
(9002) Halifax Rd	0.18	6400	G	99%	1%	1%	0%	0%	0%	F	0.08	F	0.526	7000	G	2009	
						From:	CSX RR										
(9002) Halifax St	0.58	5600	G	99%	1%	1%	0%	0%	0%	F	0.084	F		6100	G	2009	
						From:	Patterson St										
(9002) Halifax St	0.19	5900	G	99%	1%	1%	0%	0%	0%	F	0.08	F		6400	G	2009	
						From:	Baylors Lane										
						To:	Virginia Ave										

Virginia Department of Transportation  
Traffic Engineering Division

2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
(9002) 123 Halifax St	0.37	8300	G	99%	1%	1%	0%	0%	0%	F	0.077	F	9000	G	2009	
From: Virginia Ave																
(9002) 123 Halifax St	0.29	7900	G	99%	1%	1%	0%	0%	0%	F	0.078	F	8600	G	2009	
From: Lee Ave																
(9002) 123 Halifax St	0.28	8500	G	99%	1%	1%	0%	0%	0%	C	0.078	F	9200	G	2009	
From: Liberty St																
(9002) 123 Union St	0.12	3800	G							NA			4200	G	2009	
From: US 1, US 460 W Wythe St																
(9002) 123 Union St	0.17	1400	G	93%	1%	4%	1%	1%	0%	C	0.116	F	0.523	1500	G	2009
From: US 1, US 460 W Washington St																
To: W Tabb St																
(9004) 123 Defense Rd	0.47	2200	G	98%	0%	0%	1%	1%	0%	C	0.096	F	0.649	2400	G	2009
From: Boydton Plank Rd																
(9004) 123 Defense Dr	1.77	3700	G	99%	1%	0%	0%	0%	0%	F	0.076	F	0.639	4000	G	2009
From: Squirrel Level Rd																
(9004) 123 South Boulevard	0.92	8200	G	99%	1%	0%	0%	0%	0%	C	0.091	F	8900	G	2009	
From: Johnson Rd																
(9004) 123 South Boulevard	0.18	5600	G	99%	1%	0%	0%	0%	0%	F	0.095	F	0.501	6100	G	2009
From: S. Sycamore St																
(9004) 123 South Boulevard	0.72	2100	G	99%	1%	0%	0%	0%	0%	F	0.087	F	0.571	2200	G	2009
From: Crater Rd																
To: Anderson St																
(9006) 123 Flank Rd	0.96	1900	G	96%	0%	0%	3%	0%	0%	C	0.099	F	0.609	2100	G	2009
From: Halifax Rd																
(9006) 123 Flank Rd	0.47	3100	G	96%	0%	0%	3%	0%	0%	F	0.086	F	0.573	3400	G	2009
From: Johnson Rd																
(9006) 123 Flank Rd	0.75	2500	G	96%	0%	0%	3%	0%	0%	F	0.086	F	0.503	2800	G	2009
From: Birdsong Rd																
(9006) 123 Flank Rd	0.91	3100	G	98%	0%	1%	0%	1%	0%	C	0.082	F	0.581	3400	G	2009
From: Fort Hayes Dr																
(9006) 123 Flank Rd ( 1-Way )	0.13	2400	G	98%	1%	1%	0%	0%	0%	C	0.082	F	2600	G	2009	
From: Flank Rd N																
To: US 301 S Crater Rd																
(9008) 123 Rives Rd	0.55	6700	G	98%	0%	1%	0%	1%	0%	C	0.09	F	7200	G	2009	
From: US 301 S Crater Rd																
(9008) 123 Rives Rd	0.27	5400	G	98%	0%	0%	0%	1%	0%	C	0.1	F	5800	G	2009	
From: I- 95																
To: ECL Petersburg																
(9008) 123 Ramp	0.17	800	A								0.138	A	820	A	2009	
From: 123-9008 Rives Rd																
To: I-95 South																
(9009) 123 Dupuy Rd	1.24	430	G	98%	1%	1%	0%	0%	0%	F	0.105	F	0.531	470	G	2009
From: SR 142 Boydton Plank Rd																
(9009) 123 Dupuy St	0.58	2000	G	98%	1%	1%	0%	0%	0%	F	0.084	F	0.506	2100	G	2009
From: Grigg St																
(9009) 123 Farmer St	0.86	3600	G	98%	1%	1%	0%	0%	0%	C	0.085	F	3900	G	2009	
From: Youngs Rd																
(9009) 123 Farmer St	0.47	2800	G	98%	1%	1%	0%	0%	0%	F	0.114	F	0.656	3100	G	2009
From: S. South St																
(9009) 123 Wagner Rd	0.73	15000	G	98%	0%	0%	0%	1%	0%	C	0.088	F	17000	G	2009	
From: I-95																

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
(9010) Wagner Rd	1.60	11000	G	94%	0%	1%	1%	4%	0%	C	0.090	F		12000	G	2009
From: I-95 To: County Dr																
(9011) Squirrel Level Rd	0.82	860	G	99%	0%	0%	0%	0%	0%	C	0.135	F	0.555	940	G	2009
From: SCL Petersburg To: Wells Rd																
(9011) Squirrel Level Rd	0.25	4900	G	90%	0%	1%	3%	7%	0%	C	0.089	F		5300	G	2009
From: Ramp To I- 85 To: Boydton Plank Rd																
(9011) Squirrel Level	0.20	7500	G	98%	1%	1%	0%	0%	0%	F	0.08	F		8100	G	2009
From: Boydton Plank Rd To: Valor Dr																
(9011) Young Rd	0.55	4000	G	98%	1%	1%	0%	0%	0%	F	0.082	F	0.569	4400	G	2009
From: Valor Dr To: 123-9009 Dupuy Rd																
(9011) Ramp	0.15	4100	F							NA				4400	F	2009
From: 123-9011 I-85-N065A FROM & TO RT 8 To: I-85-N FROM SQUIRREL LEVEL ROAD																
(9012) Lee Ave	0.56	2700	G	97%	2%	1%	0%	0%	0%	C	0.087	F	0.557	3000	G	2009
From: West St To: Halifax St																
(9012) Porterville St	0.15	1300	G	99%	1%	0%	0%	0%	0%	F	0.080	F	0.518	1400	G	2009
From: Halifax St To: Harding St																
(9012) New St	0.18	1200	G	99%	1%	0%	0%	0%	0%	C	0.086	F	0.627	1300	G	2009
From: Harding St To: Harrison St																
(9012) Harrison St	0.03	930	G	99%	1%	0%	0%	0%	0%	F	0.088	F		1000	G	2009
From: Harrison St To: Corling St																
(9012) Corling St	0.09	500	G	99%	1%	0%	0%	0%	0%	F	0.08	F		550	G	2009
From: Corling St To: S. Sycamore St																
(9012) Graham Rd	0.83	6800	G	99%	0%	0%	0%	0%	0%	F	0.083	F	0.548	7400	G	2009
From: S. Sycamore St To: Ramp From I-95																
(9012) Graham Rd	0.14	11000	G	99%	0%	0%	0%	0%	0%	C	0.086	F		12000	G	2009
From: Ramp From I-95 To: Crater Rd																
(9013) Halifax Rd	1.79	3200	G	89%	0%	1%	4%	6%	0%	C	0.087	F	0.567	3500	G	2009
From: Halifax Rd To: Wells Rd																
(9013) Halifax Rd	0.98	510	G	98%	0%	1%	0%	1%	0%	C	0.104	F	0.517	550	G	2009
From: Wells Rd To: Boydton Plank Rd																
(9015) Johnson Rd	0.01	1500	G	99%	0%	0%	0%	0%	0%	F	0.124	F	0.63	1700	G	2009
From: Boydton Plank Rd To: SCL Petersburg																
(9015) Johnson Rd	0.54	1000	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.623	1100	G	2009
From: SCL Petersburg To: Flank Rd																
(9015) Johnson Rd	1.39	5300	G	99%	0%	0%	0%	0%	0%	F	0.107	F	0.609	5700	G	2009
From: Flank Rd To: Birdsong Rd																
(9015) Johnson Rd	0.46	6200	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.595	6700	G	2009
From: Birdsong Rd To: South Blvd																
(9015) Johnson Rd	0.37	4700	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.591	5100	G	2009
From: South Blvd To: St Luke St																
(9015) High Pearl St	0.20	4900	G	99%	0%	0%	0%	0%	0%	F	0.083	F	0.516	5300	G	2009
From: St Luke St To: Virginia Ave																
(9015) High Pearl St	0.08	3400	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.545	3700	G	2009
From: Virginia Ave To: ST Matthew St																

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
(9015) Harding St	0.22	1700	G	98%	1%	1%	0%	0%	0%	C	0.082	F	0.569	1800	G	2009
			From:	ST Matthews St								To:	Porterville St			
(9015) Harding St	0.27	860	G	98%	1%	1%	0%	0%	0%	F	0.087	F		940	G	2009
			From:	Portersville St								To:	Halifax St			
(9017) Birdsong Rd	0.62	840	G	98%	1%	1%	0%	0%	0%	C	0.098	F	0.885	910	G	2009
			From:	SCL Petersburg								To:	Johnson Rd			
(9021) N Sycamore St	0.18	3000	G	96%	1%	3%	0%	0%	0%	F	0.099	F		3200	G	2009
			From:	W Washington St								To:	W Tabb St			
(9021) N Sycamore St	0.15	2500	G	96%	1%	3%	0%	0%	0%	C	0.093	F		2800	G	2009
			From:	Bollingbrook St								To:				
(9023) North Blvd	0.57	2800	G	99%	0%	0%	0%	0%	0%	C	0.088	F	0.653	3000	G	2009
			From:	Johnson Rd								To:	S Sycamore St			
(9025) Virginia Ave	0.22	420	G	96%	3%	1%	1%	0%	0%	C	0.108	F		460	G	2009
			From:	Gates Lane								To:	Harding Street			
(9025) Virginia Ave	0.32	2200	G	96%	3%	1%	1%	0%	0%	F	0.090	F	0.616	2400	G	2009
			From:	Harding Street								To:	Halifax Street			
(9025) Young Ave	0.20	2300	G	98%	1%	1%	0%	0%	0%	C	0.087	F	0.528	2500	G	2009
			From:	Arlington Street								To:	West Street Young Avenue			
(9025) Young Ave	0.11	3200	G	98%	1%	1%	0%	0%	0%	F	0.095	F	0.530	3500	G	2009
			From:	West Street Young Avenue								To:	Augusta Avenue			
(9025) S West St	0.28	3500	G	98%	1%	1%	0%	0%	0%	F	0.088	F	0.541	3900	G	2009
			From:	Augusta Avenue								To:	Farmer St			
(9025) S West St	0.23	4700	G	98%	1%	1%	0%	0%	0%	F	0.085	F	0.511	5100	G	2009
			From:	Farmer St								To:	W Wythe St			
(9025) S West St	0.14	3600	G	98%	1%	1%	0%	0%	0%	F	0.085	F	0.534	4000	G	2009
			From:	W Wythe St								To:	W Washington St			
(9027) S West St	0.63	2000	G	98%	1%	1%	0%	0%	0%	C	0.082	F	0.558	2200	G	2009
			From:	Halifax St								To:	Young Ave			
(9029) S. South St	0.36	2400	G	99%	0%	0%	0%	0%	0%	C	0.082	F		2700	G	2009
			From:	Lee Ave								To:	US 1 Wythe St			
(9029) S. South St	0.09	4100	G	99%	0%	0%	0%	0%	0%	F	0.092	F		4500	G	2009
			From:	US 1 Wythe St								To:	Washington St			
(9029) N. South St	0.20	6800	G	99%	0%	0%	0%	0%	0%	F	0.081	F		7400	G	2009
			From:	Washington St								To:	High St			
(9029) High St	0.02	1100	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.595	1200	G	2009
			From:	N South St								To:	Canal St			
(9029) Canal St	0.20	6500	G	99%	0%	0%	0%	0%	0%	C	0.08	F		7100	G	2009
			From:	High St								To:	Grove Ave			
(9031) Byrne St	0.40	640	G	96%	1%	3%	0%	0%	0%	C	0.09	F		700	G	2009
			From:	New St								To:	Halifax St			
(9031) S. Market St	0.12	4100	G	96%	1%	3%	0%	0%	0%	F	0.089	F		4500	G	2009
			From:	Halifax St								To:	Halifax Rd			
			To:	Wythe St												

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
(9033) Apollo St	0.14	1800	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.505	1900	G	2009
			From:	Sycamore St												
			To:	Jefferson St												
(9033) Jefferson St	0.58	2700	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.633	3000	G	2009
			From:	Apollo St												
			To:	E Wythe St												
(9033) Henry St	0.04	660	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.536	720	G	2009
			From:	3rd Street												
			To:	N Adams St												
(9038) Puddledock Rd	0.40	6200	G	93%	0%	1%	4%	2%	0%	C	0.094	F		6700	G	2009
			From:	E Washington St												
			To:	ECL Petersburg												
(9046) High St	0.58	1200	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.69	1300	G	2009
			From:	Canal St												
			To:	N Market St												
(9046) W Bank St	0.14	2100	G	99%	0%	1%	0%	0%	0%	F	0.108	F		2300	G	2009
			From:	N Manket St												
(9046) E Bank St	0.11	2700	G	98%	0%	1%	0%	0%	0%	C	0.108	F		2900	G	2009
			From:	N Sycamore St												
			To:	2Nd St												
(9046) Bank St	0.25	2500	G	96%	1%	2%	1%	1%	0%	C	0.101	F		2800	G	2009
			From:	US 301 N Crater Rd												
(9046) Bank St	0.21	3200	G	96%	1%	2%	1%	1%	0%	F	0.094	F		3400	G	2009
			To:	East St												
(9048) W Tabb St	0.09	1600	G	98%	1%	1%	0%	0%	0%	F	0.124	F	0.674	1700	G	2009
			From:	N Market St												
(9048) W Tabb St	0.06	1600	G	98%	1%	1%	0%	0%	0%	F	0.108	F	0.632	1700	G	2009
			To:	Union St												
(9048) E Tabb St	0.12	1000	G	98%	1%	1%	0%	0%	0%	C	0.116	F	0.586	1100	G	2009
			To:	N Adams St												
(9053) Baylors Ln	0.65	1800	G	99%	1%	0%	0%	0%	0%	C	0.097	F	0.595	1900	G	2009
			From:	Defense Rd												
			To:	Halifax St												
(9055) Madison St	0.05	1700	G	95%	1%	2%	1%	2%	0%	F	0.098	F	0.925	1800	G	2009
			To:	Franklin St												
(9055) Madison St	0.18	1200	G	95%	1%	2%	1%	2%	0%	C	0.085	F	0.766	1300	G	2009
			To:	E Bank St												
(9055) Madison St	0.07	880	G	95%	1%	2%	1%	2%	0%	F	0.096	F	0.811	960	G	2009
			To:	Bollingbrook St												
(9057) Fifth St	0.05	380	G								0.126	F	0.804	420	G	2009
			From:	E Bank St												
(9057) Fifth St	0.08	530	G	87%	2%	2%	3%	5%	0%	C	0.104	F	0.729	580	G	2009
			To:	Bollingbrook St												
			To:	River St												
(9059) Flank Rd N	0.20	3900	G	98%	1%	1%	0%	0%	0%	C	0.09	F		4300	G	2009
			From:	Flank Rd One-Way												
			To:	US 301 S Crater Rd												
(9065) S Adams St	0.10	5200	G								0.090	F		5600	G	2009
			From:	E Wythe St												
			To:	E Washington St												
Accomack St	280	G									0.097	F	0.702	310	G	2009
			From:	6Th St												
			To:	7Th St												

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b><u>City of Petersburg</u></b>															
Cameron St	380	G								0.184	F	0.512	420	G	2009
			From:	Old Church St											
			To:	Center St											
Culpeper Ave	410	G								0.108	F	0.695	440	G	2009
			From:	Prince George Ave											
			To:	Brunswick St											
Custer St	400	G								0.108	F	0.58	430	G	2009
			From:	Halifax Rd											
			To:	Hawk St											
Darby Dr	260	G								0.127	F	0.528	280	G	2009
			From:	Busby St											
			To:	Halcun Dr											
Gordon Dr	340	G								0.093	F		370	G	2009
			From:	Dering Rd											
			To:	Hoke Dr											
Homestead Dr	690	G								0.115	F		750	G	2009
			From:	Valley Dr											
			To:	Midland Rd											
Jefferson St	3200	G								0.088	F	0.624	3400	G	2009
			From:	Filmore St											
			To:	ST Andrews St											
Kirkham St	440	G								0.087	F	0.532	480	G	2009
			From:	Bolling Street											
			To:	Chestnut Street											
North Park Dr	850	G								0.098	F		930	G	2009
			From:	Nivram St											
			To:	Retang Rd											
Oakmont Dr	110	G								0.114	F	0.741	120	G	2009
			From:	Homestead Dr											
			To:	Midland Rd											
Old Church St	460	G								0.088	F	0.521	500	G	2009
			From:	Bollingbrook St											
			To:	Miller St											
Patterson Ave	1000	G								0.125	F	0.635	1100	G	2009
			From:	Floyd St											
			To:	Carver St											
Pleasants Ln	890	G								0.143	F	0.684	960	G	2009
			From:	Valor Dr											
			To:	Dupuy Rd											
Richmond Ave	850	G								0.084	F	0.547	920	G	2009
			From:	Ash St											
			To:	Nash St											
Rollingwood Rd	110	G								0.141	F		120	G	2009
			From:	Valley St											
			To:	Homestead Dr											
South Park Dr	2000	G								0.09	F		2200	G	2009
			From:	Forest Hill Rd											
			To:	West Park Dr											
St Matthew St	3100	G								0.078	F	0.565	3300	G	2009
			From:	High Pearl St											
			To:	Harding St											
Talley Ave	690	G								0.265	F	0.581	750	G	2009
			From:	Custer St											
			To:	Edmonds Ct											