

**2009**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**48**

King George County

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
3 Kings Hwy	King George County	3.68	19000	G	95%	1%	2%	1%	2%	0%	F	0.092	F	0.502	21000	G
3 Kings Hwy	King George County	4.79	17000	G	95%	1%	2%	1%	2%	0%	C	0.089	F	0.512	19000	G
3 Kings Hwy	King George County	2.58	15000	G	95%	1%	2%	1%	2%	0%	F	0.089	F	0.523	16000	G
3 Kings Hwy	King George County	1.56	7100	G	95%	1%	2%	1%	2%	0%	F	0.082	F	0.665	7200	G
3 Kings Hwy	King George County	7.18	5100	G	91%	1%	2%	1%	4%	0%	C	0.089	F	0.654	5600	G
205 Ridge Rd	King George County	1.26	7900	G	96%	1%	2%	1%	1%	0%	F	0.095	F	0.501	8500	G
205 Ridge Rd	King George County	2.81	4200	G	96%	1%	2%	1%	1%	0%	F	0.09	F	0.638	4600	G
205 Ridge Rd	King George County	3.36	3800	G	96%	1%	2%	1%	1%	0%	C	0.085	F	0.682	4100	G
206 Dahlgren Rd	King George County	2.18	8800	G	97%	1%	1%	0%	1%	0%	F	0.102	F	0.641	9500	G
206 Dahlgren Rd	King George County	4.26	7800	G	97%	1%	1%	0%	1%	0%	C	0.103	F	0.703	8400	G
206 218 Dahlgren Rd	King George County	2.19	10000	G	97%	1%	1%	0%	1%	0%	F	0.107	F	0.807	11000	G
206 Dahlgren Rd	King George County	0.62	9900	G	97%	1%	1%	0%	1%	0%	F	0.104	F	0.830	11000	G
206 Dahlgren Rd	King George County	1.79	10000	G	97%	1%	1%	0%	1%	0%	F	0.097	F	0.835	11000	G
218 Caledon Rd	King George County	5.93	3100	G	97%	1%	1%	0%	1%	0%	F	0.116	F	0.563	3300	G
218 Caledon Rd	King George County	1.05	2700	G	97%	1%	1%	0%	1%	0%	C	0.114	F	0.724	2900	G
218 Caledon Rd	King George County	6.81	2400	G	97%	1%	1%	0%	1%	0%	F	0.13	F	0.771	2600	G
218 206 Dahlgren Rd	King George County	2.19	10000	G	97%	1%	1%	0%	1%	0%	F	0.107	F	0.807	11000	G

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
218 Windsor Dr	King George County	0.28	1100	G	98%	0%	1%	0%	1%	0%	F	0.105	F	0.536	1200	G
218 Windsor Dr	King George County	6.02	4600	G	98%	0%	1%	0%	1%	0%	C	0.097	F	0.758	5000	G
301 James Madison Pkwy	King George County	3.05	12000	G	91%	1%	1%	1%	6%	0%	F	0.09	F	0.562	12000	G
301 James Madison Pkwy	King George County	2.05	12000	G	91%	1%	1%	1%	6%	0%	F	0.091	F	0.584	11000	G
301 James Madison Pkwy	King George County	1.91	13000	G	91%	1%	1%	1%	6%	0%	F	0.089	F	0.607	12000	G
301 James Madison Pkwy	King George County	5.91	15000	A	91%	1%	1%	1%	6%	0%	C	0.127	A	0.685	14000	A
301 James Madison Pkwy	King George County	0.56	20000	G	91%	1%	1%	1%	6%	0%	F	0.092	F	0.701	19000	G
301 James Madison Pkwy	King George County	3.58	19000	G	91%	1%	1%	1%	6%	0%	F	0.088	F	0.579	18000	G
										Maryland State Line						

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(F970)	0.09	NA				From:	Dead End							NA	
(600) Passapatanzy Dr	1.68	440	R			To:	US 301 James Madison Pkwy							NA	12/08/2009
(600) Passapatanzy Dr	1.04	400	R			From:	SR 218 Caledon Rd							NA	12/08/2009
(601) Gera Rd	1.30	260	R			To:	48-658 Cedar Ridge Lane							NA	12/10/2009
(601) Gera Rd						From:	Stafford County Line							NA	
(602) Chapel Green Rd	0.80	250	R			To:	48-631 Millbank Rd							NA	12/08/2009
(603) Fletchers Chapel Rd	1.16	1700	R			From:	Stafford County Line							NA	12/08/2009
(603) Fletchers Chapel Rd	1.27	1300	R			To:	48-602 Chapel Green Rd							NA	12/08/2009
(603) Fletchers Chapel Rd	0.63	360	R			From:	48-1021 Forest Ridge Dr							NA	03/14/2001
(603) Fletchers Chapel Rd						To:	SR 218 W, Caledon Rd							NA	
(603) Y Intersection Leg	0.04	3700	R			From:	SR 218 WEST							NA	12/16/2008
(603) Fletchers Chapel Rd	0.15	90	R			To:	SR 218 E, Caledon Rd							NA	03/14/2001
(603) Fletchers Chapel Rd	0.79	90	R			From:	48-605 Chapel Way							NA	03/14/2001
(603) Dogwood Lane	0.80	120	R			To:	0.79 MN 48-605 Chapel Way							NA	09/14/2004
(604) Twelfth St	0.23	340	G 97% 2%	1% 0% 0%	0% 0% C 0.127	F 0.717	360 G 2009								
(605) LaGrange Lane	0.75	30	R			From:	Dead End							NA	12/08/2009
(605) Bloomsbury Rd	1.20	1100	R			To:	SR 3 Kings Hwy							NA	12/08/2009
(605) Bloomsbury Rd	2.20	730	R			From:	48-665 Birchwood Creek Lane							NA	12/08/2009
(605) Bloomsbury Rd						To:	SR 218 Caledon Rd							NA	
(605) Chapel Way	0.20	80	R			From:	SR 218 Caledon Rd							NA	12/08/2009
(605) Chapel Way						To:	48-603 Y Intersection Leg							NA	
(606) Rokeby Lane	0.50	60	R			From:	Dead End							NA	10/12/2004
(606) Rokeby Lane	0.11	80	R			To:	0.50 ME Dead End							NA	05/02/2001
(607) Port Conway Rd	0.90	960	G 85% 2%	2% 2% 2%	9% 0% F 0.098	F 0.5	1000 G 2009								
(607) Port Conway Rd	3.04	850	G 85% 2%	2% 2% 2%	9% 0% C 0.118	F 0.726	920 G 2009	From:	US 301; 48-625						
(607) Port Conway Rd						To:	48-631 Millbank Rd							NA	
(607) Port Conway Rd	2.75	1300	G 79% 3%	2% 5% 11%	0% C 0.09	F 0.544	1400 G 2009	From:	48-610 Powhatan Rd						
(607) Port Conway Rd						To:	SR 3 Kings Hwy							NA	

Virginia Department of Transportation  
Traffic Engineering Division

2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King George County</b>																
(608) Muscoe Pl	2.38	240	R			From:	48-694 Lambs Creek Church Rd				NA			NA		05/02/2001
						To:	48-609 N. Comorn Rd									
(608) Igo Rd	0.79	70	R			From:	48-609 S. Comorn Rd				NA			NA		05/02/2001
						To:	Dead End									
(609) Comorn Rd	0.32	2500	G	96%	1%	1%	1%	0%	0%	C	0.092	F	0.569	2700	G	2009
						From:	SR 3 Kings Hwy									
(609) Comorn Rd	0.53	3300	G	96%	1%	1%	1%	0%	0%	F	0.095	F	0.599	3500	G	2009
						To:	48-677 Stanley Rd									
(609) Comorn Rd	1.31	1600	G	96%	1%	1%	1%	0%	0%	F	0.099	F	0.52	1700	G	2009
						From:	48-608 S. Igo Rd									
(609) Comorn Rd	0.53	1500	G	96%	1%	1%	1%	0%	0%	F	0.101	F	0.542	1600	G	2009
						To:	SR 218 Caledon Rd									
(610) Powhatan Rd	1.63	350	R			From:	48-607 Port Conway Rd				NA			NA		04/02/2001
						To:	48-631 Millbank Rd									
(610) Millbank Rd	1.30	630	G	97%	2%	1%	0%	0%	0%	F	0.13	F	0.597	680	G	2009
						From:	48-678 St Anthonys									
(610) Millbank Rd	0.08	1400	G	97%	2%	1%	0%	0%	0%	F	0.133	F	0.538	1500	G	2009
						To:	SR 3 W. Kings Hwy									
(610) Indiantown Rd	1.80	1200	G	97%	2%	1%	0%	0%	0%	C	0.103	F	0.510	1300	G	2009
						From:	SR 3 E. Kings Hwy									
(610) Indiantown Rd	0.50	1500	R			From:	SR 206 Dahlgren Rd; Dalgren Rd				NA			NA		12/09/2009
						To:	48-1210 Michael Dr									
(610) Indiantown Rd	2.21	440	R			From:	SR 218 Caledon Rd				NA			NA		12/09/2009
						To:	SR 205 Ridge Rd									
(611) Hanover Church Rd	0.47	600	G	97%	1%	1%	1%	0%	0%	F	0.120	F	0.678	650	G	2009
						From:	US 301 James Madison Pkwy									
(611) Eden Dr	2.24	1000	G	97%	1%	1%	1%	0%	0%	C	0.114	F	0.54	1100	G	2009
						To:	SR 206 Dahlgren Rd									
(612) Locust Dale Lane	0.20	90	R			From:	48-610 Indiantown Rd				NA			NA		10/12/2004
						To:	Dead End									
(613) Little Ferry Rd	0.05	60	R			From:	SR 218 Windsor Dr				NA			NA		04/30/2001
						To:	0.05 ME SR 218 Windsor Dr									
(613) Little Ferry Rd	0.80	40	R			From:	Dead End				NA			NA		09/20/2004
						To:										
(614) Potomac Dr	0.93	580	G	98%	1%	0%	0%	0%	0%	F	0.101	F	0.659	620	G	2009
						From:	Dead End									
(614) Potomac Dr	1.16	2600	G	98%	1%	0%	0%	0%	0%	C	0.094	F	0.526	2900	G	2009
						To:	SR 206 Dahlgren Rd									
(614) Owens Dr	0.55	2400	G	98%	1%	0%	0%	0%	0%	F	0.100	F	0.709	2600	G	2009
						From:	US 301 James Madison Pkwy									
(614) Owens Dr	0.85	1000	G	98%	1%	0%	0%	0%	0%	F	0.113	F	0.699	1100	G	2009
						To:	48-635 Gambo Creek Rd									
(615) Berry Wharf Rd	1.50	8	R			From:	48-624 Mathias Point Rd				NA			NA		09/20/2004
						To:	Dead End									

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King George County</b>																
(616) Washington Mill Rd	1.86	240	R			From:	US 301 James Madison Pkwy							NA	12/10/2009	
			To:	SR 218 S, Windsor Dr												
(616) Brickhouse Rd	0.80	150	R			From:	SR 218 N, Windsor Dr							NA	04/04/2001	
			To:	Dead End												
(617) Poplar Neck Rd	3.35	140	R			From:	SR 205 Ridge Rd							NA	04/04/2001	
			To:	US 301 James Madison Pkwy												
(618) Pumpkin Neck Rd	0.62	120	R			From:	SR 218 Windsor Dr							NA	04/04/2001	
			To:	Dead End												
(619) Good Hope Rd	0.60	460	R			From:	SR 205 Ridge Rd							NA	04/04/2001	
			To:	SR 218 S, Windsor Dr												
(619) Stoney Point Rd	2.00	250	R			From:	SR 218 N, Windsor Dr							NA	04/04/2001	
			To:	Dead End												
(620) Alden Rd	2.15	60	R			From:	48-629 Round Hill Rd							NA	09/22/2004	
			To:	SR 205 Ridge Rd												
(621) Pine Hill Rd	1.60	370	R			From:	48-629 Round Hill Rd							NA	04/04/2001	
			To:	SR 205 Ridge Rd												
(622) Ashland Mill Rd	2.00	120	R			From:	48-679 Canterbury Loop							NA	12/10/2009	
			To:	SR 205 Ridge Rd												
(623) Jersey Rd	1.00	880	G	95%	0%	1%	1%	3%	0%	C	0.088	F	0.726	980	G	2009
			To:	US 301 James Madison Pkwy												
(623) Jersey Rd	1.70	700	G	95%	0%	1%	1%	3%	0%	F	0.113	F	0.708	760	G	2009
			To:	48-647 Shiloh Loop												
(624) Owens Dr	0.33	1300	G	97%	1%	1%	0%	0%	0%	C	0.098	F	0.531	1400	G	2009
			To:	SR 206; SR 218												
(624) Owens Dr	1.47	1100	G	97%	1%	1%	0%	0%	0%	F	0.101	F	0.806	1200	G	2009
			To:	48-711 Dixon Lane												
(624) Mathias Point Rd	1.10	870	R			From:	48-614 Owens Dr							NA	03/12/2001	
			To:													
(624) Mathias Point Rd	1.20	790	R			From:	48-685 Schoolhouse Rd							NA	03/12/2001	
			To:													
(624) Mathias Point Rd	1.00	180	R			From:	48-639 Osprey Rd							NA	03/12/2001	
			To:													
(625) Salem Church Rd	2.67	270	G	98%	0%	1%	1%	0%	0%	F	0.119	F	0.507	300	G	2009
			To:	US 301; 48-607												
(625) Salem Church Rd	3.40	220	G	98%	0%	1%	1%	0%	0%	C	0.135	F	0.667	250	G	2009
			To:	48-650 Welcome Lane												
(625) Dickensons Corner Rd	1.43	70	R			From:	SR 3 Kings Hwy							NA	03/22/2001	
			To:													
(625) Prim Rd	1.35	30	R			From:	48-628 E, Stoney Knoll Rd							NA	09/22/2004	
			To:	48-628 W, Stoney Knoll Rd												
(625) Prim Rd	1.60	60	R			From:	48-647 Big Timber Rd							NA	09/22/2004	
			To:	48-629 Round Hill Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King George County</b>																
(626) Green Law Way	0.50	40	R			From: Dead End								NA	09/14/2004	
			To: 48-627 Wilmont Rd													
(627) Wilmont Rd	1.39	40	R			From: Dead End								NA	09/14/2004	
			To: 1.39 MN Dead End													
(627) Wilmont Rd	0.15	60	R			From: 48-626 Green Law Way								NA	09/14/2004	
			To: 48-681 Rollens Fork Rd													
(627) Wilmont Rd	0.90	110	R			From: SR 3 Kings Hwy								NA	03/22/2001	
			To: 48-628 Stoney Knoll Rd													
(628) Stoney Knoll Rd	1.21	400	G	96%	1%	1%	1%	1%	0%	F	NA			410	G	2009
			To: 48-625 E, Dickenson's Corner Rd													
(628) Stoney Knoll Rd	1.30	480	G	96%	1%	1%	1%	1%	0%	C	0.105	F	0.661	520	G	2009
			To: Westmoreland County Line													
(629) Round Hill Rd	0.22	1200	G	95%	2%	1%	1%	0%	0%	F	0.114	F	0.640	1300	G	2009
			To: 48-710 Poplar Lane													
(629) Round Hill Rd	1.69	810	G	95%	2%	1%	1%	0%	0%	C	0.109	F	0.626	880	G	2009
			To: 48-666 W, Gulvey Loop													
(629) Round Hill Rd	0.66	500	G	95%	2%	1%	1%	0%	0%	F	0.112	F	0.597	540	G	2009
			To: 48-620 Alden Rd													
(629) Round Hill Rd	0.70	440	G	94%	4%	0%	1%	0%	0%	C	0.114	F	0.537	470	G	2009
			To: 48-625 Prim Rd													
(629) Round Hill Rd	1.31	410	G	94%	4%	0%	1%	0%	0%	F	0.101	F	0.533	440	G	2009
			To: Westmoreland County Line													
(630) Kitchen Point Rd	0.25	70	R			From: Dead End								NA	04/04/2001	
			To: 48-616 Brickhouse Rd													
(631) Millbank Rd	1.00	20	R			From: Dead End								NA	09/14/2004	
			To: 48-607 Port Conway Rd													
(631) Millbank Rd	1.48	230	G	94%	3%	1%	0%	1%	0%	F	0.129	F	0.543	240	G	2009
			To: 48-669 Woodland Way													
(631) Millbank Rd	0.66	310	G	94%	3%	1%	0%	1%	0%	C	0.106	F	0.649	330	G	2009
			To: 48-601 Gera Rd													
(631) Millbank Rd	1.38	320	G	94%	3%	1%	0%	1%	0%	F	0.119	F	0.629	350	G	2009
			To: 48-610 Millbank Rd; Powhatan Rd													
(632) Berthaville Rd	0.90	280	R			From: SR 206; SR 218								NA	12/10/2009	
			To: SR 206 Dahlgren Rd													
(633) Will Loop	0.55	60	R			From: US 301 James Madison Pkwy								NA	12/10/2009	
			To: 48-617 Poplar Neck Rd													
(633) Will Loop	0.14	60	R			From: Dead End								NA	12/10/2009	
			To: Dead End													
(634) Hillcrest Dr	0.32	150	R			From: Dead End								NA	12/10/2009	
			To: US 301 James Madison Pkwy													

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King George County</b>																
(635) Gambo Creek Rd	0.37	120	R											NA	03/12/2001	
(635) Gambo Creek Rd	0.08	20	R											NA	03/12/2001	
(636) Rosedale Dr	0.12	60	R											NA	09/20/2004	
(636) Rosedale Dr	0.09	110	R											NA	09/20/2004	
(636) Rosedale Dr	0.17	220	R											NA	04/04/2001	
(637) Ridgeway Dr	0.64	30	R											NA	10/12/2004	
(638) Hudson Rd	0.20	130	R											NA	04/09/2001	
(639) Osprey Rd	0.90	380	R											NA	03/12/2001	
(640) Eleventh St	0.10	70	R											NA	09/20/2004	
(641) Chatterton Lane	0.80	180	R											NA	09/14/2004	
(642) Fitzhugh Lane	0.70	170	R											NA	09/14/2004	
(642) Fitzhugh Lane	0.10	30	R											NA	09/27/2004	
(643) Bald Eagle Dr	1.80	20	R											NA	09/27/2004	
(644) Potts Lane	0.30	230	R											NA	09/27/2004	
(644) Potts Lane	0.10	130	R											NA	09/27/2004	
(644) Potts Lane	0.30	40	R											NA	09/27/2004	
(645) Springfield Rd	1.05	120	R											NA	04/02/2001	
(645) Springfield Rd	0.03	570	G	93%	3%	1%	2%	1%	0%	C	0.097	F	0.576	620	G	2009
(646) Payne Dr	0.40	80	R											NA	09/20/2004	
(647) Shiloh Loop	0.12	520	G	94%	0%	2%	0%	4%	0%	C	0.096	F	0.639	570	G	2009
(647) Shiloh Loop	0.30	330	R											NA	04/02/2001	

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(647) Big Timber Rd	1.61	130	R											NA	04/09/2001
			From:			SR 3 Kings Hwy									
			To:			1.61 ME SR 3 Kings Hwy								NA	09/22/2004
(647) Big Timber Rd	0.97	60	R												
			From:			48-625 Prim Rd									
(648) Winston Place	0.60	110	R											NA	10/12/2004
			From:			Dead End									
(648) Winston Place	0.61	350	R											NA	05/02/2001
			From:			0.60 MN Dead End									
			To:			48-609 Comorn Rd									
(649) Marmion Lane	0.75	40	R											NA	10/12/2004
			From:			48-609 Comorn Rd									
			To:			Dead End									
(650) Welcome Lane	1.10	460	R											NA	04/02/2001
			From:			48-625 Salem Church Rd									
			To:			48-623 Jersey Rd									
(651) Valley Hill Loop	0.72	30	R											NA	12/08/2009
			From:			SR 218 W, Caledon Rd									
			To:			SR 218 E, Caledon Rd									
(652) Roseland Rd	0.58	120	R											NA	03/12/2001
			From:			US 301 James Madison Pkwy									
			To:			Dead End									
(653) Midway Rd	1.00	80	R											NA	04/02/2001
			From:			Dead End									
			To:			48-686 Mt Rose Dr									
(654) Belvedere Dr	1.65	240	R											NA	03/12/2001
			From:			48-600 Passapatanzy Dr									
			To:			Dead End									
(655) St Pauls Rd	0.63	60	R											NA	03/14/2001
			From:			48-632 Berthaville Rd									
			To:			0.63 ME 48-632 Berthaville Rd									
(655) St Pauls Rd	0.57	20	R											NA	03/14/2001
			From:			Dead End									
			To:			Dead End									
(656) Rosiers Creek Lane	0.32	180	R											NA	04/30/2001
			From:			SR 218 Windsor Dr									
			To:			Dead End									
(657) Chastine Dr	0.75	160	R											NA	09/14/2004
			From:			Dead End									
			To:			SR 3 Kings Hwy									
(658) Cedar Ridge Lane	0.07	80	R											NA	10/14/2004
			From:			48-600 Passapatanzy Dr									
			To:			0.07 ME 48-600 Passapatanzy Dr									
(658) Cedar Ridge Lane	0.46	60	R											NA	03/12/2001
			From:			Dead End									
			To:			Dead End									
(659) Hobson Lane	0.65	160	R											NA	09/27/2004
			From:			SR 206 Dahlgren Rd									
			To:			Dead End									
(660) Canning Way	0.25	60	R											NA	09/14/2004
			From:			Dead End									
			To:			48-607 Port Conway Rd									
(661) Peerless Rd	0.20	70	R											NA	10/07/2004
			From:			SR 3 Kings Hwy									
			To:			48-629 Round Hill Rd									
(662) Oaktree Dr	0.60	160	R											NA	04/09/2001
			From:			48-706 Pullen Loop									
			To:			Dead End									

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(663) Chotank Loop	0.30	90	R			From: SR 206 W, Dahlgren Rd					NA		NA		12/10/2009
			To: SR 206 E, Dahlgren Rd												
(664) Bromme Circle	1.00	240	R			From: Dead End					NA		NA		05/02/2001
			To: 48-694 Lambs Creek Church Rd												
(665) Birchwood Creek Lane	1.35	1500	R			From: SR 3 Kings Hwy					NA		NA		12/08/2009
			To: 1.35 MS SR 3 Kings Hwy												
(665) Birchwood Creek Lane	0.18	910	R			From: 48-605 Bloomsbury Rd					NA		NA		12/08/2009
			To: 48-629 W, Round Hill Rd												
(666) Gulvey Loop	0.43	40	R			From: 48-629 E, Round Hill Rd					NA		NA		09/22/2004
			To: US 301 James Madison Pkwy												
(667) State Rd	0.90	260	R			From: Dead End					NA		NA		04/04/2001
			To: 48-614 Potomac Dr												
(668) Fourteenth St	0.10	180	R			From: SR 206; 48-636					NA		NA		09/20/2004
			To: 48-631 Millbank Rd												
(669) Woodland Way	0.40	130	R			From: Dead End					NA		NA		09/14/2004
			To: 48-671 Gordon Dr												
(670) Fifteenth St	0.17	1100	R			From: 48-671 Gordon Dr					NA		NA		09/20/2004
			To: 48-614 Potomac Dr												
(671) Gordon Dr	0.03	48	R			From: Dead End					NA		NA		09/20/2004
			To: 48-672 Austin Dr												
(671) Gordon Dr	0.08	260	R			From: 48-670 Fifteenth St					NA		NA		09/20/2004
			To: 48-674 Forest Rd												
(671) Gordon Dr	0.07	290	R			From: 48-674 Forest Rd					NA		NA		09/20/2004
			To: Dead End												
(672) Austin Dr	0.08	160	R			From: 48-673 Duclos Lane					NA		NA		09/20/2004
			To: 48-671 Gordon Dr												
(673) Duclos Lane	0.13	120	R			From: Dead End					NA		NA		09/20/2004
			To: 48-672 Austin Dr												
(674) Forest Rd	0.07	160	R			From: 48-675: N Williams Creek Rd					NA		NA		09/20/2004
			To: 48-703 Quesenberry Dr												
(674) Forest Rd	0.07	220	R			From: 48-671 Gordon Dr					NA		NA		09/20/2004
			To: 48-715 Norton Dr												
(675) N Williams Creek Rd	0.10	90	R			From: 48-674 Forest Rd					NA		NA		09/20/2004
			To: Dead End												
(675) N Williams Creek Rd	0.10	40	R			From: SR 3 Kings Hwy					NA		NA		09/20/2004
			To: Dead End												
(676) Rectory Lane	0.30	80	R			From: Dead End					NA		NA		09/20/2004
			To: Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King George County</b>																
(677) Stanley Rd	0.29	620	R			From: SR 3; 48-606					NA		NA		05/02/2001	
			To: 48-609 Comorn Rd													
(678) St Anthonys	0.51	410	R			From: SR 3 Kings Hwy					NA		NA		05/09/2001	
			To: 48-610 St Anthonys Rd; Millbank Rd													
(679) Canterbury Loop	0.85	460	R			From: SR 3 W, Kings Hwy					NA		NA		12/10/2009	
			To: SR 3 E, Kings Hwy													
(680) Index Lane	0.32	30	R			From: 48-625 Salem Church Rd					NA		NA		09/14/2004	
			To: SR 3 Kings Hwy													
(681) Rollens Fork Rd	0.30	130	R			From: SR 3 Kings Hwy					NA		NA		03/22/2001	
			To: 48-627 Wilmont Rd													
(682) Eagles Nest Lane	1.00	90	R			From: 48-642 Fitzhugh Lane					NA		NA		09/14/2004	
			To: Dead End													
(683) Ferry Dock Rd	0.17	210	R			From: 48-614 Potomac Dr					NA		NA		09/20/2004	
			To: 48-691 Rosedale Dr													
(683) Ferry Dock Rd	0.03	110	R			From: 48-693 Townsend Dr					NA		NA		09/20/2004	
			To: SR 205 W, Ridge Rd													
(684) Garnets Loop	0.35	10	R			From: SR 205 E, Ridge Rd					NA		NA		09/20/2004	
			To: SR 205 W, Ridge Rd													
(685) Schoolhouse Rd	0.13	30	R			From: 48-624 Mathias Point Rd					NA		NA		09/20/2004	
			To: Dead End													
(686) Mt Rose Dr	1.21	290	R			From: SR 3 S, Kings Hwy					NA		NA		12/10/2009	
			To: SR 3 N, Kings Hwy													
(687) Woodstock Rd	1.66	180	R			From: 48-624 Mathias Point Rd					NA		NA		03/12/2001	
			To: Dead End													
(688) Hickory Lane	0.20	70	R			From: 48-610 IndianTown Rd					NA		NA		10/12/2004	
			To: Dead End													
(689) Tenth St	0.13	46	R			From: Dead End					NA		NA		09/20/2004	
			To: 48-614 Potomac Dr													
(690) Luther Lane	0.16	220	R			From: SR 3 Kings Hwy					NA		NA		10/12/2004	
			To: Dead End													
(691) Rosedale Dr	0.18	46	R			From: 48-683 Ferry Dock Rd					NA		NA		09/20/2004	
			To: Dead End													
(692) Cleve Rd	2.60	1100	R			From: Dead End					NA		NA		04/02/2001	
			To: 48-607 Port Conway Rd													
(693) Townsend Dr	0.11	45	R			From: 48-683 Ferry Dock Rd					NA		NA		09/20/2004	
			To: Dead End													
(694) Lambs Creek Church R	1.39	940	G	93%	1%	1%	4%	1%	0%	C	0.106	F	0.693	1000	G	2009
			To: SR 3 Kings Hwy													
			To: 48-664 Bromme Circle													

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(694) Lambs Creek Church R	0.96	560	R								NA		NA		12/09/2009
(694) Lambs Creek Church R	1.45	490	R								NA		NA		12/09/2009
(695) Goby Lane	0.55	48	R								NA		NA		09/14/2004
(696) Fairview Dr	0.75	1000	R								NA		NA		12/09/2009
(696) Fairview Dr	0.18	460	R								NA		NA		12/09/2009
(696) Fairview Dr	0.05	250	R								NA		NA		09/29/2004
(696) Fairview Dr	0.04	140	R								NA		NA		09/29/2004
(696) Fairview Dr	0.09	100	R								NA		NA		09/29/2004
(697) Chestnut Hill Loop	0.28	48	R								NA		NA		12/10/2009
(698) Nanzatico Lane	2.28	140	R								NA		NA		04/02/2001
(699) Ivy Hill Loop	0.35	47	R								NA		NA		12/10/2009
(700) St Stephens Rd	0.20	30	R								NA		NA		10/12/2004
(701) Rixey Rd	0.38	45	R								NA		NA		10/07/2004
(702) Burrell Lane	0.12	45	R								NA		NA		09/27/2004
(703) Quesenberry Dr	0.10	30	R								NA		NA		09/20/2004
(704) Henry Griffen Rd	0.14	640	R								NA		NA		10/07/2004
(705) Circle Loop	0.47	80	R								NA		NA		04/09/2001
(706) Pullen Loop	0.44	30	R								NA		NA		12/10/2009
(706) Pullen Loop	0.02	160	R								NA		NA		12/10/2009
(707) Riverview Dr	0.05	720	R								NA		NA		05/02/2001

Virginia Department of Transportation  
Traffic Engineering Division

2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(707) Riverview Dr	0.05	760	R			From:	48-1001 First St				NA		NA		09/29/2004
(707) Riverview Dr	0.05	720	R			To:	48-1002 Second St				NA		NA		09/29/2004
(707) Riverview Dr	0.05	690	R			From:	48-1003 Third St				NA		NA		09/29/2004
(707) Riverview Dr	0.05	660	R			To:	48-1004 Fourth St				NA		NA		09/29/2004
(707) Riverview Dr	0.12	500	R			From:	48-1005 Fifth St				NA		NA		12/09/2009
(707) Riverview Dr	0.04	410	R			To:	48-1007 Seventh St				NA		NA		09/29/2004
(707) Riverview Dr	0.06	320	R			From:	48-1008 Eighth St				NA		NA		09/29/2004
(707) Riverview Dr	0.05	300	R			To:	48-1009 Ninth St				NA		NA		09/29/2004
(707) Riverview Dr	0.05	200	R			From:	48-1010 Tenth St				NA		NA		12/09/2009
(707) Riverview Dr	0.05	110	R			To:	48-1011 Eleventh St								
(708) Potomac Ave	0.04	48	R			From:	48-1007 Seventh St				NA		NA		10/04/2004
(708) Potomac Ave	0.05	49	R			To:	48-1008 Eighth St				NA		NA		10/04/2004
(708) Potomac Ave	0.05	47	R			From:	48-1009 Ninth St				NA		NA		10/04/2004
(708) Potomac Ave	0.05	45	R			To:	48-1010 Tenth St				NA		NA		10/04/2004
(708) Potomac Ave	0.04	40	R			From:	48-1011 Eleventh St				NA		NA		12/09/2009
(708) Potomac Ave	0.05	40	R			To:	48-1012 Twelfth St								
(709) Bradley Lane	0.34	120	R			From:	SR 3 Kings Hwy				NA		NA		10/07/2004
(710) Poplar Lane	0.08	40	R			To:	48-710 Poplar Lane								
(711) Dixon Lane	0.20	40	R			From:	48-709 Bradley Lane				NA		NA		10/07/2004
(711) Dixon Lane	0.20	40	R			To:	48-629 Round Hill Rd								
(712) Fence Dr	0.32	80	R			From:	Dead End				NA		NA		09/20/2004
(712) Fence Dr	0.32	80	R			To:	48-624 Mathias Point Rd								
(713) Jones Ct	0.14	50	R			From:	48-614 S, Potomac Dr				NA		NA		03/12/2001
(713) Jones Ct	0.14	50	R			To:	48-614 N, Potomac Dr								
(714) Bumbrey Lane	0.13	40	R			From:	Cul-de-Sac				NA		NA		03/14/2001
(714) Bumbrey Lane	0.13	40	R			To:	48-600 Passapatanzy Dr								
(715) Norton Dr	0.05	40	R			From:	48-663 Chotank Loop				NA		NA		03/14/2001
(715) Norton Dr	0.05	40	R			To:	Dead End								
(717) Green Meadow Dr	0.25	49	R			From:	48-675 N Williams Creek Rd				NA		NA		04/04/2001
(717) Green Meadow Dr	0.25	49	R			To:	Dead End								
(717) Green Meadow Dr	0.25	49	R			From:	48-719 Misty Lane				NA		NA		04/04/2001
(717) Green Meadow Dr	0.25	49	R			To:	SR 205 Ridge Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail			
<b>King George County</b>												
(718) Shiloh Dr	0.39	70	R			From: 48-719 Misty Lane				NA	NA	04/04/2001
			To: SR 205 Ridge Rd									
(719) Misty Lane	0.27	40	R			From: 48-717 Green Meadow Dr				NA	NA	04/04/2001
			To: Cul-de-Sac									
(724) Beaver Dr	0.18	200	R			From: 48-629 Round Hill Rd				NA	NA	10/07/2004
			To: 48-725 Thunder Rd									
(725) Thunder Rd	0.30	90	R			From: Dead End				NA	NA	10/07/2004
			To: 48-724 Beaver Dr									
(726)	0.14	NA				From: 48-628 Stoney Knoll Rd				NA	NA	
			To: Cul-de-Sac									
(1000) Barnes Field	0.39	70	R			From: US 301 James Madison Pkwy				NA	NA	03/12/2001
			To: Dead End									
(1001) First St	0.15	50	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-696 Fairview Dr									
(1002) Second St	0.15	49	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-696 Fairview Dr									
(1003) Third St	0.15	20	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-696 Fairview Dr									
(1004) Fourth St	0.15	40	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-696 Fairview Dr									
(1005) Fifth St	0.15	80	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-696 Fairview Dr									
(1007) Seventh St	0.11	90	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-708 Potomac Ave									
(1008) Eighth St	0.11	50	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-708 Potomac Ave									
(1009) Ninth St	0.11	30	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-708 Potomac Ave									
(1010) Tenth St	0.11	20	R			From: 48-707 Riverview Dr				NA	NA	12/09/2009
			To: 48-708 Potomac Ave									
(1011) Eleventh St	0.15	80	R			From: Dead End				NA	NA	12/09/2009
			To: 48-708 Potomac Ave									
(1012) Twelfth St	0.04	30	R			From: Dead End				NA	NA	09/29/2004
			To: 48-708 Potomac Ave									
(1013) Mapel Ridge Ct	0.19	40	R			From: Cul-de-Sac				NA	NA	09/29/2004
			To: SR 218 Caledon Rd									
(1014) Summer Beam Dr	0.42	60	R			From: Cul-de-Sac				NA	NA	09/29/2004
			To: SR 218 Caledon Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(1015) Lewis Lane	0.10	30	R			From:	48-603 Y Intersection Leg				NA		NA		03/14/2001
						To:	Dead End								
(1018) Ormond Way	0.73	330	R			From:	48-1032 Claydael Blvd				NA		NA		11/05/2009
						To:	Cul-de-Sac								
(1019)	0.10	NA				From:	48-1018				NA		NA		
						To:	Cul-de-Sac								
(1020) Oakland Dr	0.34	270	R			From:	48-1027 French Ct				NA		NA		12/08/2009
						To:	48-1023 Covington St								
(1020) Oakland Dr	0.12	450	R			From:	48-1023 Covington St				NA		NA		12/08/2009
						To:	0.12 ME 48-1023 Covington St								
(1020) Oakland Dr	0.22	560	R			From:	48-603 Y Intersection Leg				NA		NA		12/08/2009
						To:	48-603 Y Intersection Leg								
(1021) Forest Ridge Dr	0.14	230	R			From:	48-603 Y Intersection Leg				NA		NA		10/14/2004
						To:	48-1022 Flora Ct								
(1021) Forest Ridge Dr	0.23	270	R			From:	48-1022 Flora Ct				NA		NA		10/14/2004
						To:	Dead End								
(1022) Flora Ct	0.05	40	R			From:	Cul-de-Sac				NA		NA		10/14/2004
						To:	48-1021 Forest Ridge Dr								
(1023) Covington St	0.12	100	R			From:	48-1024 Garner Dr				NA		NA		12/08/2009
						To:	48-1020 Oakland Dr								
(1024) Garner Dr	0.15	90	R			From:	Cul-de-Sac				NA		NA		05/03/2001
						To:	48-1023 Covington St								
(1024) Garner Dr	0.19	80	R			From:	48-1023 Covington St				NA		NA		12/08/2009
						To:	Cul-de-Sac								
(1025) Passapatanzy Rd	0.74	490	R			From:	48-1024 Garner Dr				NA		NA		12/08/2009
						To:	SR 218 Caledon Rd								
(1026) Bush St	0.18	50	R			From:	48-1024 Garner Dr				NA		NA		10/14/2004
						To:	48-1020 Oakland Dr								
(1027) French Ct	0.14	120	R			From:	Cul-de-Sac				NA		NA		05/03/2001
						To:	48-1020 Oakland Dr								
(1027) French Ct	0.14	NA				From:	48-1020 Oakland Dr				NA		NA		
						To:	Cul-de-Sac								
(1028)	0.10	NA				From:	Cul-de-Sac				NA		NA		
						To:	48-1018								
(1029)	0.42	NA				From:	48-1037				NA		NA		
						To:	Cul-de-Sac								
(1030) Ward Rd	0.29	200	R			From:	SR 206 Dahlgren Rd				NA		NA		04/09/2001
						To:	Cul-de-Sac								
(1031) Stuart Rd	0.29	110	R			From:	48-1030 Ward Rd				NA		NA		04/09/2001
						To:	48-1032 Claydael Blvd								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(1032) Claydael Blvd	0.18	680	R			From:	SR 206 Dahlgren Rd				NA		NA	04/09/2001	
(1032) Claydael Blvd	0.38	650	R			To:	48-1033 Peppermill Rd				NA		NA	12/10/2009	
(1032) Claydael Blvd	0.16	590	R			From:	48-1039 Meadow Way				NA		NA	12/16/2008	
(1032) Claydael Blvd	0.16	440	R			To:	48-1038 Aidan Way				NA		NA	12/10/2009	
(1033) Peppermill Rd	0.57	350	R			From:	48-1032 Claydael Blvd				NA		NA	04/09/2001	
(1034) Calvert Ct	0.16	40	R			To:	Cul-de-Sac				NA		NA	04/09/2001	
(1035) Richards Ride	0.33	150	R			From:	48-1033 Peppermill Rd				NA		NA	04/09/2001	
(1036) Julia Place	0.08	40	R			To:	Cul-de-Sac				NA		NA	04/09/2001	
(1037) Culpeper Ct	0.14	100	R			From:	48-1032 Claydael Blvd				NA		NA	12/10/2009	
(1038) Aidan Way	0.22	NA				To:	Cul-de-Sac				NA		NA		
(1039) Meadow Way	0.28	70	R			From:	48-1032 Claydael Blvd				NA		NA	04/09/2001	
(1040) Potomac Landing Dr	1.51	70	R			To:	Cul-de-Sac				NA		NA	09/29/2004	
(1041) Potomac Landing Dr	0.37	150	R			From:	48-1040 W, Potomac Landing Dr				NA		NA	05/02/2001	
(1042) Tides Rd	0.18	20	R			To:	Cul-de-Sac				NA		NA	05/02/2001	
(1043) Lucas Lane	0.04	100	R			From:	48-1041 Potomac Landing Dr				NA		NA	04/23/2009	
(1044) North Stuart St	0.22	90	R			To:	48-1040 Potomac Landing Dr				NA		NA	12/16/2008	
(1044) North Stuart St	0.34	NA				From:	SR 206 Dahlgren Rd				NA		NA		
(1045)	0.05	NA				To:	48-1044 North Stuart St				NA		NA		
(1050) Turkey Acres Rd	0.50	170	R			From:	48-1043 Lucas Lane				NA		NA	05/02/2001	
(1051) Combs Rd	0.24	300	R			To:	Dead End				NA		NA	04/04/2001	
						From:	48-694 Lambs Creek Church Rd								
						To:	48-614 Potomac Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(1060) Round Hill Estates Dr	0.40	170	R			From:	48-629 Round Hill Rd							NA	09/22/2004
						To:	Cul-de-Sac								
(1061) Deerfield Ct	0.09	40	R			From:	Cul-de-Sac							NA	09/22/2004
						To:	48-1060 Round Hill Estates Dr								
(1062) Forest Lane	0.12	10	R			From:	Cul-de-Sac							NA	09/22/2004
						To:	48-1060 Round Hill Estates Dr								
(1085)	0.19	NA				From:	Cul-de-Sac							NA	
						To:	48-614 Owens Dr								
(1086)	0.23	NA				From:	48-1085							NA	
						To:	Cul-de-Sac								
(1087)	0.10	NA				From:	Cul-de-Sac							NA	
						To:	48-1088								
(1088)	0.25	100	R			From:	48-1085							NA	04/23/2009
						To:	48-1086								
(1097)	0.21	NA				From:	SR 3 Kings Hwy							NA	
						To:	Dead End								
(1100) Savannah St	0.16	30	R			From:	48-1105 Fleming St							NA	03/14/2001
						To:	48-1108 Delaware Dr								
(1101) Danube Dr	0.16	1900	R			From:	US 301 James Madison Pkwy							NA	09/22/2004
						To:	48-1102 Baltic Place								
(1101) Danube Dr	0.11	1300	R			From:	48-1103 Williams Place							NA	09/22/2004
						To:	48-1105 Fleming St								
(1101) Danube Dr	0.12	1100	R			From:	48-1105 Fleming St							NA	09/22/2004
						To:	48-1108 Delaware Dr								
(1102) Baltic Place	0.06	130	R			From:	48-1104 Willow Tree Lane							NA	09/22/2004
						To:	48-1101 Danube Dr								
(1102) Baltic Place	0.07	70	R			From:	48-1101 Danube Dr							NA	09/22/2004
						To:	Dead End								
(1103) Williams Place	0.15	110	R			From:	48-1101 Danube Dr							NA	09/22/2004
						To:	Dead End								
(1104) Willow Tree Lane	0.06	60	R			From:	Dead End							NA	09/22/2004
						To:	48-1102 Baltic Place								
(1104) Willow Tree Lane	0.06	40	R			From:	48-1102 Baltic Place							NA	09/22/2004
						To:	Dead End								
(1105) Fleming St	0.08	70	R			From:	Cul-de-Sac							NA	03/14/2001
						To:	48-1109 Pamlico Dr								
(1105) Fleming St	0.07	170	R			From:	48-1109 Pamlico Dr							NA	03/14/2001
						To:	48-1100 Savannah St								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(1105) Fleming St	0.08	260	R								NA		NA		03/14/2001
(1105) Fleming St	0.15	450	R								NA		NA		09/22/2004
(1105) Fleming St	0.07	630	R								NA		NA		09/22/2004
(1106) Chesapeake Place	0.24	90	R								NA		NA		09/22/2004
(1107) Albemarle Ct	0.12	70	R								NA		NA		09/22/2004
(1108) Delaware Dr	0.40	190	R								NA		NA		03/14/2001
(1108) Delaware Dr	0.06	50	R								NA		NA		03/14/2001
(1109) Pamlico Dr	0.13	40	R								NA		NA		03/14/2001
(1110) Machodoc Dr	0.05	100	R								NA		NA		09/20/2004
(1110) Machodoc Dr	0.36	70	R								NA		NA		09/20/2004
(1111) Price Ct	0.07	20	R								NA		NA		09/20/2004
(1112) Cape Fear Lane	0.09	80	R								NA		NA		09/22/2004
(1115) Strawberry Lane	0.20	90	R								NA		NA		10/04/2004
(1120) Kent Rd	0.62	490	R								NA		NA		12/10/2009
(1121) Ascot Close Dr	0.10	30	R								NA		NA		04/09/2001
(1122) Ripon Ct	0.09	60	R								NA		NA		04/09/2001
(1123) Canterbury Ct	0.42	210	R								NA		NA		12/10/2009
(1124) Chester Ct	0.13	30	R								NA		NA		10/07/2004
(1130) Green Blvd	0.77	330	R								NA		NA		03/12/2001
(1131) River Dr	0.55	110	R								NA		NA		03/12/2001

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(1131) River Dr	0.02	30	R			From:	48-1130 Green Blvd				NA		NA		03/12/2001
						To:	Dead End O.O2 MN 1130 Green Blvd								
(1132) Nancy Lane	0.45	110	R			From:	Cul-de-Sac				NA		NA		09/20/2004
						To:	48-1130 Green Blvd								
(1133)	0.16	NA				From:	48-614 Potomac Dr				NA				
						To:	Cul-de-Sac								
(1134) Schooner Dr	0.39	46	R			From:	48-1133				NA		NA		04/23/2009
						To:	48-1133								
(1135)	0.03	NA				From:	48-1134				NA				
						To:	Dead End								
(1136)	0.03	NA				From:	48-1134				NA				
						To:	Dead End								
(1140) Jepco Lane	0.05	40	R			From:	48-1141 Kitchen Dr				NA		NA		04/04/2001
						To:	48-630 Kitchen Point Rd								
(1141) Kitchen Dr	0.24	40	R			From:	Cul-de-Sac				NA		NA		04/04/2001
						To:	48-1140 Jepco Lane								
(1150) Potomac Dr	0.48	1500	R			From:	US 301 James Madison Pkwy				NA		NA		04/04/2001
						To:	48-614 Potomac Dr								
(1201) Poplar Dr	0.08	350	R			From:	48-611 Eden Dr				NA		NA		09/29/2004
						To:	48-1202 N, Hickory Dr								
(1201) Poplar Dr	0.35	220	R			From:	48-1202 S, Hickory Dr; Cedar Lane				NA		NA		09/27/2004
						To:	48-1202 S, Hickory Dr; Cedar Lane								
(1202) Cedar Lane	0.10	30	R			From:	Dead End				NA		NA		09/27/2004
						To:	48-1204 Dixie Dr								
(1202) Cedar Lane	0.17	110	R			From:	48-1201 S, Poplar Dr				NA		NA		09/27/2004
						To:	48-1201 N, Poplar Dr								
(1202) Hickory Dr	0.25	130	R			From:	48-611 S, Eden Dr				NA		NA		09/27/2004
						To:	48-611 N, Eden Dr								
(1203) Pine Tree Lane	0.38	40	R			From:	48-1202 Cedar Lane				NA		NA		09/27/2004
						To:	Cul-de-Sac								
(1204) Dixie Dr	0.17	40	R			From:	Cul-de-Sac				NA		NA		09/27/2004
						To:	48-1207 Beechwood Lane								
(1205) Oakwood Dr	0.24	30	R			From:	SR 206 Dahlgren Rd				NA		NA		09/27/2004
						To:	SR 206 Dahlgren Rd								
(1206) Allen Ave	0.33	140	R			From:	SR 206 Dahlgren Rd				NA		NA		09/27/2004
						To:	48-644 Potts Lane								
(1207) Beechwood Lane	0.64	60	R			From:	48-1205 Oakwood Dr				NA		NA		09/27/2004
						To:	Cul-de-Sac								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(1209) Fulmont Dr	0.19	50	R			Cul-de-Sac					NA		NA		04/09/2001
						From:	SR 206 Dahlgren Rd								
(1210) Michael Dr	0.15	110	R			Cul-de-Sac					NA		NA		04/30/2001
						From:	48-1211 Todd St								
(1210) Michael Dr	0.08	540	R			48-1211 Todd St					NA		NA		04/30/2001
						To:	48-610 Indiantown Rd								
(1211) Todd St	0.20	100	R			Dead End					NA		NA		09/27/2004
						From:	48-1210 Michael Dr								
(1211) Todd St	0.08	60	R			48-1210 Michael Dr					NA		NA		09/27/2004
						To:	Dead End								
(1212) Linda Lane	0.10	90	R			Cul-de-Sac					NA		NA		04/30/2001
						From:	48-1210 Michael Dr								
(1214) Hudson Lane	0.10	460	R			SR 3 Kings Hwy					NA		NA		10/07/2004
						From:	48-1215 Pamela Ct; 48-1216 Karen Ct								
(1214) Hudson Lane	0.13	300	R			48-1215 Pamela Ct; 48-1216 Karen Ct					NA		NA		10/07/2004
						To:	48-1217 Walkers Lane								
(1215) Pamela Ct	0.08	90	R			Cul-de-Sac					NA		NA		10/07/2004
						From:	48-1214 Hudson Lane								
(1215) Pamela Ct						To:	48-1214 Hudson Lane								
(1216) Karen Ct	0.09	40	R			48-1214 Hudson Lane					NA		NA		10/07/2004
						From:	Cul-de-Sac								
(1217) Walkers Lane	0.09	110	R			Dead End					NA		NA		10/07/2004
						From:	48-1214 Hudson Lane								
(1217) Walkers Lane	0.09	100	R			48-1214 Hudson Lane					NA		NA		10/07/2004
						To:	Dead End								
(1220) Lee St	0.48	230	R			Cul-de-Sac					NA		NA		04/09/2001
						From:	48-611 Eden Dr								
(1223) Clare St	0.25	140	R			Cul-de-Sac					NA		NA		04/09/2001
						To:	48-1220 Lee Street								
(1224) Pratt Place	0.10	40	R			48-1223 Clare St					NA		NA		04/09/2001
						From:	Cul-de-Sac								
(1225) Mohawk Dr	0.78	300	R			Dead End					NA		NA		11/05/2009
						To:	48-610 Indiantown Rd								
(1226) Pamunkey Dr	0.51	280	R			48-1228					NA		NA		12/16/2008
						From:	48-610 Indiantown Rd								
(1227) Monacan Way	0.08	40	R			48-1225					NA		NA		12/16/2008
						To:	48-1226 Pamunkey Dr								
(1228) Mattapani Lane	0.32	140	R			48-1226 Pamunkey Dr					NA		NA		11/05/2009
						To:	Dead End								
(1230) Sherwood Forest Dr	0.39	150	R			48-610 Indiantown Rd					NA		NA		04/30/2001
						To:	Cul-de-Sac								

Virginia Department of Transportation  
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route  
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King George County</b>															
(1231) Little John Ct	0.08	20	R			Cul-de-Sac					NA		NA		04/20/2001
			From:							To:	48-1230 Sherwood Forest Dr				
(1232) Robin Hood Ct	0.08	40	R			Cul-de-Sac					NA		NA		04/30/2001
			From:							To:					
(1238) Earnest Ellis Lane	0.54	49	R			Cul-de-Sac					NA		NA		11/05/2009
			From:							To:	SR 206 Dahlgren Rd				
	0.13	NA				48-1238					NA		NA		
(1239)						Cul-de-Sac									
(1240) Ernest Ellis Lane	0.65	590	R			SR 206 Dahlgren Rd					NA		NA		04/23/2009
			From:							To:	48-1241				
(1241) Earnest Ellis Lane	0.58	600	R			Cul-de-Sac					NA		NA		11/05/2009
			From:							To:	48-1240 Ernest Ellis Lane				
(1242) Saddle Dr	0.29	390	R			48-1241					NA		NA		04/23/2009
			From:							To:	48-1244				
(1243)	0.32	NA				48-1242					NA		NA		
			From:							To:	Cul-de-Sac				
(1244) Zepp Dr	0.24	130	R			48-1242 Saddle Dr					NA		NA		04/23/2009
			From:							To:	48-1242 Saddle Dr				
(1245)	0.31	NA				48-1244					NA		NA		
			From:							To:	Cul-de-Sac				
(1246)	0.18	NA				Cul-de-Sac					NA		NA		
			From:							To:	48-1241				
(1247)	0.18	NA				Cul-de-Sac					NA		NA		
			From:							To:	48-1244				
(9209) King George School Bo	0.14	330	R			48-610 Millbank Rd					NA		NA		10/12/2004
			From:							To:	48-610 Millbank Rd				
(9210) King George School Mai	0.06	120	R			US 301 James Madison Pkwy					NA		NA		10/07/2004
			From:							To:	US 301 James Madison Pkwy				
(9213) King George Middle Sch	0.15	520	R			SR 206 Dahlgren Rd					NA		NA		10/07/2004
			From:							To:	SR 206 Dahlgren Rd				
(9578) Potomac Elementary Sc	0.07	90	R			48-670 Fifteenth St					NA		NA		09/20/2004
			From:							To:	48-614 Potomac Dr				
(9951) King George High Scho	0.31	340	R			SR 206 Dahlgren Rd					NA		NA		10/07/2004
			From:							To:	SR 206 Dahlgren Rd				