2009

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 253

Town of Leesburg

Information in this report is included in Report

53

(Loudoun County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	te
(F241)	Frontage Road (F	precedes frontage route number)
(600)	Secondary Route	

Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wye - Wye Route connector

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division

2009 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Leesburg

		TOWIT OF Leesburg	-			Tru			K		Dir			
Route	Jurisdiction	Length AADT Q	A 4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	QW
	From:	Bus SR 7; WCL Leesbu												
7 Market St West	Town of Leesburg (Maint: 53)	1.85 53000 C	98%	0%	1%	0%	1%	0%	F	0.082	F		59000	G
<u> </u>	To: From:	US 15 King St												
7 (15) Leesburg Bypass	Town of Leesburg (Maint: 53)	0.44 60000 C	97%	1%	1%	1%	1%	0%	С	0.082	F		65000	G
Leachurg Burges	Town of Leesburg (Maint: 53)	SR 267 0.63 50000 C	96%	1%	10/	40/	2%	0%	С	0.072	F		<i>EE</i> 000	G
7 (15) Leesburg Bypass	Town of Leesburg (Maint: 53)		96%	1%	1%	1%	2%	0%	C	0.073	Г		55000	G
Loophurg Runge	Town of Leesburg (Maint: 53)	Sycolin Rd 0.53 57000 0	95%	1%	1%	1%	2%	0%	С	0.076	F		62000	G
7 (15) Leesburg Bypass	Town of Leesburg (Maint. 53)			170	1%	170	2%	0%	C	0.076	Г		62000	G
7 Market St East	Town of Leesburg (Maint: 53)	US 15, BUS SR 7 Market 1.83 62000 C		0%	1%	0%	1%	0%	F	NA			65000	G
7 Market St East	Town of Leesburg (Maint. 33)	ECL Leesburg	3070	070	170	0 70	1 /0	0 70	•	INA			03000	G
Bus	From:	WCL Leesburg			i									
7 Market St	Town of Leesburg	0.12 13000 C	98%	1%	1%	0%	0%	0%	F	0.098	F		14000	G
\bigcirc	To: From:	Fairview St												
Bus 7 Market St	Town of Leesburg	0.25 11000 0	98%	1%	1%	0%	0%	0%	С	0.096	F		12000	G
	To:	253-4206 Loudoun St												
Bus Market Ct	From:			40/	40/	00/	00/	00/	F	0.000	F		0000	0
7 Market St	Town of Leesburg	0.27 8400 (98%	1%	1%	0%	0%	0%	Г	0.098	Г		9200	G
Bus	To: From:	253-4205 Ayr St												
(7) Market St	Town of Leesburg	0.36 9300 C	98%	1%	1%	0%	0%	0%	F	0.091	F		10000	G
Bus	To: From:	Bus US 15												
7 Market St	Town of Leesburg	0.09 11000 0	99%	0%	1%	0%	0%	0%	F	0.081	F		12000	G
\bigcirc	To:	Church St			<u> </u>									
Bus 7 Market St	Town of Leesburg	0.23 9300 (99%	0%	1%	0%	0%	0%	С	0.088	F		10000	G
() Market St	To:	253-4206 Loudoun St		070	-,,,	070	070	070		0.000			10000	
Bus	From:													
7 Market St	Town of Leesburg	0.27 19000 C		0%	1%	0%	0%	0%	F	NA			21000	G
Bus	To: From:	253-4200 Catoctin Circ	le											
7 Market St	Town of Leesburg	0.71 33000 C	99%	0%	1%	0%	0%	0%	F	0.077	F		36000	G
<u> </u>	To:	US 15; SR 7												
King St	Town of Leesburg	SCL Leesburg 1.09 16000 C	94%	1%	1%	1%	3%	0%	С	0.082	F		17000	G
15 King St	Town or Leesburg			170	1 70	I 70	370	U70	C	0.002	Г		17000	G
King St	Town of Leesburg	253-4209 Evergreen Mill 0.38 29000 C		1%	1%	1%	3%	0%	F	0.087	F		31000	G
15 King St	Town of Leesburg		3470	170	1 70	1 70	J70	U70	Г	0.007	ı		31000	G
15 7 Leesburg Bypass	Town of Leesburg (Maint: 53)	SR 7, Bus US 15 0.44 60000 C	97%	1%	1%	1%	1%	0%	С	0.082	F		65000	G
15 7 Leesburg Bypass	Town of Leesburg (Maint. 33)	SR 267 Dulles Greenw		1 /0	1 /0	1 /0	1 /0	0 /0	J	0.002	'		00000	J

6/12/2010 7

Virginia Department of Transportation Traffic Engineering Division

2009 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Leesburg

Б.,			AADT	QA	4.77	_		Tr	uck			K	014	Dir	AAWDT	0144
Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	2Axle	3+Axle	1Trail	2Trail	QC	Factor	QK	Factor	AAWDI	QW
~ <u> </u>	From:		SR 267													
15 7 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.63	50000	G	96%	1%	1%	1%	2%	0%	С	0.073	F		55000	G
~ ~	To: From:		Sycolin Rd													
15 7 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.53	57000	G	95%	1%	1%	1%	2%	0%	С	0.076	F		62000	G
~~~	To: From:		Market Stree													
15 Leesburg Bypass	Town of Leesburg	0.75	52000	G	96%	1%	1%	1%	2%	0%	F	NA			53000	G
~	To: From:	253-420	8 Edwards l	Ferry Rd												
15 Leesburg Bypass	Town of Leesburg	1.18	32000	G	96%	1%	1%	1%	2%	0%	F	0.071	F		33000	G
~	To:		CL Leesbu													
Bus (C) King Ct	From:		US 15, SR 7		000/	00/	40/	0%	00/	0%	_	0.4	_		22222	_
15 King St	Town of Leesburg	0.56	29000	G	98%	0%	1%	0%	0%	0%	С	0.1	F		32000	G
Bus	To: From:	253-42	00 Catoctin	Circle												
15 King St	Town of Leesburg	0.08	14000	G	97%	1%	1%	0%	0%	0%	F	NA			15000	G
Bus	To: From:		Fairfax St													
15 King St	Town of Leesburg	0.40	9700	G	97%	1%	1%	0%	0%	0%	F	0.084	F		11000	G
19) "	To	252	1206 Loudo	un Ct												
Bus	From:				070/	40/	40/	00/	00/	00/	_	0.077	_		0.400	0
15 King St	Town of Leesburg	0.23	8500	G	97%	1%	1%	0%	0%	0%	F	0.077	F		9400	G
Bus	To: From:		North St													
15 King St	Town of Leesburg	1.30	8300	G	97%	1%	1%	0%	0%	0%	F	0.084	F		9200	G
<del>~</del>	To:	N	CL Leesbu	rg												
East	From:		Leesburg I	71												
267 Dulles Greenway	Town of Leesburg (Maint: TOL)		18000	G	98%	0%	0%	0%	0%	0%	F	NA			18000	G
	Combined Traffic Estimates for 2 Parallel Roadways		35000 CL Leesbur	G	98%	0%	1%	0%	1%	0%	F	NA			35000	G
	From			_												
<u>Vest</u> 267 Dulles Greenway	Town of Leesburg (Maint: TOL)		Leesburg I 17000	Bypass <b>G</b>	98%	0%	1%	0%	1%	0%	F	NA			17000	G
267 Bulles Oreenway	Combined Traffic Estimates for 2 Parallel Roadways			G	98%	0%	1%	0%	1%	0%	F	NA			35000	G
	To:		CL Leesbur		30 /0	070	1 /0	0 /0	1 /0	0 /0	'	INA			33000	J

6/12/2010 8

# Virginia Department of Transportation Traffic Engineering Division 2009 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Leesburg

Feed Ph	Leesburg hillips Ct hildrens Center Rd	Length	AADT From: NA	QA	4Tire	Bus	2Axle	3+Axle Leesburg	1Trail	2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
F826) Ph	nillips Ct	0.06					WCI	Leesburg	9			1					
-929) Ch		0.06					WCI	Lecsour	5								
-929) Ch			To-									NA			NA		
9282	nildrens Center Rd						De	ead End									
9282	nildrens Center Rd		From:	Ī			Cu	1-de-Sac									
$\overline{}$		0.25	NA									NA			NA		
$\overline{}$			To:				End State	e Mainten	ance								
$\overline{}$			From:				253-4200	Catoctin C	Circle								
$\overline{}$		0.08	280 To:	R								NA			NA		1999
				<u> </u>				ead End				_					
		0.01	From: 380	R		I	Douglas El	ementary !	School			NA			NA		1999
9284) 53		0.01	30 <b>0</b> To:			Ī	Douglas El	ementary S	School						INA		1998
			From:	! 				ead End	5011001								
536 LO	oudoun Co High Schoo	0.13	610	R			D	cau Enu				NA			NA		1999
9536) LOI	addan do mgm domos		To:				253-420	5 Dry Mill	l Rd			T.					
			From:					S 15 King									
1) Ba	attlefield Pkwy	0.83	5000	G	99%	0%	0%	0%	0%	0%	С	0.101	F		5400	G	2009
			Tar				US 15 I e	esburg By	vpass			<b>_</b>					
1 Ba	attlefield Pkwy	0.42	3200 From:	G	100%	0%	0%	0%	0%	0%	С	0.119	F		3500	G	2009
$\mathcal{O}_{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline{\underline$	-		To:	1			Sme	artts Lane									
1 Ba	attlefield Pkwy	0.98	4300	G	100%	0%	0%	0%	0%	0%	С	0.115	F		4700	G	2009
$\mathcal{O}$			To:				Edwar	ds Ferry R	Rd								
<u> </u>			From:					Evans Rd								_	
1) Ba	attlefield Pkwy	0.59	4000	G	96%	1%	1%	2%	1%	0%	С	0.101	F		4400	G	2009
								Market St									
	ort Evans Rd	0.84	From: <b>8700</b>	G	97%	0%	US 15 Le	esburg By 1%	ypass 0%	0%	С	0.096	F		9500	G	2009
3) F0	ort Evans Ita	0.04	то:	Ü			ver Creek				U	0.030	'		3300	G	2003
			From:	! 		<i>5</i> 775 Tu		7 Market		eseur _E							
4) Pla	aza St	0.44	9100	G	99%	0%	0%	0%	0%	0%	F	0.09	F		9900	G	2009
<i>-</i>			To:														
4) Pla	aza St	0.48	3200 From:	G	99%	0%	253-4208 E 0%	0%	0%	0%	С	0.098	F		3500	G	2009
4)	aza ot	0.10	Tar	<u> </u>	0070	070				070			•		0000	Ū	2000
⊋ Pla	aza St	0.32	2300 From:	G	99%	0%	0%	Cust Dr 0%	0%	0%	F	0.111	F		2400	G	2009
4) Pla	aza ot	0.02	<b>2300</b>	r <u> </u>	3370	070		field Pkw		070		1	'		2400	J	2000
			From:					Market St	*			1					
5) Riv	ver Creek Pkwy	0.29	11000	G	99%	0%	1%	0%	0%	0%	F	0.094	F		12000	G	2009
<u> </u>	,		To:					Leesburg									
			From:				253-1 Ba	ttlefield P	kwy								
(1200) Ca	atoctin Circle	0.84	1100	G	98%	1%	1%	0%	0%	0%	F	0.15	F		1200	G	2009
			To:			2	253-4208 E	dwards Fe	erry Rd								
(1200) Ca	atoctin Circle	0.29	8000 From:	G	98%	1%	1%	0%	0%	0%	F	0.108	F		8700	G	2009
			Tar				Bus 7	Market St	tΕ			<b>_</b>					
1200) Ca	atoctin Circle	0.17	18000	G	98%	1%	1%	0%	0%	0%	F	NA			20000	G	2009
			To:														
(1200) Ca	atoctin Circle	0.63	19000	G	98%	1%			0%	0%	С	NA			20000	G	2009
			To:														
	atoctin Circle	0.57	10000	G	98%	1%				0%	F	0.110	F		11000	G	2009
1200 Ca			To	_						- / -							
1200) Ca		0.38	5600	G	98%	1%	1%	0%	0%	0%	F	0.113	F	0.68	6100	G	2009
$\bigcirc$	atoctin Circle	0.50	3000		JU /0	1 /0				0 /0	'		'	0.00	0100	J	2008
	atoctin Circle		1						D.4								
1200) Ca		0.20	From:	<u> </u>	000/	40/		ns Center		00/		0.405	_	0.654	4000		2000
1200) Ca	atoctin Circle	0.29	From: 4500	G	98%	1%	Childre 1%	0%	0%	0%	F	0.105	F	0.654	4900	G	2009
1200) Ca		0.29		G G	98%	1%	1%			0%	F	0.105 0.161	F F	0.654	4900 2600	G G	2009
(1200) Ca	atoctin Circle	0.29	1100 Trac From: 8000 Tal From: 18000 Tal From: 19000 Tal	G G	98%	1% 1%	253-1 Ba 1% 253-4208 E 1% Bus 7, 1% S 1% US 15	ottlefield P 0%  Edwards Fe 0%  Market St	0% erry Rd 0% t E 0% 0%	0%	F	0.108			8700 20000	G G	

6/12/2010 9

## Virginia Department of Transportation Traffic Engineering Division 2009 Annual Average Daily Traffic Volume Estimates By Section of Route

	T	own	0	f L	.ees	burg	ı

Route	Length	AADT	QA	4Tire	Bus		Tru			QC	K	QK	Dir	AAWDT	QW	Year
Town of Leesburg		_					3+Axle	IIIali	ZITAII		Factor		Factor			
(4201) Sycolin Rd	1.61	5600	G	96%	0%	1%	L Leesburg 2%	0%	0%	F	0.097	F		6100	G	2009
		To From	:				eesburg By									
(4201) Sycolin Rd	0.64	9200 Ta	G	96%	0%	1% B	2% Bus SR 7	0%	0%	F	NA T			10000	G	2009
		From	:				L Leesburg									
4205 Dry Mill Rd	0.59	4600	G	99%	0%	1%	0%	0%	0%	С	0.162	F		5000	G	2009
(4205) Dry Mill Rd	0.25	4900	G	99%	0%	1%	ee Ave 0%	0%	0%	F	0.13	F		5400	G	2009
(4205) Dry Mill Rd	0.49	2800	G	99%	0%	Cate 1%	octin Circle 0%	0%	0%	F	0.135	F	0.653	3000	G	2009
(4205) Dry Mill Rd	0.40	To		3370	070	WI	oudoun St	070	070		0.100		0.000	3000		2005
(4205) Ayr St	0.09	640	G	99%	0%	1%	oudoun St 0%	0%	0%	F	0.117	F		700	G	2009
4203) 7191 31	0.00	To	:	0070	0,0		Iarket St	070	070							
$\bigcirc$		From					rket St W									
(4206) Loudoun St	0.28	4100	G	99%	0%	0%	0%	0%	0%	С	0.094	F		4400	G	2009
(4206) Loudoun St	0.35	6700	G	99%	0%	253-4 1%	4205 Ayr St 0%	0%	0%	F	0.1	F		7200	G	2009
4206) Edudouri Ct	0.00	To	_		070		us US 15	070	070		¬			7200		2000
(4206) Loudoun St	0.30	8800 From	G	99%	0%	1%	0%	0%	0%	С	0.090	F		9600	G	2009
		To	1				arket St E									
(4208) Edwards Ferry Rd	0.11	3300	G	99%	0%	Ма 0%	arket St E 0%	0%	0%	F	0.091	F		3600	G	2009
4208) = 4114146 + 5119 + 14		To	_		0,0		arrison St			•		·				
(4208) Edwards Ferry Rd	0.41	4100	G	99%	0%	0%	0%	0%	0%	С	0.095	F		4500	G	2009
<u> </u>	0.00	From		222/	00/		Prince St	201	201	_		_		11000		2000
(4208) Edwards Ferry Rd	0.20	9700	G	99%	0%	0%	0%	0%	0%	F	0.103	F		11000	G	2009
(4208) Edwards Ferry Rd	0.15	10000	G	99%	0%	0%	shington St 0%	0%	0%	F	0.102	F		11000	G	2009
,		To From				I	Plaza St									
(4208) Edwards Ferry Rd	0.51	16000	G	99%	0%	0%	0%	0%	0%	F	0.097	F		18000	G	2009
		To From					US 15					_				
4208 Edwards Ferry Rd	0.66	9700 To	G	99%	0%	1% Battle	0% efield Pkwy	0%	0%	F	0.108	F		11000	G	2009
		From	:				US 15									
(4209) Evergreen Mill Rd	1.01	8000	G	97%	0%	1%	1%	1%	0%	С	0.104	F		8700	G	2009
		From					sons Lane				<u> </u>					
4209 Evergreen Mill Rd	0.01	7700	N	96%	0%	1% SCL Le	2% esburg, 53-	1% 621	0%	N	0.101	N		8300	N	2009
		From	:				adfield Dr	-								
(4210) Country Club Dr	0.40	1800	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.597	2000	G	2009
		From	<u> </u>				15 King St									
Cardinal Park Dr		6400	G			Trai	lview Blvd				0.098	F		6400	G	2009
		To				N	larket St									
Ontrodia Oinsta		From				Gra	afton Way				0.405	_	0.000	1000		0000
Catoctin Circle		1800 To	G			Sou	ıthview Pl				0.105	F	0.623	1800	G	2009
		From					ntry Club Di	r								
Governors Dr		1300 _{To}	G				110 15				0.104	F		1300	G	2009
		To	I				US 15 lead End									
Trailview Blvd Prop		1400	G			Д	reau Eliü				0.109	F	0.625	1400	G	2009
·		To				Card	inal Park D	·								

6/12/2010 10