

2010

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

26

Dinwiddie County
City of Petersburg
Town of McKenney

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.







Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Boydton Plank Rd	Dinwiddie County	2.46	1400	G	96%	1%	1%	1%	1%	0%	F	NA			1500	G
1 Boydton Plank Rd	Town of McKenney (Maint: 26)	0.23	1400	N	96%	1%	1%	1%	1%	0%	N	NA			1500	N
1 Boydton Plank Rd	Town of McKenney (Maint: 26)	0.33	2000	G	96%	1%	1%	1%	1%	0%	F	0.093	F		2200	G
1 Boydton Plank Rd	Dinwiddie County	4.05	2000	N	96%	1%	1%	1%	1%	0%	N	0.093	N		2200	N
1 Boydton Plank Rd	Dinwiddie County	5.65	2300	G	96%	1%	1%	1%	1%	0%	F	0.098	F	0.689	2400	G
1 Boydton Plank Rd	Dinwiddie County	2.48	4000	G	96%	1%	1%	1%	1%	0%	C	0.099	F		4200	G
1 Boydton Plank Rd	Dinwiddie County	3.61	5500	G	96%	1%	1%	1%	1%	0%	F	0.101	F		5800	G
1 Boydton Plank Rd	Dinwiddie County	3.09	7900	G	96%	1%	1%	1%	1%	0%	F	0.093	F		8600	G
1 Bus 460 Boydton Plank Rd	Dinwiddie County	1.69	12000	G	96%	1%	1%	1%	1%	0%	F	0.090	F		13000	G
1 Bus 460 Boydton Plank Rd	Dinwiddie County	1.23	14000	G	97%	0%	1%	1%	1%	0%	C	0.098	F		15000	G
1 Bus 460	Dinwiddie County	0.45	12000	A	98%	0%	1%	1%	1%	0%	C	0.106	A	0.518	13000	A
1 Bus 460 Washington St	City of Petersburg	0.40	13000	G	98%	0%	1%	1%	1%	0%	F	NA			13000	G
1 Bus 460 Washington St	City of Petersburg	0.18	13000	G	98%	0%	1%	1%	1%	0%	F	NA			14000	G
1 Bus 460 Washington St	City of Petersburg	0.57	14000	G	96%	1%	1%	1%	1%	0%	F	0.085	F		15000	G
1 Bus 460 Wythe St	City of Petersburg	1.08	7600	G	96%	1%	1%	1%	1%	0%	C	0.082	F		8300	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	G	96%	1%	1%	1%	1%	1%	0%	F	NA			17000	G
1 Bus 460 Wythe St	City of Petersburg	0.15	9200	G	96%	1%	1%	1%	1%	0%	F	NA			10000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		19000	G	96%	1%	1%	1%	1%	1%	0%	F	NA			20000	G
To:		SR 36 Market St														

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Bus 460 36 Wythe St	City of Petersburg	0.20	9900	G	96%	1%	1%	1%	1%	0%	F	NA			11000	G
1 ALT Bus 301 460 36 Wythe St	City of Petersburg	0.20	12000	G	96%	1%	1%	1%	1%	0%	F	NA			13000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			27000	G	95%	1%	1%	1%	2%	0%	F	NA			29000	G
1 ALT 301 Jefferson St	City of Petersburg	0.09	3900	G	96%	1%	1%	1%	1%	0%	F	0.082	F	0.687	4200	G
1 ALT 301 Jefferson St	City of Petersburg	0.26	790	G	96%	1%	1%	1%	1%	0%	F	0.096	F	0.674	860	G
1 ALT 301 3rd St	City of Petersburg	0.05	320	G	96%	1%	1%	1%	1%	0%	F	0.115	F	0.573	350	G
1 ALT 301 3rd St	City of Petersburg	0.05	400	G	96%	1%	1%	1%	1%	0%	F	0.11	F	0.634	430	G
1 ALT 301 301 36 P Bollingbrook St	City of Petersburg	0.08	4600	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5000	G
1 301 2nd St	City of Petersburg	0.35	13000	G	99%	0%	0%	0%	0%	0%	F	NA			14000	G
1 Ramp	Dinwiddie County	0.28	NA								NA				NA	NA
1 Ramp	Dinwiddie County	0.26	NA								NA				NA	NA
North 1 Ramp	Dinwiddie County	0.06	NA								NA				NA	NA
North 1 Ramp	Dinwiddie County	0.03	NA								NA				NA	NA
South 1 Ramp	Dinwiddie County	0.03	NA								NA				NA	NA
South 1 Ramp	Dinwiddie County	0.06	NA								NA				NA	NA

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW															
							2Axle	3+Axle	1Trail	2Trail																					
 1 Bus 460 Washington St	City of Petersburg	0.31	8500	G	97%	1%	1%	1%	1%	0%	F	0.089	F	9200	G																
 1 Bus 460 Washington St	City of Petersburg	0.40	9100	G	97%	1%	1%	1%	1%	0%	F	0.089	F	9900	G																
 1 Bus 460 Washington St	City of Petersburg	0.27	9400	G	97%	1%	1%	1%	1%	0%	C	0.087	F	10000	G																
 1 Bus 460 Washington St	City of Petersburg	0.24	9500	G	97%	1%	1%	1%	1%	0%	F	0.088	F	10000	G																
 1 Bus 36 Market St	City of Petersburg	0.38	3300	G	97%	1%	1%	0%	0%	0%	C	0.089	F	3600	G																
 1 Bus 36 Old St	City of Petersburg	0.13	3500	G	97%	1%	1%	0%	0%	0%	F	0.094	F	3800	G																
 1 Bus 36 Sycamore St	City of Petersburg	0.04	3400	G	97%	1%	1%	0%	0%	0%	F	0.094	F	3600	G																
 1 Bus 36 Bollingbrook St	City of Petersburg	0.10	3500	G	97%	1%	1%	0%	0%	0%	F	0.088	F	0.772	3800	G															
 36 Fleet St	City of Petersburg	0.12	7800	G	99%	0%	0%	0%	0%	0%	C	0.088	F	8400	G																
 36 Grove Ave	City of Petersburg	0.54	3000	G	97%	0%	1%	1%	0%	0%	C	0.101	F	0.609	3200	G															
 36 1 Market St	City of Petersburg	0.38	3300	G	97%	1%	1%	0%	0%	0%	C	0.089	F	3600	G																
 36 Market St	City of Petersburg	0.11	5700	G	99%	0%	0%	0%	0%	0%	F	0.09	F	0.769	6000	G															
 36 1 Wythe St	City of Petersburg	0.20	9900	G	96%	1%	1%	1%	1%	0%	F	NA	NA	11000	G																
 36 ALT 301 Bus 460 Wythe St	City of Petersburg	0.20	12000	G	96%	1%	1%	1%	1%	0%	F	NA	NA	13000	G																
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 27000 G 95% 1% 1% 1% 2% 0% F NA																															
To: Bus US 460																															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
36 Bus 460 Wythe St	City of Petersburg	0.20	15000	G	97%	1%	1%	1%	1%	0%	C	0.087	F		17000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	31000		G	95%	1%	1%	1%	2%	0%	F	NA			34000	G
36 Bus 460 Wythe St	City of Petersburg	0.30	11000	G	97%	1%	1%	1%	1%	0%	F	0.079	F		12000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	23000		G	95%	1%	1%	1%	2%	0%	F	NA			25000	G
36 Wythe St	City of Petersburg	0.43	9800	G	97%	0%	1%	1%	2%	0%	F	NA			11000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	21000		G	97%	0%	1%	1%	2%	0%	F	NA			22000	G
36 Washington St	City of Petersburg	0.87	20000	G	97%	0%	1%	1%	2%	0%	F	0.081	F		22000	G
36 Washington St	City of Petersburg	0.58	16000	G	97%	0%	1%	1%	2%	0%	F	0.079	F		17000	G
36 1 Old St	City of Petersburg	0.13	3500	G	97%	1%	1%	0%	0%	0%	F	0.094	F		3800	G
36 1 Sycamore St	City of Petersburg	0.04	3400	G	97%	1%	1%	0%	0%	0%	F	0.094	F		3600	G
36 1 Bollingbrook St	City of Petersburg	0.10	3500	G	97%	1%	1%	0%	0%	0%	F	0.088	F	0.772	3800	G
36 1 ALT 301 Bollingbrook St	City of Petersburg	0.08	4600	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5000	G
36 301 Bollingbrook St	City of Petersburg	0.15	4400	G	98%	0%	1%	0%	0%	0%	F	0.108	F	0.786	4800	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	6100		G	98%	0%	1%	0%	1%	0%	F	NA			6700	G
36 301 Bollingbrook St	City of Petersburg	0.23	4200	G	98%	0%	1%	0%	0%	0%	C	0.116	F		4600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	6300		G	98%	0%	1%	0%	1%	0%	C	NA			6800	G
36 301 Crater Rd	City of Petersburg	0.14	3700	G	98%	0%	1%	0%	0%	0%	F	0.115	F	0.839	4000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	7700		G	97%	1%	1%	1%	1%	0%	F	NA			8300	G
36 301 Crater Rd	City of Petersburg	0.18	3900	G	97%	1%	1%	0%	0%	0%	F	NA			4200	G
	To:		US 301 Par, Bank St													
	From:		US 301, BUS US 460 Crater Rd													

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
36 P Washington St	City of Petersburg	0.18	11000	G	97%	0%	1%	1%	2%	0%	F	0.09	F		11000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	20000		G	97%	0%	1%	1%	2%	0%	F	NA			22000	G
36 P Washington St	City of Petersburg	0.25	11000	G	97%	0%	1%	1%	2%	0%	F	0.091	F		12000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	21000		G	97%	0%	1%	1%	2%	0%	F	NA			22000	G
40 Darvills Rd	Dinwiddie County	4.90	1000	G	88%	1%	1%	1%	9%	0%	F	0.102	F	0.640	1000	G
40 Old Cryors Rd	Dinwiddie County	6.15	1000	A	88%	1%	1%	1%	9%	0%	C	0.108	A	0.577	1000	A
40 McKenney Hwy	Dinwiddie County	2.46	1600	G	88%	1%	1%	1%	9%	0%	F	0.089	F	0.552	1600	G
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.34	1600	N	88%	1%	1%	1%	9%	0%	N	0.089	N	0.552	1600	N
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.57	2600	G	88%	1%	1%	1%	9%	0%	F	0.097	F	0.543	2600	G
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.43	2800	G	88%	1%	1%	1%	9%	0%	F	0.1	F	0.523	3000	G
40 McKenney Hwy	Dinwiddie County	0.14	2800	N	88%	1%	1%	1%	9%	0%	N	0.1	N	0.523	3000	N
40 McKenney Hwy	Dinwiddie County	0.56	2000	G	88%	1%	1%	1%	9%	0%	F	0.093	F	0.613	2000	G
40 McKenney Hwy	Dinwiddie County	5.15	990	A	88%	1%	1%	1%	9%	0%	C	0.112	A	0.505	990	A
40 McKenney Hwy	Dinwiddie County	2.04	1100	G	88%	1%	1%	1%	9%	0%	F	0.083	F	0.502	1100	G
40 McKenney Hwy	Dinwiddie County	5.19	1200	G	88%	1%	1%	1%	9%	0%	F	0.101	F	0.658	1100	G
40 Ramp	Dinwiddie County	0.21	NA								NA				NA	
40 Ramp	Dinwiddie County	0.21	I-85-S FROM RT 40								NA				NA	
40 Ramp	Dinwiddie County	0.21	SR 40 I-85-N042A FROM & TO IS 85								NA				NA	
	From:															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
North 	Dinwiddie County	2.38	11000	G	79%	1%	1%	0%	17%	2%	F	NA		9500	G	
North 	Dinwiddie County	5.95	12000	B	83%	1%	1%	1%	14%	1%	F	0.128	A		10000	B
North 	Dinwiddie County	4.88	12000	B	83%	1%	1%	1%	14%	1%	F	0.124	A		11000	B
North 	Dinwiddie County	8.52	13000	A	83%	1%	1%	1%	14%	1%	C	0.124	A		12000	A
North 	Dinwiddie County	1.77	19000	A	83%	1%	1%	1%	14%	1%	F	0.105	A		18000	A
North 	Dinwiddie County	1.18	25000	A	88%	1%	1%	1%	9%	1%	C	0.094	A		24000	A
North 	Dinwiddie County	1.01	25000	A	88%	1%	1%	1%	9%	1%	C	0.094	A		24000	A
North 	City of Petersburg (Maint: 26)	0.37	28000	A	88%	1%	1%	1%	9%	1%	C	0.094	A		24000	A
North 	City of Petersburg (Maint: 26)	2.57	28000	A	88%	1%	1%	1%	9%	1%	F	0.091	A		28000	A
North 	Dinwiddie County	0.20	NA										NA		NA	
North 	Dinwiddie County	0.21	NA										NA		NA	
North 	Dinwiddie County	0.37	NA										NA		NA	
North 	Dinwiddie Rest Area Ramp	0.14	NA										NA		NA	

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW			
							2Axle	3+Axle	1Trail	2Trail								
North  Dinwiddie Rest Area Ramp	Dinwiddie County	From: _____ To: I-85 North from Rest Area	0.19	890	G						NA		NA	890	G			
North  Ramp	Dinwiddie County	From: _____ To: I-85-N TO US 460 & 460 BUS?	0.20	NA							NA		NA					
North  Ramp	Dinwiddie County	From: _____ To: CEUS 460 FROM RT 85 NB	0.01	NA							NA		NA					
North  Ramp	Dinwiddie County	From: _____ To: CEUS 460 FROM RT 85 NB	0.02	NA							NA		NA					
North  Ramp	Dinwiddie County	From: _____ To: US 1 FROM RT 85 NB	0.15	NA							NA		NA					
North  Ramp	Dinwiddie County	From: _____ To: US 1 FROM RT 85 NB	0.26	NA							NA		NA					
North  Ramp	City of Petersburg (Maint: 26)	From: _____ To: 123-9011; 123-9011- 1A FROM & TO RT	0.11	NA							NA		NA					
North  Ramp	City of Petersburg (Maint: 26)	From: _____ To: I-95 South	0.10	5900	A						0.104	A	6100	A				
North  Ramp	City of Petersburg (Maint: 26)	From: _____ To: I-95-N TO WYTHE & WASHINGTON STREETS	0.06	NA							NA		NA					
North  Ramp	City of Petersburg (Maint: 26)	From: _____ To: Wythe St & Washington St	0.22	5700	A						0.104	A	6300	A				
North  Ramp	City of Petersburg (Maint: 26)	From: _____ To: CEUS 460-P Washington St	0.17	3600	A						0.103	A	4000	A				
North  Ramp	City of Petersburg (Maint: 26)	From: _____ To: CEUS 460 Wythe St	0.07	2100	A						0.123	A	2300	A				
South 	Dinwiddie County	From: _____ Combined Traffic Estimates for 2 Parallel Roadways on this Route:	2.78	12000	G	79%	1%	1%	0%	18%	2%	F	NA	9700	G			
South 	Dinwiddie County	From: _____ Combined Traffic Estimates for 2 Parallel Roadways on this Route:	5.95	12000	B	83%	1%	1%	0%	14%	1%	F	0.115	A	11000	B		
		To: _____ 26-650												0.117	A	0.624	21000	B

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 		From:	26-650													
	Dinwiddie County	4.95	12000	F	83%	1%	1%	0%	14%	1%	F	0.117	A		11000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		25000	F	83%	1%	1%	1%	14%	1%	F	0.116	A	0.618	22000	F
South 		To:	26-703													
	Dinwiddie County	8.36	13000	F	83%	1%	1%	0%	14%	1%	C	0.105	B		12000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		26000	F	83%	1%	1%	1%	14%	1%	C	0.104	B	0.509	24000	F
South  		To:	US 460													
	Dinwiddie County	1.83	19000	A	87%	1%	1%	1%	10%	1%	F	0.109	A		18000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	A	85%	1%	1%	1%	12%	1%	F	0.1	A	0.527	36000	A
South  		To:	US 1													
	Dinwiddie County	0.81	24000	A	87%	1%	1%	1%	10%	1%	C	0.107	A		23000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	A	88%	1%	1%	1%	10%	1%	C	NA			47000	A
South  		To:	SCL Petersburg													
	City of Petersburg (Maint: 26)	1.25	24000	A	87%	1%	1%	1%	10%	1%	C	0.107	A		23000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	A	88%	1%	1%	1%	10%	1%	C	NA			47000	A
South  		To:	Squirrel Level Road													
	City of Petersburg (Maint: 26)	2.23	26000	A	87%	1%	1%	1%	10%	1%	F	0.106	A		26000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		54000	A	88%	1%	1%	1%	10%	1%	F	0.094	A	0.571	53000	A
South 	I-85 S Ramp	To:	I-95													
	Ramp From I-95 N															
	Dinwiddie County	0.33	26000	N	87%	1%	1%	1%	10%	1%	N	0.106	N		26000	N
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		26000	N								NA			NA	
South 	I-85 S Ramp	To:	Ramp From Washington Ave													
	Dinwiddie County	0.16	NA										NA		NA	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA										NA		NA	
South 	Ramp	To:	I-95 South													
	Dinwiddie County	0.18	NA										NA		NA	
South 	Ramp	To:	I-85-S TO RT 40													
	Dinwiddie County	0.02	NA										NA		NA	
	SR 40 TO & FROM RT 85															
South 	Ramp	To:	I-85-S042A TO RT 40													
	Dinwiddie County	0.02	NA										NA		NA	
	SR 40 FROM RT 85 SB															
South 	Ramp	To:	I-85-S042A TO RT 40													
	Dinwiddie County	0.21	NA										NA		NA	
	SR 40 FROM RT 85 SB															
South 	Ramp	To:	I-85-S TO RT 650													
	Dinwiddie County	0.21	NA										NA		NA	
	26-650; 26-650-8A TO & FROM RT 85															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
South  85 Ramp	Dinwiddie County	From: I-85-S TO RT 703 To: 26-703; 26-703- 1A TO & FROM RT 85	0.26	NA								NA		NA		
South  85 Ramp	Dinwiddie County	From: I-85-S053A TO RT 703 To: 26-703 FROM RT 85 SB	0.10	NA								NA		NA		
South  85 Dinwiddie Rest Area Ramp	Dinwiddie County	From: I-85 South to Rest Area To: Enter Rest Area Parking Lot	0.15	NA								NA		NA		
South  85 Dinwiddie Rest Area Ramp	Dinwiddie County	From: Enter Rest Area Parking Lot To: Exit Rest Area Parking Lot I-85 South from Rest Area	0.25	1300	G							NA	1300	G		
South  85 Ramp	Dinwiddie County	From: I-85-S TO US 460 To: I-85-S061B TO US 460	0.18	NA								NA		NA		
South  85 Ramp	Dinwiddie County	From: I-85-S061B TO US 460 To: US 460 US 460-W312A Gap TO	0.03	NA								NA		NA		
South  85 Ramp	Dinwiddie County	From: I-85-S061A TO US 460 To: US 460 US 460-E312A Gap TO	0.05	NA								NA		NA		
South  85 Ramp	Dinwiddie County	From: I-85-S TO RT 1 To: US 1 FROM RT 85 SB	0.19	NA								NA		NA		
South  85 Ramp	Dinwiddie County	From: I-85-S TO RT 1 To: US 1 FROM RT 85 SB	0.21	NA								NA		NA		
South  85 Ramp	City of Petersburg (Maint: 26)	From: I-85-S TO SQUIRREL LEVEL ROAD To: 123-9011; 123-9011- 1B TO & FROM RT	0.13	3800	A							0.105	A	4100	A	
North  95	City of Petersburg (Maint: 74)	From: Rives Rd Combined Traffic Estimates for 2 Parallel Roadways on this Route: 32000	1.15	16000	A	85%	1%	1%	0%	13%	0%	F	0.116	A	14000	A
North  95	City of Petersburg (Maint: 74)	From: Wagner Rd Combined Traffic Estimates for 2 Parallel Roadways on this Route: 43000	2.79	20000	A	85%	1%	1%	0%	13%	0%	F	0.107	A	19000	A
North  95	City of Petersburg (Maint: 74)	From: US 460 West St Combined Traffic Estimates for 2 Parallel Roadways on this Route: 43000	0.50	20000	N	85%	1%	1%	0%	13%	0%	N	0.107	N	19000	N
		To: 1-85													41000	N

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 		From:	I-85													
	City of Petersburg (Maint: 26)	0.44	44000	A	91%	1%	1%	1%	7%	0%	F	0.093	A	43000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	87000		A	91%	1%	1%	1%	7%	0%	F	0.092	A	0.561	85000 A	
North 		To:	US 301, Bus US 460 Washington St													
	City of Petersburg (Maint: 26)	0.64	51000	A	91%	1%	1%	1%	7%	0%	F	0.092	A	50000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	101000		A	91%	1%	1%	1%	7%	0%	F	NA		100000	A	
North 		To:	SCL Colonial Heights													
	City of Petersburg (Maint: 74)	0.17	870	A									0.101	A	850	A
North 		From:	I-95 North													
	City of Petersburg (Maint: 74)	0.35	300	A									0.248	A	320	A
North 		To:	123-9008 Rives Rd													
	City of Petersburg (Maint: 74)	0.23	NA										NA		NA	
North 		To:	123-9010 Wagner Rd													
	City of Petersburg (Maint: 74)	0.23	NA										NA		NA	
North 		From:	I-95-N TO WAGNER RD													
	City of Petersburg (Maint: 74)	0.23	NA										NA		NA	
North 		To:	123-9010 FR RT 95													
	City of Petersburg (Maint: 74)	0.11	NA										NA		NA	
North 		From:	I-95-N050X TO RT 460 EAST													
	City of Petersburg (Maint: 74)	0.11	NA										NA		NA	
North 		To:	US 460 FROM RT 95 NORTH													
	City of Petersburg (Maint: 74)	0.14	NA										NA		NA	
North 		From:	I-95-N050X TO RTS 460 BUS & 301													
	City of Petersburg (Maint: 74)	0.14	NA										NA		NA	
North 		To:	CEUS 460-P FROM ROUTE 95 NORTH													
	City of Petersburg (Maint: 74)	0.16	NA										NA		NA	
North 		From:	I-95-N050X TO RT 301 SOUTH													
	City of Petersburg (Maint: 74)	0.16	NA										NA		NA	
North 		To:	US 301													
	City of Petersburg (Maint: 74)	0.04	NA										NA		NA	
North 		From:	I-95 North													
	City of Petersburg (Maint: 74)	0.15	NA										NA		NA	
North 		To:	Ramp to US 460 East													
	City of Petersburg (Maint: 74)	0.15	NA										NA		NA	
North 		From:	Ramp From US 460 West													
	City of Petersburg (Maint: 74)	0.26	10000	A									0.136	A	12000	A
North 		To:	Ramp to US 301 North													
	City of Petersburg (Maint: 74)	0.22	NA										NA		NA	
North 		From:	Ramp to US 301 South													
	City of Petersburg (Maint: 74)	0.06	NA										NA		NA	
North 		To:	Ramp From US 301													
	City of Petersburg (Maint: 74)	0.14	15000	A									0.114	A	16000	A
North 		From:	Ramp to Wythe & Washington Streets													

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
North  Ramp	City of Petersburg (Maint: 74)	From: 0.01	Ramp to Wythe & Washington Streets	NA								NA		NA			
		To: I-95 North															
North  Ramp	City of Petersburg (Maint: 26)	From: 0.47	I-95-N050X TO WYTHE & WASHINGTON STREET	NA								NA		NA			
		To: I-85-N068B TO WYTHE & WASHINGTON STREET															
North  Ramp	City of Petersburg (Maint: 26)	From: 0.43	I-95-N TO RT 85 SOUTH	NA								NA		NA			
		To: I-85-S Gap FROM I-95 NORTH															
North  Ramp	City of Petersburg (Maint: 74)	From: 0.19	I-95-N TO RT 30100- BANK STREET	NA								NA		NA			
		To: 1US 301-P FROM RT 95 NORTH															
South  Ramp	City of Petersburg (Maint: 74)	From: 0.34	SCL Petersburg	A	89%	1%	1%	1%	9%	0%	F	0.113	A	13000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	29000	A	87%	1%	1%	1%	1%	11%	0%	F	NA		25000	A		
South 	City of Petersburg (Maint: 74)	From: 1.22	Rives Rd	A	89%	1%	1%	1%	9%	0%	F	0.111	A	15000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	32000	A	87%	1%	1%	1%	1%	11%	0%	F	0.105	A	0.513	29000	A	
South 	City of Petersburg (Maint: 74)	From: 2.29	Wagner Rd	A	89%	1%	1%	1%	9%	0%	F	0.097	A	23000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	43000	A	87%	1%	1%	1%	1%	11%	0%	F	0.096	A	0.531	41000	A	
South 	City of Petersburg (Maint: 74)	From: 0.53	US 460 County Rd; US 301 Crater Rd	N	89%	1%	1%	1%	9%	0%	N	0.097	N	23000	N		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	43000	N	87%	1%	1%	1%	1%	11%	0%	N	NA		41000	N		
South 	City of Petersburg (Maint: 74)	From: 0.66	I-85	A	90%	1%	1%	1%	7%	0%	F	0.094	A	42000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	87000	A	91%	1%	1%	1%	1%	7%	0%	F	0.092	A	0.561	85000	A	
South 	City of Petersburg (Maint: 26)	From: 0.48	US 301, Bus US 460 Washington St	A	90%	1%	1%	1%	7%	0%	F	0.092	A	50000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	101000	A	91%	1%	1%	1%	1%	7%	0%	F	NA		100000	A		
South 	City of Petersburg (Maint: 74)	From: 0.16	I-95-S TO RIVES RD	NA								NA		NA			
		To: 123-9008; 123-9008- A TO RT 95															
South 	City of Petersburg (Maint: 74)	From: 0.25	I-95-S TO WAGNER RD	NA								NA		NA			
		To: 123-9010 FROM RT 95															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.31 To: 123-9010 Wagner Rd	I-95 South	5000 A							0.098	A	5600	A	
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.09 To: 123-9012 FROM RROUTE 95 SOUTH	I-95-S050X TO GRAHAM ROAD	NA							NA		NA		
South 95 460 Ramp	City of Petersburg (Maint: 74)	From: 0.06 To: Ramp to Graham Rd	I-95 South	9300 A							0.096	A	10000	A	
South 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.07 To: Ramp to US 301	Ramp to Graham Rd	NA							NA		NA		
South 95 460 Bus 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.18 To: Ramp from US 301	Ramp from US 301	NA							NA		NA		
South 95 460 Bus 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.27 To: US 460 Ramp	Ramp from US 301	11000 A							0.118	A	13000	A	
South 95 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.22 To: I-95 S	I-95-S TO WASHINTON & WYTHE STS	NA							NA		NA		
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.12 To: I-95-S052B TO WASHINGTON STREET	US 460 Ramp	NA							NA		NA		
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.19 To: CEUS 460 FROM RT 95 SOUTH	I-95-S052B TO WASHINGTON STREET	NA							NA		NA		
106 Courthouse Rd	City of Petersburg	From: 0.10 To: ECL Petersburg	US 460 County Rd	7400 G	95%	1%	1%	1%	2%	0%	F	0.089	F	8100 G	
109 Hickory Hill Rd	City of Petersburg	From: 0.88 To: ECL Petersburg	US 460 County Rd	6500 G	98%	0%	0%	1%	0%	0%	C	0.124	F	7100 G	
109 Hickory Hill Rd	City of Petersburg	From: 0.03 To: Dead End: Fort Lee Military Reservation, Mahone Av	ECL Petersburg	6500 N	98%	0%	0%	1%	0%	0%	N	0.124	N	7100 N	
142 Simpson Rd	Dinwiddie County	From: 1.27 To: WCL Petersburg	US 1 Boydton Plank Rd	3100 G	96%	0%	0%	1%	2%	0%	C	0.102	F	674 3300 G	
142 Boydton Plank Rd	City of Petersburg	From: 0.16 To: Dupuy Rd	WCL Petersburg	3300 G	98%	0%	0%	0%	1%	0%	F	0.096	F	3600 G	
142 Boydton Plank Rd	City of Petersburg	From: 1.24 To: Rt 604 Halifax Rd	Dupuy Rd	3100 G	98%	0%	0%	0%	1%	0%	C	0.083	F	3400 G	

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
142 Halifax Rd	City of Petersburg	From: _____ Rt 604 Halifax Rd To: _____ CSX RR	0.06	5800	G	98%	0%	0%	0%	1%	F	0.079	F	0.524	6300	G
226 Cox Rd	Dinwiddie County	From: _____ US 460 Cox Rd To: _____ US 1 West of Petersburg	3.38	9800	G	97%	0%	1%	1%	0%	C	0.099	F	11000	G	
301 Crater Rd	City of Petersburg	From: _____ SCL Petersburg To: _____	0.21	8600	G	99%	0%	0%	0%	0%	F	0.096	F	9400	G	
301 Crater Rd	City of Petersburg	From: _____ Rives Rd To: _____	0.90	9800	G	99%	0%	0%	0%	0%	C	0.091	F	11000	G	
301 Crater Rd	City of Petersburg	From: _____ Wagner Rd To: _____	0.43	21000	G	99%	0%	0%	0%	0%	F	NA	23000	G		
301 Crater Rd	City of Petersburg	From: _____ Flank Rd To: _____	0.87	22000	G	99%	0%	0%	0%	0%	F	0.084	F	24000	G	
301 Crater Rd	City of Petersburg	From: _____ ALT US 301 Sycamore St To: _____	0.26	16000	G	98%	0%	1%	0%	0%	C	0.088	F	17000	G	
301 Crater Rd	City of Petersburg	From: _____ South Blvd To: _____	0.73	22000	G	98%	0%	1%	0%	0%	F	0.084	F	24000	G	
301 Crater Rd	City of Petersburg (Maint: 26)	From: _____ I-95, Bus US 460 To: _____	0.09	11000	N	97%	1%	1%	0%	0%	0%	N	0.087	N	12000	N
301 Crater Rd	City of Petersburg	From: _____ Maintenance Jurisdiction Change To: _____	0.98	11000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	12000	G
301 Crater Rd	City of Petersburg	From: _____ SR 36, Bus US 460 Wythe St To: _____	0.10	7800	G	97%	1%	1%	0%	0%	0%	F	0.087	F	8500	G
301 Crater Rd	City of Petersburg	From: _____ SR 36 Par, Bus US 460 Par, Washington St To: _____	0.18	3900	G	97%	1%	1%	0%	0%	0%	F	NA	4200	G	
301 Crater Rd	City of Petersburg	From: _____ US 301 Par, Bank St To: _____	0.14	3700	G	98%	0%	1%	0%	0%	F	0.115	F	4000	G	
301 Crater Rd	City of Petersburg	Combined Traffic Estimates for 2 Parallel Roadways on this Route: From: _____ Crater Rd To: _____	0.14	7700	G	97%	1%	1%	1%	0%	F	NA	8300	G		
301 Bollingbrook St	City of Petersburg	From: _____ Bollingbrook St To: _____	0.23	4200	G	98%	0%	1%	0%	0%	C	0.116	F	4600	G	
301 Bollingbrook St	City of Petersburg	Combined Traffic Estimates for 2 Parallel Roadways on this Route: From: _____ Crater Rd To: _____	0.23	6300	G	98%	0%	1%	0%	1%	C	NA	6800	G		
301 Bollingbrook St	City of Petersburg	From: _____ 5th St To: _____	0.15	4400	G	98%	0%	1%	0%	0%	F	0.108	F	4800	G	
301 Bollingbrook St	City of Petersburg	Combined Traffic Estimates for 2 Parallel Roadways on this Route: From: _____ 3rd St To: _____	0.15	6100	G	98%	0%	1%	0%	1%	F	NA	6700	G		

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW															
							2Axle	3+Axle	1Trail	2Trail																				
Bollingbrook St	City of Petersburg	From: US 1, ALT US 301 3rd St To: US 1 Par, 2nd St	0.08	4600	G	98%	0%	1%	0%	0%	F	0.122	F	0.85	5000	G														
2nd St	City of Petersburg	From: N RT 1 To: SCL Colonial Heights	0.35	13000	G	99%	0%	0%	0%	0%	F	NA	NA	14000	G															
Ramp	City of Petersburg (Maint: 74)	From: US 301 TO RT 95 NORTH To: I-95-N050X FROM ROUTE 301	0.19	NA							NA	NA	NA	NA	NA															
North Ramp	City of Petersburg (Maint: 74)	From: US 301; 123-9012 GRAHAM RD & RO RT 95 To: I-95-S050X FROM ROUTE 301 NORTH	0.10	NA							NA	NA	NA	NA	NA															
South Bus Ramp US 301 S to I-95 S at Exit ???	City of Petersburg (Maint: 74)	From: US 301 Crater Rd To: I-95, US 460	0.20	NA							NA	NA	NA	NA	NA															
Bank St	City of Petersburg	From: US 301 Crater St To: 5th St	0.24	2100	G	96%	1%	1%	1%	1%	C	0.102	F	2300	G															
Bank St	City of Petersburg	From: 5th St To: 3rd St	0.15	1700	G	96%	1%	1%	1%	1%	F	0.105	F	1900	G															
Bank St	City of Petersburg	From: US 301 Crater Rd To: ALT US 301 Par, 2nd St	0.09	1600	G	96%	1%	1%	1%	1%	F	0.100	F	1800	G															
ALT Sycamore St	City of Petersburg	From: US 301 Crater Rd To: South Blvd	0.30	7600	G	99%	0%	0%	0%	0%	F	NA	NA	8200	G															
ALT Sycamore St	City of Petersburg	From: South Blvd To: North Blvd	0.95	5000	G	99%	0%	0%	0%	0%	C	0.084	F	5400	G															
ALT Sycamore St	City of Petersburg	From: North Blvd To: Graham Rd	0.42	7300	G	99%	0%	0%	0%	0%	F	0.075	F	7900	G															
ALT Sycamore St	City of Petersburg	From: Graham Rd To: US 1 Wythe St	0.56	9500	G	99%	0%	0%	0%	0%	F	0.078	F	10000	G															
ALT Bus Wythe St	City of Petersburg	From: US 1 To: Bus US 460 Jefferson St	0.20	12000	G	96%	1%	1%	1%	1%	F	NA	NA	13000	G															
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																														

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
ALT 301 1 Jefferson St	City of Petersburg	0.09	3900	G	96%	1%	1%	1%	1%	0%	F	0.082	F	0.687	4200	G	
ALT 301 1 Jefferson St	City of Petersburg	0.26	790	G	96%	1%	1%	1%	1%	0%	F	0.096	F	0.674	860	G	
ALT 301 1 3rd St	City of Petersburg	0.05	320	G	96%	1%	1%	1%	1%	0%	F	0.115	F	0.573	350	G	
ALT 301 1 3rd St	City of Petersburg	0.05	400	G	96%	1%	1%	1%	1%	0%	F	0.11	F	0.634	430	G	
ALT 301 301 1 36 Bollingbrook St	City of Petersburg	0.08	4600	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5000	G	
ALT 301 Sycamore St	City of Petersburg	0.09	6700	G	99%	0%	0%	0%	0%	0%	F	NA			7300	G	
ALT Bus Bus Bus 301 460 460 36 Washington St	City of Petersburg	0.09	14000	G	93%	1%	1%	2%	3%	0%	F	0.079	F		16000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																29000	G
ALT 301 Adams St	City of Petersburg	0.06	7500	G	99%	0%	0%	0%	0%	0%	F	NA			8200	G	
ALT 301 Adams St	City of Petersburg	0.16	7300	G	99%	0%	0%	0%	0%	0%	C	NA			8000	G	
460	Dinwiddie County	6.80	6100	G	88%	1%	1%	1%	10%	0%	F	0.076	F		6100	G	
460	Dinwiddie County	2.99	6300	G	88%	1%	1%	1%	10%	0%	F	0.08	F		6300	G	
460	Dinwiddie County	2.32	6500	A	88%	1%	1%	1%	10%	0%	C	0.105	A	0.615	6500	A	
460	Dinwiddie County	3.29	7300	G	88%	1%	1%	1%	10%	0%	F	0.076	F		7400	G	
460 New Cox Rd	Dinwiddie County	2.36	7700	G	88%	1%	1%	1%	10%	0%	F	0.079	F		7800	G	
460 Cox Rd	Dinwiddie County	2.12	9900	G	88%	1%	1%	1%	10%	0%	F	0.082	F		10000	G	
460 Cox Rd	Dinwiddie County	0.25	13000	G	88%	1%	1%	1%	10%	0%	F	0.088	F		13000	G	

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
460 Cox Rd	Dinwiddie County	2.00	13000	G	88%	1%	1%	1%	10%	0%	F	0.086	F		13000	G
460 Cox Rd	Dinwiddie County	0.61	17000	G	88%	1%	1%	1%	10%	0%	F	0.08	F		17000	G
460 Cox Rd	Dinwiddie County	0.18	17000	G	88%	1%	1%	1%	10%	0%	F	0.081	F		17000	G
460 Airport St	Dinwiddie County	1.21	16000	G	88%	1%	1%	1%	10%	0%	F	0.076	F		17000	G
460 Bus 460 Ramp	Dinwiddie County	0.19														See Bus US 460 for directional traffic volume estimates for this segment.
460 85	Dinwiddie County	1.77														See I-85 for directional traffic volume estimates for this segment.
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	A	85%	1%	1%	1%	12%	1%	F	0.1	A	0.527	36000	A
460 85	Dinwiddie County	1.18														See I-85 for directional traffic volume estimates for this segment.
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	A	88%	1%	1%	1%	10%	1%	C	NA				47000 A
460 85	City of Petersburg (Maint: 26)	1.01														See I-85 for directional traffic volume estimates for this segment.
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	A	88%	1%	1%	1%	10%	1%	C	0.048	A			47000 A
460 85	City of Petersburg (Maint: 26)	2.57														See I-85 for directional traffic volume estimates for this segment.
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		54000	A	88%	1%	1%	1%	10%	1%	F	0.094	A	0.571	53000	A
460 85 Ramp	City of Petersburg (Maint: 26)	0.10														See I-85 for directional traffic volume estimates for this segment.
	To:	I-85 S														
460 95 Ramp	City of Petersburg (Maint: 74)	0.06														See I-95 for directional traffic volume estimates for this segment.
	To:	Graham Rd														
460 95 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.07														See I-95 for directional traffic volume estimates for this segment.
	To:	I-95 SB Collector Ramp														
	From:	Ramp from US 301South														
460 95 460 Bus Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.18														See I-95 for directional traffic volume estimates for this segment.
	To:	Ramp from US 301North														
	From:	Ramp from US 301														
460 95 460 Bus Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.27														See I-95 for directional traffic volume estimates for this segment.
	To:	US 460														
	From:	I-95														
460 County Dr	City of Petersburg	0.60	18000	G	92%	0%	1%	1%	6%	0%	C	0.096	F		19000	G
	To:	SR 109 Hickory Hill Rd														

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
 County Dr	City of Petersburg	2.16	9300	A	89%	1%	1%	1%	8%	0%	C	0.101	A	0.51	9900	A
 County Dr	City of Petersburg	0.34	13000	G	89%	1%	1%	1%	8%	0%	F	0.087	F		14000	G
 Ramp	Dinwiddie County	0.20	NA								NA		NA			
 Ramp	Dinwiddie County	0.03	NA								NA		NA			
 Ramp	Dinwiddie County	0.02	NA								NA		NA			
 Airport St	Dinwiddie County	0.17	7000	G	98%	0%	1%	1%	1%	0%	F	0.086	F		7600	G
 1 Boydton Plank Rd	Dinwiddie County	1.69	12000	G	96%	1%	1%	1%	0%	F	0.090	F		13000	G	
 1 Boydton Plank Rd	Dinwiddie County	1.23	14000	G	97%	0%	1%	1%	0%	C	0.098	F		15000	G	
 1	Dinwiddie County	0.45	12000	A	98%	0%	1%	1%	0%	C	0.106	A	0.518	13000	A	
 1 Washington St	City of Petersburg	0.40	13000	G	98%	0%	1%	1%	0%	F	NA			13000	G	
 1 Washington St	City of Petersburg	0.18	13000	G	98%	0%	1%	1%	0%	F	NA			14000	G	
 1 Washington St	City of Petersburg	0.57	14000	G	96%	1%	1%	1%	0%	F	0.085	F		15000	G	
 Wythe St	City of Petersburg	1.08	7600	G	96%	1%	1%	1%	0%	C	0.082	F		8300	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							16000	G	96%	1%	1%				17000	G
 Wythe St	City of Petersburg	0.15	9200	G	96%	1%	1%	1%	0%	F	NA			10000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							19000	G	96%	1%	1%				20000	G
							SR 36 Market St									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
Bus 460 1 36 Wythe St	City of Petersburg	0.20	9900	G	96%	1%	1%	1%	1%	0%	F	NA		11000	G
Bus 460 1 ALT 301 36 Wythe St	City of Petersburg	0.20	12000	G	96%	1%	1%	1%	1%	0%	F	NA		13000	G
														29000	G
Bus 460 36 Wythe St	City of Petersburg	0.20	15000	G	97%	1%	1%	1%	1%	0%	C	0.087	F	17000	G
														34000	G
Bus 460 36 Wythe St	City of Petersburg	0.30	11000	G	97%	1%	1%	1%	1%	0%	F	0.079	F	12000	G
														25000	G
Bus 460 301 Crater Rd	City of Petersburg	0.98	11000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	12000	G
Bus 460 301 Crater Rd	City of Petersburg (Maint: 26)	0.09	11000	N	97%	1%	1%	0%	0%	0%	N	0.087	N	12000	N
Bus 460 301 Ramp US 301 S to I-95 S at Exit ???	City of Petersburg (Maint: 74)	0.20													
Bus 460 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.18													
Bus 460 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.27													
Bus 460 Ramp	City of Petersburg (Maint: 26)	0.24	NA									NA			NA
Bus 460 Ramp	City of Petersburg (Maint: 26)	0.27	NA									NA			NA
Bus 460 Ramp	City of Petersburg (Maint: 74)	0.11	NA									NA			NA
Bus 460 Ramp	City of Petersburg (Maint: 26)	0.08	NA									NA			NA
Bus 460 460 Ramp	Dinwiddie County	0.19	NA									NA			NA

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 460 Ramp	City of Petersburg (Maint: 26)	From: 0.17	CEUS 460 TO RTS 85 & 95 SOUTHBOUND	NA										NA		NA
	To: CEUS 460-P002A TO RTS 85 & 95 SOUTHBOUND															
Bus 460 Ramp	City of Petersburg (Maint: 74)	From: 0.20	CEUS 460 TO RT 95 NORTH	NA										NA		NA
	To: CEUS 460-P002B CEUS 460-6B FROM															
Bus 460 1 Washington St	City of Petersburg	From: 0.31	US 1 Wythe St Battersea Lane	G	97%	1%	1%	1%	1%	0%	F	0.089	F	9200	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000	G	96%	1%	1%	1%	1%	1%	0%	F	NA		17000	G	
Bus 460 1 Washington St	City of Petersburg	From: 0.40	123-9025 West St	G	97%	1%	1%	1%	1%	0%	F	0.089	F	9900	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	17000	G	97%	1%	1%	1%	1%	1%	0%	F	NA		18000	G	
Bus 460 1 Washington St	City of Petersburg	From: 0.27	123-9029 South St	G	97%	1%	1%	1%	1%	0%	C	0.087	F	10000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	19000	G	96%	1%	1%	1%	1%	1%	0%	F	NA		20000	G	
Bus 460 1 Washington St	City of Petersburg	From: 0.24	Guarantee St	G	97%	1%	1%	1%	1%	0%	F	0.088	F	10000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	19000	G	96%	1%	1%	1%	1%	1%	0%	F	NA		20000	G	
Bus 460 36 Washington St	City of Petersburg	From: 0.19	North Market St	G	93%	1%	1%	2%	3%	0%	F	NA		13000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	22000	G	95%	1%	1%	1%	1%	2%	0%	F	NA		24000	G	
Bus 460 ALT 301 36 Washington St	City of Petersburg	From: 0.09	ALT US 301 Par, Sycamore St	G	93%	1%	1%	2%	3%	0%	F	0.079	F	16000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	27000	G	95%	1%	1%	1%	1%	2%	0%	F	NA		29000	G	
Bus 460 ALT 301 36 Washington St	City of Petersburg	From: 0.10	ALT US 301 Par, Adams St	G	93%	1%	1%	2%	3%	0%	F	0.081	F	15000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	26000	G	95%	1%	1%	1%	1%	2%	0%	F	NA		29000	G	
Bus 460 36 Washington St	City of Petersburg	From: 0.24	US 1 Jefferson St	G	93%	1%	1%	2%	3%	0%	F	0.079	F	17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	31000	G	95%	1%	1%	1%	1%	2%	0%	F	NA		34000	G	
Bus 460 36 Washington St	City of Petersburg	From: 0.24	I-95	G	93%	1%	1%	2%	3%	0%	C	0.088	F	14000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	23000	G	95%	1%	1%	1%	1%	2%	0%	F	NA		25000	G	
Bus 460 301 Crater Rd	City of Petersburg	From: 0.10	US 301 Crater Rd	G	97%	1%	1%	0%	0%	0%	F	0.087	F	8500	G	
	To: SR 36, BUS US 460 Wythe St															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW				
							2Axle	3+Axle	1Trail	2Trail										
Bus 460 301 Crater Rd	City of Petersburg	From:	SR 36, BUS US 460 Wythe St									C	0.087	F		12000	G			
		To:	Maintenance Jurisdiction Change																	
Bus 460 Winfield Rd	City of Petersburg	From:	US 301 Crater Rd									C	0.096	F	0.969	1600	G			
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1500	G								NA			NA	NA			
Bus 460 Winfield Rd	City of Petersburg (Maint: 26)	From:	State Maintenance Boundary																	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1500	G								NA			NA	NA			
Bus 460 Ramp	City of Petersburg (Maint: 26)	From:	CEUS 460-P TO RTS 85 & 95 SOUTHBOUND											NA			NA			
		To:	CEUS 460-E006A TO RTS 85 & 95 SOUTHBOUND																	
Bus 460 Ramp	City of Petersburg (Maint: 74)	From:	CEUS 460-P002A TO RT 85 SOUTHBOUND											NA			NA			
		To:	CEUS 460-E006B CEUS 460-6B FROM																	
Bus 460 Ramp	Dinwiddie County	From:	M Bus 460											NA			NA			
		To:	I-85																	

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(F80) Buckskin Dr	0.21	8	R			From: SR 40 McKenney Hwy					NA		NA		05/14/2008	
			To: Dead End													
(F81) Frontage Rd	1.24	330	R			From: Dead End					NA		NA		05/19/2008	
			To: US 1 Boydton Plank Rd													
(F82) Plane Dr	0.20	60	R			From: US 1 Boydton Plank Rd					NA		NA		05/19/2008	
			To: 26-749													
(F83) Rock Rd	0.10	80	R			From: 26-603 Sterling Rd					NA		NA		05/15/2008	
			To: Dead End													
(F273) Mine Mountain Rd	0.14	60	R			From: Dead End					NA		NA		05/21/2008	
			To: FR-290 Front Rd													
(F290) Front Rd	0.51	1300	R			From: 26-1334; 26-1335					NA		NA		05/21/2008	
			To: Dead End													
City of Petersburg																
(F329) Lake Shore Dr	0.17	10	R			From: Dead End					NA		NA		03/17/2008	
			To: 74-1102 Lakeshore Dr													
(F330) N Normandy Dr	2.93	3700	R			From: Dead End					NA		NA		03/17/2008	
			To: FR-331 Service Rd													
(F331) Service Rd	0.78	1400	R			From: Dead End					NA		NA		03/17/2008	
			To: Dead End													
Dinwiddie County																
(F804)	0.19	60	R			From: Dead End					NA		NA		05/07/2008	
			To: US 460; 26-721													
(F805)	0.10	7	R			From: 26-627 Courthouse Rd					NA		NA		04/30/2008	
			To: Dead End													
(F806) Walkers Rd	0.50	70	R			From: 26-624 Coleman Lake Rd					NA		NA		04/30/2008	
			To: Dead End													
(F855) Blessing Lane	0.26	50	R			From: Dead End					NA		NA		05/05/2008	
			To: US 1 Boydton Plank Rd													
(600) Ferndale Rd	0.88	9900	G	98%	0%	1%	1%	0%	0%	C	0.1	F		11000	G	2010
			To: SR 226 Cox Rd													
(600) Ferndale Rd	0.53	6900	G	98%	0%	1%	1%	0%	0%	F	0.109	F		7500	G	2010
			To: Chesterfield County Line													
(601) River Rd	0.52	730	G	98%	0%	0%	1%	0%	0%	F	0.112	F	0.679	790	G	2010
			To: 26-708 Namozine Rd													
(601) River Rd	3.25	1500	G	98%	0%	0%	1%	0%	0%	F	0.108	F	0.651	1600	G	2010
			To: 26-743 Hart Rd													
(601) River Rd	1.92	6500	G	98%	0%	0%	1%	0%	0%	C	0.099	F	0.667	7000	G	2010
			To: 26-718 Henshaw Dr													
(601) River Rd	1.92	6500	G	98%	0%	0%	1%	0%	0%	C	0.099	F	0.667	7000	G	2010
			To: 26-600 River Rd													
(602) Corinth Dr	0.20	110	R			From: US 460 W; 26-622					NA		NA		04/28/2008	
			To: US 460 EAST													

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(603) Weakley Rd	0.50	1100	R											NA	05/19/2008	
						From:	26-672 Church Rd									
						To:	SR 142 Simpson Rd; 26-1320; Gap									
(603) Sterling Rd	0.23	1800	G	99%	1%	0%	0%	0%	0%	F	0.100	F	0.63	1900	G	2010
						From:	US 1; US 460; Gap									
(603) Sterling Rd	0.68	1800	G	99%	1%	0%	0%	0%	0%	C	0.103	F	0.559	2000	G	2010
						From:	26-1362 Oak Ct									
(603) Sterling Rd	0.27	1600	G	99%	1%	0%	0%	0%	0%	F	0.099	F	0.617	1700	G	2010
						From:	26-1319 Short St									
(603) Sterling Rd						To:	SR 226 Cox Rd									
(604) Halifax Rd	1.87	630	G	98%	0%	0%	0%	1%	0%	F	0.1	F	0.629	680	G	2010
						From:	Prince George County Line									
(604) Halifax Rd	2.96	1100	G	98%	0%	0%	0%	1%	0%	F	0.102	F	0.783	1200	G	2010
						From:	26-605 S, Ellington Rd									
(604) Halifax Rd	1.77	1600	G	98%	0%	0%	0%	1%	0%	F	0.1	F	0.746	1700	G	2010
						From:	26-607 Butler Branch Rd									
(604) Halifax Rd	0.60	1700	G	98%	0%	0%	0%	1%	0%	F	0.101	F	0.739	1800	G	2010
						From:	Urban Boundary									
(604) Halifax Rd	0.63	2500	G	98%	0%	0%	0%	1%	0%	C	0.094	F	0.565	2700	G	2010
						From:	26-677 Carson Rd									
(604) Halifax Rd						To:	SCL Petersburg									
(605) Hunnicut Rd	2.53	600	R											NA	05/15/2008	
						From:	US 1 Boydton Plank Rd									
(605) Old Vaughan Rd	3.20	430	R											NA	05/15/2008	
						To:	26-660 E, Quaker Rd									
(605) Old Vaughan Rd	0.08	800	G	95%	3%	0%	1%	1%	0%	C	0.100	F	0.607	860	G	2010
						From:	26-670 W, Old Stage Rd									
(605) Old Stage Rd	0.50	610	R											NA	05/15/2008	
						To:	26-670 E, Duncan Rd									
(605) Old Stage Rd						From:	26-669; Monks Neck Rd									
(605) Monks Neck Rd	4.49	370	R											NA	05/15/2008	
						To:	26-669 Old Stage Rd									
(605) Ellington Rd	1.40	350	R											NA	05/15/2008	
						From:	26-604 N, Halifax Rd									
(605) Ellington Rd						To:	26-604 S, Halifax Rd									
(605) Ellington Rd						From:	Prince George County Line									
(606) Reams Dr	2.00	410	R											NA	05/19/2008	
						From:	26-669 Old Stage Rd									
(606) Oak Grove Rd	1.40	220	R											NA	05/19/2008	
						To:	26-604 S, Halifax Rd									
(606) Oak Grove Rd						From:	26-604 N, Halifax Rd									
(607) Butler Branch Rd	1.50	370	R											NA	05/19/2008	
						To:	26-604 Halifax Rd									
(607) Butler Branch Rd						From:	Prince George County Line									
(608) Zion Rd	0.46	130	R											NA	04/28/2008	
						From:	US 460									
(608) Zion Rd						To:	26-622 Baltimore Rd									
(609) Cherry Hill Rd	0.80	150	R											NA	05/12/2008	
						From:	Brunswick County Line									
(609) Cherryhill Rd	3.40	30	R											NA	05/12/2008	
						To:	26-687 Cutbank Rd									
(609) Old Stage Rd	0.70	120	R											NA	05/12/2008	
						From:	26-616 Ridge Rd									
(609) Old Stage Rd						To:	SR 40 McKenney Hwy									

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(609) Cherry Hill Rd	2.30	50	R											NA	05/12/2008	
			From:	SR 40 McKenney Hwy												
			To:	26-619 S, Courthouse Rd												
(609) Old Stage Rd	1.58	190	R											NA	05/12/2008	
			From:	26-619 N, Courthouse Rd												
(609) Old Stage Rd	2.90	160	R											NA	06/08/2005	
			To:	26-664 Reese Rd												
(609) Old Stage Rd	2.20	340	G	93%	2%	0%	4%	1%	0%	C	0.096	F	0.529	360	G	2010
			From:	26-626 Flatfoot Rd												
			To:	26-670 Old Stage Rd; Shady Lane												
(610) Baskerville Mill Rd	1.40	140	G	95%	3%	1%	0%	2%	0%	C	0.135	F	0.81	150	G	2010
			From:	Brunswick County Line												
(610) Old White Oak Rd	0.50	150	G	95%	3%	1%	0%	2%	0%	F	0.107	F	0.73	160	G	2010
			To:	SR 40 McKenney Hwy; Old Cryors Rd												
(610) Old White Oak Rd	0.20	220	R											NA	04/28/2008	
			From:	26-650 Lew Jones Rd												
(610) Old White Oak Rd	2.40	170	R											NA	04/28/2008	
			To:	26-701 Quail Hollow Rd												
(610) Old White Oak Rd	1.40	210	R											NA	04/28/2008	
			From:	26-651 Whitmore Rd												
(610) Old White Oak Rd	1.20	280	R											NA	04/28/2008	
			To:	26-644 Brills Rd												
(610) Old White Oak Rd	2.30	20	R											NA	04/28/2008	
			From:	26-645 Scotts Rd												
(610) Old White Oak Rd	0.90	230	R											NA	04/28/2008	
			To:	26-622 Baltimore Rd												
(611) Wilkinson Rd	3.44	500	G	96%	3%	0%	0%	0%	0%	C	0.118	F	0.607	540	G	2010
			To:	26-627 Courthouse Rd												
(611) Wilkinson Rd	1.82	350	G	96%	3%	0%	0%	0%	0%	F	0.095	F	0.603	370	G	2010
			From:	26-613 White Oak Rd												
(611) Trinity Church Rd	3.25	170	G	96%	3%	0%	0%	0%	0%	F	0.099	F	0.535	180	G	2010
			To:	US 460												
(611) Trinity Church Rd	0.15	1000	R											NA	05/05/2008	
			To:	26-751 S; 26-752												
(611) Trinity Church Rd	0.92	880	R											NA	05/05/2008	
			From:	26-751 N; 26-716												
(611) Trinity Church Rd	0.79	460	R											NA	05/05/2008	
			To:	26-731 Ruth Hill Rd												
(611) Brown Rd	2.18	350	R											NA	05/05/2008	
			From:	26-723 Pearson Hardy Rd												
(611) Brown Rd	1.89	380	R											NA	05/05/2008	
			To:	26-627 Trinity Church Rd												
(611) Brown Rd	0.36	230	R											NA	05/05/2008	
			To:	26-708 E, Namozine Rd												
(611) Exeter Mill Rd	1.45	130	R											NA	05/05/2008	
			From:	26-708 W, Namozine Rd												
(611) Harpers Bridge Rd	0.10	260	G	96%	2%	1%	0%	1%	0%	F	0.115	F	0.567	270	G	2010
			To:	26-638 Harpers Rd												
			From:	Brunswick County Line												

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(612) Old Beaver Pond Rd	0.77	350	G	96%	2%	1%	0%	1%	0%	C	0.114	F	0.675	370	G	2010
			From:	26-638 Harpers Rd						To:	SR 40 Old Cryors Rd					
(613) Gills Bridge Rd	1.12	190	R											NA		05/05/2008
			From:	Brunswick County Line						To:	26-638 Harpers Rd					
(613) Gills Bridge Rd	1.92	190	R											NA		05/05/2008
			From:	26-651 Whitmore Rd						To:	SR 40 W. Darvills Rd					
(613) Gills Bridge Rd	1.82	150	R											NA		05/05/2008
			From:	SR 40 E. Darvills Rd						To:	SR 40 W. Darvills Rd					
(613) White Oak Rd	7.37	190	G	92%	3%	0%	1%	4%	0%	C	0.126	F	0.615	210	G	2010
			From:	26-622 Baltimore Rd						To:	26-622 Baltimore Rd					
(613) White Oak Rd	0.93	370	G	92%	3%	0%	1%	4%	0%	F	0.137	F	0.686	400	G	2010
			From:	26-646 Glebe Rd						To:	26-646 Glebe Rd					
(613) Whie Oak Rd	1.13	270	R											NA		05/07/2008
			From:	26-624 W. Coleman Lake Rd						To:	26-624 W. Coleman Lake Rd					
(613) White Oak Rd	1.93	430	R											NA		05/07/2008
			From:	26-611 Wilkinson Rd						To:	26-611 Wilkinson Rd					
(613) White Oak Rd	3.27	430	R											NA		05/07/2008
			From:	26-627; 26-645						To:	26-627; 26-645					
(613) White Oak Rd	1.38	350	R											NA		05/07/2008
			From:	26-628 Tranquility Lane						To:	26-628 Tranquility Lane					
(613) White Oak Rd	1.26	570	R											NA		05/07/2008
			From:	26-661 Boisseau Rd						To:	26-661 Boisseau Rd					
(613) White Oak Rd	1.77	1100	G	92%	3%	0%	1%	4%	0%	F	0.122	F	0.611	1200	G	2010
			From:	26-631 Claiborne Rd						To:	26-631 Claiborne Rd					
(613) White Oak Rd	1.71	1200	G	94%	2%	0%	2%	2%	0%	F	0.098	F	0.631	1400	G	2010
			From:	US 1 N, Boydton Plank Rd						To:	US 1 S, Boydton Plank Rd					
(613) Dabney Mill Rd	1.70	980	G	94%	2%	0%	2%	2%	0%	C	0.116	F	0.549	1100	G	2010
			From:	26-758 Steers Rd						To:	26-758 Steers Rd					
(613) Dabney Mill Rd	1.22	440	G	94%	2%	0%	2%	2%	0%	F	0.111	F	0.719	470	G	2010
			From:	26-670 W. Duncan Rd						To:	26-670 W. Duncan Rd					
(613) Dabney Mill Rd	0.51	430	G	94%	2%	0%	2%	2%	0%	F	0.109	F	0.576	460	G	2010
			From:	26-670 E. Duncan Rd						To:	26-670 E. Duncan Rd					
(613) Squirrel Level Rd	1.43	280	G	94%	2%	0%	2%	2%	0%	F	0.142	F	0.506	290	G	2010
			From:	26-742 Plantation Rd						To:	26-742 Plantation Rd					
(613) Squirrel Level Rd	0.86	370	G	94%	2%	0%	2%	2%	0%	F	0.111	F	0.581	400	G	2010
			From:	26-1120 Tanglewood Rd						To:	26-1120 Tanglewood Rd					
(613) Squirrel Level Rd	1.39	890	G	94%	2%	0%	2%	2%	0%	F	0.105	F	0.692	960	G	2010
			From:	26-741 Fort Emery Rd						To:	26-741 Fort Emery Rd					
(613) Squirrel Level Rd	0.43	1100	G	94%	2%	0%	2%	2%	0%	F	0.102	F	0.641	1200	G	2010
			From:	26-672 Church Rd						To:	26-672 Church Rd					
(613) Squirrel Level Rd	0.56	800	G	94%	2%	0%	2%	2%	0%	F	0.168	F	0.552	870	G	2010
			From:	26-676 Flank Rd						To:	26-676 Flank Rd					
(613) Squirrel Level Rd	1.03	810	G	94%	2%	0%	2%	2%	0%	F	0.164	F	0.544	890	G	2010
			From:	SCL Petersburg						To:	SCL Petersburg					
(614) Sunnyside Dr	1.23	360	R											NA		05/07/2008
			From:	SR 40 W, McKenney Hwy						To:	SR 40 W, McKenney Hwy					

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of McKenney																
(614) Sunnyside Dr	0.30	240	R								NA		NA		08/14/2002	
Dinwiddie County																
(615) Blue Tartan Rd	0.42	60	R								NA		NA		05/02/2005	
(615) Blue Tartan Rd	0.90	220	R								NA		NA		05/02/2005	
(616) Ridge Rd	2.20	70	R								NA		NA		05/12/2008	
(616) Ridge Rd	1.90	80	R								NA		NA		05/12/2008	
(617) Bolster Rd	1.50	270	R								NA		NA		05/12/2008	
(617) Bolster Rd	1.69	260	R								NA		NA		05/12/2008	
(618) Halligan Park Rd	1.20	320	R								NA		NA		05/19/2008	
(618) Halligan Park Rd	2.82	410	R								NA		NA		05/19/2008	
(619) Courthouse Rd	3.59	500	G	97%	1%	1%	0%	0%	0%	F	0.109	F	0.504	540	G	2010
(619) Courthouse Rd	7.05	630	G	97%	1%	1%	0%	0%	0%	F	0.095	F	0.545	670	G	2010
(619) Courthouse Rd	0.86	1300	G	97%	1%	1%	0%	0%	0%	F	0.103	F	0.634	1400	G	2010
(619) Courthouse Rd	1.06	1300	G	97%	1%	1%	0%	0%	0%	F	0.106	F	0.625	1400	G	2010
(619) Courthouse Rd	0.25	1500	G	97%	1%	1%	0%	0%	0%	F	0.105	F	0.62	1600	G	2010
(619) Courthouse Rd	0.59	1800	G	97%	1%	1%	0%	0%	0%	C	0.105	F	0.594	1900	G	2010
(620) Foster Rd	1.20	40	R								NA		NA		04/28/2008	
(620) White Oak Church Rd	1.80	420	R								NA		NA		04/28/2008	
(620) White Oak Church Rd	1.90	60	R								NA		NA		04/28/2008	
(621) Clay Street Rd	1.60	310	R								NA		NA		06/08/2005	
(621) Clay Street Rd	0.40	220	R								NA		NA		06/08/2005	
(622) Baltimore Rd	1.60	40	R								NA		NA		04/28/2008	

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(622) Baltimore Rd	3.70	60	R											NA	04/28/2008
(622) Baltimore Rd	0.80	110	R											NA	04/28/2008
(622) Baltimore Rd	3.50	770	G	93%	1%	1%	1%	5%	0%	C	0.117	F	0.635	820	G 2010
(622) Baltimore Rd	1.66	340	R											NA	04/28/2008
(622) Baltimore Rd	2.10	1100	R											NA	04/28/2008
(623)	2.00	590	R											NA	05/05/2008
(623) Sutherland Rd	3.28	970	R											NA	05/05/2008
(623) Sutherland Rd	0.62	1500	R											NA	05/05/2008
(623) Station Rd	0.42	200	R											NA	05/05/2008
(623) Station Rd	0.68	300	R											NA	05/05/2008
(624) Coleman Lake Rd	2.60	150	R											NA	04/30/2008
(624) Coleman Lake Rd	3.80	560	R											NA	04/30/2008
(624) Coleman Lake Rd	6.00	470	R											NA	04/30/2008
(625) Wells Rd	3.52	290	R											NA	04/28/2008
(626) Flatfoot Rd	5.67	320	G	95%	2%	1%	0%	3%	0%	F	0.133	F	0.521	350	G 2010
(626) Flatfoot Rd	4.09	450	G	95%	2%	1%	0%	3%	0%	F	0.120	F	0.639	490	G 2010
(626) Flatfoot Rd	0.43	1200	G	95%	2%	1%	0%	3%	0%	C	0.1	F	0.594	1200	G 2010
(627) Courthouse Rd	0.90	2600	G	97%	1%	0%	1%	1%	0%	C	0.129	F	0.583	2700	G 2010
(627) Courthouse Rd	1.40	2100	G	97%	1%	0%	1%	1%	0%	F	0.15	F	0.752	2200	G 2010
(627) Courthouse Rd	2.81	1900	R											NA	05/21/2008
(627) Courthouse Rd	2.61	2200	R											NA	05/21/2008
(627) Courthouse Rd	0.80	1000	R											NA	05/21/2008
(627) Trinity Church Rd	2.20	340	R											NA	05/21/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(628) Tranquility Lane	0.33	70	R								NA		NA		05/21/2008
(628) Tranquility Lane	3.10	70	R								NA		NA		05/21/2008
(628) Tranquility Lane	0.87	280	R								NA		NA		05/02/2005
(628) Tranquility Lane	0.70	590	R								NA		NA		05/21/2008
(628) Tranquility Lane	0.09	1100	R								NA		NA		05/21/2008
(629) Anderson Mill Rd	0.93	340	R								NA		NA		04/30/2008
(629) Anderson Mill Rd	0.25	10	R								NA		NA		04/30/2008
(630) Winfield Rd	0.30	290	R								NA		NA		05/12/2008
(631) Claiborne Rd	2.70	920	R								NA		NA		05/07/2008
(631) Claiborne Rd	0.80	2200	R								NA		NA		05/07/2008
(632) Butterwood Rd	3.00	800	R								NA		NA		05/07/2008
(632) Olgers Dr	1.20	1800	G 97% 1%	1% 0% 0%	0% 0% C	0.118	F	0.623			1900	G			2010
(633) Addison St	0.50	120	R								NA		NA		05/21/2008
(634) Pine Grove Pl	0.25	260	R								NA		NA		05/19/2008
(635) Hilltop Dr	0.40	330	R								NA		NA		05/07/2008
(636) Rocky Branch Rd	0.27	110	R								NA		NA		05/23/2005
(637) Madison Rd	0.49	120	R								NA		NA		04/30/2008
(638) Harpers Rd	2.00	250	R								NA		NA		05/05/2008
(638) Harpers Rd	1.20	280	R								NA		NA		05/05/2008
(639) Wilson Rd	0.90	280	R								NA		NA		04/28/2008
(639) Springston Rd/Wilson R	1.98	290	R								NA		NA		04/28/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(639) Grubby Rd	0.20	220	G	94%	4%	0%	1%	1%	0%	C	0.122	F	0.759	230	G	2010
(639) Wilson Rd	1.60	210	R											NA		04/28/2008
(639) Wilson Rd	1.40	290	R											NA		04/28/2008
(640) Hobbs Mill Rd	1.40	160	R											NA		04/28/2008
(641) Airport Rd	0.55	270	R											NA		05/22/2008
(642) W Zilles Rd	1.82	340	G	89%	1%	0%	1%	8%	0%	C	0.118	F	0.721	360	G	2010
(642) Grubby Rd	0.60	130	G	89%	1%	0%	1%	8%	0%	F	0.152	F	0.739	140	G	2010
(642) Grubby Rd	2.00	140	G	89%	1%	0%	1%	8%	0%	F	0.142	F	0.522	150	G	2010
(642) Grubby Rd	2.40	120	G	89%	1%	0%	1%	8%	0%	F	0.123	F	0.59	130	G	2010
(642) Continental Rd	1.52	80	R											NA		04/28/2008
(642) Continental Rd	0.83	70	R											NA		05/12/2005
(643) Zilles Rd	3.20	350	R											NA		05/27/2008
Town of McKenney																
(644) Depot Rd	0.20	590	G	93%	2%	1%	0%	4%	0%	F	0.125	F	0.616	630	G	2010
Dinwiddie County																
(644) Depot Rd	1.92	430	G	93%	2%	1%	0%	4%	0%	C	0.123	F	0.587	460	G	2010
(644) Brills Rd	2.50	390	R											NA		04/28/2008
(644) Brills Rd	2.50	110	R											NA		04/28/2008
(644) Brills Rd	2.50	120	R											NA		04/28/2008
(645) Scotts Rd	1.40	200	R											NA		05/07/2008
(645) Scotts Rd	1.80	430	R											NA		05/07/2008
(645) Scotts Rd	1.60	430	R											NA		05/07/2008
(645) Wheelers Pond Rd	0.70	290	R											NA		05/07/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(645) Wheelers Pond Rd	0.73	260	R											NA	05/07/2008	
(645) Wheelers Pond Rd	1.07	410	R											NA	05/07/2008	
(645) Wheelers Pond Rd	2.50	520	R											NA	05/07/2008	
(646) Glebe Rd	6.00	290	G	94%	0%	0%	1%	4%	0%	C	0.131	F	0.605	310	G	2010
(646) Glebe Rd			To:													
(647) Doyle Rd	1.00	40	R											NA	05/07/2008	
(647) Nash Rd	1.60	200	R											NA	05/07/2008	
(647) Nash Rd	2.24	350	R											NA	05/07/2008	
(647) Nash Rd	1.92	730	R											NA	05/07/2008	
(647) Nash Rd	0.94	880	R											NA	05/07/2008	
(648) Hudgins Rd	1.50	150	R											NA	05/07/2008	
(649) Snap Lodge Rd	0.50	50	R											NA	05/07/2008	
(650) Lew Jones Rd	1.60	46	G	99%	1%	0%	0%	0%	0%	F	0.146	F	0.571	49	G	2010
(650) Lew Jones Rd	1.10	240	G	99%	1%	0%	0%	0%	0%	F	0.108	F	0.667	260	G	2010
(650) Lew Jones Rd	1.60	400	G	99%	1%	0%	0%	0%	0%	F	0.105	F	0.717	430	G	2010
(650) Lew Jones Rd	0.80	410	G	99%	1%	0%	0%	0%	0%	F	0.103	F	0.783	440	G	2010
(650) Lew Jones Rd	2.50	450	G	99%	1%	0%	0%	0%	0%	C	0.116	F	0.807	490	G	2010
(650) Hamilton Arms Rd	0.15	1100	G	96%	1%	1%	0%	2%	0%	C	0.096	F	0.59	1200	G	2010
(650) Hamilton Arms Rd	0.68	1000	G	99%	1%	0%	0%	0%	0%	F	0.102	F	0.759	1100	G	2010
(650) Hawkins Church Rd	1.43	310	G	96%	1%	1%	0%	2%	0%	C	0.109	F	0.605	340	G	2010
(650) Hawkins Church Rd	2.20	190	G	96%	1%	1%	0%	2%	0%	F	0.12	F	0.597	210	G	2010
(650) Ramp	0.22	830	R											NA	1995	
(650) Ramp	0.22	420	R											NA	1995	

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(651) Whitmore Rd	2.40	350	R								NA		NA		05/27/2008
(651) Whitmore Rd	1.80	260	R								NA		NA		05/12/2005
(651) Mason Church Rd	2.25	250	R								NA		NA		05/05/2008
(651) Mason Church Rd	1.58	170	R								NA		NA		05/05/2008
(651) Mason Church Rd	1.27	350	R								NA		NA		05/05/2008
(652) Asbury Rd	1.56	340	R								NA		NA		05/14/2008
(653) Richie Rd	0.16	250	R								NA		NA		05/15/2008
(654) Rainey Rd	3.02	250	R								NA		NA		05/12/2008
(654) Rainey Rd	0.20	490	R								NA		NA		05/12/2008
(655) Little Deer Rd	0.58	20	R								NA		NA		05/12/2008
(656) Eppes Rd	1.20	80	R								NA		NA		05/07/2008
(656) Eppes Rd	1.20	190	R								NA		NA		05/07/2008
(656) Gatewood Rd	2.55	480	R								NA		NA		05/07/2008
(656) Gatewood Rd	0.90	150	R								NA		NA		05/07/2008
(657) Keelers Mill Rd	2.10	410	R								NA		NA		05/07/2008
(658) Branches Rd	1.61	300	R								NA		NA		05/07/2008
(658) Branches Rd	2.70	70	R								NA		NA		05/07/2008
(659) Jones Rd	0.90	90	R								NA		NA		05/12/2008
(659) Jones Rd	1.50	120	R								NA		NA		05/12/2008
(659) Bain Rd	1.40	220	R								NA		NA		05/12/2008
(660) Hardways Mill Rd	1.89	1100	R								NA		NA		05/15/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(660) Old Vaughan Rd	1.20	420	R			From:	26-703 Carson Rd							NA	05/15/2008	
						To:	26-605 W. Hunnicut Rd									
(660) Quaker Rd	2.40	410	R			From:	26-605 E; Old Vaughan Rd; Hunnicut Rd							NA	05/15/2008	
						To:	26-704 Blackwell Rd									
(660) Quaker Rd	1.20	590	R											NA	05/15/2008	
						To:	US 1 Boydton Plank Rd									
(661) Boisseau Rd	2.40	730	G	98%	1%	1%	0%	0%	0%	C	0.157	F	0.731	780	G	2010
						To:	26-613 White Oak Rd									
(662) Hardwood Creek Rd	1.20	60	R			From:	26-617 Bolster Rd							NA	05/12/2008	
						To:	26-619 Courthouse Rd									
(663) Bain Rd	1.20	80	R			From:	26-659 Jones Rd							NA	05/12/2008	
						To:	26-665 Walkers Mill Rd									
(664) Reese Rd	1.20	60	R			From:	Dead End							NA	05/12/2008	
						To:	26-609 Old Stage Rd									
(665) Walkers Mill Rd	0.70	570	R			From:	Sussex County Line							NA	05/12/2008	
						To:	26-617 Bolster Rd									
(665) Walkers Mill Rd	2.35	570	R			From:								NA	05/12/2008	
						To:	SR 40 McKenney Hwy									
(665) Walkers Mill Rd	1.44	220	R			From:								NA	05/12/2008	
						To:	26-728 Wingfield Rd									
(665) Walkers Mill Rd	2.76	200	R			From:								NA	05/12/2008	
						To:	26-626 Flatfoot Rd									
(665) Black Mill Rd	0.70	290	R			From:								NA	05/12/2008	
						To:	26-681 Black Branch Rd									
(665) Mortar Branch Rd	0.40	48	R			From:								NA	05/15/2008	
						To:	Dead End									
(666) Baugh Rd	1.20	100	R			From:	26-626 Flatfoot Rd							NA	05/19/2008	
						To:	26-670 Shady Lane									
(666) Baugh Rd	4.20	240	R			From:								NA	05/19/2008	
						To:	26-618 Halligan Park Rd									
(667) Malones Rd	3.20	140	R			From:	26-666 Baugh Rd							NA	05/19/2008	
						To:	26-703 Carson Rd									
(668) Brick Rd	1.90	220	R			From:	26-703 Carson Rd							NA	05/19/2008	
						To:	26-604 Halifax Rd									
(669) Old Stage Rd	3.30	420	R			From:	26-605 Monks Neck Rd; Old Stage Rd							NA	05/19/2008	
						To:	26-604 Halifax Rd									
(670) Shady Lane	1.82	150	R			From:	26-666 Baugh Rd							NA	05/04/2005	
						To:	1.82 MN 26-666 Baugh Rd									
(670) Shady Lane	0.04	100	R			From:								NA	05/19/2008	
						To:	26-682 Ole Bole Rd									
(670) Shady Lane	0.10	150	R			From:								NA	05/19/2008	
						To:	26-688 Sawmill Rd									

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(670) Shady Lane	0.77	170	R											NA	05/19/2008	
(670) Old Stage Rd	1.45	400	G	95%	1%	2%	0%	2%	0%	F	0.096	F	0.5	420	G	2010
(670) Old Stage Rd	2.51	290	G	95%	1%	2%	0%	2%	0%	F	0.100	F	0.641	310	G	2010
(670) Duncan Rd	2.29	640	G	95%	1%	2%	0%	2%	0%	F	0.098	F	0.671	690	G	2010
(670) Duncan Rd	2.07	520	G	95%	1%	2%	0%	2%	0%	F	0.1	F	0.517	550	G	2010
(670) Duncan Rd	1.21	780	G	95%	1%	2%	0%	2%	0%	F	0.106	F	0.590	840	G	2010
(670) Duncan Rd	1.49	1100	G	95%	1%	2%	0%	2%	0%	C	0.101	F	0.584	1200	G	2010
(671) Brownwall Rd	0.40	90	R											NA	05/22/2008	
(672) Church Rd	1.49	670	G	98%	1%	0%	1%	0%	0%	F	0.103	F	0.636	710	G	2010
(672) Church Rd	0.58	660	G	98%	1%	0%	1%	0%	0%	C	0.105	F	0.571	720	G	2010
(672) Weakley Rd	0.27	510	G	98%	0%	0%	1%	1%	0%	F	0.104	F	0.659	560	G	2010
(672) Weakley Rd	0.19	510	G	98%	0%	0%	1%	1%	0%	C	0.096	F	0.673	560	G	2010
(673) Smith Grove Rd	1.77	390	R											NA	05/22/2008	
(674) Wheaton Rd	1.85	130	R											NA	06/13/2005	
(675) Vaughan Rd	3.74	660	G	97%	0%	1%	1%	1%	0%	F	0.087	F	0.677	710	G	2010
(675) Vaughan Rd	0.90	1200	G	97%	0%	1%	1%	1%	0%	C	0.099	F	0.617	1200	G	2010
(675) Vaughan Rd	0.94	790	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.665	860	G	2010
(676) Flank Rd	0.80	580	R											NA	05/22/2008	
(677) Carson Dr	0.80	960	G	98%	0%	0%	1%	1%	0%	C	0.115	F	0.680	1000	G	2010
(678) Spain Dr	1.00	30	R											NA	05/19/2008	
(679)	1.45	210	R											NA	05/15/2008	

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
Dinwiddie County													
(680) Troublefield Rd	2.01	290	R			From: 26-681 Black Branch Rd				NA	NA	NA	05/19/2008
(680) Troublefield Rd	1.19	370	R			To: 2.01 ME 26-618 Halligan Park Rd				NA	NA	NA	05/15/2008
						From: 26-618 Halligan Park Rd							
(681) Black Branch Rd	1.80	300	R			From: Sussex County Line				NA	NA	NA	05/12/2008
						To: 26-665 Mortar Branch Rd; Black Mill Rd							
(682) Ole Bole Rd	0.70	110	R			From: 26-609 Old Stage Rd				NA	NA	NA	05/19/2008
						To: 26-670 Shady Lane							
(683) Continental Rd	0.45	120	R			From: 26-651 Whitmore Rd				NA	NA	NA	04/28/2008
						To: 26-707 Cantee Rd							
(683) Continental Rd	0.60	80	R			From: 0.60 MN 26-707				NA	NA	NA	04/28/2008
						To: Dead End							
(683) Continental Rd	0.20	50	R			From: Dead End				NA	NA	NA	06/08/2005
						To: US 460 Airport St							
(684) Airpark Dr	0.56	2300	R			From: Dead End				NA	NA	NA	05/22/2008
						To: US 460 Airport St							
(685) Oakley Dr	0.16	90	R			From: Dead End				NA	NA	NA	05/05/2008
						To: US 1 Boydton Plank Rd							
(686) Smith Grove Lane	0.20	40	R			From: 26-673 Smith Grove Rd				NA	NA	NA	05/22/2008
						To: Dead End							
(687) Cutbank Rd	0.10	100	R			From: 26-609 Cherryhill Rd				NA	NA	NA	06/06/2005
						To: 26-654 S, Rainey Rd							
(687) Cutbank Rd	1.54	30	R			From: 1.54 MN 26-654 S				NA	NA	NA	05/12/2008
						To: SR 40 McKenney Hwy							
(687) Cutbank Rd	1.62	300	R			From: 26-696 Bourdon Creek Rd				NA	NA	NA	05/12/2008
						To: SR 40 McKenney Hwy							
(688) Sawmill Rd	0.85	170	R			From: 26-670 Shady Lane				NA	NA	NA	05/19/2008
						To: 26-705 Fox Branch Rd							
(688) Sawmill Rd	1.28	30	R			From: 1.28 ME 26-705 Fox Branch Rd				NA	NA	NA	05/19/2008
						To: 26-667 Malones Rd							
(688) Sawmill Rd	0.27	70	R			From: 26-629 Anderson Mill Rd				NA	NA	NA	05/19/2008
						To: 26-628 Tranquility Lane							
(689) Bobcat Rd	0.60	180	R			From: 26-631 Claiborne Rd				NA	NA	NA	05/21/2008
						To: Dead End							
(690) Harris Dr	0.94	280	R			From: Dead End				NA	NA	NA	05/07/2008
						To: Dead End							
(691) Cryors Rd	1.00	140	R			From: SR 40 Old Cryors Rd				NA	NA	NA	05/05/2008
						To: SR 40 Old Cryors Rd							
(692) Spony Church Rd	1.89	60	R			From: Dead End				NA	NA	NA	05/12/2005
						To: SR 40 McKenney Hwy							

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
(692) Spony Church Rd	3.20	160	R								NA		NA		05/12/2005	
(692) Spony Church Rd	0.60	60	R								NA		NA		05/07/2008	
(693) Williamson Rd	2.87	210	R								NA		NA		05/27/2008	
(694) Old Pine Rd	0.70	70	R								NA		NA		06/08/2005	
(696) Bourdon Creek Rd	1.20	70	R								NA		NA		05/12/2008	
(697) Spicely Rd	0.40	110	R								NA		NA		05/12/2005	
(698) Double Branch Rd	1.20	150	R								NA		NA		05/12/2008	
(699) Horsetail Rd	1.89	60	R								NA		NA		05/27/2008	
(699) Horsetail Rd	1.41	50	R								NA		NA		05/27/2008	
(700) Boze Rd	0.88	60	R								NA		NA		04/28/2008	
(700) Hawkins Rd	2.54	250	R								NA		NA		05/12/2005	
(701) Quail Hollow Rd	0.60	20	R								NA		NA		04/28/2008	
(702) Lennie Rd	1.32	80	R								NA		NA		05/05/2008	
(703) Carson Rd	0.13	3700	G	96%	1%	1%	1%	1%	0%	F	0.095	F	4000	G	2010	
(703) Carson Rd	1.17	3600	G	96%	1%	1%	1%	1%	0%	C	0.097	F	0.504	3800	G	2010
(703) Carson Rd	5.18	880	G	93%	2%	1%	3%	1%	0%	C	0.097	F	0.681	950	G	2010
(703) Carson Rd	5.97	730	G	93%	2%	1%	3%	1%	0%	F	0.089	F	0.641	780	G	2010
(703) Carson Rd	0.09	1100	G	93%	2%	1%	3%	1%	0%	F	0.106	F	0.702	1100	G	2010
(703) Ramp	0.21	NA									NA		NA			
East (703) Ramp	0.31	NA									NA		NA			

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dinwiddie County																
West						From:	26-703 TO RT 85 NB									
(703) Ramp	0.24	NA				To:	I-85-N FROM RT 703							NA		
(704) Blackwell Rd	0.24	60	R			From:	Dead End							NA	05/15/2008	
(705) Fox Branch Rd	1.42	180	R			From:	26-688 Sawmill Rd							NA	05/19/2008	
(706) Old Cox Rd	0.55	220	R			From:	SR 226 W, Cox Rd							NA	05/27/2008	
(706) Old Cox Rd	0.15	190	R			From:	26-725 Cherokee Rd							NA	05/27/2008	
						To:	SR 226 E, Cox Rd									
(707) Cantree Rd	0.85	160	R			From:	26-683 Continental Rd							NA	04/28/2008	
						To:	26-651 Whitmore Rd									
(708) Namozine Rd	0.30	530	G	96%	0%	1%	1%	1%	0%	F	0.117	F	0.715	560	G	2010
						From:	Amelia County Line									
(708) Namozine Rd	5.93	960	G	96%	0%	1%	1%	1%	0%	C	0.109	F	0.777	1000	G	2010
						From:	26-746 Birdnest Rd									
(708) Namozine Rd	0.70	2200	G	96%	0%	1%	1%	1%	0%	F	0.095	F	0.685	2400	G	2010
						From:	26-601 River Rd									
						To:	US 460; 26-631									
(709) Shipping Rd	2.70	60	R			From:	26-609 Cherryhill Rd							NA	05/05/2008	
						To:	SR 40 McKenney Hwy									
(709) Shipping Rd	3.70	210	R			From:	26-656 Eppes Rd							NA	05/05/2008	
						To:	26-658 Branches Rd									
(709) Shipping Rd	1.70	410	R			From:	26-650 Hamilton Arms Rd							NA	05/05/2008	
						To:	Dead End									
(710) Cemetery Rd	0.85	30	R			From:	SCL McKenney							NA	05/07/2008	
						To:										
Town of McKenney																
(710) Cemetery Rd	0.11	9	R			From:	SCL McKenney							NA	08/27/2002	
						To:	SR 40 Doyle Blvd									
Dinwiddie County																
(711) Ridley Rd	1.30	40	R			From:	Dead End							NA	05/04/2005	
						To:	26-670 Old Stage Rd									
(712) Greentree Rd	0.55	30	R			From:	26-703 Carson Rd							NA	05/19/2008	
						To:	Dead End									
(713) Cutbank Church Rd	2.54	200	R			From:	US 1 Boydton Plank Rd							NA	05/12/2008	
						To:	26-687 Cutbank Rd									
(714) Lewis Rd	0.46	330	R			From:	US 1 Boydton Plank Rd							NA	05/19/2008	
						To:	Dead End									
(715) Patillo Rd	1.78	120	R			From:	26-645 Wheelers Pond Rd							NA	04/30/2008	
						To:	26-613 White Oak Rd									

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(716) Poole Siding Rd	0.36	110	R			From:	26-611; 26-751				NA		NA		04/30/2008
						To:	26-751 Cox Rd								
(717) Anderson Dr	0.50	45	R			From:	26-629 Anderson Mill Rd				NA		NA		05/02/2005
						To:	Dead End								
(718) Henshaw Rd	0.38	380	R			From:	26-601 River Rd				NA		NA		05/27/2008
						To:	Dead End								
(719) Lee Dr	0.39	240	R			From:	26-601 River Rd				NA		NA		05/27/2008
						To:	Dead End								
(720) Chestnut Dr	0.15	110	R			From:	26-601 River Rd				NA		NA		05/27/2008
						To:	Dead End								
(721) Pine Hill Rd	0.60	130	R			From:	US 460; FR-804				NA		NA		05/07/2008
						To:	Dead End								
(722) Abernathy Rd	0.81	20	R			From:	26-619 Courthouse Rd				NA		NA		05/12/2008
						To:	Dead End								
(723) Pearson Hardy Rd	0.58	120	R			From:	26-611 Wilkinson Rd				NA		NA		06/08/2005
						To:	Dead End								
(724) Springston Rd	0.58	240	R			From:	26-639 Springston Rd Wilson Rd				NA		NA		04/28/2008
						To:	US 460								
(725) Cherokee Rd	0.17	140	R			From:	Dead End				NA		NA		05/02/2005
						To:	26-706 Old Cox Rd								
(726) Mitchell Ave	0.23	170	R			From:	US 1 Boydton Plank Rd				NA		NA		05/05/2008
						To:	Dead End								
(727) Bethune Rd	0.79	320	R			From:	Dead End				NA		NA		05/22/2008
						To:	26-675 Vaughan Rd								
(728) Wingfield Rd	0.34	60	R			From:	Dead End				NA		NA		06/08/2005
						To:	26-665 Walkers Mill Rd								
(729) Spriggs Rd	0.53	80	R			From:	26-661 Boisseau Rd				NA		NA		05/02/2005
						To:	Dead End								
(730) Williams Rd	0.28	70	R			From:	US 460 Cox Rd				NA		NA		05/02/2005
						To:	Dead End								
(731) Ruth Hill Rd	0.02	190	R			From:	26-611 Wilkinson Rd				NA		NA		04/30/2008
						To:	0.02 ME 26-611 Wilkinson Rd								
(731) Ruth Hill Rd	0.40	210	R			From:	Dead End				NA		NA		04/30/2008
						To:	Dead End								
(732) Davis Rd	0.60	360	R			From:	Dead End				NA		NA		04/30/2008
						To:	26-627 Courthouse Rd								
(733) Little Zion Rd	1.20	220	R			From:	26-670 Old Stage Rd				NA		NA		05/19/2008
						To:	26-703 Carson Rd								

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(734) Rainey Rd	3.14	190	R			From:	26-619 Courthouse Rd				NA		NA		05/07/2008
			To:			26-626 Flatfoot Rd									
(735) Goose Pond Rd	1.40	60	R			From:	26-619 Courthouse Rd				NA		NA		05/07/2008
			To:			Dead End									
(736) Barnes Rd	0.50	60	R			From:	26-659 Bain Rd; Jones Rd				NA		NA		05/12/2008
			To:			Dead End									
(737) Booth Rd	1.60	20	R			From:	26-665 Walkers Mill Rd				NA		NA		05/12/2008
			To:			26-626 Flatfoot Rd									
(738) Scotts Rd	1.33	520	R			From:	26-645 Wheelers Pond Rd; Scotts Rd				NA		NA		05/07/2008
			To:			26-647 Nash Rd									
(739) Midway Rd	1.70	480	R			From:	26-751 Cox Rd				NA		NA		05/27/2008
			To:			26-708 Namozine Rd									
(740) Turkey Egg Rd	1.50	1900	R			From:	26-627 Courthouse Rd				NA		NA		05/15/2008
			To:			US 1 Boydton Plank Rd									
(741) Fort Emory Rd	0.70	510	R			From:	26-613 Squirrel Level Rd				NA		NA		05/22/2008
			To:			26-675 Vaughan Rd									
(742) Plantation Rd	0.50	270	R			From:	26-613 Squirrel Level Rd				NA		NA		05/22/2008
			To:			26-675 Vaughan Rd									
(743) Hart Rd	0.57	470	R			From:	US 460 Cox Rd				NA		NA		05/07/2008
			To:			26-601 River Rd									
(744) McKissicks Rd	0.70	80	R			From:	26-644 Brills Rd				NA		NA		04/28/2008
			To:			Dead End									
(745) Fisher Rd	0.20	50	R			From:	Dead End				NA		NA		05/05/2008
			To:			26-651 Mason Church Rd									
(746) Birdnest Rd	0.95	90	R			From:	26-708 Namozine Rd				NA		NA		05/02/2005
			To:			Dead End									
(747) Wheelers Lane	0.35	10	R			From:	26-611 Wilkinson Rd				NA		NA		05/05/2008
			To:			Dead End									
(748) Unico Rd	0.49	180	R			From:	Dead End				NA		NA		05/14/2008
			To:			26-652 Asbury Rd									
(749)	0.04	50	R			From:	FR-82 Plane Dr				NA		NA		05/19/2008
			To:			Dead End									
(750) Oxford Rd	1.51	590	R			From:	26-623 Southerland Rd				NA		NA		05/05/2008
			To:			Dead End									
(751) Cox Rd	0.74	480	R			From:	Dead End				NA		NA		04/30/2008
			To:			26-611 W; 26-752									
(751) Cox Rd	0.26	1500	R			From:	26-611 E; 26-716				NA		NA		04/30/2008
			To:			26-611 E; 26-716									

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(751) Cox Rd	3.25	1600	R								NA		NA		04/30/2008
(751) Cox Rd	2.67	2100	R								NA		NA		04/30/2008
(752) Siding Dr	0.40	150	R								NA		NA		04/30/2008
(753) Siding Dr	0.40	160	R								NA		NA		04/30/2008
(754) Anderson Mill Rd	0.88	210	R								NA		NA		04/30/2008
(755) Slates Rd	0.50	90	R								NA		NA		04/30/2008
(756) Slates Rd	0.28	60	R								NA		NA		05/07/2008
(757) Marmorra Dr	0.62	100	R								NA		NA		05/05/2008
(758) Steers Rd	0.39	190	R								NA		NA		05/22/2008
(759) Gunn Rd	0.57	9	R								NA		NA		05/05/2008
(760) Sutherland Ave	0.37	90	R								NA		NA		05/05/2008
(764) Oxford Rd	0.33	200	R								NA		NA		05/05/2008
(770) Olde Keswick Lane	0.08	50	R								NA		NA		05/27/2008
(775) Hoffeimer Way	0.92	1900	R								NA		NA		06/13/2005
(776) Chesdin Lake Rd	0.57	300	R								NA		NA		05/22/2008
(1001) Margarita Ragsdale St	0.02	2	R								NA		NA		05/14/2008
Town of McKenney															
(1001) Bolling Rd	0.02	4	R								NA		NA		05/14/2008
(1001) Bolling Rd	0.10	130	R								NA		NA		05/14/2008
(1001) Bolling Rd	0.32	420	R								NA		NA		05/14/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of McKenney															
(1001) Bolling Rd	0.13	870	R								NA		NA		05/14/2008
(1001) Rives Ave	0.16	720	R								NA		NA		05/14/2008
(1001) Rives Ave	0.07	710	R								NA		NA		05/14/2008
(1001) Rives Ave	0.07	710	R								NA		NA		05/14/2008
(1001) Rives Ave	0.07	700	R								NA		NA		05/14/2008
(1001) Rives Ave	0.03	170	R								NA		NA		05/14/2008
(1002) Railroad Ave	0.10	170	R								NA		NA		05/14/2008
(1003) First St	0.02	20	R								NA		NA		05/14/2008
(1003) First St	0.15	70	R								NA		NA		05/14/2008
(1003) First St	0.03	280	R								NA		NA		05/14/2008
(1003) First St	0.10	670	R								NA		NA		05/14/2008
(1004) Second St	0.09	100	R								NA		NA		05/15/2008
(1005) Third St	0.14	90	R								NA		NA		05/15/2008
(1005) Third St	0.23	250	R								NA		NA		05/15/2008
(1006) Fourth St	0.08	40	R								NA		NA		05/15/2008
(1007) Fifth St	0.08	70	R								NA		NA		05/15/2008
(1007) Fifth St	0.11	130	R								NA		NA		05/15/2008
(1008) Zehmer Ave	0.07	40	R								NA		NA		05/15/2008
(1008) Zehmer Ave	0.19	60	R								NA		NA		05/15/2008
Dinwiddie County															
(1009) Westover Rd	0.65	240	R								NA		NA		05/14/2008
(1009) Westover Dr	0.27	240	R								NA		NA		05/14/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of McKenney															
(1009) Westover Dr	0.13	220	R			From:	26-1005 Third St				NA		NA		05/14/2008
			To:				26-1003 First St								
(1010) Jack Zehmer Rd	0.25	70	R			From:	SCL McKenney				NA		NA		05/14/2008
			To:				26-1012 Factory St								
(1010) Jack Zehmer Rd	0.04	40	R			From:	26-1012 Factory St				NA		NA		05/14/2008
			To:				26-1003 First St								
(1011) Community St	0.05	90	R			From:	Dead End				NA		NA		05/14/2008
			To:				26-614 Sunnyside Dr								
(1012) Factory St	0.10	50	R			From:	26-1010 Jack Zehmer Rd				NA		NA		05/14/2008
			To:				Dead End								
(1013) Johnson St	0.08	300	R			From:	SR 40 Doyle Blvd				NA		NA		05/14/2008
			To:				26-1001 Bolling Rd								
(1014) Denbigh St	0.08	100	R			From:	26-1001 Bolling Rd				NA		NA		05/14/2008
			To:				ECL McKenney								
Dinwiddie County															
(1014) Denbigh St	0.31	100	R			From:	ECL McKenney				NA		NA		05/14/2008
			To:				Dead End								
Town of McKenney															
(1015) Bethel Rd	0.10	50	R			From:	Dead End				NA		NA		05/12/2005
			To:				US 1 Boydton Plank Rd								
Dinwiddie County															
(1020) Seaboard Dr	0.08	130	R			From:	26-644 Depot Rd				NA		NA		06/08/2005
			To:				26-1021 Southern Ave								
(1021) Southern Ave	0.12	45	R			From:	Dead End				NA		NA		06/08/2005
			To:				26-1020 Seaboard Dr								
(1021) Southern Ave	0.09	70	R			From:	26-1020 Seaboard Dr				NA		NA		06/08/2005
			To:				Dead End								
(1039) Shannon Rd	0.30	90	R			From:	Dead End				NA		NA		05/22/2008
			To:				26-611 Wilkerson Rd								
(1040) Greenhead Dr	0.55	350	R			From:	26-675 Vaughan Rd				NA		NA		05/22/2008
			To:				26-1042 Woody Ct								
(1041) Greenhead Ct	0.04	20	R			From:	Dead End				NA		NA		05/22/2008
			To:				26-1040 Greenhead Dr								
(1042) Woody Ct	0.15	120	R			From:	Dead End				NA		NA		05/22/2008
			To:				Dead End								
(1101) Acorn Dr	0.30	70	R			From:	26-604 Halifax Rd				NA		NA		06/08/2005
			To:				26-606 Oak Grove Rd								
(1102)	0.46	NA				From:	Cul-de-Sac				NA		NA		
			To:				US 1 Boydton Plank Rd								

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1103)	0.20	NA				From:	Cul-de-Sac				NA		NA		
						To:	26-1102								
(1110) Dabney Dr	0.31	60	R			From:	26-1111 Anne Rd				NA		NA	05/02/2005	
						To:	26-1113 Charlotte Rd								
(1110) Dabney Dr	0.21	140	R			From:	26-1113 Charlotte Rd				NA		NA	05/02/2005	
						To:	26-613 White Oak Rd								
(1111) Anne Rd	0.16	60	R			From:	26-1112 Gibson Dr				NA		NA	05/02/2005	
						To:	26-1110 Dabney Dr								
(1112) Gibson Dr	0.31	70	R			From:	26-1111 Anne Rd				NA		NA	05/02/2005	
						To:	26-1113 Charlotte Rd								
(1112) Gibson Dr	0.13	100	R			From:	26-1113 Charlotte Rd				NA		NA	05/02/2005	
						To:	26-613 White Oak Rd								
(1113) Charlotte Rd	0.16	40	R			From:	26-1112 Gibson Dr				NA		NA	05/02/2005	
						To:	26-1110 Dabney Dr								
(1120) Tanglewood Dr	0.25	470	R			From:	26-1122 Northwood Dr				NA		NA	06/08/2005	
						To:	26-1121 Southwood Dr								
(1120) Tanglewood Dr	0.10	570	R			From:	26-1121 Southwood Dr				NA		NA	06/08/2005	
						To:	26-613 Squirrel Level Rd								
(1121) Southwood Dr	0.14	110	R			From:	Dead End				NA		NA	06/08/2005	
						To:	26-1120 Tanglewood Dr								
(1122) Northwood Dr	0.08	310	R			From:	26-1123 Circlewood Dr				NA		NA	06/08/2005	
						To:	26-1120 Tanglewood Dr								
(1123) Circlewood Dr	0.46	300	R			From:	26-1122 Northwood Dr				NA		NA	06/08/2005	
						To:	Dead End								
(1201) McKenney Ave	0.25	90	R			From:	Dead End				NA		NA	05/12/2005	
						To:	US 1; 26-650								
(1207)	0.46	NA				From:	26-623 Sutherland Rd				NA		NA		
						To:	26-1208								
(1208)	0.12	NA				From:	Dead End				NA		NA		
						To:	26-1207								
(1208)	0.27	NA				From:	Dead End				NA		NA		
						To:	26-1207								
(1210) Waterford Dr	0.45	100	R			From:	Cul-de-Sac				NA		NA	06/13/2005	
						To:	26-750 Oxford Rd								
(1240) Wrenn Forest Dr	0.21	560	R			From:	Cul-de-Sac				NA		NA	06/13/2005	
						To:	26-601 River Rd								
(1241) Swan Circle	0.15	80	R			From:	26-1243 Canvasback Ct				NA		NA	06/13/2005	
						To:	26-1240 Wrenn Forest Dr								
(1242) Pintail Lane	0.11	70	R			From:	26-1243 Canvasback Ct				NA		NA	06/13/2005	
						To:	26-1240 Wrenn Forest Dr								

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1242) Pintail Lane	0.23	270	R			From:	26-1240 Wrenn Forest Dr							NA	05/27/2008
			To:				26-1246 Pheasant Ct								
(1243) Canvasback Ct	0.23	60	R			From:	Cul-de-Sac							NA	06/13/2005
			To:				Cul-de-Sac								
(1244) Pintail Lane	0.08	100	R			From:	26-1242 Pintail Lane							NA	05/27/2008
			To:				Cul-de-Sac								
(1245) Teal Circle	0.06	70	R			From:	26-1242 Pintail Lane							NA	05/27/2008
			To:				Cul-de-Sac								
(1246) Pheasant Ct	0.22	220	R			From:	Cul-de-Sac							NA	05/27/2008
			To:				26-1242 Pintail Lane								
(1246) Pheasant Ct	0.09	200	R			From:	SR 226 Cox Rd							NA	05/27/2008
			To:				Cul-de-Sac								
(1301) Lee Blvd	0.23	590	R			From:	26-1332 Hill St							NA	05/16/2005
			To:				Dead End								
(1302) Dinwiddie Ave	0.10	120	R			From:	26-1306 Roanoke St							NA	05/18/2005
			To:				26-1348 Potomac St								
(1302) Dinwiddie Ave	0.03	190	R			From:	26-1309 York St							NA	05/18/2005
			To:				US 1 Boydton Plank Rd								
(1303) Simmons Ave	0.37	220	R			From:	Dead End							NA	05/18/2005
			To:				FR-290 Front Rd								
(1303) Simmons Ave	0.03	2200	R			From:	US 1 Boydton Plank Rd							NA	05/18/2005
			To:				26-1349 Warwick St								
(1304) Nottoway Ave	0.10	170	R			From:	26-1306 Roanoke St							NA	05/18/2005
			To:				26-1348 Potomac St								
(1304) Nottoway Ave	0.10	210	R			From:	US 1 Boydton Plank Rd							NA	05/18/2005
			To:				26-1349 Warwick St								
(1304) Nottoway Ave	0.13	250	R			From:	Dead End							NA	05/18/2005
			To:				FR-290 Front Rd								
(1305) Surry Ave	0.14	230	R			From:	US 1 Boydton Plank Rd							NA	05/18/2005
			To:				26-1350 Pagan St								
(1305) Surry Ave	0.19	340	R			From:	26-1306 Roanoke St							NA	05/18/2005
			To:				26-1348 Potomac St								
(1305) Surry Ave	0.09	430	R			From:	US 1 Boydton Plank Rd							NA	05/18/2005
			To:				26-1349 Warwick St								
(1305) Surry Ave	0.11	530	R			From:	Dead End							NA	05/18/2005
			To:				FR-290 Front Rd								
(1306) Roanoke St	0.04	110	R			From:	US 1 Boydton Plank Rd							NA	05/18/2005
			To:				26-1305 Surry Ave								
							26-1308 Greensville Ave								

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1306) Roanoke St	0.04	140	R								NA		NA		05/18/2005
(1306) Roanoke St	0.04	130	R								NA		NA		05/18/2005
(1306) Roanoke St	0.04	100	R								NA		NA		05/18/2005
(1307) Brunswick Ave	0.10	210	R								NA		NA		05/18/2005
(1307) Brunswick Ave	0.10	280	R								NA		NA		05/18/2005
(1307) Brunswick Ave	0.12	330	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.13	60	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.09	370	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.10	500	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.09	550	R								NA		NA		05/18/2005
(1308) Greenville Ave	0.12	620	R								NA		NA		05/18/2005
(1309) York St	0.10	47	R								NA		NA		05/18/2005
(1310) Rockdale Rd	0.10	90	R								NA		NA		05/16/2005
(1310) Cedar Hart Rd	0.11	1800	R								NA		NA		05/16/2005
(1310) Cedar Hart Rd	0.10	1700	R								NA		NA		05/16/2005
(1311) Grant Ave	0.31	310	R								NA		NA		05/16/2005
(1311) Grant Ave	0.10	80	R								NA		NA		05/16/2005
(1312) Sunset Dr	0.12	1000	R								NA		NA		05/16/2005
(1313) Franklin St	0.22	1000	R								NA		NA		05/16/2005
(1314) Glendale Ave	0.03	20	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.12	140	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.10	170	R								NA		NA		05/23/2005

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1314) Glendale Ave	0.06	220	R			From:	26-1315 Del Keith Rd				NA		NA		05/23/2005
						To:	SR 226 Cox Rd								
(1315) Del Keith Rd	0.06	70	R			From:	26-603 Sterling Rd				NA		NA		05/23/2005
						To:	26-1316 Meridan Ave								
(1315) Del Keith Rd	0.11	80	R			From:	26-1316 Meridan Ave				NA		NA		05/23/2005
						To:	26-1314 Glendale Ave								
(1316) Meridan Ave	0.07	50	R			From:	26-1317 Meadow Lane				NA		NA		05/23/2005
						To:	26-1319 Short St								
(1316) Meridan Ave	0.06	170	R			From:	26-1319 Short St				NA		NA		05/23/2005
						To:	26-1318 Callear Rd								
(1316) Meridan Ave	0.10	80	R			From:	26-1318 Callear Rd				NA		NA		05/23/2005
						To:	26-1315 Del Keith Rd								
(1317) Meadow Lane	0.07	70	R			From:	26-1316 Meridan Ave				NA		NA		05/23/2005
						To:	26-1314 Glendale Ave								
(1318) Callear Rd	0.13	100	R			From:	26-1316 Meridan Ave				NA		NA		05/23/2005
						To:	26-1314 Glendale Ave								
(1319) Short St	0.06	180	R			From:	26-603 Sterling Rd				NA		NA		05/23/2005
						To:	26-1316 Meridan Ave								
(1320) Ritchie Ave	0.09	200	R			From:	26-1362 Oak Ct				NA		NA		05/23/2005
						To:	26-1363 Cross St								
(1320) Ritchie Ave	0.13	190	R			From:	26-1363 Cross St				NA		NA		05/23/2005
						To:	US 1 Boydton Plank Rd; SR 142 Simpson Rd								
(1321) Ashley Lane	0.18	190	R			From:	Dead End				NA		NA		05/16/2005
						To:	26-601 River Rd								
(1322) Harwell Dr	0.14	290	R			From:	Dead End				NA		NA		05/23/2005
						To:	US 1 Boydton Plank Rd								
(1323) West Dr	0.40	390	R			From:	26-600 Ferndale Rd				NA		NA		05/16/2005
						To:	Dead End								
(1324) Ford Ave	0.15	1200	R			From:	26-1363 Cross St				NA		NA		05/23/2005
						To:	US 1 Boydton Plank Rd								
(1325) Creek Ave	0.21	220	R			From:	Cul-de-Sac				NA		NA		05/23/2005
						To:	26-1326 Mt Pleasant St								
(1325) Creek Ave	0.06	290	R			From:	26-1326 Mt Pleasant St				NA		NA		05/23/2005
						To:	SR 226 Cox Rd								
(1326) Mt Pleasant St	0.21	60	R			From:	26-1325 Creek Ave				NA		NA		05/23/2005
						To:	26-1327 Cedar Lane								
(1327) Cedar Lane	0.05	130	R			From:	26-1326 Mt Pleasant St				NA		NA		05/23/2005
						To:	SR 226 Cox Rd								
(1328) Pinecroft Rd	0.10	70	R			From:	Dead End				NA		NA		05/16/2005
						To:	26-1329 Brookdale Rd								

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1328) Pinecroft Rd	0.12	200	R								NA		NA		05/16/2005
			From:			26-1329 Brooksdale Rd									
			To:												
(1328) Pinecroft Rd	0.07	390	R								NA		NA		05/16/2005
			From:			26-1330 Balsam Lane									
			To:												
(1329) Brooksdale Rd	0.06	180	R								NA		NA		05/16/2005
			From:			26-1330 Balsam Lane									
			To:												
(1330) Balsam Lane	0.17	190	R								NA		NA		05/16/2005
			From:			26-1329 Brooksdale Rd									
			To:												
(1331) Creek Circle	0.03	40	R								NA		NA		06/13/2005
			From:			26-1325 Creek Ave									
			To:												
(1332) Hill St	0.05	190	R								NA		NA		05/16/2005
			From:			26-1301 Lee Blvd									
			To:												
(1333) Ferndale Circle	0.54	300	R								NA		NA		05/16/2005
			From:			26-600 Ferndale Rd									
			To:												
(1334) Floyd Ave	0.12	40	R								NA		NA		05/23/2005
			From:			Dead End									
			To:												
(1334) Floyd Ave	0.22	530	R								NA		NA		05/23/2005
			From:			26-1336 Forest Ave									
			To:												
(1335) Church Rd	0.19	280	R								NA		NA		05/23/2005
			From:			0.19 MS FR-290									
			To:												
(1335) Church Rd	0.08	20	R								NA		NA		05/23/2005
			From:			FR-290; 26-1334									
			To:												
(1336) Forest Ave	0.30	410	R								NA		NA		05/23/2005
			From:			26-1334 Floyd Ave									
			To:												
(1337) James Ave	0.12	80	R								NA		NA		05/23/2005
			From:			Dead End									
			To:												
(1338) Shadyside Dr	0.20	160	R								NA		NA		05/23/2005
			From:			26-1335 Church Rd									
			To:												
(1339) Creek Lane	0.45	50	R								NA		NA		05/23/2005
			From:			26-1325 Creek Ave									
			To:												
(1340) Fairway Lane	0.15	50	R								NA		NA		05/15/2008
			From:			SR 226 Cox Rd									
			To:												
(1340) Fairway Lane	0.09	270	R								NA		NA		05/18/2005
			From:			26-1341 Driver Rd									
			To:												
(1340) Fairway Lane	0.12	80	R								NA		NA		05/18/2005
			From:			26-1342 Wedgewood Rd									
			To:												
(1341) Driver Rd	0.17	150	R								NA		NA		05/18/2005
			From:			26-1343 Greenway Rd									
			To:												
(1342) Wedgewood Rd	0.20	110	R								NA		NA		05/18/2005
			From:			26-1343 Greenway Rd									
			To:												

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1343) Greenway Rd	0.09	100	R			From:	26-1341 Driver Rd							NA	05/18/2005
			To:			26-1342 Wedgewood Rd									
(1344) Orchard Rd	0.09	320	R			From:	SR 226 Cox Rd							NA	05/16/2005
			To:			26-1345 Steven Ave									
(1344) Orchard Rd	0.09	270	R			From:	26-1346 Wayne Ave							NA	05/16/2005
			To:			Dead End									
(1345) Steven Ave	0.06	40	R			From:								NA	05/18/2005
			To:			26-1344 Orchard Rd									
(1345) Steven Ave	0.04	40	R			From:								NA	05/18/2005
			To:			Dead End									
(1346) Wayne Ave	0.07	30	R			From:								NA	05/18/2005
			To:			26-1344 Orchard Rd									
(1346) Wayne Ave	0.04	210	R			From:								NA	05/18/2005
			To:			26-1347 Orchard Dr									
(1346) Wayne Ave	0.01	47	R			From:								NA	05/18/2005
			To:			Dead End									
(1347) Orchard Dr	0.17	130	R			From:								NA	05/18/2005
			To:			26-1346 Wayne Ave									
(1348) Potomac St	0.04	120	R			From:								NA	05/23/2005
			To:			26-1305 Surry Ave									
(1348) Potomac St	0.04	150	R			From:								NA	05/23/2005
			To:			26-1308 Greenville Ave									
(1348) Potomac St	0.04	130	R			From:								NA	05/23/2005
			To:			26-1307 Brunswick Ave									
(1348) Potomac St	0.04	120	R			From:								NA	05/23/2005
			To:			26-1304 Nottoway Ave									
(1349) Warwick St	0.04	130	R			From:								NA	05/18/2005
			To:			26-1308 Greenville Ave									
(1349) Warwick St	0.04	80	R			From:								NA	05/18/2005
			To:			26-1307 Brunswick Ave									
			To:			26-1304 Nottoway Ave									
(1350) Pagan St	0.04	50	R			From:								NA	05/18/2005
			To:			26-1305 Surry Ave									
			To:			26-1308 Greenville Ave									
(1352) Elsie Dr	0.19	260	R			From:								NA	05/16/2005
			To:			26-601 River Rd									
(1352) Elsie Dr	0.10	120	R			From:								NA	05/16/2005
			To:			26-1354 Mark Dr									
			To:			Cul-de-Sac									
(1353) Susie Dr	0.19	280	R			From:								NA	05/16/2005
			To:			26-601 River Rd									
(1353) Susie Dr	0.10	100	R			From:								NA	05/16/2005
			To:			26-1354 Mark Dr									
			To:			Cul-de-Sac									
(1354) Mark Dr	0.08	60	R			From:								NA	05/16/2005
			To:			26-1352 Elsie Dr									
			To:			26-1353 Susie Dr									

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1354) Mark Dr	0.12	70	R								NA		NA		05/27/2008
(1354) Mark Dr	0.07	60	R								NA		NA		05/27/2008
(1355) E Autumn Dr	0.18	550	R								NA		NA		05/27/2008
(1355) E Autumn Dr	0.07	190	R								NA		NA		05/16/2005
(1355) E Autumn Dr	0.10	140	R								NA		NA		05/16/2005
(1355) W Autumn Dr	0.28	250	R								NA		NA		05/23/2005
(1355) W Autumn Dr	0.13	380	R								NA		NA		05/23/2005
(1356) Sparrow Ct	0.09	50	R								NA		NA		05/27/2008
(1356) Sparrow Ct	0.06	90	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.26	150	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.13	250	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.08	670	R								NA		NA		05/27/2008
(1358) Mansfield Dr	0.03	20	R								NA		NA		05/27/2008
(1358) Mansfield Dr	0.07	270	R								NA		NA		05/27/2008
(1358) Mansfield Dr	0.08	700	R								NA		NA		05/27/2008
(1359) Gaydell Dr	0.04	20	R								NA		NA		05/16/2005
(1359) Gaydell Dr	0.10	450	R								NA		NA		05/16/2005
(1359) Gaydell Dr	0.29	350	R								NA		NA		05/27/2008
(1359) Gaydell Dr	0.22	280	R								NA		NA		05/27/2008
(1359) Gaydell Dr	0.10	440	R								NA		NA		05/27/2008
(1360) Fieldshire Lane	0.23	180	R								NA		NA		05/27/2008
(1361) Walking Landing Dr	0.14	500	R								NA		NA		05/21/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1362) Oak Ct	0.12	230	R			From: 26-603 Sterling Rd					NA		NA		05/23/2005
			To: 26-1320 Ritchie Ave												
(1363) Cross St	0.08	70	R			From: 26-1320 Ritchie Ave					NA		NA		05/23/2005
			To: 26-1324 Ford Ave												
(1364) Keithwood Dr	0.07	30	R			From: Dead End					NA		NA		05/16/2005
			To: 26-1365 Timpan Lane												
(1364) Keithwood Dr	0.21	320	R			From: 26-1359 Gaydell Dr					NA		NA		05/16/2005
			To: 26-1364 Keithwood Dr												
(1365) Timpan Lane	0.11	140	R			From: Cul-de-Sac					NA		NA		05/16/2005
			To: 26-1364 Keithwood Dr												
(1366) Walking Landing Ct	0.46	500	R			From: Dead End					NA		NA		05/21/2008
			To: Dead End												
(1367) Iris Circle	0.04	30	R			From: 26-1355, E Autumn Dr					NA		NA		05/16/2005
			To: Cul-de-Sac												
(1368) Woods Ct	0.05	40	R			From: Cul-de-Sac					NA		NA		05/16/2005
			To: 26-1355, W Autumn Dr												
(1369) Westbriar Lane	0.04	30	R			From: Cul-de-Sac					NA		NA		05/16/2005
			To: 26-1355, W Autumn Dr												
(1370) Bell St	0.16	50	R			From: 26-1371 Hazel Ave					NA		NA		05/23/2005
			To: 26-672 Weakley Rd												
(1371) Hazel Ave	0.18	90	R			From: Cul-de-Sac					NA		NA		05/19/2008
			To: 26-1370 Bell St												
(1371) Hazel Ave	0.07	120	R			From: 26-672 Weakley Rd					NA		NA		05/19/2008
			To: US 1 Boydton Plank Rd												
(1372) A P Hill Dr	0.09	520	R			From: 26-1373 Sentry Hill Ct					NA		NA		05/19/2008
			To: 26-1372 Begin Loop												
(1373) Sentry Hill Ct	0.44	400	R			From: End Loop					NA		NA		05/19/2008
			To: Cul-de-Sac												
(1374)	0.06	NA				From: Cul-de-Sac					NA		NA		
			To: 26-1382												
(1374)	0.05	NA				From: Cul-de-Sac					NA		NA		
			To: 26-1382 Sequoia Rd												
(1375) Sequoia Ct	0.13	120	R			From: Cul-de-Sac					NA		NA		05/23/2005
			To: 26-1382 Sequoia Rd												
(1376) Sierra Rd	0.07	60	R			From: Cul-de-Sac					NA		NA		05/23/2005
			To: 26-1381 Chesdin Dr												
(1377) Yosemite Rd	0.07	50	R			From: Cul-de-Sac					NA		NA		05/21/2008
			To: 26-1381 Chesdin Dr												

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1378) Woodstream Ct	0.11	120	R			Cul-de-Sac					NA		NA		05/21/2008
			From:							To:					
						26-1379 Woodstream Ct									
(1379) Woodstream Ct	0.24	170	R			26-1380 Woodstream Dr					NA		NA		05/21/2008
			From:							To:					
						26-1393 Brickwood Meadow Dr									
(1380) Woodstream Dr	0.31	680	R			Dead End					NA		NA		05/18/2005
			From:							To:					
						SR 226 Cox Rd									
(1380) Woodstream Dr	0.53	150	R			Dead End					NA		NA		05/18/2005
			From:							To:					
						SR 226 Cox Rd									
(1381) Chesdin Dr	0.43	590	R			Dead End					NA		NA		05/23/2005
			From:							To:					
						SR 226 Cox Rd									
(1382) Sequoia Rd	0.31	190	R			26-1374					NA		NA		05/15/2008
			From:							To:					
						26-1381 Chesdin Dr									
(1383) Olympic Lane	0.08	90	R			26-1382 Sequoia Rd					NA		NA		05/15/2008
			From:							To:					
						Cul-de-Sac									
(1384) Yellowstone Dr	0.15	600	R			26-1382 Sequoia Rd					NA		NA		05/15/2008
			From:							To:					
						SR 226; 26-1384									
(1385) McIlwaine Dr	0.30	580	R			Dead End					NA		NA		05/27/2008
			From:							To:					
						26-1386 Raymond Rd									
(1385) McIlwaine Dr	0.13	920	R			26-1359 Gaydell Dr					NA		NA		05/27/2008
			From:							To:					
						26-601 River Rd									
(1386) Raymond Rd	0.17	140	R			Cul-de-Sac					NA		NA		05/27/2008
			From:							To:					
						26-1399 Tower Ct									
(1387) Beth Lane	0.12	120	R			26-1386 Raymond Rd					NA		NA		05/27/2008
			From:							To:					
						26-1359 Gaydell Dr									
(1388) Gloria Dr	0.03	10	R			Dead End					NA		NA		05/16/2005
			From:							To:					
						26-1389 Paul Dr									
(1388) Gloria Dr	0.07	180	R			26-1385 McIlwaine Dr					NA		NA		05/16/2005
			From:							To:					
						26-1388 Gloria Dr									
(1389) Paul Dr	0.10	110	R			Cul-de-Sac					NA		NA		05/16/2005
			From:							To:					
						26-601 River Rd									
(1390) Jackie Dr	0.09	450	R			26-1391 James Ct					NA		NA		05/27/2008
			From:							To:					
						26-1354 Mark Dr									
(1390) Jackie Dr	0.10	390	R			26-1392 Donnie Ct					NA		NA		05/27/2008
			From:							To:					
						Cul-de-Sac									
(1390) Jackie Dr	0.08	160	R			26-1392 Donnie Ct					NA		NA		05/27/2008
			From:							To:					
						Cul-de-Sac									
(1390) Jackie Dr	0.06	70	R			Cul-de-Sac					NA		NA		05/27/2008
			From:							To:					
						Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1391) James Ct	0.06	70	R			Cul-de-Sac					NA		NA		05/27/2008
			From:							To:					
						26-1390 Jackie Dr									
(1392) Donnie Ct	0.06	60	R			Cul-de-Sac					NA		NA		05/27/2008
			From:							To:					
						26-1390 Jackie Dr									
(1393) Brickwood Meadow Dr	0.19	400	R			SR 226 Cox Rd					NA		NA		05/21/2008
			From:							To:					
						26-1395 Brickwood Meadow Lane									
(1394) Brickwood Meadow Terr	0.05	40	R			Cul-de-Sac					NA		NA		05/21/2008
			From:							To:					
						26-1393 Brickwood Meadow Dr									
(1395) Brickwood Meadow Lan	0.35	180	R			26-1380 Woodstream Dr					NA		NA		05/21/2008
			From:							To:					
						Cul-de-Sac									
(1396) Brickwood Meadow Ct	0.15	130	R			Cul-de-Sac					NA		NA		05/21/2008
			From:							To:					
						26-1395 Brickwood Meadow Lane									
(1397) Woodstream Place	0.05	47	R			Dead End					NA		NA		05/25/2005
			From:							To:					
						26-1380 Woodstream Dr									
(1398) Woodstream Circle	0.06	50	R			Dead End					NA		NA		05/25/2005
			From:							To:					
						26-1380 Woodstream Dr									
(1399) Tower Ct	0.09	220	R			Cul-de-Sac					NA		NA		05/27/2008
			From:							To:					
						26-1386 Raymond Rd									
(1399) Tower Ct	0.19	NA				Cul-de-Sac					NA		NA		
			From:							To:					
(1401) Springcreek Rd	0.41	150	R			Dead End					NA		NA		05/25/2005
			From:							To:					
						US 1 Boydton Plank Rd									
(1402) Main St	0.10	200	R			US 1 S, Boydton Plank Rd					NA		NA		05/25/2005
			From:							To:					
						26-619 Courthouse Rd									
(1402) Sycamore Dr	0.15	260	R			US 1 N, Boydton Plank Rd					NA		NA		05/25/2005
			From:							To:					
						26-703 Carson Rd									
(1403)	0.11	20	R			Dead End					NA		NA		06/13/2005
			From:							To:					
(1404) Rowanty Lane	0.06	50	R			26-619 Courthouse Rd					NA		NA		05/25/2005
			From:							To:					
						Dead End									
(1405) Lakewood Dr	0.20	220	R			26-627 Courthouse Rd					NA		NA		05/02/2005
			From:							To:					
						26-1406 Stonewall Dr									
(1405) Lakewood Dr	0.16	60	R			Dead End					NA		NA		05/02/2005
			From:							To:					
(1406) Stonewall Dr	0.43	150	R			26-1405 Lakewood Dr					NA		NA		05/02/2005
			From:							To:					
						Cul-de-Sac									
(1407) Bonneville Lane	0.50	180	R			Dead End					NA		NA		05/02/2005
			From:							To:					
						26-627 Courthouse Rd									

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1410) Allen Rd	0.08	540	R								NA		NA		05/25/2005
(1410) Allen Rd	0.06	480	R								NA		NA		05/25/2005
(1410) Allen Rd	0.11	320	R								NA		NA		05/25/2005
(1410) Allen Rd	0.07	80	R								NA		NA		05/25/2005
(1410) Allen Rd	0.05	5	R								NA		NA		05/25/2005
(1411) Dorothy Ct	0.12	60	R								NA		NA		05/25/2005
(1412) Frances Dr	0.12	70	R								NA		NA		05/25/2005
(1413) Albert St	0.28	110	R								NA		NA		05/25/2005
(1414) Bishop St	0.16	140	R								NA		NA		05/25/2005
(1414) Bishop St	0.13	100	R								NA		NA		05/25/2005
(1415) Rainbow St	0.12	20	R								NA		NA		05/25/2005
(1420) River Run Dr	0.15	950	R								NA		NA		06/13/2005
(1421) Lake Dr	0.27	110	R								NA		NA		06/13/2005
(1422) Plantation Pl	0.04	40	R								NA		NA		06/13/2005
(1423) Plantation Dr	0.22	80	R								NA		NA		06/13/2005
(1424) Plantation Ct	0.05	50	R								NA		NA		06/13/2005
(1425) Mark Dr	0.05	110	R								NA		NA		06/13/2005
(1430) Sons Way	0.15	190	R								NA		NA		05/19/2008
(1431) Bryans Circle	0.04	20	R								NA		NA		05/19/2008
(1432) Kyles Ct	0.03	30	R								NA		NA		05/19/2008

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1441)	0.07	NA				From:	26-1442				NA		NA		
						To:	26-1336								
(1442)	0.11	NA				From:	Cul-de-Sac				NA		NA		
						To:	26-1441								
(1442)	0.09	NA				From:	Cul-de-Sac				NA		NA		
						To:									
(1501) Sutherland Dr	0.17	120	R			From:	26-1504 Woodland Dr				NA		NA	05/25/2005	
						To:	26-1502 Woodland Rd								
(1501) Sutherland Dr	0.29	290	R			From:	26-1502 Woodland Rd				NA		NA	05/25/2005	
						To:	US 460 Cox Rd								
(1502) Woodland Rd	0.08	80	R			From:	26-1501 Sutherland Dr				NA		NA	05/25/2005	
						To:	26-1503 Belville Dr								
(1503) Belville Dr	0.12	60	R			From:	26-1502 Woodland Rd				NA		NA	05/25/2005	
						To:	Dead End								
(1504) Woodland Dr	0.10	80	R			From:	26-1505 Tara Dr				NA		NA	05/25/2005	
						To:	26-1501 Sutherland Dr								
(1504) Woodland Dr	0.14	30	R			From:	26-1501 Sutherland Dr				NA		NA	05/25/2005	
						To:	Dead End								
(1505) Tara Dr	0.10	70	R			From:	26-1504 Woodland Dr				NA		NA	05/25/2005	
						To:	Dead End								
(1509) Leonard Dr	0.23	200	R			From:	26-1510 Chesdin Blvd				NA		NA	05/05/2008	
						To:	Dead End								
(1510) Chesdin Blvd	0.57	850	R			From:	26-601 River Rd				NA		NA	05/25/2005	
						To:	26-1512 Ridgecrest Dr								
(1510) Chesdin Blvd	0.46	290	R			From:	26-1512 Ridgecrest Dr				NA		NA	05/25/2005	
						To:	26-1511 Chesdin Ct								
(1510) Chesdin Blvd	0.06	30	R			From:	26-1511 Chesdin Ct				NA		NA	05/25/2005	
						To:	Dead End								
(1511) Chesdin Ct	0.04	40	R			From:	26-1510 Chesdin Blvd				NA		NA	05/25/2005	
						To:	Cul-de-Sac								
(1512) Ridgecrest Dr	0.10	46	R			From:	26-1510 Chesdin Blvd				NA		NA	05/25/2005	
						To:	26-1513 Shoreview Dr								
(1513) Shoreview Dr	0.13	220	R			From:	26-1509 Leonard Dr				NA		NA	05/05/2008	
						To:	26-1512 Ridgecrest Dr								
(1513) Shoreview Dr	0.15	160	R			From:	26-1512 Ridgecrest Dr				NA		NA	05/25/2005	
						To:	26-1514 Waterview Ct								
(1513) Shoreview Dr	0.13	80	R			From:	26-1514 Waterview Ct				NA		NA	05/25/2005	
						To:	Cul-de-Sac								
(1514) Waterview Ct	0.05	30	R			From:	Cul-de-Sac				NA		NA	05/25/2005	
						To:	26-1513 Shoreview Dr								

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dinwiddie County															
(1515) Edrie Dr	0.13	430	R								NA		NA		05/25/2005
(1515) Edrie Dr	0.04	20	R								NA		NA		05/25/2005
(1516) Eugene Dr	0.12	90	R								NA		NA		05/25/2005
(1516) Eugene Dr	0.22	410	R								NA		NA		05/25/2005
(1517) Independence Dr	0.07	170	R								NA		NA		05/25/2005
(1518) Hope Dr	0.07	70	R								NA		NA		05/25/2005
(1518) Hope Dr	0.10	80	R								NA		NA		05/25/2005
(1519) Seay Dr	0.09	30	R								NA		NA		05/27/2008
(1530) Oak St	0.07	40	R								NA		NA		04/30/2008
(1530) Oak St	0.09	80	R								NA		NA		04/30/2008
(1531) Elm St	0.23	60	R								NA		NA		04/30/2008
(1535)	0.08	NA									NA		NA		
(1536)	0.07	NA									NA		NA		
(1537)	0.03	NA									NA		NA		
(9116)	0.14	740	R								NA		NA		05/02/2005
Town of McKenney															
(9117)	0.04	240	R								NA		NA		05/12/2005
Dinwiddie County															
(9118)	0.07	260	R								NA		NA		05/19/2008
(9118)	0.05	100	R								NA		NA		05/02/2005
(9118)	0.09	160	R								NA		NA		05/02/2005
(9118)	0.09	200	R								NA		NA		05/02/2005

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of McKenney																
(9119)	0.02	30	R								NA			NA		1999
(9119)	0.10	40	R								NA			NA		1999
										Cul-de-Sac						
Dinwiddie County																
(9535) Eastview Dr	0.23	890	R								NA			NA		05/19/2008
(9535) Eastview Dr	0.20	800	R								NA			NA		05/19/2008
(9535) Eastview Dr	0.13	700	R								NA			NA		05/19/2008
										US 1 Boydton Plank Rd						
(9923)	0.05	620	R								NA			NA		05/19/2008
(9923)	0.13	720	R								NA			NA		05/02/2005
(9923)	0.15	700	R								NA			NA		05/02/2005
(9923)	0.11	700	R								NA			NA		05/02/2005
										26-627 Courthouse Rd						
(608) Johnson Rd	0.31	970	N	99%	0%	0%	1%	0%	0%	N	0.113	N	0.597	1000	N	2010
(608) Johnson Rd	1.00	1300	G	99%	0%	0%	0%	0%	0%	C	0.101	F	0.558	1400	G	2010
										SCL Petersburg						
City of Petersburg																
(3) Vaughn Rd	0.64	1000	G								0.087	F	0.689	1100	G	2010
										123-9013 Halifax Rd						
(4) Wells Rd	0.41	3900	G	87%	0%	1%	3%	8%	0%	C	0.087	F	0.559	4300	G	2010
										Squirrel Level Rd						
(9002) Halifax Rd	0.18	6400	G	99%	1%	1%	0%	0%	0%	F	0.08	F	0.526	6900	G	2010
										CSX RR						
(9002) Halifax St	0.58	5500	G	99%	1%	1%	0%	0%	0%	F	0.084	F		6000	G	2010
										Patterson St						
(9002) Halifax St	0.19	5800	G	99%	1%	1%	0%	0%	0%	F	0.08	F		6300	G	2010
										Baylors Lane						
(9002) Halifax St	0.37	8200	G	99%	1%	1%	0%	0%	0%	F	0.077	F		9000	G	2010
										Virginia Ave						
(9002) Halifax St	0.29	7900	G	99%	1%	1%	0%	0%	0%	F	0.078	F		8600	G	2010
										Lee Ave						
(9002) Halifax St	0.28	8400	G	99%	1%	1%	0%	0%	0%	C	0.078	F		9200	G	2010
										Liberty St						
(9002) Union St	0.12	3800	G								NA			4200	G	2010
										US 1, US 460 W Wythe St						
(9002) Union St	0.17	1400	G	93%	1%	4%	1%	1%	0%	C	0.116	F	0.523	1500	G	2010
										W Tabb St						
(9004) Defense Rd	0.47	2200	G	98%	0%	0%	1%	1%	0%	C	0.096	F	0.649	2400	G	2010
										Boydton Plank Rd						
										Squirrel Level Rd						

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Petersburg																
(9004) 123 Defense Dr	1.77	3600	G	99%	1%	0%	0%	0%	0%	F	0.076	F	0.639	4000	G	2010
(9004) 123 South Boulevard	0.92	8200	G	99%	1%	0%	0%	0%	0%	C	0.091	F		8900	G	2010
(9004) 123 South Boulevard	0.18	5600	G	99%	1%	0%	0%	0%	0%	F	0.095	F	0.501	6000	G	2010
(9004) 123 South Boulevard	0.72	2000	G	99%	1%	0%	0%	0%	0%	F	0.087	F	0.571	2200	G	2010
										To:				Anderson St		
										From:				Halifax Rd		
(9006) 123 Flank Rd	0.96	1900	G	96%	0%	0%	3%	0%	0%	C	0.099	F	0.609	2100	G	2010
(9006) 123 Flank Rd	0.47	3100	G	96%	0%	0%	3%	0%	0%	F	0.086	F	0.573	3400	G	2010
(9006) 123 Flank Rd	0.75	2500	G	96%	0%	0%	3%	0%	0%	F	0.086	F	0.503	2800	G	2010
(9006) 123 Flank Rd	0.91	3100	G	98%	0%	1%	0%	1%	0%	C	0.082	F	0.581	3400	G	2010
										From:				Flank Rd N		
(9006) 123 Flank Rd (1-Way)	0.13	2400	G	98%	1%	1%	0%	0%	0%	C	0.082	F		2600	G	2010
										To:				US 301 S Crater Rd		
										From:				US 301 S Crater Rd		
(9008) 123 Rives Rd	0.48	6600	G	98%	0%	1%	0%	1%	0%	C	0.09	F		7200	G	2010
(9008) 123 Rives Rd	0.34	5400	G	98%	0%	0%	0%	1%	0%	C	0.1	F		5800	G	2010
										From:				I- 95		
										To:				ECL Petersburg		
(9008) 123 Ramp	0.17	820	A								0.133	A		850	A	2010
										To:				I-95 South		
										From:				SR 142 Boydton Plank Rd		
(9009) 123 Dupuy Rd	1.24	430	G	98%	1%	1%	0%	0%	0%	F	0.105	F	0.531	470	G	2010
(9009) 123 Dupuy St	0.58	1900	G	98%	1%	1%	0%	0%	0%	F	0.084	F	0.506	2100	G	2010
(9009) 123 Farmer St	0.86	3600	G	98%	1%	1%	0%	0%	0%	C	0.085	F		3900	G	2010
(9009) 123 Farmer St	0.47	2800	G	98%	1%	1%	0%	0%	0%	F	0.114	F	0.656	3100	G	2010
										To:				Halifax St		
										From:				S Crater Rd		
(9010) 123 Wagner Rd	0.73	15000	G	98%	0%	0%	0%	1%	0%	C	0.088	F		17000	G	2010
(9010) 123 Wagner Rd	1.60	11000	G	94%	0%	1%	1%	4%	0%	C	0.090	F		12000	G	2010
										To:				County Dr		
East (9010) 123 Ramp	0.30	NA										NA			NA	
										From:				123-9010 TO RT 95		
										To:				I-95-S FROM WAGNER RD		
West (9010) 123 Ramp	0.25	NA										NA			NA	
										From:				123-9010 TO RT 95		
										To:				I-95-S FR WAGNER RD		
West (9010) 123 Ramp	0.34	NA										NA			NA	
										From:				123-9010 TO RT 95		
										To:				I-95-N FROM WAGNER RD		
(9011) 123 Squirrel Level Rd	0.82	860	G	99%	0%	0%	0%	0%	0%	C	0.135	F	0.555	940	G	2010
										To:				Wells Rd		

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Petersburg																
(9011) Squirrel Level Rd	0.25	4800	G	90%	0%	1%	3%	7%	0%	C	0.089	F		5300	G	2010
From: Wells Rd																
(9011) Squirrel Level	0.20	7500	G	98%	1%	1%	0%	0%	0%	F	0.08	F		8100	G	2010
From: Ramp To I- 85																
(9011) Young Rd	0.55	4000	G	98%	1%	1%	0%	0%	0%	F	0.082	F	0.569	4400	G	2010
From: Boydton Plank Rd																
(9011) Young Rd	0.59	2600	G	98%	1%	1%	0%	0%	0%	C	0.085	F	0.534	2800	G	2010
From: Valor Dr																
To: 123-9009 Dupuy Rd																
(9011) Ramp	0.15	4500	A							0.097	A			4800	A	2010
From: 123-9011 I-85-N065A FROM & TO RT 8																
To: I-85-N FROM SQUIRREL LEVEL ROAD																
(9012) Lee Ave	0.56	2700	G	97%	2%	1%	0%	0%	0%	C	0.087	F	0.557	3000	G	2010
From: West St																
(9012) Porterville St	0.15	1300	G	99%	1%	0%	0%	0%	0%	F	0.080	F	0.518	1400	G	2010
From: Halifax St																
(9012) New St	0.18	1200	G	99%	1%	0%	0%	0%	0%	C	0.086	F	0.627	1300	G	2010
From: Harding St																
To: Harrison St																
(9012) Harrison St	0.03	930	G	99%	1%	0%	0%	0%	0%	F	0.088	F		1000	G	2010
From: New St																
To: Corling St																
(9012) Corling St	0.09	500	G	99%	1%	0%	0%	0%	0%	F	0.08	F		550	G	2010
From: S. Sycamore St																
(9012) Graham Rd	0.83	6800	G	99%	0%	0%	0%	0%	0%	F	0.083	F	0.548	7400	G	2010
From: Ramp From I-95																
(9012) Graham Rd	0.14	11000	G	99%	0%	0%	0%	0%	0%	C	0.086	F		12000	G	2010
From: Crater Rd																
(9013) Halifax Rd	1.79	3200	G	89%	0%	1%	4%	6%	0%	C	0.087	F	0.567	3500	G	2010
From: SCL Petersburg																
(9013) Halifax Rd	0.98	500	G	98%	0%	1%	0%	1%	0%	C	0.104	F	0.517	550	G	2010
From: Boydton Plank Rd																
(9015) Johnson Rd	0.01	1500	G	99%	0%	0%	0%	0%	0%	F	0.124	F	0.63	1700	G	2010
From: Flank Rd																
(9015) Johnson Rd	0.54	1000	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.623	1100	G	2010
From: Birdsong Rd																
(9015) Johnson Rd	1.39	5200	G	99%	0%	0%	0%	0%	0%	F	0.107	F	0.609	5700	G	2010
From: South Blvd																
(9015) Johnson Rd	0.46	6100	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.595	6700	G	2010
From: North Blvd																
(9015) Johnson Rd	0.37	4700	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.591	5100	G	2010
From: St Luke St																
(9015) High Pearl St	0.20	4900	G	99%	0%	0%	0%	0%	0%	F	0.083	F	0.516	5300	G	2010
From: Virginia Ave																
(9015) High Pearl St	0.08	3400	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.545	3700	G	2010
From: ST Matthew St																
(9015) Harding St	0.22	1700	G	98%	1%	1%	0%	0%	0%	C	0.082	F	0.569	1800	G	2010
From: Porterville St																
(9015) Harding St	0.27	860	G	98%	1%	1%	0%	0%	0%	F	0.087	F		940	G	2010
From: Halifax St																

Virginia Department of Transportation
Traffic Engineering Division

2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Petersburg																
(9017) 123 Birdsong Rd	0.62	830	G	98%	1%	SCL Petersburg				C	0.098	F	0.885	910	G	2010
						From:										
(9021) 123 N Sycamore St	0.18	3000	G	96%	1%	Johnson Rd				F	0.099	F	3200	G	2010	
						From:	W Washington St									
(9021) 123 N Sycamore St	0.15	2500	G	96%	1%	W Tabb St				C	0.093	F	2800	G	2010	
						From:	3US 01-P Bollingbrook St									
(9023) 123 North Blvd	0.57	2800	G	99%	0%	Johnson Rd				C	0.088	F	0.653	3000	G	2010
						To:	S Sycamore St									
(9025) 123 Virginia Ave	0.22	420	G	96%	3%	Gates Lane				C	0.108	F	460	G	2010	
						To:	Harding Street									
(9025) 123 Virginia Ave	0.32	2200	G	96%	3%	Halifax Street				F	0.090	F	0.616	2300	G	2010
						To:	Arlington Street									
(9025) 123 Young Ave	0.11	3200	G	98%	1%	West Street Young Avenue				F	0.095	F	0.530	3500	G	2010
						To:	Augusta Avenue									
(9025) 123 S West St	0.28	3500	G	98%	1%	Farmer St				F	0.085	F	0.511	5100	G	2010
						To:	W Wythe St									
(9025) 123 S West St	0.14	3600	G	98%	1%	W Washington St				F	0.085	F	0.534	3900	G	2010
						To:	Halifax St									
(9027) 123 S West St	0.63	2000	G	98%	1%	Young Ave				C	0.082	F	0.558	2200	G	2010
						To:	Lee Ave									
(9029) 123 S. South St	0.36	2400	G	99%	0%	US 1 Wythe St				C	0.082	F	2600	G	2010	
						To:	Washington St									
(9029) 123 N. South St	0.20	6800	G	99%	0%	High St				F	0.081	F	7300	G	2010	
						To:	N South St									
(9029) 123 High St	0.02	1100	G	99%	0%	Canal St				F	0.084	F	0.595	1200	G	2010
						To:	High St									
(9029) 123 Canal St	0.20	6500	G	99%	0%	Grove Ave				C	0.08	F	7100	G	2010	
						To:	New St									
(9031) 123 Byrne St	0.40	640	G	96%	1%	Halifax St				F	0.09	F	690	G	2010	
						To:	Halifax Rd									
(9031) 123 S. Market St	0.12	4100	G	96%	1%	Wythe St				F	0.089	F	4400	G	2010	
						To:	Sycamore St									
(9033) 123 Apollo St	0.14	1800	G	99%	0%	S Adams St				F	0.097	F	1900	G	2010	
						To:	Apollo St									
(9033) 123 Jefferson St	0.58	2700	G	99%	0%	E Wythe St				C	0.091	F	0.633	3000	G	2010
						To:										

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Petersburg																
(9033) Henry St	0.04	660	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.536	710	G	2010
			From:	3rd Street						To:	N Adams St					
(9038) Puddledock Rd	0.40	6200	G	93%	0%	1%	4%	2%	0%	C	0.094	F		6700	G	2010
			From:	E Washington St						To:	ECL Petersburg					
(9046) High St	0.58	1200	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.69	1300	G	2010
			From:	Canal St						To:	N Market St					
(9046) W Bank St	0.14	2100	G	99%	0%	1%	0%	0%	0%	F	0.108	F		2300	G	2010
			From:	N Sycamore St						To:	2nd St					
(9046) E Bank St	0.11	2700	G	98%	0%	1%	0%	0%	0%	C	0.108	F		2900	G	2010
			From:	US 301 N Crater Rd						To:	East St					
(9046) Bank St	0.25	2500	G	96%	1%	2%	1%	1%	0%	C	0.101	F		2800	G	2010
			From:	SR 36 E Washington St						To:	SR 36 E Washington St					
(9048) W Tabb St	0.09	1600	G	98%	1%	1%	0%	0%	0%	F	0.124	F	0.674	1700	G	2010
			From:	N Market St						To:	Union St					
(9048) W Tabb St	0.06	1600	G	98%	1%	1%	0%	0%	0%	F	0.108	F	0.632	1700	G	2010
			From:	N Sycamore St						To:	N Adams St					
(9053) Baylors Ln	0.65	1700	G	99%	1%	0%	0%	0%	0%	C	0.097	F	0.595	1900	G	2010
			From:	Defense Rd						To:	Halifax St					
(9055) Madison St	0.05	1600	G	95%	1%	2%	1%	2%	0%	F	0.098	F	0.925	1800	G	2010
			From:	E Washington St						To:	Franklin St					
(9055) Madison St	0.18	1200	G	95%	1%	2%	1%	2%	0%	C	0.085	F	0.766	1300	G	2010
			From:	E Bank St						To:	E Bank St					
(9055) Madison St	0.07	880	G	95%	1%	2%	1%	2%	0%	F	0.096	F	0.811	950	G	2010
			From:	Bollingbrook St						To:	Bollingbrook St					
(9057) Fifth St	0.05	380	G								0.126	F	0.804	410	G	2010
			From:	E Bank St						To:	Bollingbrook St					
(9057) Fifth St	0.08	530	G	87%	2%	2%	3%	5%	0%	C	0.104	F	0.729	580	G	2010
			From:	River St						To:	River St					
(9059) Flank Rd N	0.20	3900	G	98%	1%	1%	0%	0%	0%	C	0.09	F		4300	G	2010
			From:	Flank Rd One-Way						To:	US 301 S Crater Rd					
(9065) S Adams St	0.10	5100	G								0.090	F		5600	G	2010
			From:	E Wythe St						To:	E Washington St					
Accomack St	280	G									0.097	F	0.702	310	G	2010
			From:	6Th St						To:	7Th St					
Cameron St	380	G									0.184	F	0.512	420	G	2010
			From:	Old Church St						To:	Center St					
Culpeper Ave	410	G									0.108	F	0.695	440	G	2010
			From:	Prince George Ave						To:	Brunswick St					

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<u>City of Petersburg</u>															
Custer St	400	G								0.108	F	0.58	430	G	2010
Darby Dr	260	G								0.127	F	0.528	280	G	2010
Gordon Dr	340	G								0.093	F		370	G	2010
Homestead Dr	690	G								0.115	F		750	G	2010
Jefferson St	3200	G								0.088	F	0.624	3400	G	2010
North Park Dr	850	G								0.098	F		920	G	2010
Oakmont Dr	110	G								0.114	F	0.741	120	G	2010
Old Church St	460	G								0.088	F	0.521	500	G	2010
Patterson Ave	1000	G								0.125	F	0.635	1100	G	2010
Pleasants Ln	880	G								0.143	F	0.684	960	G	2010
Richmond Ave	840	G								0.084	F	0.547	920	G	2010
Rollingwood Rd	110	G								0.141	F		120	G	2010
South Park Dr	2000	G								0.09	F		2200	G	2010
St Luke St	440	G								0.087	F	0.532	480	G	2010
St Matthew St	3100	G								0.078	F	0.565	3300	G	2010
Talley Ave	690	G								0.265	F	0.581	740	G	2010