

**2007**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report  
01**

Accomack County  
Town of Accomac  
Town of Belle Haven  
Town of Bloxom  
Town of Chincoteague  
Town of Hallwood  
Town of Keller  
Town of Melfa  
Town of Onancock  
Town of Onley  
Town of Painter  
Town of Parksley  
Town of Saxis  
Town of Tangier  
Town of Wachapreague

Prepared By  
**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
13 Lankford Hwy	Accomack County (Maint: 65)	From: US 13 Bus Exmore; 65-687 To: Accomack County Line	0.19	<b>16000</b>	<b>F</b>	93%	1%	1%	1%	5%	0%	F	0.091	F	0.562	15000	F
13 Lankford Hwy	Accomack County	From: Northhampton County Line To: SCL Painter	2.94	<b>18000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.079	F	0.512	17000	G
13 Lankford Hwy	Town of Painter (Maint: 01)	From: 0.43 To: 01-614	0.43	<b>18000</b>	<b>N</b>	93%	1%	1%	1%	5%	0%	N	0.079	N	0.512	17000	N
13 Lankford Hwy	Town of Painter (Maint: 01)	From: NCL Painter To: SCL Keller	0.46	<b>17000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.078	F	0.508	17000	G
13 Lankford Hwy	Accomack County	From: NCL Keller To: S SR 180	1.84	<b>17000</b>	<b>N</b>	93%	1%	1%	1%	5%	0%	N	0.078	N	0.508	17000	N
13 180 Lankford Hwy	Town of Keller (Maint: 01)	From: S SR 180 To: NCL Keller	0.45	<b>18000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.075	F	0.528	17000	G
13 180 Lankford Hwy	Accomack County	From: N CL Keller To: N SR 180	0.01	<b>18000</b>	<b>N</b>	93%	1%	1%	1%	5%	0%	N	0.075	N	0.528	17000	N
13 Lankford Hwy	Accomack County	From: N SR 180 To: 01-734	0.53	<b>18000</b>	<b>A</b>	93%	1%	1%	1%	5%	0%	C	0.131	A	0.615	17000	A
13 Lankford Hwy	Accomack County	From: 01-734 To: SCL Melfa	1.01	<b>18000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.077	F	0.521	17000	G
13 Lankford Hwy	Town of Melfa (Maint: 01)	From: SCL Melfa To: 01-T626	0.37	<b>18000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.077	F	0.525	18000	G
13 Lankford Hwy	Town of Melfa (Maint: 01)	From: 01-T626 To: NCL Melfa	0.50	<b>19000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.077	F	0.535	18000	G
13 Lankford Hwy	Accomack County	From: NCL Melfa To: SCL Onley	2.16	<b>19000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.077	F	0.539	18000	G
13 Lankford Hwy	Town of Onley (Maint: 01)	From: SCL Onley To: SR 179	1.00	<b>19000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.077	F	0.549	18000	G
13 Lankford Hwy	Town of Onley (Maint: 01)	From: SR 179 To: NCL Onley	0.17	<b>21000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.081	F	0.506	20000	G
13 Lankford Hwy	Accomack County	From: NCL Onley To: SCL Accamac	2.97	<b>17000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.075	F	0.536	17000	G
13 Lankford Hwy	Town of Accamac (Maint: 01)	From: SCL Accamac To: NCL Accamac	0.15	<b>18000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.077	F	0.504	17000	G
13 Lankford Hwy	Accomack County	From: NCL Accamac To: US 13 Bus N of Accamac	1.39	<b>18000</b>	<b>G</b>	93%	1%	1%	1%	5%	0%	F	0.078	F	0.520	17000	G

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Lankford Hwy	Accomack County	4.48	20000	G	93%	1%	1%	1%	5%	0%	F	0.081	F	0.514	19000	G
13 Lankford Hwy	Accomack County	8.19	19000	G	93%	1%	1%	1%	5%	0%	F	0.076	F	0.513	18000	G
13 Lankford Hwy	Accomack County	3.69	18000	G	93%	1%	1%	1%	5%	0%	F	0.074	F	0.519	17000	G
13 Lankford Hwy	Accomack County	4.09	19000	G	93%	1%	1%	1%	5%	0%	F	0.076	F	0.520	18000	G
13 Bus Coastal Blvd	Town of Onley (Maint: 01)	0.98	3500	G	97%	0%	1%	0%	1%	0%	F	0.09	F	0.527	3600	G
13 Bus Coastal Blvd	Accomack County	0.37	3500	N	97%	0%	1%	0%	1%	0%	N	0.09	N	0.527	3600	N
13 Bus Front St	Accomack County	0.42	3200	N	97%	0%	1%	0%	1%	0%	N	0.083	N	0.553	3300	N
13 Bus Front St	Accomack County	1.01	3200	G	97%	0%	1%	0%	1%	0%	F	0.083	F	0.553	3300	G
13 Bus Front St	Accomack County	0.79	2700	G	97%	0%	1%	0%	1%	0%	C	0.101	F	0.606	2700	G
13 Bus Front St	Town of Accomac (Maint: 01)	0.31	2700	N	97%	0%	1%	0%	1%	0%	N	0.101	N	0.606	2700	N
13 Bus Front St	Town of Accomac (Maint: 01)	0.89	2500	G	97%	0%	1%	0%	1%	0%	F	0.098	F	0.530	2500	G
13 Bus Front St	Accomack County	0.96	2500	N	97%	0%	1%	0%	1%	0%	N	0.098	N	0.530	2500	N
126 Fairgrounds Rd	Town of Onancock (Maint: 01)	0.11	3500	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.535	3600	G
126 Fairgrounds Rd	Accomack County	1.27	3500	G	98%	0%	1%	0%	0%	0%	C	0.088	F	0.532	3600	G
175	Accomack County	1.65	8000	A	97%	1%	1%	1%	1%	0%	C	0.113	A	0.551	8000	A
175	Accomack County	1.87	8300	G	97%	1%	1%	1%	1%	0%	F	0.096	F	0.654	8500	G

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW				
							2Axle	3+Axle	1Trail	2Trail										
175	Accomack County	4.86	<b>7400</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	C	0.09	F	0.508	7600	G				
175	Town of Chincoteague (Maint: 01)	2.11	<b>6800</b>	<b>G</b>	97%	1%	1%	1%	1%	0%	F	0.098	F	0.606	7000	G				
176	Town of Parksley (Maint: 01)	0.38	<b>3400</b>	<b>G</b>	97%	0%	1%	0%	2%	0%	C	0.088	F	0.524	3500	G				
176	Accomack County	2.20	<b>3400</b>	<b>G</b>	97%	0%	1%	0%	2%	0%	F	0.086	F	0.508	3400	G				
178	Belle Haven Rd	0.35	<b>2400</b>	<b>N</b>	98%	0%	1%	0%	0%	0%	N	0.105	N	0.563	2600	N				
178	Town of Belle Haven (Maint: 01)	1.72	<b>2100</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.084	F	0.587	2200	G				
178	Accomack County	2.67	<b>2100</b>	<b>N</b>	98%	0%	1%	0%	0%	0%	N	0.084	N	0.587	2200	N				
178	Accomack County	4.33	<b>1200</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	C	0.087	F	0.659	1300	G				
178	Accomack County	0.03	<b>2300</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.084	F	0.622	2300	G				
178	Accomack County	1.90	<b>1900</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.086	F	0.602	1900	G				
179	Market St	0.36	<b>5700</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	NA								
179	Market St	1.16	<b>6100</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	C	0.094	F	0.504	6300	G				
179	Market St	0.09	<b>7600</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.084	F	0.521	7700	G				
179	Accomack County	0.69	<b>7600</b>	<b>N</b>	98%	0%	1%	0%	0%	0%	N	0.084	N	0.521	7700	N				
179	Main St	0.64	<b>7600</b>	<b>N</b>	98%	0%	1%	0%	0%	0%	N	0.084	N	0.521	7700	N				
180	Accomack County	3.06	<b>920</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	0.081	F	0.560	940	G				
180	Accomack County	0.03	<b>2300</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	0.084	F	0.622	2300	G				

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
180	Accomack County	2.89	680	G	98%	0%	1%	1%	1%	0%	C	0.089	F	0.69	700	G
180	Town of Keller (Maint: 01)	0.46	680	N	98%	0%	1%	1%	1%	0%	N	0.089	N	0.69	700	N
180	From: US 13 South															
180 13 Lankford Hwy	Town of Keller (Maint: 01)	0.45	18000	G	93%	1%	1%	1%	5%	0%	F	0.075	F	0.528	17000	G
180 13 Lankford Hwy	From: CL Keller										N	0.075	N	0.528	17000	N
180	Accomack County	0.01	18000	N	93%	1%	1%	1%	5%	0%	N	0.075	N	0.528	17000	N
180	From: US 13 NORTH										F	0.093	F	0.53	1200	G
180	From: WCL Wachapreague										N	0.093	N	0.53	1200	N
180	Town of Wachapreague (Maint: 01)	0.28	1200	N	98%	0%	1%	1%	1%	0%	N	0.093	N	0.53	1200	N
180	To: 01-1701 Atlantic Ave															
Wye	From: SR 180															
180	Town of Wachapreague (Maint: 01)	0.55	180	G	97%	0%	2%	0%	1%	0%	C	0.135	F	0.5	180	G
180	To: WCL Wachapreague															
181 King St	From: 01-609															
181 King St	Town of Belle Haven (Maint: 01)	0.57	990	G	97%	1%	1%	0%	1%	0%	C	0.083	F	0.598	1000	G
181 King St	From: ECL Belle Haven										N	0.083	N	0.598	1000	N
181 King St	To: US 13															
182 Mappsburg Rd	From: US 13															
182 Mappsburg Rd	Town of Painter (Maint: 01)	0.65	1300	G	97%	0%	2%	0%	0%	0%	F	0.086	F	0.532	1400	G
182 Quinby Bridge Rd	From: ECL Painter															
182 Quinby Bridge Rd	Accomack County	3.06	1100	G	97%	0%	2%	0%	0%	0%	C	0.085	F	0.588	1100	G
182 Quinby Bridge Rd	To: 01-605 Quinby															
187	From: 01-658 Guilford															
187	Accomack County	1.06	530	G	96%	1%	1%	1%	1%	0%	F	0.110	F	0.621	550	G
187 Shoremain Dr	From: WCL Bloxom															
187 Shoremain Dr	Town of Bloxom (Maint: 01)	0.45	530	N	96%	1%	1%	1%	1%	0%	N	0.110	N	0.621	550	N
187 Shoremain Dr	To: SR 316															
187 Shoremain Dr	From: ECL Bloxom															
187 Shoremain Dr	Town of Bloxom (Maint: 01)	0.59	1600	G	96%	1%	1%	1%	1%	0%	F	0.103	F	0.592	1700	G
187	Accomack County	1.60	2500	G	96%	1%	1%	1%	1%	0%	C	0.085	F	0.622	2600	G
187 Nelsonia Rd	From: US 13 Nelsonia															
187 Nelsonia Rd	Accomack County	1.73	900	G	96%	1%	1%	1%	1%	0%	F	0.103	F	0.503	920	G
187 Nelsonia Rd	To: 01-679 Modest Town															

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axe	3+Axe	1Trail	2Trail						
316 Greenbush Rd	Accomack County	2.58	<b>4100</b>	<b>G</b>	96%	1%	2%	0%	1%	0%	F	0.109	F	0.581	4200	G
316 Greenbush Rd	Accomack County	3.16	<b>4400</b>	<b>G</b>	96%	1%	2%	0%	1%	0%	C	0.099	F	0.668	4500	G
316 Cossatt Ave	Town of Parksley (Maint: 01)	0.07	<b>4400</b>	<b>N</b>	96%	1%	2%	0%	1%	0%	N	0.099	N	0.668	4500	N
316 Cossatt Ave	Town of Parksley (Maint: 01)	0.61	<b>3300</b>	<b>G</b>	96%	1%	2%	0%	1%	0%	F	0.090	F	0.618	3400	G
316 Hopeton Rd	Accomack County	2.68	<b>3300</b>	<b>N</b>	96%	1%	2%	0%	1%	0%	N	0.090	N	0.618	3400	N
316 Bayside Dr	Town of Bloxom (Maint: 01)	0.39	<b>3300</b>	<b>N</b>	96%	1%	2%	0%	1%	0%	N	0.090	N	0.618	3400	N
							SR 187 Shoremain Dr									

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(600) Seaside Rd	3.68	820	G	97%	1%	2%	0%	0%	0%	C	0.101	F	0.522	840	G	2007
From: Northhampton County Line																
(600) Seaside Rd	3.10	350	G	98%	0%	1%	1%	0%	0%	F	0.109	F	0.537	360	G	2007
From: SR 182 Quinby Bridge Rd																
(600) Seaside Rd	0.43	370	G	98%	0%	1%	1%	0%	0%	C	0.119	F	0.628	380	G	2007
From: SR 180																
(600) Seaside Rd	0.30	480	G	98%	0%	1%	1%	0%	0%	F	0.103	F	0.516	490	G	2007
From: 01-736 Bradford Rd																
(600) Seaside Rd	0.80	150	R											NA		07/26/2005
From: 01-626																
(600) Seaside Rd	1.60	250	R											NA		07/26/2005
From: 01-624 NORTH																
(600) Seaside Rd														01-605		
To:																
<b>Town of Belle Haven</b>																
(601)	0.27	1300	R											NA		07/26/2005
From: SR 178 Belle Haven Rd																
To: ECL Belle Haven																
<b>Accomack County</b>																
(601)	0.46	1300	N											NA		07/26/2005
From: ECL Belle Haven																
To: US 13																
(601)	0.22	810	R											NA		07/26/2005
From: US 13 Lankford Hwy																
To: Northampton County Line																
<b>Town of Belle Haven</b>																
(602) Lee St	0.55	950	R											NA		07/26/2005
From: Northampton County Line																
To: SR 178 Belle Haven Rd																
<b>Accomack County</b>																
(603)	3.30	220	R											NA		09/07/2005
From: Dead End																
To: 01-600 N, Seaside Rd																
(603)	1.20	440	R											NA		09/07/2005
From: US 13 Lankford Hwy																
(604) Hog Neck Rd	1.00	30	R											NA		09/07/2005
From: 01-679																
To: Dead End																
(605)	5.00	330	R											NA		09/07/2005
From: Dead End																
To: 01-606 Harbor Point Rd																
(605)	0.40	790	R											NA		09/07/2005
From: SR 182 Quinby Bridge Rd																
(605)	3.00	570	G	98%	1%	1%	0%	0%	0%	C	0.104	F	0.682	580	G	2007
From: 01-622																
To: SR 180 EAST																
(605)	1.10	630	G	98%	1%	1%	0%	0%	0%	F	0.121	F	0.757	650	G	2007
From: SR 180 WEST																
(605)	2.67	940	G	96%	1%	2%	0%	2%	0%	F	0.088	F	0.6	960	G	2007
From: 01-600 Seaside Rd																
(605)	1.00	1200	G	96%	1%	2%	0%	2%	0%	F	0.086	F	0.518	1200	G	2007
From: 01-789																
(605)	3.40	750	G	96%	1%	2%	0%	2%	0%	F	0.114	F	0.518	770	G	2007
From: 01-648 NORTH																
(605)	1.40	990	G	96%	1%	2%	0%	2%	0%	F	0.112	F	0.568	1000	G	2007
From: 01-740 SCL Accomac																

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Accomac</b>																
(605) Drummondtown Rd	0.66	1300	G	96%	1%	2%	0%	2%	0%	C	0.115	F	0.576	1400	G	2007
<b>Accomack County</b>																
(606) Harbor Point Rd	0.24	70	R										NA		09/07/2005	
(606) Harbor Point Rd	0.11	100	R										NA		09/07/2005	
(607) Coal Kiln Rd	1.20	310	R										NA		09/07/2005	
(607) Coal Kiln Rd	1.48	510	R										NA		09/07/2005	
(608)	0.66	310	R										NA		09/07/2005	
<b>Town of Painter</b>																
(608) Mappsburg Rd	0.54	310	N										NA		09/07/2005	
<b>Town of Belle Haven</b>																
(609) Belle Haven Rd	0.26	1300	R										NA		09/07/2005	
<b>Accomack County</b>																
(609)	0.61	1300	N										NA		09/07/2005	
(609)	1.23	1600	R										NA		09/07/2005	
(609)	3.10	500	R										NA		09/07/2005	
(609)	0.38	510	R										NA		09/07/2005	
(609)	1.57	590	R										NA		09/07/2005	
(609)	2.17	110	R										NA		09/07/2005	
(609)	0.34	350	R										NA		09/07/2005	
(609)	0.01	410	R										NA		09/08/2005	
(609)	0.71	680	R										NA		09/07/2005	
(609)	1.44	1000	R										NA		09/07/2005	
(609)	0.26	1500	R										NA		09/07/2005	
<b>Town of Onley</b>																
(609) Pennsylvania Ave	0.04	1500	N										NA		09/07/2005	

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Onley</b>																
(609)	0.12	2800	G	96%	1%	3%	0%	0%	0%	C	0.096	F	0.605	2900	G	2007
						From: 01-638										
						To: US 13; US 13 Bus; Gap										
(609) Pennsylvania Ave	0.42	1200	G	89%	2%	9%	0%	1%	0%	C	0.097	F	0.5	1200	G	2007
						From: 01-1605 Rogers St; Gap										
						To: ECL Onley										
<b>Accomack County</b>																
(609)	0.65	1000	G	99%	0%	1%	0%	0%	0%	C	0.098	F	0.606	1000	G	2007
						From: ECL Onley										
(609)	0.48	1000	R											NA		09/07/2005
						From: 01-650 S, Mini Rd										
(609)	1.27	900	R											NA		09/07/2005
						From: 01-648										
						To: US 13 Bus										
(610)	0.20	60	R											NA		09/07/2005
						From: 01-688										
						To: 01-689										
(611) Occohannock Dr	1.45	200	R											NA		09/07/2005
						From: Dead End										
						To: 01-612 Scarbouroughs Neck Rd										
(612) Scarbouroughs Neck R	2.25	80	R											NA		09/07/2005
						From: Dead End										
(612) Scarbouroughs Neck R	0.90	90	R											NA		09/07/2005
						From: 01-613 Indian Trail Rd										
(613) Indian Trail Rd	1.10	110	R											NA		09/07/2005
						From: 01-612 Scarbouroughs Neck Rd										
						To: 01-615 Cradockville Rd										
(613) Indian Trail Rd	1.50	400	R											NA		09/07/2005
						From: 01-615 Cradockville Rd										
(613) Indian Trail Rd	2.15	620	R											NA		09/07/2005
						From: SR 178										
(613) Indian Trail Rd	0.05	330	R											NA		09/07/2005
						From: 01-614										
						To: SR 335 Eastern Shore Agricultural Experimental Sta										
(614)	2.08	390	R											NA		09/22/2005
						From: Dead End										
						To: 01-615 Cradockville Rd; Gap										
(614)	1.65	400	R											NA		09/22/2005
						From: SR 178; Gap										
(614)	0.60	710	R											NA		09/22/2005
						From: 01-732										
(614)	0.60	690	R											NA		09/22/2005
						From: 01-617										
(614)	0.60	690	R											NA		09/22/2005
						From: 01-613 Indian Trail Rd										
(614)	0.65	850	R											NA		09/22/2005
						From: 01-609										
(614)	1.10	790	R											NA		09/22/2005
						From: 01-1204 Cosby St										
(614)	0.05	240	R											NA		09/22/2005
						From: WCL Painter										
<b>Town of Painter</b>																
(614)	0.24	240	N											NA		09/22/2005
						From: WCL Painter										
						To: 01-619 Hickman St; 01-1204 Cosby St										

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Painter</b>															
(614)	0.02	1800	R			From:	01-619 Hickman St; 01-1204 Cosby St				NA		NA		09/22/2005
						To:	US 13 Lankford Hwy; SR 182 Mappsburg Rd;								
<b>Accomack County</b>															
(615)	Cradockville Rd	1.30	300	R		From:	Dead End				NA		NA		09/22/2005
(615)	Cradockville Rd	1.00	290	R		From:	01-613 Indian Trail Rd				NA		NA		09/22/2005
(615)	Cradockville Rd	0.30	510	R		From:	01-614				NA		NA		09/22/2005
(615)	Cradockville Rd					To:	SR 178								
(616)	Cedar View Rd	1.77	210	R		From:	SR 178				NA		NA		09/22/2005
(616)	Cedar View Rd	0.03	47	R		From:	01-2009 Sunset Dr				NA		NA		09/22/2005
(616)	Cedar View Rd					To:	Dead End								
(617)		2.20	100	R		From:	01-614				NA		NA		09/22/2005
(617)						To:	SR 178 NORTH								
(617)		1.26	110	R		From:	SR 178 SOUTH				NA		NA		09/22/2005
(617)						To:	Dead End								
(618)	Quail Lane	1.15	80	R		From:	01-617				NA		NA		09/22/2005
(618)	Quail Lane					To:	SR 178								
<b>Town of Painter</b>															
(619)	Hickman St	0.62	360	R		From:	01-614; 01-1204 Cosby St				NA		NA		09/21/2005
(619)	Hickman St					To:	01-620 NCL Painter								
<b>Accomack County</b>															
(619)	Boggs Rd	0.20	270	R		From:	01-620 NCL Painter				NA		NA		09/21/2005
(619)	Boggs Rd	1.88	390	R		From:	01-620				NA		NA		09/21/2005
(619)	Boggs Rd					To:	SR 180								
(620)		1.16	440	R		From:	01-609				NA		NA		09/14/2005
(620)						To:	WCL Painter								
<b>Town of Painter</b>															
(620)		0.14	440	N		From:	WCL Painter				NA		NA		09/14/2005
(620)						To:	01-619 Boggs Rd; Hickman St; NCL Painter								
<b>Accomack County</b>															
(620)		0.60	420	R		From:	01-619 Boggs Rd; NCL Painter				NA		NA		09/14/2005
(620)						To:	US-13 S, Lankford Hwy								
(620)		0.60	230	R		From:	US-13 S, Lankford Hwy				NA		NA		09/14/2005
(620)						To:	01-621 Red Hill Rd								
(620)		1.30	260	R		From:	01-621 Red Hill Rd				NA		NA		09/14/2005
(620)						To:	US 13 S, Lankford Hwy; SCL Keller								
<b>Town of Keller</b>															
(620)		0.33	100	R		From:	US 13 N; Lankford Hwy; SCL Keller				NA		NA		09/14/2005
(620)						To:	SR 180								
(620)		0.36	460	R		From:	SR 180				NA		NA		09/14/2005
(620)						To:	NCL Keller								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(620)	0.10	460	N								NA		NA		09/14/2005	
(620)	0.90	630	R								NA		NA		09/14/2005	
(620)	1.30	1300	R								NA		NA		09/14/2005	
(620)	0.60	830	R								NA		NA		09/14/2005	
(621) Red Hill Rd	1.20	160	R								NA		NA		09/14/2005	
(622)	1.40	70	R								NA		NA		09/14/2005	
(622)	1.30	70	R								NA		NA		09/14/2005	
(622)	1.31	70	R								NA		NA		09/14/2005	
(623) Adams Crossing Rd	0.38	310	R								NA		NA		09/14/2005	
(624)	1.00	220	R								NA		NA		09/14/2005	
(624)	1.30	150	R								NA		NA		09/14/2005	
(624)	0.58	280	R								NA		NA		09/14/2005	
(624)	0.70	80	R								NA		NA		09/14/2005	
(625) Big Farm Rd	1.10	170	R								NA		NA		09/14/2005	
(626)	1.60	210	R								NA		NA		09/14/2005	
(626)	0.80	1300	G	96%	1%	1%	0%	2%	0%	F	0.085	F	0.6	1400	G	2007
(626)	1.17	1900	G	96%	1%	1%	0%	2%	0%	C	0.101	F	0.571	2000	G	2007
<b>Town of Melfa</b>																
(626) Main St	0.13	2400	G	96%	1%	1%	0%	2%	0%	F	0.094	F	0.579	2500	G	2007
(626) Main St; Airport Dr	0.62	940	G	98%	1%	1%	0%	0%	0%	C	0.089	F	0.543	960	G	2007
<b>Accomack County</b>																
(626)	1.54	490	G	98%	1%	1%	0%	0%	0%	F	0.098	F	0.515	500	G	2007

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(627) Killmontown Rd	1.33	170	R			From: 01-718								NA	09/14/2005
			To: 01-609												
(628) Country Club Rd	1.65	440	R			From: Dead End								NA	09/14/2005
			To: SR 178												
(629) Boggs Wharf Rd	0.50	70	R			From: 01-628 Country Club Rd								NA	09/14/2005
			To: Dead End												
(630)	2.00	100	R			From: Dead End								NA	09/14/2005
			To: SR 180; Gap												
(630)	1.10	60	R			From: 01-631 Hacksneck Rd; Gap								NA	09/14/2005
			To: Dead End												
(631) Hacksneck Rd	1.45	70	R			From: Dead End								NA	09/14/2005
			To: 01-633 EAST												
(631) Hacksneck Rd	1.40	580	R			From: SR 180								NA	09/14/2005
			To: 01-631 Hacksneck Rd												
(632) Evergreen Rd	0.80	100	R			From: 01-721								NA	09/14/2005
			To: Dead End												
(632) Evergreen Rd	0.30	20	R			From: Dead End								NA	09/14/2005
			To: 01-631 E, Hacksneck Rd												
(633)	1.70	47	R			From: 01-631 W, Hacksneck Rd								NA	09/14/2005
			To: Dead End												
(633)	0.30	50	R			From: 0.30 MN 01-631								NA	09/08/2005
			To: Dead End												
(633)	0.25	70	R			From: 01-638								NA	09/08/2005
			To: Dead End												
(634) Mount Nebo Rd	1.20	190	R			From: 01-637								NA	09/08/2005
			To: Dead End												
(635) Matchotank Rd	0.88	49	R			From: Dead End								NA	09/08/2005
			To: 01-638												
(636) Crockett Town Rd	1.10	200	R			From: Dead End								NA	09/08/2005
			To: 01-717 Tarkill Rd												
(637)	0.80	190	R			From: 01-638 SOUTH								NA	09/08/2005
			To: Dead End												
(637)	1.30	210	R			From: 01-634 Mount Nebo Rd								NA	09/08/2005
			To: Dead End												
(637)	1.10	50	R			From: 01-626								NA	09/07/2005
			To: 01-638 EAST												
(637)	0.80	100	R			From: 01-638 WEST								NA	09/07/2005
			To: Dead End												
(638)	0.55	100	R			From: Dead End								NA	09/07/2005
			To: 01-745 Barn Woods Rd												
(638)	0.50	140	R			From: 01-637 SOUTH								NA	09/07/2005
			To: Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(638)	0.94	310	R											NA	09/07/2005	
(638)	1.12	510	R											NA	09/07/2005	
(638)	1.71	1300	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.588	1300	G	2007
(638)	1.73	2300	G	97%	0%	1%	1%	1%	0%	C	0.087	F	0.598	2300	G	2007
(638)	0.29	3900	G	97%	0%	1%	1%	1%	0%	F	0.096	F	0.541	4000	G	2007
(638)	1.36	1400	G	97%	0%	1%	1%	1%	0%	F	0.098	F	0.585	1500	G	2007
														WCL Onley		
<b>Town of Onley</b>																
(638)	0.29	1500	G	97%	0%	1%	1%	1%	0%	F	0.11	F	0.725	1500	G	2007
														01-609		
<b>Accomack County</b>																
(639)	1.00	610	R											NA	09/07/2005	
(639)	1.00	450	R											NA	09/07/2005	
(639)	0.02	1100	R											NA	09/07/2005	
(639)	1.28	210	R											NA	09/07/2005	
(639)	0.70	290	R											NA	09/07/2005	
														ECL Melfa		
<b>Town of Melfa</b>																
(639)	0.05	290	N											NA	09/07/2005	
														01-626 Main St; Airport Dr		
<b>Accomack County</b>																
(640)	1.40	160	R											NA	09/08/2005	
														01-718 SOUTH		
(640)	1.10	460	R											NA	09/08/2005	
														01-609		
(641) Broadway Rd	1.10	190	R											NA	09/08/2005	
														Dead End		
(641) Broadway Rd	0.10	180	R											NA	09/08/2005	
														01-733 Tilghman Rd		
(641) Broadway Rd	0.60	730	R											NA	09/08/2005	
														01-767 East Point Rd		
(642) Breezy Point Rd	1.00	190	R											NA	09/07/2005	
														01-638		
(643) Bailey Neck Dr	1.69	170	R											NA	09/07/2005	
														Dead End		
(644) Rose Cottage Rd	0.80	110	R											NA	09/07/2005	
														01-672 Fair Oaks Rd		
														01-605		

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(644) Rose Cottage Rd	0.60	70	R			From:	01-605							NA	09/07/2005
						To:	Dead End								
(646) Bellevue Circle	1.40	390	R			From:	01-647 W, Stonehouse Rd							NA	09/07/2005
						To:	01-647 E, Stonehouse Rd								
(647) Stonehouse Rd	0.80	850	R			From:	01-789							NA	09/07/2005
						To:	01-715 W, Logan Rd								
(647) Stonehouse Rd	0.10	330	R			From:	01-715 E, Logan Rd							NA	09/07/2005
						To:	01-605 NORTH								
(647) Stonehouse Rd	3.40	60	R			From:	01-605 SOUTH							NA	08/02/2005
						To:	01-657								
(648)	0.76	1300	R			From:	SR 316 Greenbush Rd							NA	08/02/2005
						To:	US 13 Bus								
(648)	0.20	170	R			From:	US 13 Lankford Hwy							NA	08/02/2005
						To:	US 13 Lankford Hwy								
(648)	0.35	610	R			From:	01-609							NA	08/02/2005
						To:	01-605 NORTH								
(648)	2.00	600	R			From:	01-605 SOUTH							NA	08/02/2005
						To:	01-651 Folley Creek Rd								
(648)	1.20	320	R			From:	01-651 Folley Creek Rd							NA	08/02/2005
						To:	01-651 Folley Creek Rd								
(648)	0.75	160	R			From:	0.75 ME 01-651							NA	08/02/2005
						To:	Dead End								
(649) Southside Rd	0.10	210	R			From:	01-655							NA	08/02/2005
						To:	Dead End								
(650) Mini Rd	0.60	550	R			From:	01-648							NA	08/02/2005
						To:	01-609 SOUTH								
(650) Mini Rd	0.33	230	R			From:	01-609 NORTH							NA	08/02/2005
						To:	US 13 Lankford Hwy								
(650) Mini Rd	0.45	430	R			From:	SR 126 Fairgrounds Rd							NA	08/02/2005
						To:	SR 126 Fairgrounds Rd								
(651) Folley Creek Rd	0.80	160	R			From:	01-648							NA	08/02/2005
						To:	Dead End								
<b>Town of Accomac</b>															
(652) Joynes Neck Rd	0.27	420	R			From:	US 13 Bus							NA	08/02/2005
						To:	ECL Accomac								
(652) Joynes Neck Rd	0.16	420	R			From:	ECL Accomac							NA	08/02/2005
						To:	01-1509 W, Edgehill Circle								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(652) Joynes Neck Rd	0.20	20	R								NA		NA		08/02/2005	
(652) Joynes Neck Rd	1.86	100	R								NA		NA		08/02/2005	
(653) Poplar Cove Rd	0.85	190	R								NA		NA		08/02/2005	
(653) Poplar Cove Rd	1.45	90	R								NA		NA		08/02/2005	
(653) Poplar Cove Rd	0.60	490	R								NA		NA		08/02/2005	
(654)	1.30	180	R								NA		NA		08/02/2005	
(654)	0.70	300	R								NA		NA		08/02/2005	
(655)	3.30	190	R								NA		NA		08/02/2005	
(655)	0.58	230	R								NA		NA		08/02/2005	
(656) Northside Rd	0.81	500	R								NA		NA		08/02/2005	
(657)	1.39	410	R								NA		NA		08/02/2005	
(657)	1.37	910	R								NA		NA		08/02/2005	
(657)	0.34	2000	R								NA		NA		08/02/2005	
(657)	1.89	1700	G	94%	2%	2%	1%	2%	0%	C	0.092	F	0.516	1800	G	2007
(657)	0.74	830	G	94%	2%	2%	1%	2%	0%	F	0.101	F	0.573	850	G	2007
(657)	0.40	570	G	96%	0%	1%	0%	3%	0%	C	0.09	F	0.691	580	G	2007
(657)	0.08	520	R								NA		NA		07/06/2005	
<b>Town of Onancock</b>																
(658) Liberty St	0.37	490	R								NA		NA		07/06/2005	
(658) College Ave	0.37	510	R								NA		NA		07/06/2005	
(658) North St	0.16	2200	G	98%	0%	1%	0%	1%	0%	C	0.086	F	0.521	2300	G	2007
(658) North St	0.20	2300	G	98%	0%	1%	0%	1%	0%	F	0.089	F	0.56	2300	G	2007
<b>Accomack County</b>																
(658) Town Rd	1.52	1100	G	98%	0%	1%	0%	1%	0%	F	0.096	F	0.594	1100	G	2007

Virginia Department of Transportation  
Traffic Engineering Division

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(658)	2.90	600	G	98%	0%	1%	0%	1%	0%	F	0.096	F	0.538	620	G	2007
			From:			01-657 WEST										
(658)	0.70	680	R											NA		07/06/2005
			To:			01-661 WEST										
(658)	1.16	600	R											NA		07/06/2005
			From:			01-661 E; 01-722										
(658)	0.79	430	R											NA		07/06/2005
			To:			01-669 SOUTH										
(658)	0.09	510	R											NA		07/06/2005
			From:			01-669 NORTH										
(658)	0.59	490	R											NA		07/06/2005
			To:			01-673 SOUTH										
(658)	1.48	390	R											NA		07/06/2005
			From:			01-673 NORTH										
(658)	1.27	560	R											NA		07/06/2005
			To:			01-674 NORTH										
(658)	0.78	410	R											NA		07/06/2005
			From:			SR 187										
(658)	0.06	340	R											NA		07/06/2005
			To:			01-684 WEST										
(658)	0.75	300	R											NA		07/06/2005
			From:			01-684 EAST										
(658)	1.11	190	R											NA		07/06/2005
			To:			01-683 NORTH										
(658)	0.95	50	R											NA		07/06/2005
			From:			01-688 NORTH										
(659)	0.45	400	R											NA		07/06/2005
			To:			US 13 Bus										
(659)	2.15	100	R											NA		07/06/2005
			From:			SR-316 S, Greenbush Rd										
(659)	1.20	360	R											NA		08/23/2005
			To:			SR 316 N; 01-764										
(659)	0.90	460	R											NA		08/23/2005
			From:			01-764 Accomac Rd										
(660)	1.80	350	R											NA		08/23/2005
			To:			01-663 Smith Rd										
(660)	1.98	80	R											NA		08/23/2005
			From:			Dead End										
(660)	0.05	100	R											NA		08/23/2005
			To:			01-658 SOUTH										
(660)	0.85	190	R											NA		08/23/2005
			From:			01-658 NORTH										
(660)	1.25	80	R											NA		08/23/2005
			To:			01-659 WEST										
(660)	0.80	340	R											NA		08/23/2005
			From:			01-659 EAST										
(661)			To:			SR 316 Greenbush Rd										
(661)			From:			01-764 Accomac Rd										
(661)			To:			01-763 Gap Terminus										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(661)	0.40	600	R			From:	SR 316 Gap Terminus				NA		NA		08/23/2005
(661)	1.70	410	R			To:	01-659				NA		NA		08/23/2005
(661)	0.50	310	R			From:	01-667 Old County Rd				NA		NA		08/23/2005
(661)	1.80	90	R			To:	US 13 Lankford Hwy				NA		NA		08/23/2005
(661)						From:	01-666 Fox Grove Rd								
(662) Bayles Neck Rd	2.80	320	R			From:	Dead End				NA		NA		08/23/2005
(662) Bayles Neck Rd	0.30	460	R			From:	US 13 Bus				NA		NA		08/23/2005
(662) Bayles Neck Rd	0.35	310	R			To:	US 13 Lankford Hwy				NA		NA		08/23/2005
(662) Bayles Neck Rd						From:	Dead End								
(663) M N Smith Rd	1.45	820	R			From:	01-659				NA		NA		08/23/2005
(664) Parks Rd	1.30	460	R			To:	US 13; US 13 Bus								
(664) Parks Rd						From:	US 13 Lankford Hwy				NA		NA		08/23/2005
(665)	0.80	2	R			To:	Dead End				NA		NA		08/23/2005
(665)						From:	01-661 EAST								
(665)	0.80	70	R			To:	01-661 WEST				NA		NA		08/23/2005
(665)						From:	US 13 Lankford Hwy								
(666) Fox Grove Rd	1.55	90	R			To:	Dead End				NA		NA		08/23/2005
(666) Fox Grove Rd	0.40	260	R			From:	01-786 Alicato Rd				NA		NA		08/23/2005
(666) Fox Grove Rd	1.00	200	R			To:	01-661								08/16/2005
(666) Fox Grove Rd						From:	01-679								
(667) Old County Rd	0.60	380	R			To:	01-661				NA		NA		08/16/2005
(667) Old County Rd						From:	SR 176								
(668)	1.00	160	R			To:	01-661				NA		NA		08/16/2005
(668)						From:	01-669 EAST								
(668)	0.20	130	R			To:	01-669 WEST				NA		NA		08/16/2005
(668)						From:	SR 176								
(669)	1.30	270	R			To:	Dead End				NA		NA		08/16/2005
(669)						From:	01-670 Johnsons Landing Rd								
(669)	0.70	300	R			To:	01-658 WEST				NA		NA		08/16/2005
(669)	0.20	640	R			From:	01-658 EAST								08/16/2005
(669)	0.60	550	R			To:	01-671 Hart Rd				NA		NA		08/16/2005
(669)	0.60	530	R			From:	01-763 SOUTH				NA		NA		08/16/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(669)	0.25	630	R								NA		NA		08/16/2005	
(669)	1.67	530	R								NA		NA		08/16/2005	
(670) Johnsons Landing Rd	0.60	230	R								NA		NA		08/16/2005	
(671) Hart Rd	0.60	290	R								NA		NA		08/16/2005	
(672) Fair Oaks Rd	1.30	160	R								NA		NA		08/16/2005	
(672) Fair Oaks Rd	0.30	30	R								NA		NA		08/16/2005	
(673)	0.80	380	R								NA		NA		08/16/2005	
(673)	0.70	840	G	97%	0%	2%	0%	1%	0%	C	0.1	F	0.667	860	G	2007
<b>Town of Parksley</b>																
(673) Bennett St	0.21	1400	G	97%	0%	2%	0%	1%	0%	F	0.103	F	0.959	1400	G	2007
(673) Bennett St	0.20	1800	G	97%	0%	2%	0%	1%	0%	F	0.092	F	0.615	1800	G	2007
<b>Accomack County</b>																
(674)	1.10	30	R								NA		NA		08/16/2005	
(674)	0.80	180	R								NA		NA		08/16/2005	
(674)	0.80	170	R								NA		NA		08/16/2005	
<b>Town of Parksley</b>																
(674)	0.10	170	N								NA		NA		08/16/2005	
(674) Adelaide St	0.06	120	R								NA		NA		08/16/2005	
(674) Adelaide St	0.06	240	R								NA		NA		08/16/2005	
(674)	0.10	290	R								NA		NA		08/16/2005	
(674)	0.10	330	R								NA		NA		08/16/2005	
(674)	0.10	380	R								NA		NA		08/16/2005	
(674)	0.01	630	R								NA		NA		08/16/2005	
(674)	0.03	550	R								NA		NA		08/16/2005	

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Parksley</b>																
(674)	0.06	530	R								NA		NA		08/16/2005	
(674)	0.10	690	R								NA		NA		08/16/2005	
(674)	0.15	580	R								NA		NA		08/16/2005	
			To:			01-1806 Sea Side Ave										
			From:			01-678										
<b>Accomack County</b>																
(675)	1.30	190	R								NA		NA		08/16/2005	
(675)	0.70	300	R								NA		NA		08/16/2005	
(675)	1.10	410	R								NA		NA		08/16/2005	
(675)	0.60	50	R								NA		NA		08/16/2005	
			To:			01-682 W, Anns Cove Rd										
			From:			Dead End										
(676)	1.00	80	R								NA		NA		07/26/2005	
(676)	0.90	210	R								NA		NA		07/26/2005	
(676)	0.90	530	R								NA		NA		07/26/2005	
(676)	1.10	130	R								NA		NA		07/26/2005	
(676)	1.27	870	R								NA		NA		07/26/2005	
(676)	0.90	80	R								NA		NA		07/26/2005	
(677) Whites Neck Rd	0.80	220	R								NA		NA		07/26/2005	
(677) Whites Neck Rd	1.60	90	R								NA		NA		07/26/2005	
(678)	0.35	210	R								NA		NA		07/26/2005	
(678)	0.20	850	R								NA		NA		07/26/2005	
(678)	1.90	510	R								NA		NA		07/26/2005	
(679)	0.34	1200	G	95%	2%	2%	1%	0%	0%	F	0.112	F	0.506	1200	G	2007
(679)	0.25	740	G	95%	2%	2%	1%	0%	0%	F	0.096	F	0.556	760	G	2007
(679)	3.88	480	G	95%	2%	2%	1%	0%	0%	C	0.117	F	0.552	500	G	2007
(679)	2.41	520	G	98%	0%	1%	1%	0%	0%	F	0.115	F	0.744	530	G	2007
			To:			01-689										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(679)	3.10	650	G	98%	0%	1%	1%	0%	0%	C	0.111	F	0.68	670	G	2007
(679)	1.49	2300	G	98%	0%	1%	1%	0%	0%	F	0.103	F	0.636	2300	G	2007
(679)	0.73	3600	G	98%	0%	1%	1%	0%	0%	F	0.094	F	0.501	3700	G	2007
(679)	1.05	4200	G	95%	1%	1%	2%	2%	0%	C	0.097	F	0.554	4300	G	2007
(679)	1.50	480	G	95%	1%	1%	2%	2%	0%	F	0.102	F	0.596	490	G	2007
(679)	3.68	2400	G							NA				2400	G	2007
(679)	2.16	2100	G							0.092	F	0.679		2100	G	2007
(679)	4.10	2400	G							0.088	F	0.585		2500	G	2007
(679)	0.35	420	G							0.113	F	0.514		430	G	2007
(679)	0.05	550	R							NA				NA		07/26/2005
(679)	0.46	210	R							NA				NA		07/26/2005
(680)	1.30	210	R							NA				NA		07/26/2005
(680)	1.00	460	R							NA				NA		07/26/2005
(680)	1.80	150	R							NA				NA		07/26/2005
<b>Town of Bloxom</b>																
(681)	0.17	350	R							NA				NA		07/26/2005
(681)	0.02	300	R							NA				NA		07/26/2005
<b>Accomack County</b>																
(681)	2.28	300	N							NA				NA		07/26/2005
(681)	1.30	220	R							NA				NA		07/26/2005
(681)	2.00	140	R							NA				NA		07/26/2005
(682) Anns Cove Rd	0.20	20	R							NA				NA		07/26/2005
(682) Anns Cove Rd	1.00	270	R							NA				NA		07/26/2005
(682) Anns Cove Rd	0.60	410	R							NA				NA		07/26/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(683)	0.80	80	R			From: Dead End					NA		NA		07/26/2005
						To: 01-658 SOUTH									
(683)	1.10	80	R			From: 01-658 NORTH					NA		NA		07/26/2005
						To: 01-779 Mears Station Rd									
(683)	0.35	140	R			From: 01-687 Bethel Church Rd					NA		NA		07/26/2005
						To: 01-687 Bethel Church Rd									
(684)	2.30	60	R			From: Dead End					NA		NA		07/26/2005
						To: 01-658 WEST									
(684)	1.16	360	R			From: 01-658 EAST					NA		NA		07/26/2005
						To: NCL Bloxom									
<b>Town of Bloxom</b>															
(684)	0.07	360	N			From: NCL Bloxom					NA		NA		07/26/2005
						To: 01-779									
(684)	0.32	630	R			From: 01-779 Mears Station Rd					NA		NA		07/12/2005
						To: 01-687 Bethel Church Rd									
<b>Accomack County</b>															
(685) Gladding Landing Rd	0.90	90	R			From: Dead End					NA		NA		07/12/2005
						To: 01-686									
(685) Gladding Landing Rd	0.60	120	R			From: 01-686					NA		NA		07/12/2005
						To: 01-658									
(686)	0.50	20	R			From: 01-685 Gladding Landing Rd					NA		NA		07/12/2005
						To: 01-688									
<b>Town of Bloxom</b>															
(687) Bethel Church Rd	0.02	1200	R			From: SR 187 Shoremain Dr					NA		NA		07/12/2005
						To: 01-684									
(687) Bethel Church Rd	0.20	270	R			From: 01-684					NA		NA		07/12/2005
						To: NCL Bloxom									
<b>Accomack County</b>															
(687) Bethel Church Rd	0.30	270	N			From: NCL Bloxom					NA		NA		07/12/2005
						To: 01-683									
(687) Bethel Church Rd	1.30	70	R			From: 01-683					NA		NA		07/12/2005
						To: 01-688 S; 01-739									
(687) Bethel Church Rd	0.20	110	R			From: 01-688 S; 01-739					NA		NA		07/12/2005
						To: 01-689									
(687) Bethel Church Rd	0.40	90	R			From: 01-689					NA		NA		07/12/2005
						To: 01-690 Whites Crossing									
(687) Bethel Church Rd	0.90	1300	R			From: 01-690 Whites Crossing					NA		NA		07/12/2005
						To: 01-691									
(687) Bethel Church Rd	0.60	230	R			From: 01-691					NA		NA		07/12/2005
						To: SCL Hallwood									
<b>Town of Hallwood</b>															
(687) Bethel Church Rd	0.10	230	N			From: SCL Hallwood					NA		NA		07/12/2005
						To: 01-692									
<b>Accomack County</b>															
(688)	1.60	7	R			From: SR 187					NA		NA		07/19/2005
						To: 01-687 S, Bethel Church Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(688)	0.45	260	R											NA	07/19/2005	
(688)	0.95	40	R											NA	07/19/2005	
(688)	1.70	380	R											NA	07/19/2005	
(688)	2.50	310	R											NA	07/19/2005	
(689)	0.30	60	R											NA	07/19/2005	
(689)	0.40	320	R											NA	07/19/2005	
(689)	1.90	430	R											NA	07/19/2005	
(689)	1.30	230	R											NA	07/19/2005	
(689)	1.25	60	R											NA	07/19/2005	
(690) Whites Crossing	0.50	140	R											NA	07/19/2005	
(690) Whites Crossing	0.70	120	R											NA	07/19/2005	
(690) Whites Crossing	1.00	170	R											NA	07/19/2005	
(690) Whites Crossing	0.40	10	R											NA	07/19/2005	
(691)	1.70	610	R											NA	07/19/2005	
(691)	1.00	250	R											NA	07/19/2005	
(692)	1.58	430	R											NA	07/19/2005	
(692)	0.10	470	R											NA	07/19/2005	
(692)	0.80	360	R											NA	07/19/2005	
(692)	0.60	500	R											NA	07/19/2005	
(692)	1.30	430	G	98%	0%	2%	0%	0%	0%	F	0.109	F	0.549	440	G	2007
(692)	1.24	370	G	98%	0%	2%	0%	0%	0%	C	0.101	F	0.525	380	G	2007
<b>Town of Hallwood</b>																
(692)	0.20	460	G	98%	0%	2%	0%	0%	0%	F	0.098	F	0.536	470	G	2007

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Hallwood</b>																
(692)	0.59	1200	G	98%	0%	2%	0%	0%	0%	F	0.105	F	0.635	1200	G	2007
(692)	0.44	800	G	98%	0%	2%	0%	0%	0%	F	0.104	F	0.537	810	G	2007
<b>Accomack County</b>																
(692)	1.36	880	G	98%	0%	2%	0%	0%	0%	F	0.107	F	0.525	900	G	2007
(692)	1.60	280	R										NA			07/19/2005
(692)	2.25	90	R										NA			07/19/2005
<b>Town of Hallwood</b>																
(693) Neal Parker Dr	0.28	770	G	97%	0%	2%	0%	1%	0%	F	0.098	F	0.506	790	G	2007
(693) Neal Parker Dr	3.06	720	G	97%	0%	2%	0%	1%	0%	C	0.113	F	0.533	740	G	2007
(693) Neal Parker Dr	1.32	310	G	97%	0%	2%	0%	1%	0%	F	0.117	F	0.589	320	G	2007
(693) Neal Parker Dr	1.20	230	G	97%	0%	2%	0%	1%	0%	F	0.113	F	0.571	240	G	2007
(693) Neal Parker Dr	1.50	70	R										NA			07/06/2005
(694) Sand St	1.05	370	R										NA			07/06/2005
(694)	0.05	550	G	95%	1%	2%	2%	1%	0%	C	0.115	F	0.615	560	G	2007
(694)	2.10	150	R										NA			07/06/2005
<b>Town of Saxis</b>																
(695)	0.05	450	R										NA			07/06/2005
(695)	0.03	100	R										NA			07/06/2005
(695)	1.30	140	R										NA			07/06/2005
<b>Accomack County</b>																
(695)	2.97	590	G	95%	0%	3%	0%	1%	0%	F	0.117	F	0.604	610	G	2007
(695)	1.17	640	G	95%	0%	3%	0%	1%	0%	F	0.091	F	0.594	660	G	2007
(695)	2.69	930	G	95%	0%	3%	0%	1%	0%	C	0.096	F	0.596	950	G	2007
(695)	1.95	870	G	95%	0%	3%	0%	1%	0%	F	0.091	F	0.513	890	G	2007
(695)	2.26	1000	G	95%	0%	3%	0%	1%	0%	F	0.085	F	0.506	1000	G	2007

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(695)	0.26	1300	G	95%	0%	3%	0%	1%	0%	F	0.104	F	0.675	1300	G	2007
(695)	1.88	1400	G	93%	1%	1%	4%	1%	0%	C	0.097	F	0.525	1500	G	2007
(695)	1.30	560	R									NA		NA		07/06/2005
<b>Town of Keller</b>																
(696) Keller Fair Rd	0.25	160	R									NA		NA		07/06/2005
(696) Keller Fair Rd	0.20	160	N											NA		07/06/2005
(696) Keller Fair Rd	0.37	130	R											NA		07/06/2005
(696) Keller Fair Rd	1.10	70	R											NA		07/06/2005
(697) Matthews Rd	0.50	10	R											NA		07/06/2005
(698)	0.60	4	R											NA		07/06/2005
(698)	0.60	4	R											NA		07/06/2005
(698)	0.60	20	R											NA		07/06/2005
(698)	0.60	90	R											NA		07/06/2005
(698)	0.50	7	R											NA		07/06/2005
(699)	1.00	170	R											NA		07/06/2005
(699)	0.43	49	R											NA		07/06/2005
(700) Messongo Rd	0.30	70	R											NA		07/06/2005
(700) Messongo Rd	1.20	60	R											NA		07/06/2005
(701)	2.50	160	R											NA		07/06/2005
(701) Jenkins Bridge Rd	0.60	740	G	94%	0%	3%	2%	1%	0%	C	0.114	F	0.644	760	G	2007
(701)	0.60	80	R											NA		06/28/2005
(701)	2.70	80	R											NA		06/28/2005
(701)	0.52	90	R											NA		06/28/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(702)	1.60	830	G	96%	0%	1%	1%	1%	0%	F	0.108	F	0.611	850	G	2007
(702)	1.70	1500	G	96%	0%	1%	1%	1%	0%	C	0.1	F	0.621	1500	G	2007
(702)	3.00	1500	G	97%	1%	1%	1%	1%	0%	C	0.104	F	0.515	1600	G	2007
(702)	1.30	110	R											NA		06/28/2005
(702)														Dead End		
(703)	2.10	30	R											NA		06/28/2005
(703)	1.90	210	R											NA		06/28/2005
(703)														US 13 N, Lankford Hwy		
(703)														US 13 S, Lankford Hwy		
(703)	0.40	430	R											NA		06/28/2005
(703)														01-702 WEST		
(703)														01-702 EAST		
(703)	2.50	320	R											NA		06/28/2005
(703)														01-679		
(704)	1.70	90	R											NA		06/28/2005
(704)														US-13 N, Lankford Hwy		
(704)														US-13 S, Lankford Hwy		
(704)	2.83	390	R											NA		06/28/2005
(704)														SR 175 WEST		
(704)														SR 175 EAST		
(705) Holland Rd	1.30	80	R											NA		06/28/2005
(705) Holland Rd	1.60	90	R											NA		06/28/2005
(705) Holland Rd	1.28	110	R											NA		06/28/2005
(705) Holland Rd	0.95	90	R											NA		06/28/2005
(705) Holland Rd	0.90	60	R											NA		06/28/2005
(706) Tunnells Mill Rd	1.30	230	R											NA		06/28/2005
(707)	1.50	70	R											NA		06/28/2005
(707)														01-709		
(707)														01-705 N, Holland Rd		
(707)	0.20	50	R											NA		06/28/2005
(708) Miles Rd	2.70	40	R											NA		06/28/2005
(709)	1.08	90	R											NA		06/28/2005
(709)	2.16	250	R											NA		06/28/2005
(709)														01-701		
(709)														01-705 S, Holland Rd		

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(709)	1.47	280	R								NA		NA		06/28/2005
(709)	1.02	20	R								NA		NA		06/28/2005
(709)	0.12	930	R								NA		NA		06/28/2005
(709)	0.05	710	R								NA		NA		06/28/2005
(709)	0.06	740	G	98%	1%	1%	0%	0%	0%	F	0.086	F	0.723	760	G 2007
(709)	3.93	670	G	98%	1%	1%	0%	0%	0%	C	0.093	F	0.508	690	G 2007
(709)	1.70	270	R								NA		NA		07/06/2005
(710)	0.35	720	R								NA		NA		07/06/2005
(710)	0.33	20	R								NA		NA		07/06/2005
(710)	0.65	570	R								NA		NA		07/06/2005
(710)	1.01	390	R								NA		NA		07/06/2005
(711) Tulls Mill Pond Rd	0.50	70	R								NA		NA		07/06/2005
(712)	2.50	330	R								NA		NA		07/06/2005
(712)	1.60	250	R								NA		NA		07/06/2005
(712)	2.00	320	R								NA		NA		07/06/2005
(713) Garland Taylor Rd	1.20	60	R								NA		NA		07/06/2005
(714) Silverthorne Rd	0.80	90	R								NA		NA		07/06/2005
(715) Logan Rd	0.50	280	R								NA		NA		07/06/2005
(715) Logan Rd	1.40	260	R								NA		NA		07/06/2005
(716) Warrior Dr	0.23	310	R								NA		NA		07/06/2005
(716) Warrior Dr	0.06	320	R								NA		NA		07/06/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(716) Warrior Dr	0.05	340	R			From:	01-9502							NA	07/06/2005	
						To:	US 13 Lankford Hwy									
(717) Tarkill Rd	1.20	60	R			From:	Dead End							NA	07/06/2005	
						To:	01-638									
(718)	2.13	2400	G	97%	0%	1%	1%	1%	0%	C	0.08	F	0.571	2500	G	2007
						From:	SR 178 S; 01-620									
(718)	2.11	2400	G	97%	0%	1%	1%	1%	0%	F	0.084	F	0.536	2500	G	2007
						From:	01-626 NORTH									
(718)						To:	01-638 WEST									
						From:	01-638 EAST									
(718)	0.27	4200	G	97%	0%	1%	1%	1%	0%	F	0.085	F	0.585	4300	G	2007
						To:	SCL Onancock									
<b>Town of Onancock</b>																
(718) Hill St	0.58	3900	G	97%	0%	1%	1%	1%	0%	F	0.087	F	0.585	4000	G	2007
						From:	SCL Onancock									
						To:	SR 179 NORTH									
<b>Accomack County</b>																
(719) Shad Landing Rd	1.10	20	R			From:	Dead End							NA	07/06/2005	
						To:	01-695									
(720) Kelly Rd	1.00	150	R			From:	01-709							NA	07/06/2005	
						To:	01-712									
(721)	0.10	30	R			From:	01-632 Evergreen Rd							NA	07/06/2005	
						To:	Dead End									
(722) Ayres Cir	0.27	40	R			From:	01-658 S; 01-661							NA	07/06/2005	
						To:	01-658 N									
(723) Seaside Park	0.18	170	R			From:	01-679							NA	07/06/2005	
						To:	Dead End									
(724) Island Neck Rd	0.45	80	R			From:	Dead End							NA	07/06/2005	
						To:	SR 178									
(725) Outten Rd	0.30	180	R			From:	01-712							NA	07/06/2005	
						To:	01-713 Garland Taylor Rd									
(726) Thompson Rd	0.25	40	R			From:	Dead End							NA	07/06/2005	
						To:	SR 175									
(727) Harbor Cir	0.28	310	R			From:	01-606 Harbor Point Rd							NA	07/06/2005	
						To:	Dead End									
(728) Downings Rd	0.07	40	R			From:	US 13 Lankford Hwy							NA	07/06/2005	
						To:	Dead End									
(729) Finney Mason Lane	0.75	40	R			From:	US 13 Lankford Hwy							NA	07/26/2005	
						To:	Dead End									
(730) Pierce Taylor Rd	0.83	50	R			From:	01-689							NA	07/26/2005	
						To:	Dead End									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(731)	0.55	360	R			From:	01-639					NA		NA	07/26/2005
(731)	0.95	490	R			From:	01-625 Big Farm Rd					NA		NA	07/26/2005
						To:	SCL Onley								
<b>Town of Onley</b>															
(731) Forest St	0.29	490	N			From:	SCL Onley					NA		NA	07/26/2005
(731) Forest St	0.08	30	R			From:	01-789 Main St					NA		NA	07/26/2005
						To:	01-1610 Caroline Ave								
<b>Accomack County</b>															
(732)	0.90	190	R			From:	Dead End					NA		NA	07/26/2005
						To:	SR 178 SOUTH								
(732)	1.20	520	R			From:	SR 178 NORTH					NA		NA	07/26/2005
						To:	01-614								
(733) Tilghman Rd	0.40	8	R			From:	Dead End					NA		NA	07/26/2005
						To:	01-641 Broadway Rd								
(734)	0.80	210	R			From:	01-620					NA		NA	07/26/2005
						To:	US-13 S, Lankford Hwy								
(734)	0.70	130	R			From:	US-13 N, Lankford Hwy					NA		NA	07/26/2005
						To:	01-626								
(735) Robertson Lane	0.10	40	R			From:	Dead End					NA		NA	07/26/2005
						To:	01-658 Town Road								
(736) Bradford Rd	0.80	160	R			From:	01-600 Seaside Rd					NA		NA	07/26/2005
						To:	SR 180								
(737) Ross Rd	0.10	140	R			From:	01-692					NA		NA	07/26/2005
						To:	01-700 Messongo Rd								
(738) Kinsey Dr	0.40	80	R			From:	US 13 Lankford Hwy					NA		NA	07/26/2005
						To:	01-679								
(739)	0.15	9	R			From:	01-687 S; 01-688					NA		NA	07/26/2005
						To:	01-687 N, Bethel Church Rd								
<b>Town of Accomac</b>															
(740) Oyster House Rd	0.03	90	R			From:	01-605 SCL Accomac					NA		NA	07/26/2005
						To:	ECL Accomac								
<b>Accomack County</b>															
(740) Oyster House Rd	0.87	90	N			From:	ECL Accomac					NA		NA	07/26/2005
						To:	Dead End								
(741) Ole Rd	0.61	60	R			From:	SR 180 WEST					NA		NA	08/23/2005
						To:	SR 180 EAST								
(742) Baker Rd	1.30	40	R			From:	01-679					NA		NA	08/23/2005
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(743)	1.30	130	R			From: 01-600 Seaside Rd					NA		NA		08/23/2005
			To: 01-622												
(744)	1.10	190	R			From: US 13 Lankford Hwy					NA		NA		08/23/2005
			To: Dead End												
(745) Barn Woods Rd	0.60	280	R			From: Dead End					NA		NA		08/23/2005
			To: 01-638												
(746) Lewis Rd	0.15	40	R			From: 01-763					NA		NA		08/23/2005
			To: SR 316 Greenbush Rd												
(747) Nancock Gardens Rd	0.75	110	R			From: 01-638					NA		NA		08/23/2005
			To: Dead End												
(748)	0.10	110	R			From: 01-606 Harbor Point Rd					NA		NA		08/23/2005
			To: 01-797												
(749)	0.10	46	R			From: Dead End					NA		NA		08/23/2005
			To: 01-669												
(750) Radcliffe Rd	0.10	140	R			From: 01-606 Harbor Point Rd					NA		NA		08/23/2005
			To: Dead End												
(751) Hopkins Dr	0.25	80	R			From: 01-657					NA		NA		08/23/2005
			To: Dead End												
(752) Teackle Rd	0.60	47	R			From: Dead End					NA		NA		08/23/2005
			To: 01-614												
(753) Chandler Rd	1.10	390	R			From: 01-676					NA		NA		08/23/2005
			To: 01-680												
(754) Chancetown	0.20	46	R			From: 01-605					NA		NA		08/23/2005
			To: 01-605												
(755) Seymore Lane	0.28	40	R			From: SR 176					NA		NA		08/23/2005
			To: Dead End												
<b>Town of Saxis</b>															
(756) Lees Circle	0.09	20	R			From: 01-695					NA		NA		07/06/2005
			To: Dead End												
<b>Accomack County</b>															
(757) Parks Farm Rd	0.78	40	R			From: Cul-de-Sac					NA		NA		07/06/2005
			To: US 13 Lankford Hwy												
(758) Brown Lane	0.65	60	R			From: 01-687 Bethel Church Rd					NA		NA		07/06/2005
			To: Dead End												
(759) Killmon Lane	0.30	110	R			From: Dead End					NA		NA		07/06/2005
			To: 01-631 Hacksneck Rd												
(760)	0.15	30	R			From: SR 175					NA		NA		07/06/2005
			To: Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(761) Acorn Dr	0.37	140	R			From: Dead End					NA		NA		07/06/2005	
						To: 01-654										
(762) Bayview St	0.75	160	R			From: 01-679					NA		NA		07/06/2005	
						To: 01-730 Pierce Taylor Rd										
(763)	0.15	550	R			From: SR 316; 01-659					NA		NA		07/06/2005	
						To: 01-746 Lewis Rd										
(763)	1.95	410	R			From: SR 316; 01-661 E					NA		NA		07/06/2005	
						To: 01-669 SOUTH										
(763)	0.04	1300	R			From: 01-669 NORTH					NA		NA		07/06/2005	
						To: 01-1802										
(763)	0.19	650	R			From: 01-1801					NA		NA		07/06/2005	
						To: SCL Parksley										
(763)	0.08	620	R			From: SCL Parksley										
						To: 01-1801										
(763)	0.14	410	R			From: SCL Parksley					NA		NA		07/06/2005	
						To: 01-1801										
<b>Town of Parksley</b>																
(763) Jones Ave	0.01	400	R			From: SCL Parksley					NA		NA		07/06/2005	
						To: 01-1824										
(763) Jones Ave	0.06	390	R			From: 01-1824					NA		NA		07/06/2005	
						To: 01-673 Bennett St										
(763) Jones Ave	0.06	400	R			From: 01-673 Bennett St					NA		NA		07/06/2005	
						To: 01-1814 Catherine St										
(763) Jones Ave	0.07	510	R			From: 01-1814 Catherine St					NA		NA		07/06/2005	
						To: 01-1808 Mary St										
(763) Jones Ave	0.06	430	R			From: 01-1808 Mary St					NA		NA		07/06/2005	
						To: 01-674										
(763) Jones Ave	0.06	310	R			From: 01-674					NA		NA		07/06/2005	
						To: 01-1810 Chadbourne St										
(763) Jones Ave	0.06	320	R			From: 01-1810 Chadbourne St					NA		NA		07/06/2005	
						To: 01-1820 Maxwell St										
(763) Jones Ave	0.06	300	R			From: 01-1820 Maxwell St					NA		NA		07/06/2005	
						To: 01-1813 Collen St										
(763) Jones Ave	0.06	340	R			From: 01-1813 Collen St					NA		NA		07/06/2005	
						To: 01-1811 Gertrude St										
<b>Town of Accomac</b>																
(764)	0.48	1600	G	98%	0%	1%	1%	0%	0%	C	0.098	F	0.527	1700	G	2007
						From: Bus US 13 Front St										
(764)	0.08	1300	G	96%	0%	2%	1%	1%	0%	F	0.108	N	0.591	1300	G	2007
						From: US 13 Lankford Hwy										
						To: NCL Accomac										
<b>Accomack County</b>																
(764) Accomac Rd	1.18	950	G	96%	0%	2%	1%	1%	0%	C	0.108	F	0.591	970	G	2007
						From: NCL Accomac										
						To: SR 316 Greenbush Rd										
(765)	0.10	50	R			From: Dead End										
						To: 01-798										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(766) Wright Rd	1.25	130	R			From: 01-679; 01-798					NA		NA		07/06/2005	
						To: Dead End										
(767) East Point Rd	1.00	310	R			From: 01-641 Broadway Rd					NA		NA		07/06/2005	
						To: 01-3101 Locust St										
(767) East Point Rd	0.06	50	R			From: 01-776 Russell Dr					NA		NA		07/06/2005	
						To: Dead End										
(767) East Point Rd	0.03	360	R			From: Dead End					NA		NA		07/06/2005	
						To: 01-614										
(768) Rice Farm Rd	0.50	60	R			From: US 13 Lankford Hwy					NA		NA		07/06/2005	
						To: 01-679										
(769) Beartown Rd	1.20	190	R			From: 01-695					NA		NA		07/06/2005	
						To: Dead End										
(770) Flag Pond Rd	0.50	5	R			From: 01-657					NA		NA		07/26/2005	
						To: 01-825 Savage Lane										
(771)	0.08	140	R			From: SR 187 Nelsonia Rd					NA		NA		07/26/2005	
						To: Dead End										
(772) Hopeland Rd	1.20	230	R			From: 01-606 Harbor Point Rd					NA		NA		07/26/2005	
						To: Dead End										
(773)	0.10	90	R			From: 01-797					NA		NA		07/26/2005	
						To: 01-605										
(774)	0.80	110	R			From: Dead End					NA		NA		07/26/2005	
						To: 01-701										
(775) Sherwood Dr	0.50	20	R			From: Dead End					NA		NA		07/26/2005	
						To: US 13 Lankford Hwy										
(776) Russell Dr	0.12	90	R			From: 01-3104 Pine St					NA		NA		07/26/2005	
						To: 01-3103 Cedar St										
(777) Cedar Creek Rd	0.60	170	R			From: Dead End					NA		NA		07/26/2005	
						To: 01-653 Poplar Cove Rd										
(778) Locust Grove Rd	1.15	180	R			From: 01-638					NA		NA		07/26/2005	
						To: Cul-de-Sac										
<b>Town of Bloxom</b>																
(779) Mears Station Rd	0.39	1700	G	97%	0%	2%	0%	0%	0%	F	0.098	F	0.508	1700	G	2007
						From: SR 187; SR 316										
						To: NCL Bloxom										
<b>Accomack County</b>																
(779) Mears Station Rd	3.22	1400	G	97%	0%	2%	0%	0%	0%	C	0.100	F	0.518	1400	G	2007
						From: NCL Bloxom										
						To: SCL Hallwood										
<b>Town of Hallwood</b>																
(779) Mears Station Rd	0.01	1300	G	97%	0%	2%	0%	0%	0%	F	0.100	N	0.518	1300	G	2007
						From: SCL Hallwood										
						To: 01-692										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(780) Marva Rd	0.29	50	R			From: 01-710					NA		NA		07/12/2005	
			To: US 13 Lankford Hwy; Maryland State Line													
(781) Taylor Farm Rd	1.30	100	R			From: 01-679					NA		NA		07/12/2005	
			To: Dead End													
(782) Crystal Beach Rd	1.00	210	R			From: Dead End					NA		NA		07/12/2005	
			To: 01-655													
(783) Adams Rd	0.06	20	R			From: 01-763					NA		NA		07/12/2005	
			To: SR 316 Greenbush Rd													
(784) Middle St	0.10	100	R			From: 01-2601 Junior St					NA		NA		07/12/2005	
			To: SR 180													
(785) Budd St	0.20	60	R			From: Dead End					NA		NA		07/12/2005	
			To: 01-669													
(786) Alicato Rd	1.00	110	R			From: 01-666 Fox Grove Rd					NA		NA		07/12/2005	
			To: Dead End													
(787)	0.25	47	R			From: 01-647 Stonehouse Rd					NA		NA		07/12/2005	
			To: Dead End													
(788) Hammock Rd	1.00	20	R			From: Dead End					NA		NA		07/12/2005	
			To: 01-695													
(789)	2.64	850	G	99%	0%	1%	0%	0%	0%	C	0.09	F	0.585	870	G	2007
			To: SCL Onley													
<b>Town of Onley</b>																
(789)	0.29	1500	G	99%	0%	1%	0%	0%	0%	F	0.09	F	0.629	1600	G	2007
			To: SCL Onley													
(789)	0.33	2300	G	99%	0%	1%	0%	0%	0%	F	0.089	F	0.588	2400	G	2007
			To: 01-731													
			To: US 13 Bus; SR 179													
<b>Accomack County</b>																
(790) Thornton Rd	1.20	530	R			From: US 13 Lankford Hwy					NA		NA		07/12/2005	
			To: 01-679													
(791) Bending Stream Dr	0.30	310	R			From: Dead End					NA		NA		07/12/2005	
			To: SR 178													
(792) Sam Byrd Lane	0.45	8	R			From: Dead End					NA		NA		07/12/2005	
			To: 01-688													
(793) Will Fisher Rd	0.50	140	R			From: 01-693 Neal Parker Drive					NA		NA		07/12/2005	
			To: 01-695													
(794) Davis Dr	0.25	190	R			From: US 13 Lankford Hwy					NA		NA		07/12/2005	
			To: 01-689													
(795) Mitchell Dr	1.00	120	R			From: 01-679					NA		NA		07/12/2005	
			To: Dead End													

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Accomack County</b>																
(796) Davis Lane	0.15	60	R			From: SR 187					NA		NA		07/12/2005	
			To: Dead End													
(797)	0.10	50	R			From: 01-605					NA		NA		07/12/2005	
			To: 01-748													
(797)	0.10	70	R			From: 01-773					NA		NA		07/12/2005	
			To: 01-679; 01-766													
(798)	0.75	3900	G	95%	1%	1%	2%	2%	0%	C	0.1	F	0.560	3900	G	2007
			To: SR 175 EAST													
(798)	1.70	2000	R			From: SR 175 WEST					NA		NA		07/06/2005	
			To: US 13 Bus													
(799)	0.19	820	R			From: US 13 Lankford Hwy					NA		NA		07/06/2005	
			To: US 13 Lankford Hwy													
(800) New Rd	0.25	10	R			From: 01-682 Anns Cove Rd					NA		NA		07/06/2005	
			To: Dead End													
(801) Camp Lane	0.30	20	R			From: Dead End					NA		NA		07/06/2005	
			To: 01-611 Occohannock Dr													
(802)	0.86	480	R			From: 01-656 Northside Rd					NA		NA		07/06/2005	
			To: Dead End													
(803)	0.76	450	R			From: 01-679					NA		NA		07/06/2005	
			To: Dead End													
(804) Bell Rd	0.25	70	R			From: Dead End					NA		NA		07/06/2005	
			To: 01-709													
(805) Allen Lane	0.20	190	R			From: 01-657					NA		NA		07/06/2005	
			To: Dead End													
(806) Fishermans Lane	0.23	80	R			From: 01-657					NA		NA		07/06/2005	
			To: Dead End													
(807) Warrington Dr	0.11	49	R			From: Dead End					NA		NA		07/06/2005	
			To: 01-638													
<b>Town of Saxis</b>																
(808) Free School Lane	0.06	10	R			From: 01-695					NA		NA		07/06/2005	
			To: Dead End													
<b>Accomack County</b>																
(809) Frogstool Rd	0.12	130	R			From: 01-679					NA		NA		07/06/2005	
			To: 01-803													
(810) Hillsborough Dr	0.34	300	R			From: SR 178					NA		NA		07/06/2005	
			To: 01-811 Dogwood Lane													
(810)	0.10	70	R			From: Dead End					NA		NA		07/06/2005	
			To: Dead End													
(811) Dogwood Lane	0.10	80	R			From: 0.10 MW 01-810					NA		NA		07/06/2005	
			To: 01-810 Hillsborough Dr													

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(811) Dogwood Lane	0.90	200	R			From:	01-810 Hillsborough Dr				NA		NA		07/12/2005
						To:	Dead End								
(812) Bloxom Rd	1.10	140	R			From:	01-679				NA		NA		07/12/2005
						To:	Dead End								
(813) Robbins Lane	0.90	46	R			From:	Dead End				NA		NA		07/12/2005
						To:	01-657								
<b>Town of Saxis</b>															
(814) Waynes Dr	0.20	6	R			From:	01-695				NA		NA		07/12/2005
						To:	Dead End								
<b>Accomack County</b>															
(815) Ambulance Rd	0.15	200	R			From:	Dead End				NA		NA		07/12/2005
						To:	US 13 Lankford Hwy								
(816) Cooper Lane	0.10	50	R			From:	Dead End				NA		NA		07/12/2005
						To:	US 13 Lankford Hwy								
<b>Town of Saxis</b>															
(817)	0.40	30	R			From:	01-695				NA		NA		07/12/2005
						To:	Dead End								
<b>Accomack County</b>															
(818) Terminal Dr	0.41	110	R			From:	Dead End				NA		NA		07/12/2005
						To:	01-626								
(819) Tyler Lane	0.08	80	R			From:	Dead End				NA		NA		07/12/2005
						To:	US 13 Lankford Hwy								
(820) Fishermans Rd	0.28	40	R			From:	SR 180 WEST				NA		NA		07/12/2005
						To:	SR 180 EAST								
(821) Locust Mount Dr	0.09	40	R			From:	Dead End				NA		NA		07/12/2005
						To:	01-605								
(822) Kusian Cove Rd	0.19	10	R			From:	01-617				NA		NA		07/12/2005
						To:	Dead End								
(823) Gibson Lane	0.10	10	R			From:	Dead End				NA		NA		07/12/2005
						To:	US 13 Lankford Hwy								
(824) House Point Lane	0.10	48	R			From:	01-657				NA		NA		07/12/2005
						To:	Cul-de-Sac								
(825) Savage Lane	0.10	20	R			From:	Dead End				NA		NA		07/12/2005
						To:	01-771								
(826) Broadwater Dr	0.27	30	R			From:	Dead End				NA		NA		07/12/2005
						To:	01-695 EAST								
(827) Hickman Lane	0.04	4	R			From:	01-695				NA		NA		07/12/2005
						To:	Dead End								
(828) Nelson Dr	0.26	120	R			From:	01-638				NA		NA		02/12/2002
						To:	01-829 Payne St								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(829) Payne St	0.07	70	R			From:	01-828 Nelson Dr							NA	02/12/2002
						To:	01-718								
(830) Kearsage Cir	0.02	140	R			From:	01-798 WEST							NA	07/12/2005
						To:	01-832 WEST								
(830) Kearsage Cir	0.20	100	R			From:	01-831 Yorktown Dr							NA	07/12/2005
						To:	01-832 EAST								
(830) Kearsage Cir	0.03	40	R			From:	01-832 EAST							NA	07/12/2005
						To:	01-798 EAST								
(831) Yorktown Dr	0.02	70	R			From:	01-798							NA	07/12/2005
						To:	01-832								
(831) Yorktown Dr	0.15	20	R			From:	01-830 Kearsage Cir							NA	07/12/2005
						To:	01-830 W, Kearsage Cir								
(832)	0.11	9	R			From:	01-831 Yorktown Dr							NA	07/12/2005
						To:	01-830 E, Kearsage Cir								
(835) Pintail Lane	0.40	190	R			From:	01-802							NA	07/12/2005
						To:	01-838 Black Mallard Way								
(836)	0.17	90	R			From:	Dead End							NA	07/12/2005
						To:	01-835 Pintail Lane								
(837) Canvasback Lane	0.27	90	R			From:	Cul-de-Sac							NA	07/12/2005
						To:	01-835 Pintail Lane								
(838) Black Mallard Way	0.59	80	R			From:	Cul-de-Sac							NA	07/12/2005
						To:	01-835 Pintail Lane								
(840) Cutler Lane	0.55	140	R			From:	Dead End							NA	07/12/2005
						To:	01-703								
(841)	0.10	90	R			From:	Dead End							NA	07/12/2005
						To:	01-840 Cutler Lane								
(842) James Ave	0.19	30	R			From:	01-605							NA	02/12/2002
						To:	Cul-de-Sac								
(843) Floyd Ave	0.07	7	R			From:	Cul-de-Sac							NA	02/12/2002
						To:	01-842; 01-844								
(844) Davis Ave	0.06	20	R			From:	01-842; 01-843							NA	02/12/2002
						To:	Dead End								
(845) Southwind Rd	0.38	80	R			From:	01-703							NA	07/12/2005
						To:	01-702								
(846)	0.18	70	R			From:	Dead End							NA	09/13/2005
						To:	01-845 Southwind Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(847)	0.23	290	R			From: Cul-de-Sac					NA		NA		09/13/2005
			To: 01-679												
(850)	0.14	410	R			From: 01-695					NA		NA		09/13/2005
			To: Dead End												
(851)	0.01	8	R			From: 01-850					NA		NA		09/13/2005
			To: 01-695												
(852)	0.24	850	R			From: 01-2701 Church St					NA		NA		09/13/2005
			To: 01-694 Sand St												
(853)	0.15	NA				From: Dead End					NA		NA		
			To: 01-703												
(855)	0.28	620	R			From: SR 175					NA		NA		05/02/2005
			To: Cul-de-Sac												
(856)	0.15	NA				From: 01-855					NA		NA		
			To: Dead End												
(860)	0.15	NA				From: 01-764 Accomac Rd					NA		NA		
			To: 01-861												
(861)	0.10	NA				From: 01-1531					NA		NA		
			To: Dead End												
<b>Town of Onancock</b>															
(1001) Ames St	0.05	60	R			From: Dead End					NA		NA		09/13/2005
			To: 01-1025 Merry Lane												
(1001) Ames St	0.15	130	R			From: 01-1012 Meadville Drive					NA		NA		09/13/2005
			To: 01-1003 Crescent Street												
(1001) Ames St	0.17	390	R			From: SR 179 Market Street					NA		NA		09/13/2005
			To: SR 179 Market Street												
(1002) Mt. Prospect Ave	0.22	280	R			From: 01-1012 Meadville Drive					NA		NA		09/13/2005
			To: SR 179 Market Street												
(1003) White St; Crescent St	0.20	80	R			From: 01-1002 Mt. Prospect Ave					NA		NA		09/13/2005
			To: 01-1001 Ames Street												
(1004) Boundary Ave	0.19	1600	R			From: SR 178					NA		NA		09/13/2005
			To: 01-1006 Kerr Street												
(1004) Boundary Ave	0.03	750	R			From: 01-1015 Bundick St					NA		NA		09/13/2005
			To: 01-1007 Watson St												
(1004) Boundary Ave	0.06	1000	R			From: 01-1008 Church St					NA		NA		09/13/2005
			To: SCL Onancock												
(1005)	0.08	10	R			From: 01-1019					NA		NA		09/13/2005
			To: 01-1019												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Onancock</b>															
(1005)	0.08	80	R			From:	01-1019							NA	09/13/2005
						To:	SR 179 EAST								
(1005) Pine St	0.30	400	R			From:	SR 179 WEST							NA	09/13/2005
(1005) Pine St	0.09	60	R			From:	01-1008 Church St							NA	09/13/2005
						To:	NCL Onancock								
(1006) Kerr St	0.81	840	R			From:	01-658 North St							NA	09/13/2005
						To:	01-1004 Boundary Ave								
(1007) Watson St	0.17	520	R			From:	01-1005 Pine Street							NA	09/13/2005
						To:	01-1004 Boundary Ave								
(1008) Church St	0.18	180	R			From:	01-1005 Pine Street							NA	09/13/2005
						To:	01-1004 Boundary Ave								
(1009)	0.29	690	R			From:	01-1001 Ames Street							NA	09/13/2005
						To:	01-658 College Ave; Liberty Street								
(1010) Bagwell Ave	0.06	40	R			From:	Dead End							NA	09/13/2005
						To:	01-1003 White St; Crescent St								
(1011) Division St	0.09	40	R			From:	01-1012 Meadville Dr							NA	09/13/2005
						To:	01-1003 White St; Crescent St								
(1012) Meadville Dr	0.05	90	R			From:	Dead End							NA	09/13/2005
						To:	01-1002 Mt. Prospect Ave								
(1012) Meadville Dr	0.23	100	R			From:	01-1026 Sturgis St							NA	09/13/2005
						To:	Dead End								
(1012) Meadville Dr	0.03	10	R			From:	01-1021 Holly Street							NA	09/13/2005
						To:	Dead End								
(1013) Jefferson St	0.15	120	R			From:	01-1014 Justis Street							NA	09/13/2005
						To:	01-1014 Justis Street								
(1014) Justis St	0.07	130	R			From:	01-1013 Jefferson St							NA	09/13/2005
						To:	01-1020 Johnson St								
(1015) Bundick St	0.10	20	R			From:	01-1016							NA	09/13/2005
						To:	01-1004 Boundary Ave								
(1016)	0.03	160	R			From:	01-1006 Kerr Street							NA	09/13/2005
						To:	01-1015 Bundick St								
(1017) Jackson St	0.15	60	R			From:	01-1006 Kerr Street							NA	09/13/2005
						To:	Dead End								
(1018) Marshall St	0.14	50	R			From:	SR 178							NA	09/13/2005
						To:	01-1006 Kerr Street								
(1019)	0.09	90	R			From:	01-1005							NA	09/13/2005
						To:	Dead End								
(1020) Johnson St	0.27	140	R			From:	01-1021 Holly Street							NA	09/13/2005
						To:	01-718 Hill Street								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Onancock</b>															
(1021) Holly St	0.06	20	R			From: 01-1013 Jefferson St					NA		NA		09/13/2005
(1021) Holly St	0.02	570	R			From: 01-1020 Johnson St					NA		NA		08/02/2005
(1021) Holly St	0.12	510	R			From: 01-1022 Joynes St					NA		NA		08/02/2005
						To: SR 178									
(1022) Joynes St	0.10	100	R			From: 01-658 College Ave					NA		NA		08/02/2005
						To: 01-1021 Holly Street									
(1023) King St	0.18	420	R			From: SR 179 Market Street					NA		NA		08/02/2005
						To: 01-1043									
(1023) King St	0.18	10	R			From: 01-658 Crockett Ave					NA		NA		08/02/2005
						To: 01-718 Hill Street									
(1024) Hillcrest Dr	0.04	190	R			From: ECL Onancock					NA		NA		08/02/2005
						To: Dead End									
<b>Accomack County</b>															
(1024) Hillcrest Dr	0.20	180	R			From: ECL Onancock					NA		NA		08/02/2005
						To: Dead End									
<b>Town of Onancock</b>															
(1025) Merry Lane	0.06	40	R			From: 01-1001 Ames Street					NA		NA		08/02/2005
						To: 01-1026 Sturgis St									
(1026) Sturgis St	0.15	50	R			From: 01-1025 Merry Lane					NA		NA		08/02/2005
						To: 01-1012 Meadville Drive									
(1026) Sturgis St	0.12	180	R			From: 01-1009					NA		NA		08/02/2005
						To: Dead End									
(1027)	0.19	200	R			From: SR 178					NA		NA		08/02/2005
						To: SR 178									
<b>Accomack County</b>															
(1028) Hermitage Rd	0.84	380	R			From: Dead End					NA		NA		08/02/2005
						To: 01-658 Town Road									
<b>Town of Onancock</b>															
(1029) Frances St	0.04	210	R			From: 01-718 Hill Street					NA		NA		08/02/2005
						To: ECL Onancock									
<b>Accomack County</b>															
(1029) Frances St	0.07	210	N			From: ECL Onancock					NA		NA		08/02/2005
						To: 01-1030									
(1029) Frances St	0.05	30	R			From: Dead End					NA		NA		08/02/2005
						To: Cul-de-Sac									
(1030)	0.15	90	R			From: Cul-de-Sac					NA		NA		08/02/2005
						To: 01-1029 Frances St									
(1031)	0.07	6	R			From: 01-1030					NA		NA		08/02/2005
						To: Cul-de-Sac									
(1032)	0.09	20	R			From: Dead End					NA		NA		08/02/2005
						To: 01-1030									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(1033) Withams Road 1	0.08	80	R			From: 01-703					NA		NA		02/13/2002
			To: 01-1034 Withams Road 2												
(1034) Withams Road 2	0.12	47	R			From: Cul-de-Sac					NA		NA		02/13/2002
			To: Cul-de-Sac												
(1035)	0.40	70	R			From: Cul-de-Sac					NA		NA		02/12/2002
			To: 01-628 Country Club Rd												
(1037)	0.09	NA				From: SR 179					NA		NA		
			To: Dead End												
(1038)	0.15	NA				From: SR 175					NA		NA		
			To: Dead End												
(1039)	0.11	NA				From: 01-1038					NA		NA		
			To: Cul-de-Sac												
<b>Town of Onancock</b>															
(1040)	0.17	120	R			From: 01-658 North Street					NA		NA		02/12/2002
			To: Street												
(1041)	0.14	9	R			From: 01-1006 Kerr Street					NA		NA		08/02/2005
			To: 01-1040												
(1042)	0.08	60	R			From: 01-658 North Street					NA		NA		08/02/2005
			To: 01-1041												
(1043)	0.04	60	R			From: SR 179 Market Street					NA		NA		08/02/2005
			To: 01-1023 King Street												
<b>Accomack County</b>															
(1047)	0.24	NA				From: 01-638					NA		NA		
			To: Dead End												
(1048)	0.30	NA				From: 01-1047					NA		NA		
			To: 01-1049												
(1049)	0.08	NA				From: Dead End					NA		NA		
			To: 01-1048												
(1050)	0.10	100	R			From: 01-1051 Horntown Circle					NA		NA		02/13/2002
			To: 01-709												
(1051) Horntown Circle	0.05	60	R			From: Cul-de-Sac					NA		NA		02/13/2002
			To: Cul-de-Sac												
(1060) Channel Rd	0.51	30	R			From: 01-695					NA		NA		02/13/2002
			To: Dead End												
<b>Town of Melfa</b>															
(1101) Railroad Ave	0.14	170	R			From: Dead End					NA		NA		08/02/2005
			To: 01-1111 Virginia Ave												
(1101) Railroad Ave	0.10	250	R			From: 01-1106 Lee St					NA		NA		08/02/2005
			To: 01-1106 Lee St												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail			
<b>Town of Melfa</b>												
(1101) Railroad Ave	0.08	260	R			From: 01-1106 Lee St				NA	NA	08/02/2005
(1101) Railroad Ave	0.17	230	R			To: 01-626 Main St				NA	NA	08/02/2005
						From: 01-1107 Myrtle Ave						
(1102)	0.05	30	R			From: 01-1111 Virginia Ave				NA	NA	08/02/2005
(1102)	0.06	150	R			To: 01-1106 Lee St				NA	NA	08/02/2005
						From: 01-626 Main St; Airport Dr						
(1103) Virginia Ave	0.10	200	R			From: 01-626 Main St; Airport Dr				NA	NA	08/02/2005
(1103) Virginia Ave	0.06	70	R			To: 01-1104 Ridge Ave				NA	NA	08/02/2005
						From: 01-1107 Myrtle Ave						
(1104) Ridge Ave	0.22	100	R			From: 01-626 Main St; Airport Dr				NA	NA	08/02/2005
(1104) Ridge Ave	0.10	110	R			To: 01-1103 Virginia Ave				NA	NA	09/13/2005
						From: 01-1105 Woodland Ave						
(1104) Ridge Ave	0.06	40	R			To: 01-1101 Railroad Ave				NA	NA	09/13/2005
(1105) Woodland Ave	0.05	250	R			From: 01-626 Main St; Airport Dr				NA	NA	09/13/2005
(1105) Woodland Ave	0.05	180	R			To: 01-1109 Lewis St				NA	NA	09/13/2005
						From: 01-1104 Ridge Ave						
(1105) Woodland Ave	0.06	90	R			To: 01-1107 Myrtle Ave				NA	NA	09/13/2005
(1105) Woodland Ave	0.07	10	R			From: Dead End				NA	NA	09/13/2005
						From: 01-1118 Bull St						
(1106) Lee St	0.08	90	R			To: 01-1117 Washington St				NA	NA	09/13/2005
(1106) Lee St	0.09	70	R			From: 01-1116 Jackson St				NA	NA	09/13/2005
						To: 01-1102 Virginia Ave						
(1106) Lee St	0.08	110	R			From: 01-1101 Railroad Ave				NA	NA	09/13/2005
						To: 01-1103 Virginia Ave						
(1107) Myrtle Ave	0.10	60	R			From: 01-1105 Woodland Ave				NA	NA	09/13/2005
(1107) Myrtle Ave	0.09	40	R			To: 01-1101 Railroad Ave				NA	NA	09/13/2005
						From: US 13 Lankford Hwy						
(1108) Council St	0.08	60	R			To: WCL Melfa				NA	NA	09/13/2005
						From: 01-1105 Woodland Ave						
(1109) Lewis St	0.04	10	R			To: 01-1101 Railroad Ave				NA	NA	09/13/2005
						From: 01-626 Main St						
(1110) Hatton St	0.14	120	R			To: Dead End				NA	NA	09/13/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Melfa</b>															
(1111) Virginia Ave	0.06	20	R			From:	01-1101 Railroad Ave							NA	09/13/2005
			To:			01-1102 Virginia Ave									
(1112) Martin St	0.07	170	R			From:	01-1113 Spruce St							NA	09/07/2005
			To:			01-1115 Phillips St									
(1112) Martin St	0.10	200	R			From:	01-1114 Poplar St							NA	09/07/2005
			To:			01-626 Main St									
(1113) Spruce St	0.07	20	R			From:	01-1119							NA	09/07/2005
			To:			01-1112 Martin St									
(1113) Spruce St	0.08	290	R			From:	01-1112 Martin St							NA	09/07/2005
			To:			US 13 Lankford Hwy									
(1114) Poplar St	0.07	70	R			From:	01-1119							NA	09/07/2005
			To:			01-1112 Martin St									
(1115) Phillips St	0.07	60	R			From:	01-1119 WCL Melfa							NA	09/07/2005
			To:			01-1112 Martin St									
(1115) Phillips St	0.07	100	R			From:	01-1112 Martin St							NA	09/07/2005
			To:			US 13 Lankford Hwy									
(1116) Jackson St	0.06	160	R			From:	01-1106 Lee St							NA	09/07/2005
			To:			01-626 Main St; Airport Dr									
(1117) Washington St	0.06	110	R			From:	01-1106 Lee St							NA	09/07/2005
			To:			01-626 Main St; Airport Dr									
(1118) Bull St	0.07	110	R			From:	01-1106 Lee St							NA	09/07/2005
			To:			01-626 Main St; Airport Dr									
(1119)	0.10	20	R			From:	01-1113 Spruce St							NA	09/07/2005
			To:			01-1115 WCL Melfa									
(1119)	0.10	20	R			From:	01-1114 Poplar St							NA	09/07/2005
<b>Town of Painter</b>															
(1201)	0.24	120	R			From:	01-1203							NA	09/07/2005
			To:			01-1206									
(1202)	0.29	50	R			From:	01-1203							NA	09/08/2005
			To:			ECL Painter									
<b>Accomack County</b>															
(1202)	0.24	50	N			From:	ECL Painter							NA	09/08/2005
			To:			Dead End									
<b>Town of Painter</b>															
(1203)	0.08	310	R			From:	01-608 Mappsburg Rd							NA	09/08/2005
			To:			01-1202									
(1203)	0.05	430	R			From:	01-1202							NA	09/08/2005
			To:			01-1207									
(1203)	0.15	490	R			From:	01-1207							NA	09/08/2005
			To:			01-1201									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Painter</b>															
(1203)	0.05	410	R			From:	01-1201					NA		NA	09/08/2005
						To:	SR 182 Mappsburg Rd								
<b>Accomack County</b>															
(1204) Cosby St	0.09	770	R			From:	01-614					NA		NA	09/08/2005
						To:	WCL Painter								
<b>Town of Painter</b>															
(1204) Cosby St	0.31	770	N			From:	WCL Painter					NA		NA	09/08/2005
						To:	01-614; 01-619								
(1205)	0.09	860	R			From:	01-619 Hickman St					NA		NA	09/08/2005
						To:	US 13 Lankford Hwy								
(1206)	0.20	150	R			From:	0.10 MW 01-1201					NA		NA	09/08/2005
						To:	0.10 ME 01-1201								
(1207)	0.06	60	R			From:	01-1203					NA		NA	09/08/2005
						To:	SR 182 Mappsburg Rd								
(1207)	0.12	30	R			From:	SR 182 Mappsburg Rd					NA		NA	09/08/2005
						To:	01-1210								
(1208)	0.10	100	R			From:	SR 182 Mappsburg Rd					NA		NA	09/08/2005
						To:	01-1209								
(1209)	0.09	30	R			From:	01-1208					NA		NA	09/08/2005
						To:	01-1201								
(1210)	0.05	20	R			From:	01-1202					NA		NA	09/08/2005
						To:	01-1207								
<b>Accomack County</b>															
(1220)	0.19	100	R			From:	Cul-de-Sac					NA		NA	02/13/2002
						To:	US 13 Lankford Hwy								
<b>Town of Tangier</b>															
(1301) Main St	0.69	1300	R			From:	Dead End					NA		NA	07/28/2004
						To:	01-1311								
(1301) Main St	0.10	110	R			From:	Dead End					NA		NA	1999
						To:	Dead End								
(1302) Canton Rd	0.63	240	R			From:	Dead End					NA		NA	07/28/2004
						To:	01-1301 Main St								
(1303) Factory Rd	0.26	440	R			From:	01-1305 Wastewater Treatment Rd					NA		NA	07/28/2004
						To:	01-1301 Main St								
(1304) Wallace Rd	0.25	150	R			From:	01-1305 Wastewater Treatment Rd					NA		NA	07/28/2004
						To:	Dead End								
(1305) Wastewater Treatment	0.80	620	R			From:	SCL Tangier					NA		NA	07/28/2004
						To:	01-1312								
(1305) Wastewater Treatment	0.48	NA				From:	Dead End					NA		NA	
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Tangier</b>															
(1306) School Lane	0.20	540	R			From: 01-1305 Wastewater Treatment Rd					NA		NA		07/28/2004
			To: 01-1301 Main St												
(1307)	0.04	200	R			From: Dead End					NA		NA		07/28/2004
			To: 01-1301 Main St												
(1308)	0.06	20	R			From: Dead End					NA		NA		07/28/2004
			To: 01-1305 Wastewater Treatment Rd												
(1309)	0.03	20	R			From: Dead End					NA		NA		07/28/2004
			To: 01-1301 Main St												
(1310)	0.07	100	R			From: Dead End					NA		NA		07/28/2004
			To: 01-1301 Main St												
(1311)	0.06	20	R			From: Dead End					NA		NA		07/28/2004
			To: 01-1301 Main St												
(1312)	0.16	770	R			From: 01-1305 Wastewater Treatment Rd					NA		NA		07/28/2004
			To: 01-1301 Main St												
(1313)	0.03	10	R			From: Dead End					NA		NA		07/28/2004
			To: 01-1301 Main St												
(1314)	0.02	160	R			From: 01-1301 Main St					NA		NA		07/28/2004
			To: Dead End												
<b>Accomack County</b>															
(1315)	0.11	NA				From: Dead End					NA		NA		
						To: 01-1305 Wastewater Treatment Rd									
<b>Town of Keller</b>															
(1401) North St	0.06	100	R			From: Dead End					NA		NA		09/20/2005
						To: 01-1405 Madison Ave									
(1401) North St	0.09	190	R			From: SR 180					NA		NA		09/20/2005
						To: 01-1406 Lee St									
(1402) First St	0.10	610	R			From: SR 180					NA		NA		09/20/2005
						To: 01-620									
(1402) First St	0.06	150	R			From: 01-1404 Center St					NA		NA		09/20/2005
						To: US 13 Lankford Hwy									
(1402) First St	0.06	870	R			From: 01-620					NA		NA		09/20/2005
						To: US 13 Lankford Hwy									
(1403) Second St	0.06	90	R			From: 01-620					NA		NA		09/20/2005
						To: 01-1404 Center St									
(1403) Second St	0.05	110	R			From: US 13 Lankford Hwy					NA		NA		09/20/2005
						To: 01-1403 Second St									
(1404) Center St	0.22	390	R			From: 01-1403 Second St					NA		NA		09/20/2005
						To: 01-620; 01-1406									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Keller</b>															
(1405) Madison Ave	0.09	60	R			From:	SR 180				NA		NA	NA	09/20/2005
(1405) Madison Ave	0.09	70	R			From:	01-1401 North St				NA		NA	NA	09/20/2005
			To:	01-1406 Lee St											
(1406) Lee St	0.09	20	R			From:	01-1405 Madison Ave				NA		NA	NA	09/20/2005
(1406) Lee St	0.07	30	R			From:	01-1401 North St				NA		NA	NA	09/20/2005
			To:	01-620; 01-1404											
<b>Accomack County</b>															
(1420)	0.68	160	R			From:	01-1424				NA		NA	NA	09/13/2005
			To:	US 13 Lankford Hwy											
(1421)	0.16	NA				From:	Dead End				NA		NA	NA	
			To:	01-1420											
(1423)	0.11	10	R			From:	01-1420				NA		NA	NA	09/13/2005
			To:	Cul-de-Sac											
(1424)	0.12	20	R			From:	Cul-de-Sac				NA		NA	NA	09/13/2005
			To:	01-1420											
(1424)	0.11	70	R			From:	01-1420				NA		NA	NA	09/13/2005
			To:	Cul-de-Sac											
<b>Town of Accomac</b>															
(1501) Lilliston Ave	0.42	180	R			From:	01-764				NA		NA	NA	09/13/2005
			To:	US 13 Bus											
(1502)	0.11	120	R			From:	01-1503 Back St				NA		NA	NA	09/13/2005
			To:	US 13 Bus; 01-764											
(1503) Back St	0.16	380	R			From:	01-605 Drummondtown Rd				NA		NA	NA	09/13/2005
			To:	01-1502											
(1503) Back St	0.28	320	R			From:	01-1502				NA		NA	NA	09/13/2005
			To:	US 13 Bus											
(1504) Poplar St	0.11	60	R			From:	01-1508 Charlotte St				NA		NA	NA	09/13/2005
			To:	01-652 Joynes Neck Rd											
(1505) Allentown Rd	0.12	120	R			From:	Dead End				NA		NA	NA	09/13/2005
			To:	US 13 Bus											
(1506) Coley St	0.23	70	R			From:	US 13 Bus				NA		NA	NA	09/13/2005
			To:	US 13 Bus											
(1507) Sand Cove Rd	0.08	60	R			From:	Dead End				NA		NA	NA	09/13/2005
			To:	01-1508 Charlotte St											
(1507) Sand Cove Rd	0.10	90	R			From:	01-1508 Charlotte St				NA		NA	NA	09/13/2005
			To:	01-652 Joynes Neck Rd											
(1508) Charlotte St	0.12	90	R			From:	01-1504 Poplar St				NA		NA	NA	09/13/2005
			To:	01-1507 Sand Cove Rd											

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(1509) Edgehill Circle	0.40	20	R			From: 01-652 Joynes Neck Rd					NA		NA		09/13/2005
						To: 01-652 Joynes Neck Rd									
<b>Town of Accomac</b>															
(1510)	0.07	60	R			From: 01-764 SOUTH					NA		NA		09/13/2005
						To: 01-764 NORTH									
(1511)	0.13	40	R			From: US 13 Bus					NA		NA		02/13/2002
						To: Dead End									
<b>Accomack County</b>															
(1530) Commerce Dr	0.13	130	R			From: US 13 Lankford Hwy					NA		NA		02/13/2002
						To: 01-1531									
(1531)	0.10	70	R			From: 01-1532 Center Parkway					NA		NA		02/13/2002
						To: 01-1530 Commerce Dr									
(1532) Center Parkway	0.16	220	R			From: US 13 Lankford Hwy					NA		NA		02/13/2002
						To: 01-1531									
(1533)	0.04	100	R			From: 01-1530 Commerce Dr					NA		NA		02/13/2002
						To: Cul-de-Sac									
<b>Town of Onley</b>															
(1601) Maple St	0.07	80	R			From: 01-731 Forest St					NA		NA		08/16/2005
						To: 01-1607 Colonial Ave									
(1601) Maple St	0.06	90	R			From: 01-1602 Church St					NA		NA		08/16/2005
						To: 01-1605 Rogers St									
(1602) Church St	0.06	48	R			From: 01-1618 Burton St					NA		NA		08/16/2005
						To: 01-1605 Rogers St									
(1602) Church St	0.07	20	R			From: 01-1601 Maple St					NA		NA		08/16/2005
						To: 01-1601 Maple St									
(1602) Church St	0.07	90	R			From: 01-789 Main St					NA		NA		08/16/2005
						To: 01-1610 Caroline Ave									
(1603) Maryland Ave	0.06	70	R			From: 01-1604 Monroe St					NA		NA		08/16/2005
						To: US 13 Bus									
(1603) Maryland Ave	0.10	80	R			From: 01-1606 Lee Street					NA		NA		08/16/2005
						To: 01-1606 Lee Street									
(1603) Maryland Ave	0.09	20	R			From: Dead End					NA		NA		08/16/2005
						To: Dead End									
(1604) Monroe St	0.09	80	R			From: 01-1609 Virginia Ave					NA		NA		08/16/2005
						To: 01-1609 Virginia Ave									
(1604) Monroe St	0.10	90	R			From: 01-1603 Maryland Ave					NA		NA		08/16/2005
						To: 01-789 Main St									
(1605) Rogers St	0.08	70	R			From: 01-731 Forest St					NA		NA		08/16/2005
						To: 01-1607 Colonial Ave									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Onley</b>															
(1605) Rogers St	0.06	120	R								NA		NA		08/16/2005
(1605) Rogers St	0.05	180	R								NA		NA		08/16/2005
(1605) Rogers St	0.06	290	R								NA		NA		08/16/2005
(1605) Rogers St	0.08	380	R								NA		NA		09/08/2005
(1605) Rogers St															
(1606) Lee St	0.08	100	R								NA		NA		09/08/2005
(1606) Lee St	0.10	180	R								NA		NA		09/08/2005
(1607) Colonial Ave	0.03	5	R								NA		NA		09/08/2005
(1607) Colonial Ave	0.06	20	R								NA		NA		09/08/2005
(1607) Colonial Ave	0.06	90	R								NA		NA		09/08/2005
(1607) Colonial Ave	0.07	50	R								NA		NA		09/08/2005
(1607) Colonial Ave	0.07	40	R								NA		NA		09/08/2005
(1608) Richmond Ave	0.12	45	R								NA		NA		09/08/2005
(1608) Richmond Ave															
(1609) Virginia Ave	0.07	90	R								NA		NA		09/08/2005
(1609) Virginia Ave	0.01	130	R								NA		NA		09/08/2005
(1609) Virginia Ave	0.05	100	R								NA		NA		09/08/2005
(1609) Virginia Ave	0.10	130	R								NA		NA		09/08/2005
(1609) Virginia Ave	0.07	70	R								NA		NA		09/08/2005
(1610) Caroline Ave	0.11	40	R								NA		NA		09/08/2005
(1610) Caroline Ave	0.18	110	R								NA		NA		09/08/2005
(1611)	0.14	40	R								NA		NA		09/08/2005
(1612) Madison Ave	0.06	80	R								NA		NA		09/07/2005
(1612) Madison Ave	0.12	110	R								NA		NA		09/07/2005
(1612) Madison Ave															

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Onley</b>															
(1613) Monroe St	0.09	30	R			From:	01-1612 Madison Ave				NA		NA	NA	09/07/2005
						To:	01-1609 Virginia Ave								
(1614)	0.05	40	R			From:	01-1612 Madison Ave				NA		NA	NA	09/07/2005
						To:	01-1609 Virginia Ave								
(1615) Washington St	0.34	640	R			From:	US 13 Lankford Hwy				NA		NA	NA	09/07/2005
						To:	US 13 Bus								
<b>Accomack County</b>															
(1616) Onley Rd	0.11	650	R			From:	US 13 Lankford Hwy				NA		NA	NA	09/07/2005
						To:	SCL Onley								
<b>Town of Onley</b>															
(1616) Onley Rd	0.23	610	R			From:	SCL Onley				NA		NA	NA	09/07/2005
						To:	01-1612 Madison Ave								
(1616) Onley Rd	0.03	860	R			From:	US 13 Bus				NA		NA	NA	09/07/2005
						To:	US 13 Lankford Hwy								
(1617)	0.10	1400	R			From:	SR 179 Main Street				NA		NA	NA	09/07/2005
						To:	01-1602 Church St								
(1618) Burton St	0.06	70	R			From:	01-1607 Colonial Ave				NA		NA	NA	09/07/2005
						To:	01-1602 Church St								
(1618) Burton St	0.09	30	R			From:	01-731 Forest St				NA		NA	NA	09/07/2005
						To:	01-1611 Penn Ave								
(1619) Ames St	0.06	30	R			From:	01-1607 Colonial Ave				NA		NA	NA	09/07/2005
						To:	01-731 Forest St								
(1619) Ames St	0.09	120	R			From:	01-789				NA		NA	NA	09/07/2005
						To:	Dead End								
(1620)	0.03	20	R			From:	US 13 Lankford Hwy				NA		NA	NA	09/07/2005
						To:	01-1622								
(1621)	0.20	NA				From:	Dead End				NA		NA	NA	
						To:	01-1621								
<b>Accomack County</b>															
(1630)	0.44	410	R			From:	01-789				NA		NA	NA	09/07/2005
						To:	Cul-de-Sac								
(1631) York Court	0.05	45	R			From:	01-1630				NA		NA	NA	09/07/2005
						To:	Cul-de-Sac								
(1632) Mt Vernon Lane	0.12	30	R			From:	01-1630				NA		NA	NA	09/07/2005
						To:	Cul-de-Sac								
(1633) Victoria Circle	0.05	40	R			From:	Cul-de-Sac				NA		NA	NA	09/08/2005
						To:	01-1630								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Wachapreague</b>															
(1701) Atlantic Ave	0.03	140	R								NA		NA		09/08/2005
(1701) Atlantic Ave	0.12	120	R								NA		NA		09/08/2005
(1701) Atlantic Ave	0.11	530	R								NA		NA		09/13/2005
(1701) Atlantic Ave	0.15	520	R								NA		NA		09/13/2005
(1701) Atlantic Ave	0.03	500	R								NA		NA		09/13/2005
(1701) Atlantic Ave	0.10	410	R								NA		NA		09/13/2005
(1701) Atlantic Ave	0.06	250	R								NA		NA		09/13/2005
(1702) Pearl St	0.06	110	R								NA		NA		09/13/2005
(1702) Pearl St	0.05	100	R								NA		NA		09/13/2005
(1702) Pearl St	0.05	110	R								NA		NA		09/13/2005
(1703) Center Ct	0.09	80	R								NA		NA		09/13/2005
(1703) Center Ct	0.10	110	R								NA		NA		09/13/2005
(1704) High St	0.10	90	R								NA		NA		09/13/2005
(1705) South St	0.03	110	R								NA		NA		09/13/2005
(1705) South St	0.04	60	R								NA		NA		09/13/2005
(1705) South St	0.06	90	R								NA		NA		09/13/2005
(1705) South St	0.06	120	R								NA		NA		09/13/2005
(1705) South St	0.03	110	R								NA		NA		09/13/2005
(1706) Church St	0.09	220	R								NA		NA		09/13/2005
(1706) Church St	0.06	190	R								NA		NA		09/13/2005
(1706) Church St	0.12	160	R								NA		NA		09/13/2005
(1706) Church St	0.06	150	R								NA		NA		09/13/2005
(1706) Church St	0.06	100	R								NA		NA		09/13/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Wachapreague</b>															
(1707) Lee St	0.07	100	R			From:	01-1708 Powellton Ave				NA		NA	NA	09/13/2005
(1707) Lee St	0.10	70	R			To:	01-1709 Custis St				NA		NA	NA	09/13/2005
(1707) Lee St	0.06	20	R			From:	01-1710 Riverview Ave				NA		NA	NA	09/13/2005
(1707) Lee St						To:	01-1711 Liberty St								
(1708) Powellton Ave	0.07	60	R			From:	01-1714 Old Finney Rd				NA		NA	NA	09/13/2005
(1708) Powellton Ave	0.06	90	R			To:	01-1718 Paul St				NA		NA	NA	09/13/2005
(1708) Powellton Ave	0.05	90	R			From:	01-1706 Church St				NA		NA	NA	09/13/2005
(1708) Powellton Ave	0.06	80	R			To:	01-1707 Lee St				NA		NA	NA	09/13/2005
(1708) Powellton Ave						From:	SR 180 Y								
<b>Accomack County</b>															
(1709) Custis St	0.50	130	R			From:	01-605				NA		NA	NA	09/13/2005
(1709) Custis St	0.05	60	R			To:	01-1718				NA		NA	NA	09/13/2005
(1709) Custis St						From:	01-1706 WCL Wachapreague								
<b>Town of Wachapreague</b>															
(1709) Custis St	0.05	130	R			From:	01-1706 WCL Wachapreague				NA		NA	NA	09/13/2005
(1709) Custis St	0.06	120	R			To:	01-1707 Lee St				NA		NA	NA	09/13/2005
(1709) Custis St						From:	SR 180 Y; N INT								
(1709) Custis St	0.05	90	R			To:	SR 180 Y; S INT				NA		NA	NA	09/13/2005
(1709) Custis St						From:	01-1701 Atlantic Ave								
(1710) Riverview Ave	0.05	30	R			From:	01-1706 Church St				NA		NA	NA	09/13/2005
(1710) Riverview Ave	0.06	30	R			To:	01-1707 Lee St				NA		NA	NA	09/13/2005
(1710) Riverview Ave	0.07	50	R			From:	SR 180 Y				NA		NA	NA	09/13/2005
(1710) Riverview Ave						To:	01-1701 Atlantic Ave								
(1711) Liberty St	0.05	48	R			From:	01-1706 Church St				NA		NA	NA	09/13/2005
(1711) Liberty St	0.07	60	R			To:	01-1707 Lee St				NA		NA	NA	09/13/2005
(1711) Liberty St	0.07	230	R			From:	SR 180 Y				NA		NA	NA	09/13/2005
(1711) Liberty St						To:	01-1701 Atlantic Ave								
(1712) Richardson Ave	0.07	30	R			From:	SR 180 Y				NA		NA	NA	09/13/2005
(1712) Richardson Ave						To:	Dead End								
(1713) Bayview Ave	0.07	60	R			From:	01-1719 Park Ave				NA		NA	NA	09/13/2005
(1713) Bayview Ave	0.06	90	R			To:	01-1702 Pearl St				NA		NA	NA	09/13/2005
(1713) Bayview Ave						From:	01-1703 Center Ct								
(1713) Bayview Ave	0.09	90	R			To:	01-1701 Atlantic Ave				NA		NA	NA	09/13/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Wachapreague</b>															
(1714) Old Finney Rd	0.09	100	R			From: SR 180; WCL Wachapreague					NA		NA		09/13/2005
			To: 01-1708 Powellton Ave												
(1715) Ice Plant Rd	0.05	100	R			From: SR 180 Y					NA		NA		09/13/2005
			To: 01-1701 Atlantic Ave												
(1716) West St	0.05	70	R			From: 01-1705 South St					NA		NA		09/13/2005
			To: 01-1717 Mears Lane												
(1716) West St	0.05	80	R			From: SR 180					NA		NA		09/13/2005
(1717) Mears Lane	0.05	10	R			From: 01-1716 West St					NA		NA		09/13/2005
			To: 01-1702 Pearl St												
(1718) Paul St	0.06	30	R			From: 01-1708 Powellton Ave					NA		NA		09/13/2005
			To: 01-1709 Custis St												
(1719) Park Ave	0.05	30	R			From: 01-1713 Bayview Ave					NA		NA		08/16/2005
			To: 01-1705 South St												
<b>Accomack County</b>															
(1801)	0.20	160	R			From: Dead End					NA		NA		08/16/2005
			To: 01-1803												
(1801)	0.10	220	R			From: 01-763					NA		NA		08/16/2005
			To: 01-1815 Jackson St												
(1801)	0.04	600	R			From: 01-1809					NA		NA		08/16/2005
			To: SR 316 Greenbush Rd												
(1802)	0.20	270	R			From: Dead End					NA		NA		08/16/2005
			To: 01-1803												
(1802)	0.10	160	R			From: 01-763					NA		NA		08/16/2005
			To: 01-1802												
(1803)	0.07	300	R			From: 01-1801					NA		NA		08/16/2005
			To: 01-1816												
(1803)	0.07	100	R			From: Dead End; Gap					NA		NA		08/16/2005
			To: 01-1814 Catherine St												
(1803)	0.06	310	R			From: 01-1808 Mary St					NA		NA		08/16/2005
			To: 01-673 Bennett St												
<b>Town of Parksley</b>															
(1803) Staunton Ave	0.01	220	R			From: Dead End; Gap Terminus					NA		NA		08/16/2005
			To: 01-1824												
(1803) Staunton Ave	0.06	280	R			From: 01-673 Bennett St					NA		NA		08/16/2005
			To: 01-1814 Catherine St												
(1803) Staunton Ave	0.06	300	R			From: 01-1808 Mary St					NA		NA		08/16/2005
			To: 01-1814 Catherine St												
(1803) Staunton Ave	0.07	180	R			From: 01-1808 Mary St					NA		NA		08/16/2005
			To: 01-1808 Mary St												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Parksley</b>															
(1803) Staunton Ave	0.06	290	R			From:	01-1808 Mary St				NA		NA		08/16/2005
						To:	01-674; 01-1820								
(1804)	0.06	1600	R			From:	01-1812 Patton St				NA		NA		08/16/2005
						To:	01-1805 WEST								
(1804)	0.03	1400	R			From:	01-1805 EAST				NA		NA		08/16/2005
						To:	01-1806 Sea Side Ave								
(1804)	0.06	870	R			From:	01-1806 Sea Side Ave				NA		NA		08/16/2005
						To:	01-1817 Hickman Ave								
(1804)	0.07	350	R			From:	01-678				NA		NA		08/16/2005
						To:	SR 176								
(1805)	0.08	370	R			From:	01-1804 EAST				NA		NA		08/16/2005
						To:	01-1804 WEST								
(1805)	0.10	250	R			From:	01-674 Adelaide St				NA		NA		08/16/2005
						To:	01-674 Adelaide St								
(1805)	0.07	410	R			From:	01-1810 Chadbourne St				NA		NA		08/16/2005
						To:	01-1820 Maxwell St								
(1805)	0.07	200	R			From:	01-1820 Maxwell St				NA		NA		08/16/2005
						To:	01-1813 Collen St								
(1805)	0.06	130	R			From:	01-1813 Collen St				NA		NA		08/23/2005
						To:	01-1811 Gertrude St								
(1806) Sea Side Ave	0.08	270	R			From:	SR 176				NA		NA		08/23/2005
						To:	01-1804								
(1806) Sea Side Ave	0.10	250	R			From:	01-674 Adelaide St				NA		NA		08/23/2005
						To:	01-673 Bennett St								
(1807) Woodland Ave	0.06	80	R			From:	01-1814 Catherine St				NA		NA		08/23/2005
						To:	01-1808 Mary St								
(1807) Woodland Ave	0.07	110	R			From:	01-1808 Mary St				NA		NA		08/23/2005
						To:	01-1819								
(1807) Woodland Ave	0.06	200	R			From:	01-1819				NA		NA		08/23/2005
						To:	01-1810 Chadbourne St								
(1808) Mary St	0.10	90	R			From:	01-1807 Woodland Ave				NA		NA		08/23/2005
						To:	01-1803 Gap Terminus								
(1808) Mary St	0.10	180	R			From:	01-1803 Gap Terminus				NA		NA		08/23/2005
						To:	01-1823 Wilson Ave								
(1808) Mary St	0.10	360	R			From:	01-1823 Wilson Ave				NA		NA		08/23/2005
						To:	SR 316 Cossatt Ave								
<b>Accomack County</b>															
(1809)	0.10	70	R			From:	Dead End				NA		NA		08/23/2005
						To:	01-1801								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Parksley</b>															
(1810) Chadbourne St	0.10	46	R			From:	01-1807 Woodland Ave							NA	08/23/2005
						To:	01-674								
(1810) Chadbourne St	0.10	170	R			From:	01-674 Adelaide St							NA	08/23/2005
						To:	01-763 Jones Ave								
(1810) Chadbourne St	0.10	170	R											NA	08/23/2005
						From:	01-1823 Wilson Ave								
(1810) Chadbourne St	0.10	250	R			To:	SR 316 Cossatt Ave							NA	08/23/2005
						From:									
(1810) Chadbourne St	0.01	49	R			To:	SR 316 Cossatt Ave							NA	08/23/2005
						From:	01-1812 Patton St								
(1810) Chadbourne St	0.10	190	R			To:	01-1805							NA	08/09/2005
						From:	01-763 Jones Ave								
(1811) Gertrude St	0.10	110	R			To:	01-1823 Wilson Ave							NA	08/09/2005
						From:	01-1823 Wilson Ave								
(1811) Gertrude St	0.10	120	R			To:	SR 316 Gap Terminus							NA	08/09/2005
						From:	01-1812 Gap Terminus								
(1811) Gertrude St	0.10	48	R			To:	01-1805							NA	08/09/2005
						From:	SR 176								
(1812) Patton St	0.10	520	R			To:	01-1804							NA	08/09/2005
						From:	01-1804								
(1812) Patton St	0.10	3600	R			To:	01-674 EAST							NA	08/09/2005
						From:	01-674 WEST								
(1812) Patton St	0.07	230	R											NA	08/09/2005
						To:	01-1810 Chadbourne St								
(1812) Patton St	0.07	170	R			From:	01-1810 Chadbourne St							NA	08/09/2005
						To:	01-1820 Maxwell St								
(1812) Patton St	0.07	190	R			From:	01-1820 Maxwell St							NA	08/09/2005
						To:	01-1813 Collen St								
(1812) Patton St	0.06	120	R			From:	01-1813 Collen St							NA	08/09/2005
						To:	01-1811 Gertrude St								
(1812) Patton St	0.05	20	R			From:	01-1811 Gertrude St							NA	08/09/2005
						To:	01-1811 Collen St								
(1812) Patton St	0.05	20	R			From:	Dead End								
						To:									
(1813) Collen St	0.10	90	R			From:	01-763 Jones Ave							NA	08/30/2005
						To:	01-1823 Wilson Ave								
(1813) Collen St	0.10	150	R			From:	01-1823 Wilson Ave							NA	08/30/2005
						To:	SR 316 Gap Terminus								
(1813) Collen St	0.10	70	R			From:	01-1812 Gap							NA	08/30/2005
						To:	01-1805								
(1814) Catherine St	0.10	150	R			From:	01-1807 Woodland Ave							NA	08/30/2005
						To:	01-1803 Staunton Ave								
(1814) Catherine St	0.10	340	R			From:	01-1803 Staunton Ave							NA	08/30/2005
						To:	01-763 Jones Ave								
(1814) Catherine St	0.10	150	R			From:	01-763 Jones Ave							NA	08/30/2005
						To:	01-1823 Wilson Ave								
(1814) Catherine St	0.10	200	R			From:	01-1823 Wilson Ave							NA	08/30/2005
						To:	SR 316 Cassatt Ave								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(1815) Jackson St	0.10	30	R			From: Dead End					NA		NA		08/30/2005
			To: 01-1801												
(1816)	0.06	80	R			From: Dead End					NA		NA		08/30/2005
			To: 01-1803												
<b>Town of Parksley</b>															
(1817) Hickman Ave	0.08	240	R			From: SR 176					NA		NA		08/02/2005
			To: 01-1804												
<b>Accomack County</b>															
(1818) Annis St	0.15	100	R			From: Dead End					NA		NA		08/02/2005
			To: SR 316 Greenbush Rd												
<b>Town of Parksley</b>															
(1819)	0.10	340	R			From: 01-1807 Woodland Ave					NA		NA		08/02/2005
			To: 01-674; 01-1803												
(1820) Maxwell St	0.10	400	R			From: 01-674 Adelaide St					NA		NA		08/02/2005
			To: 01-763 Jones Ave												
(1820) Maxwell St	0.10	430	R			From: 01-763 Jones Ave					NA		NA		08/02/2005
			To: 01-1823 Wilson Ave												
(1820) Maxwell St	0.10	600	R			From: 01-1823 Wilson Ave					NA		NA		08/02/2005
			To: SR 316 Gap Terminus												
(1820) Maxwell St	0.10	70	R			From: 01-1812 Gap Terminus					NA		NA		08/02/2005
			To: 01-1805												
(1821) White St	0.10	90	R			From: Dead End					NA		NA		08/02/2005
			To: SR 316 Cossatt Ave												
(1822) Pine St	0.10	90	R			From: 01-1823 Wilson Ave					NA		NA		08/02/2005
			To: SR 316 Cossatt Ave												
(1823) Wilson Ave	0.06	470	R			From: 01-673 Bennett St					NA		NA		08/02/2005
			To: 01-1814 Catherine St												
(1823) Wilson Ave	0.07	400	R			From: 01-1814 Catherine St					NA		NA		08/02/2005
			To: 01-1808 Mary St												
(1823) Wilson Ave	0.06	550	R			From: 01-1808 Mary St					NA		NA		08/02/2005
			To: 01-674												
(1823) Wilson Ave	0.06	520	R			From: 01-674					NA		NA		08/02/2005
			To: 01-1810 Chadbourne St												
(1823) Wilson Ave	0.06	380	R			From: 01-1810 Chadbourne St					NA		NA		08/02/2005
			To: 01-1820 Maxwell St												
(1823) Wilson Ave	0.06	520	R			From: 01-1820 Maxwell St					NA		NA		08/02/2005
			To: 01-1813 Collen St												
(1823) Wilson Ave	0.06	370	R			From: 01-1813 Collen St					NA		NA		08/02/2005
			To: 01-1811 Gertrude St												
(1823) Wilson Ave	0.05	90	R			From: 01-1811 Gertrude St					NA		NA		08/02/2005
			To: 01-1822 Pine St												
(1824)	0.10	100	R			From: 01-1803 Staunton Ave					NA		NA		08/02/2005
			To: 01-763 Jones Ave												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Belle Haven</b>															
(2001) Indian Lane	0.23	160	R			From:	01-601				NA		NA		08/30/2005
						To:	SR 181 ECL Belle Haven								
(2002)	0.08	40	R			From:	Dead End				NA		NA		08/30/2005
						To:	SR 178 Belle Haven Rd								
(2003) Turner St	0.08	320	R			From:	SR 178 Belle Haven Rd				NA		NA		08/30/2005
						To:	01-2007 North Wainhouse Rd								
(2003) Turner St	0.10	290	R			From:	01-2007 North Wainhouse Rd				NA		NA		08/30/2005
						To:	01-601 ECL Belle Haven								
(2004)	0.08	50	R			From:	SR 181 King St				NA		NA		08/30/2005
						To:	01-2005 Horseshoe Lane								
(2005) Horseshoe Lane	0.13	80	R			From:	01-2004				NA		NA		08/30/2005
						To:	01-2006								
(2006)	0.08	30	R			From:	SR 181 King St				NA		NA		08/30/2005
						To:	01-2005 Horseshoe Lane								
(2007) North Wainhouse Rd	0.09	100	R			From:	Dead End				NA		NA		08/30/2005
						To:	01-2003 Turner St								
(2007) North Wainhouse Rd	0.10	40	R			From:	01-2003 Turner St				NA		NA		08/30/2005
						To:	Dead End								
<b>Accomack County</b>															
(2008) Sunrise Dr	0.16	46	R			From:	01-2009 Sunset Dr				NA		NA		09/14/2005
						To:	01-2015 Cardinal Court								
(2008) Sunrise Dr	0.01	70	R			From:	01-2015 Cardinal Court				NA		NA		09/14/2005
						To:	01-2010 Curratuck Rd								
(2008) Sunrise Dr	0.05	80	R			From:	01-2010 Curratuck Rd				NA		NA		09/14/2005
						To:	01-616 Cedar View Rd								
(2009) Sunset Dr	0.06	8	R			From:	01-2008 Sunrise Dr				NA		NA		09/14/2005
						To:	01-2011 Mockingbird Lane								
(2009) Sunset Dr	0.25	30	R			From:	01-2011 Mockingbird Lane				NA		NA		09/14/2005
						To:	01-2010 Curratuck Rd								
(2009) Sunset Dr	0.06	40	R			From:	01-2010 Curratuck Rd				NA		NA		09/14/2005
						To:	01-616 Cedar View Rd								
(2010) Curratuck Rd	0.10	20	R			From:	01-2009 Sunset Dr				NA		NA		09/14/2005
						To:	01-2011 Mockingbird Lane								
(2010) Curratuck Rd	0.06	30	R			From:	01-2011 Mockingbird Lane				NA		NA		09/14/2005
						To:	01-2013 Bluejay Court								
(2010) Curratuck Rd	0.01	20	R			From:	01-2013 Bluejay Court				NA		NA		09/14/2005
						To:	01-2014								
(2010) Curratuck Rd	0.04	6	R			From:	01-2014				NA		NA		09/14/2005
						To:	01-2008 Sunrise Dr								
(2011) Mockingbird Lane	0.04	10	R			From:	01-2008 Sunrise Dr				NA		NA		09/15/2005
						To:	01-2009 Sunset Dr								
(2011) Mockingbird Lane	0.13	46	R			From:	01-2009 Sunset Dr				NA		NA		09/15/2005
						To:	01-2012								
						From:	01-2012				NA		NA		09/15/2005
						To:	01-2010 Curratuck Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(2012)	0.02	30	R			From: 01-2011 Mockingbird Lane					NA		NA		09/15/2005
			To: Cul-de-Sac												
(2013) Bluejay Court	0.06	30	R			From: 01-2010 Currituck Rd					NA		NA		09/15/2005
			To: 01-616 Cedar View Rd												
(2014)	0.05	20	R			From: Cul-de-Sac					NA		NA		09/15/2005
			To: 01-2010 Currituck Rd												
(2015) Cardinal Court	0.03	7	R			From: 01-2008 Sunrise Dr					NA		NA		09/15/2005
			To: Cul-de-Sac												
(2020) Argenti Place Dr	0.18	100	R			From: Dead End					NA		NA		09/22/2005
			To: 01-617												
(2021) Robin Lane	0.13	80	R			From: Dead End					NA		NA		09/22/2005
			To: 01-2020 Argenti Place Dr												
<b>Town of Belle Haven</b>															
(2024) Mill Run	0.22	150	R			From: SR 178 Belle Haven Rd					NA		NA		09/22/2005
			To: Dead End												
(2025)	0.07	60	R			From: Dead End					NA		NA		09/22/2005
			To: 01-2003 Turner St												
(2026) Northfield Dr	0.11	30	R			From: SR 178 Belle Haven Rd					NA		NA		09/22/2005
			To: 01-2027; 01-2028												
(2027) Woodsfield Dr	0.11	20	R			From: Dead End					NA		NA		09/22/2005
			To: 01-2026; 01-2028												
(2028) Eastfield Dr	0.16	20	R			From: 01-2026; 01-2027					NA		NA		09/22/2005
			To: Dead End												
<b>Accomack County</b>															
(2201) Whites Rd	0.27	30	R			From: Dead End					NA		NA		09/22/2005
			To: 01-695												
(2202) Sugarhill Lane	0.25	20	R			From: 01-695					NA		NA		09/06/2005
			To: Dead End												
(2301)	0.05	300	R			From: 01-710					NA		NA		06/28/2005
			To: 01-2303 Lankford Lane												
(2301)	0.15	40	R			From: 01-709					NA		NA		06/28/2005
			To: 01-710												
(2302)	0.05	46	R			From: 01-710					NA		NA		06/28/2005
			To: US 13 Lankford Hwy												
(2303) Lankford Lane	0.07	10	R			From: 01-2301					NA		NA		06/28/2005
			To: 01-709												
(2304) Depot St	0.05	560	R			From: 01-709; 01-710					NA		NA		06/28/2005
			To: US 13 Lankford Hwy												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(2305)	0.25	80	R			From: US 13 Lankford Hwy					NA		NA		07/12/2005
<b>Town of Hallwood</b>															
(2401) Church St	0.15	10	R			From: Dead End					NA		NA		07/12/2005
			To: 01-692												
(2402) Taylor St	0.19	20	R			From: SCL Hallwood					NA		NA		07/12/2005
			To: 01-692												
(2403) Marshall St	0.09	450	R			From: 01-693 Neal Parker Drive					NA		NA		07/12/2005
			To: 01-692												
(2404) Fitzgerald St	0.10	20	R			From: 01-692					NA		NA		07/12/2005
			To: 01-2405 Seaside Ave												
(2405) Seaside Ave	0.08	10	R			From: 01-2409 Ridge Ave					NA		NA		07/12/2005
			To: 01-2404 Fitzgerald St												
(2406) Bloomtown Rd	0.18	20	R			From: 01-693 S, Neal Parker Drive					NA		NA		07/12/2005
			To: NCL Hallwood												
<b>Accomack County</b>															
(2406) Bloomtown Rd	0.06	4	R			From: NCL Hallwood					NA		NA		07/12/2005
			To: 01-693 N, Neal Parker Drive												
<b>Town of Hallwood</b>															
(2407)	0.15	40	R			From: 01-692					NA		NA		07/12/2005
			To: Dead End												
(2408) Hall St	0.16	60	R			From: 01-692					NA		NA		07/12/2005
			To: Dead End												
(2409) Ridge Ave	0.12	20	R			From: 01-692					NA		NA		07/12/2005
			To: 01-2405 Seaside Ave												
<b>Town of Blexom</b>															
(2501)	0.32	210	R			From: SR 187 Shoremain Dr					NA		NA		08/02/2005
			To: 01-684												
(2502)	0.08	80	R			From: SR 187 Shoremain Dr					NA		NA		08/02/2005
			To: 01-2506 Liberty St												
(2502)	0.07	80	R			From: 01-2506 Liberty St					NA		NA		08/02/2005
			To: 01-684												
(2502)	0.07	60	R			From: 01-2504 Hearn St					NA		NA		08/02/2005
			To: 01-684												
(2503) Marshall St	0.06	60	R			From: SR 187 Shoremain Dr					NA		NA		08/02/2005
			To: 01-2513 Pruitt St												
(2503) Marshall St	0.09	180	R			From: 01-2513 Pruitt St					NA		NA		08/02/2005
			To: SR 316 Bayside Dr												
(2504) Hearn St	0.11	60	R			From: SR 187 Shoremain Dr					NA		NA		08/09/2005
			To: 01-2502												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Bloxom</b>															
(2505) Parks St	0.10	80	R			From: Dead End					NA		NA		08/09/2005
(2505) Parks St	0.15	90	R			From: 01-2508					NA		NA		08/09/2005
(2506) Liberty St	0.08	40	R			From: 01-2502					NA		NA		08/09/2005
(2507) Bull St	0.15	170	R			From: 01-2508					NA		NA		08/09/2005
(2508)	0.02	60	R			From: Dead End					NA		NA		08/09/2005
(2508)	0.04	60	R			From: 01-2507 Bull St					NA		NA		08/09/2005
(2509) Hall St	0.25	20	R			From: SR 187 Shoremain Dr					NA		NA		08/09/2005
(2510) Circle Dr	0.12	70	R			From: SR 187 Shoremain Dr					NA		NA		08/09/2005
(2511)	0.07	30	R			From: 01-2510 Circle Dr					NA		NA		08/09/2005
(2512)	0.06	20	R			From: SR 187 Shoremain Dr					NA		NA		08/09/2005
(2512)	0.06	30	R			From: 01-2513 Pruitt St					NA		NA		08/09/2005
(2513) Pruitt St	0.07	20	R			From: 01-2512					NA		NA		08/09/2005
<b>Accomack County</b>															
(2520) Germaine Lane	0.48	150	R			From: Dead End					NA		NA		08/09/2005
(2521) Ross Cir	0.18	140	R			From: 01-676					NA		NA		02/12/2002
(2601) Junior St	0.20	120	R			From: 01-680 WEST					NA		NA		08/30/2005
(2601) Junior St	0.13	150	R			From: 01-680 EAST					NA		NA		08/30/2005
(2602) Adams Lane	0.25	50	R			From: SR 180 SOUTH					NA		NA		08/30/2005
(2701) Church St	0.10	340	R			From: Dead End					NA		NA		08/30/2005
(2701) Church St	0.10	310	R			From: US 13; 01-695					NA		NA		08/30/2005
(2702)	0.05	30	R			From: 01-2702					NA		NA		08/30/2005
(2702)						From: 01-694 Sand St					NA		NA		08/30/2005
(2702)						From: 01-2701 Church St					NA		NA		08/30/2005
(2702)						To: 01-852					NA		NA		08/30/2005

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(2801) Bloxom Cir	0.10	170	R			From:	US 13; 01-689						NA	NA	08/30/2005
						To:	01-689								
(2901) Water St	0.12	90	R			From:	US 13 Bus						NA	NA	08/30/2005
						To:	Dead End								
(3001) Ellis St	0.08	100	R			From:	01-3002 Stockton Ave						NA	NA	08/30/2005
						To:	01-3008 Short St								
(3001) Ellis St	0.09	150	R			From:	01-3004 Mumford St						NA	NA	08/30/2005
						To:	01-3003								
(3001) Ellis St	0.06	100	R			From:	01-3003						NA	NA	08/30/2005
						To:	01-679								
(3002) Stockton Ave	0.13	60	R			From:	01-3001 Ellis St						NA	NA	08/30/2005
						To:	01-3008 Short St								
(3002) Stockton Ave	0.10	290	R			From:	01-3008 Short St						NA	NA	08/30/2005
						To:	01-3004 Mumford St								
(3002) Stockton Ave	0.13	320	R			From:	01-3003 WEST						NA	NA	08/30/2005
						To:	01-3003 EAST								
(3002) Stockton Ave	0.02	470	R			From:	01-3003 EAST						NA	NA	08/30/2005
						To:	01-679								
(3003)	0.25	200	R			From:	01-679						NA	NA	08/30/2005
						To:	01-3002 E, Stockton Ave								
(3003)	0.03	120	R			From:	01-3002 W, Stockton Ave						NA	NA	08/30/2005
						To:	01-3001 Ellis St								
(3003)	0.08	90	R			From:	01-3001 Ellis St						NA	NA	08/30/2005
						To:	01-3004 Mumford St								
(3004) Mumford St	0.05	49	R			From:	01-3001 Ellis St						NA	NA	08/30/2005
						To:	01-3003								
(3004) Mumford St	0.11	90	R			From:	01-3003						NA	NA	08/30/2005
						To:	01-3005 Franklin City Rd								
(3005) Franklin City Rd	0.15	90	R			From:	01-679						NA	NA	08/30/2005
						To:	01-3004 Mumford St								
(3006) Harbor Dr	0.20	300	R			From:	Dead End						NA	NA	09/14/2005
						To:	01-679								
(3008) Short St	0.05	40	R			From:	01-3002 Stockton Ave						NA	NA	09/14/2005
						To:	01-3001 Ellis St								
(3101) Locust St	0.11	10	R			From:	Dead End						NA	NA	09/14/2005
						To:	01-3104 Pine St								
(3101) Locust St	0.07	30	R			From:	01-3104 Pine St						NA	NA	09/14/2005
						To:	01-767 East Point Rd								
(3101) Locust St	0.06	100	R			From:	01-767 East Point Rd						NA	NA	09/14/2005
						To:	01-3103 Cedar St								
(3101) Locust St	0.23	90	R			From:	01-3103 Cedar St						NA	NA	09/14/2005
						To:	01-3102								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Accomack County</b>															
(3102)	0.14	40	R			From:	01-3103 Cedar St				NA		NA	NA	09/14/2005
(3102)	0.04	20	R			From:	01-3101 Locust St				NA		NA	NA	09/14/2005
			To:	Dead End											
(3103) Cedar St	0.05	40	R			From:	01-3101 Locust St				NA		NA	NA	09/20/2005
(3103) Cedar St	0.01	80	R			From:	01-3102				NA		NA	NA	09/20/2005
(3103) Cedar St	0.04	10	R			From:	01-776 Russell Dr				NA		NA	NA	09/20/2005
			To:	Dead End											
(3104) Pine St	0.03	90	R			From:	01-3101 Locust St				NA		NA	NA	09/20/2005
(3104) Pine St	0.03	40	R			From:	01-3105 Holly St				NA		NA	NA	09/20/2005
(3104) Pine St	0.01	8	R			From:	01-776 Russell Dr				NA		NA	NA	09/20/2005
			To:	Dead End											
(3105) Holly St	0.13	40	R			From:	Dead End				NA		NA	NA	09/20/2005
			To:	01-3104 Pine St											
(9001)	0.15	200	R			From:	Central High School				NA		NA	NA	1999
			To:	US 13 Lankford Hwy											
<b>Town of Onancock</b>															
(9002)	0.08	210	R			From:	Onancock High School				NA		NA	NA	09/20/2005
			To:	01-658 NORTH											
<b>Accomack County</b>															
(9501)	0.18	410	R			From:	01-691				NA		NA	NA	09/20/2005
			To:	Accomack Elem School											
(9502)	0.48	910	R			From:	US 13 Lankford Hwy				NA		NA	NA	09/20/2005
			To:	Nandua High School											
(9638)	0.11	470	R			From:	US 13 Lankford Hwy				NA		NA	NA	1999
			To:	Atlantic High School											
(9638)	0.14	390	R			From:	0.11 MN US 13				NA		NA	NA	09/08/2005
			To:	0.25 MN US 13											
(9638)	0.04	410	R			From:	Arcadia High School				NA		NA	NA	09/08/2005
<b>Town of Bloxom</b>															
(9640)	0.06	220	R			From:	01-684				NA		NA	NA	1986
			To:	Bloxom High School											
<b>Town of Parksley</b>															
(9641)	0.06	190	R			From:	01-763 Jones Ave				NA		NA	NA	1999
			To:	Parksley High School											
<b>Town of Accomac</b>															
(9642)	0.10	100	R			From:	01-1501				NA		NA	NA	1999
			To:	Accomac Primary School											

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b>Accomack County</b>																	
(9643)	0.27	190	R			From:	01-663							NA	NA	1999	
						To:	Mary N Smith Jr HS										
(9963)	0.07	170	R			From:	01-718 SOUTH							NA	NA	1999	
						To:	Accamac Elem School										
(9963)	0.10	190	R			From:	0.07 MN 01-718							NA	NA	09/08/2005	
						To:	01-718										
<b>Town of Belle Haven</b>																	
(602) Cemetery Rd	0.06	760	R			From:	WCL Belle Haven							NA	NA	03/08/2004	
						To:	01-602 Lee St										
(687) Tower Way	0.15	190	R			From:	SR 178 Belle Haven Rd							NA	NA	03/08/2004	
						To:	ECL Belle Haven										
(693) Wainhouse Rd	0.30	110	R			From:	SCL Belle Haven							NA	NA	04/25/2001	
						To:	Dead End										
<b>Town of Chincoteague</b>																	
(1) Maddox Blvd	0.38	7000	G			From:	Main St							NA	7300	G	2007
						To:	Deep Hole Rd										
(1) Maddox Blvd	0.27	5000	G			From:					0.087	F	0.513	5200	G	2007	
						To:	Chicken City Rd										
(1) Maddox Blvd	0.92	4300	G	100%	0%	0%	0%	0%	0%	C	NA			4500	G	2007	
						To:	Entrance To Assateague Island										
(2) Ridge Rd	0.69	2900	G	99%	0%	1%	0%	0%	0%	F	0.085	F	0.602	3000	G	2007	
						To:	Bunting Rd										
(2) Ridge Rd	0.95	2900	G	99%	0%	1%	0%	0%	0%	C	0.084	F	0.581	3000	G	2007	
						To:	Church St										
(2) Chicken City Rd	0.41	4400	G	99%	0%	1%	0%	0%	0%	F	0.083	F	0.553	4600	G	2007	
						To:	Maddox Blvd										
(2) Chicken City Rd	0.39	1300	G	99%	0%	1%	0%	0%	0%	F	0.097	F	0.616	1400	G	2007	
						To:	Deep Hole Rd										
(3) Church St	0.32	3900	G	98%	0%	1%	0%	0%	0%	C	0.083	F	0.579	4000	G	2007	
						To:	Chicken City Rd										
(3) Church St	0.08	5100	G	98%	0%	1%	0%	0%	0%	F	0.081	F	0.550	5200	G	2007	
						To:	Pension St										
(3) Church St	0.22	3100	G	98%	0%	1%	0%	0%	0%	F	0.082	F	0.556	3200	G	2007	
						To:	Willow St										
(4) Bunting Rd	0.39	1700	G	98%	0%	1%	0%	1%	0%	C	0.09	F	0.542	1700	G	2007	
						To:	Ridge Rd										
(4) Bunting Rd	0.16	1500	G	98%	0%	1%	0%	1%	0%	F	0.091	F	0.519	1500	G	2007	
						To:	Main St										
(5) Beebe Rd	0.30	1100	G	97%	1%	2%	0%	0%	0%	C	0.088	F	0.608	1100	G	2007	
						To:	Ridge Rd										
(6) Willow St	0.93	1300	G	98%	0%	1%	0%	0%	0%	C	0.085	F	0.59	1300	G	2007	
						To:	Bunting Rd										
						To:	Church St										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Accomack Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Chincoteague</b>																
(7) 190	Pension St	0.21	1900	G	98%	1%	1%	0%	0%	C	0.095	F	0.578	1900	G	2007
				From:	Church St											
				To:	Deep Hole Rd											
(8) 190	Deep Hole Rd	0.18	2400	G	98%	0%	1%	0%	0%	F	0.088	F	0.591	2400	G	2007
				From:	Pension St											
				To:	Maddox Blvd											
(8) 190	Deep Hole Rd	0.38	2000	G	98%	0%	1%	0%	0%	C	0.096	F	0.605	2100	G	2007
				From:	Chicken City Rd											
				To:	0.40 Mi N Chicken City Rd											
(8) 190	Deep Hole Rd	0.40	1400	G	98%	0%	1%	0%	0%	F	0.09	F	0.519	1500	G	2007
				From:	Bunting Rd											
(1622) 190	South Main St	0.77	5000	G	97%	1%	2%	0%	0%	C	0.083	F	0.57	5200	G	2007
				To:	SR 175 Channel Bridge											
(1622) 190	South Main St	0.60	2800	G	97%	1%	2%	0%	0%	F	0.092	F	0.542	2900	G	2007
				From:	Bunting Rd											
				To:	Beebe Rd											
(1622) 190	South Main	1.21	1600	G	97%	1%	2%	0%	0%	F	0.102	F	0.552	1700	G	2007
				From:	JB-190 End State Maintenance											
(1623) 190	North Main St	0.11	9600	G	98%	0%	1%	0%	0%	F	0.08	F	0.534	9900	G	2007
				To:	SR 175 Channel Bridge											
(1623) 190	North Main St	0.32	8700	G	98%	0%	1%	0%	0%	F	0.082	F	0.573	8900	G	2007
				From:	Church St											
(1623) 190	North Main St	0.73	2500	G	98%	0%	1%	0%	0%	C	0.087	F	0.511	2600	G	2007
				To:	Maddox Blvd											
(1623) 190	North Main St	1.08	1400	G	98%	0%	1%	0%	0%	F	0.106	F	0.522	1400	G	2007
				From:	Misty Meadows Dr											
				To:	Richardson St											
(1623) 190	N Main St	0.13	720	G	98%	0%	1%	0%	0%	F	0.115	F	0.52	740	G	2007
				From:	Richardson Street											
				To:	JB-1-190 RT.2101 NCL Chincoteague											
<b>Accomack County</b>																
New Church Welcome	410	B	93%	1%	1%	1%	5%	0%	C	0.225	A			340	B	2007
				From:	Exit Rest Area Parking											
				To:	US 13 from Rest Area											
<b>Town of Chincoteague</b>																
Taylor St	510	G								0.104	F			560	G	2007
				From:	Main St											
				To:	Deep Hole Rd											
Wayne Dr	380	G								0.098	F			420	G	2007
				From:	Eastside Rd											
				To:	Filmore St											