

**2007**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**38**

Grayson County  
Town of Fries  
Town of Independence  
Town of Troutdale

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW			
							2Axle	3+Axle	1Trail	2Trail									
16 Jefferson Hwy	Grayson County	4.06	<b>1200</b>	<b>G</b>	87%	1%	2%	4%	7%	0%	C	0.092	F	0.55	1200	G			
16 58 Troutdale Hwy	Grayson County	3.99	<b>1700</b>	<b>G</b>	87%	1%	2%	4%	7%	0%	F	0.086	F	0.509	1700	G			
16 Troutdale Hwy	Grayson County	5.66	<b>1400</b>	<b>G</b>	87%	1%	2%	4%	7%	0%	F	0.106	F	0.665	1400	G			
16 Troutdale Hwy	Town of Troutdale (Maint: 38)	2.26	<b>1400</b>	<b>G</b>	87%	1%	2%	4%	7%	0%	F	0.094	F	0.518	1500	G			
16 Troutdale Hwy	Grayson County	0.82	<b>1200</b>	<b>G</b>	87%	1%	2%	4%	7%	0%	F	0.094	F	0.567	1300	G			
21 221 New River Pkwy	Grayson County	3.39	<b>1900</b>	<b>G</b>	92%	1%	2%	1%	4%	0%	C	0.091	F	0.508	2000	G			
21 221	Town of Independence (Maint: 38)	0.47	<b>1900</b>	<b>N</b>	92%	1%	2%	1%	4%	0%	N	0.091	N	0.508	2000	N			
21	Town of Independence (Maint: 38)	1.64	<b>2000</b>	<b>B</b>	96%	0%	1%	1%	2%	0%	C	0.111	A	0.628	2100	B			
21	Grayson County	8.72	<b>2000</b>	<b>N</b>	96%	0%	1%	1%	2%	0%	N	0.111	N	0.628	2100	N			
21 Elk Creek Pkwy	Grayson County	1.45	<b>1500</b>	<b>G</b>	96%	0%	1%	1%	2%	0%	F	0.095	F	0.553	1500	G			
21 Elk Creek Pkwy	Grayson County	1.37	<b>1400</b>	<b>G</b>	96%	0%	1%	1%	2%	0%	F	0.089	F	0.548	1400	G			
48 Blue Ridge Parkway	Grayson County (Maint: US )	1.13	<b>2000</b>	<b>O</b>	96%	0%	1%	0%	2%	0%	F	NA			340	G			
48	Blue Ridge Parkway	Grayson County (Maint: US )	3.56	<b>2000</b>	<b>N</b>	96%	0%	1%	0%	2%	0%	N	NA			340	N		
58	Highlands Pkwy; Jeb Stuart Hwy	Grayson County	9.57	<b>630</b>	<b>G</b>	98%	0%	1%	0%	1%	0%	F	0.094	F	0.606	650	G		
58	Highlands Pkwy	Grayson County	3.76	<b>620</b>	<b>G</b>	98%	0%	1%	0%	1%	0%	F	0.113	F	0.556	640	G		
58	Highlands Pkwy	Grayson County	3.99	<b>670</b>	<b>G</b>	98%	0%	1%	0%	1%	0%	F	0.104	F	0.579	690	G		
58 16	Troutdale Hwy	Grayson County	3.99	<b>1700</b>	<b>G</b>	87%	1%	2%	4%	7%	0%	F	0.086	F	0.509	1700	G		

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
58 Wilson Hwy	Grayson County	3.79	<b>2100</b>	<b>G</b>	90%	1%	3%	3%	4%	0%	F	0.094	F	0.556	2200	G
58 Wilson Hwy	Grayson County	8.04	<b>2600</b>	<b>G</b>	90%	1%	3%	3%	4%	0%	C	0.089	F	0.607	2700	G
58 W Main St	Town of Independence (Maint: 38)	0.86	<b>2600</b>	<b>N</b>	90%	1%	3%	3%	4%	0%	N	0.089	N	0.607	2700	N
58 221 E Main St	Town of Independence (Maint: 38)	1.20	<b>7500</b>	<b>G</b>	93%	1%	1%	1%	4%	0%	F	0.101	F	0.626	7700	G
58 221 Grayson Pkwy	Grayson County	1.55	<b>7500</b>	<b>N</b>	93%	1%	1%	1%	4%	0%	N	0.101	N	0.626	7700	N
58 221 Grayson Pkwy	Grayson County	8.68	<b>5400</b>	<b>G</b>	93%	1%	1%	1%	4%	0%	C	0.093	F	0.543	5600	G
58 221 Grayson Pkwy	Grayson County	1.36	<b>8800</b>	<b>G</b>	93%	1%	1%	1%	4%	0%	F	0.097	F	0.555	9100	G
89 Skyline Hwy	Grayson County	4.89	<b>4500</b>	<b>G</b>	93%	1%	1%	1%	4%	0%	C	0.095	F	0.574	4700	G
93 Wilson Hwy	Grayson County	0.92	<b>930</b>	<b>G</b>	85%	0%	2%	2%	6%	0%	C	0.095	F	0.596	960	G
94 Riverside Dr	Grayson County	4.22	<b>2100</b>	<b>G</b>	96%	1%	1%	1%	1%	0%	C	0.104	F	0.652	2200	G
94 Scenic Rd	Grayson County	2.05	<b>2200</b>	<b>G</b>	95%	1%	1%	1%	1%	0%	F	0.099	F	0.619	2300	G
94 Scenic Rd	Grayson County	2.20	<b>1900</b>	<b>G</b>	95%	1%	1%	1%	1%	0%	C	0.097	F	0.546	2000	G
94	Town of Fries (Maint: 38)	0.48	<b>1900</b>	<b>N</b>	95%	1%	1%	1%	1%	0%	N	0.097	N	0.546	2000	N
94 Scenic Rd	Town of Fries (Maint: 38)	0.56	<b>2000</b>	<b>G</b>	95%	1%	1%	1%	1%	0%	F	0.1	F	0.557	2100	G
94	Grayson County	0.63	<b>2000</b>	<b>N</b>	95%	1%	1%	1%	1%	0%	N	0.1	N	0.557	2100	N
97 Pipers Gap Rd	Grayson County	0.78	<b>2800</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	C	0.087	F	0.614	2900	G

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axe	3+Axe	1Trail	2Trail						
221 21 New River Pkwy	Grayson County	3.39	1900	G	92%	1%	2%	1%	4%	0%	C	0.091	F	0.508	2000	G
221 21	Town of Independence (Maint: 38)	0.47	1900	N	92%	1%	2%	1%	4%	0%	N	0.091	N	0.508	2000	N
221 58 E Main St	Town of Independence (Maint: 38)	1.20	7500	G	93%	1%	1%	1%	4%	0%	F	0.101	F	0.626	7700	G
221 58 Grayson Pkwy	Grayson County	1.55	7500	N	93%	1%	1%	1%	4%	0%	N	0.101	N	0.626	7700	N
221 58 Grayson Pkwy	Grayson County	8.68	5400	G	93%	1%	1%	1%	4%	0%	C	0.093	F	0.543	5600	G
221 58 Grayson Pkwy	Grayson County	1.36	8800	G	93%	1%	1%	1%	4%	0%	F	0.097	F	0.555	9100	G
274 Riverside Dr	Grayson County	7.36	860	G	95%	2%	2%	0%	0%	0%	C	0.126	F	0.625	890	G
	To:		SR 94													

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(F685)	0.23	NA				From: 38-626					NA			NA		
(F686)	0.13	NA				To: Dead End								NA		
(732) Lincoln Rd	0.40	30	R			From: 38-606					NA			NA		08/09/2004
(600)	0.30	60	R			From: North Carolina State Line					NA			NA		11/08/2005
(600)	2.30	90	R			From: 38-751					NA			NA		11/08/2005
(600)	3.00	160	G	99%	0%	1%	0%	0%	0%	C	0.182	F	0.536	160	G	2007
(601) Flat Ridge Rd	7.43	220	G	96%	0%	1%	2%	1%	0%	F	0.117	F	0.557	230	G	2007
(601) Old Bridle Creek Rd	1.32	210	G	96%	0%	1%	2%	1%	0%	F	0.154	F	0.559	210	G	2007
(601) Old Bridle Creek Rd	3.60	300	G	96%	0%	1%	2%	1%	0%	F	0.116	F	0.507	310	G	2007
(601) Old Bridle Creek Rd	1.84	340	G	96%	0%	1%	2%	1%	0%	C	0.132	F	0.778	360	G	2007
(601) Old Bridle Creek Rd	1.62	80	G	96%	0%	1%	2%	1%	0%	F	0.167	F	0.6	90	G	2007
(601) Cox Chapel Rd	1.41	190	G	96%	0%	4%	0%	0%	0%	C	0.119	F	0.609	190	G	2007
(601) Cox Chapel Rd	0.96	190	G	96%	0%	1%	2%	1%	0%	F	0.122	F	0.509	200	G	2007
(601)	0.25	90	R			From: 38-708 S River Bend Rd					NA			NA		02/17/2006
(602)	0.50	80	R			To: 38-708 N River Bend Rd					NA			NA		02/10/2006
(602) Brush Creek Rd	3.30	130	G	96%	3%	0%	0%	0%	0%	C	0.143	F	0.556	130	G	2007
(603) Fairwood Rd	1.90	230	G	96%	1%	2%	0%	1%	0%	F	0.122	F	0.552	230	G	2007
(603) Fairwood Rd	2.87	230	G	96%	1%	2%	0%	1%	0%	F	0.129	F	0.695	230	G	2007
<b>Town of Troutdale</b>																
(603) Fairwood Dr	1.00	330	G	96%	1%	2%	0%	1%	0%	C	0.138	F	0.591	340	G	2007
(603) Fairwood Rd	0.85	260	R			From: SR 16 N, Troutdale Hwy								NA		12/29/2005
						To: SR 16 S, Troutdale Hwy										
						From: ECL Troutdale										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(603) Ripshin Rd	1.60	260	N								NA		NA		12/29/2005	
(603) Ripshin Rd	2.00	60	R								NA		NA		01/06/2006	
(603) Ripshin Rd	2.00	45	R								NA		NA		01/06/2006	
(603) Lostlake Rd	1.90	80	R								NA		NA		01/06/2006	
(604) Jerusalem Rd	0.10	70	R								NA		NA		02/07/2006	
(604) Jerusalem Rd	0.90	30	R								NA		NA		02/07/2006	
(604) Jerusalem Rd	0.60	60	R								NA		NA		02/07/2006	
(604) Jerusalem Rd	1.00	50	R								NA		NA		02/07/2006	
(604) Rabbit Hollow Rd	4.60	100	G	98%	1%	1%	0%	0%	0%	F	0.169	F	0.563	100	G	2007
(604) Liberty Hill	1.10	380	G	98%	1%	1%	0%	0%	0%	C	0.121	F	0.646	390	G	2007
(604)	0.20	540	R								NA		NA		02/10/2006	
(605)	0.60	280	R								NA		NA		1999	
(605)	0.20	140	R								NA		NA		1999	
(606) Water Wheel Rd	0.54	250	G	94%	2%	2%	1%	0%	0%	C	0.169	F	0.544	260	G	2007
(606)	1.05	110	R								NA		NA		1999	
(606)	0.15	90	R								NA		NA		1999	
(606)	0.75	80	R								NA		NA		1999	
(606)	0.65	30	R								NA		NA		1999	
(606)	0.35	0	R								NA		NA		05/17/2002	
<b>Town of Fries</b>																
(606)	0.15	0	R								NA		NA		05/17/2002	
(606) Fries Rd	0.18	3400	G	98%	0%	1%	1%	0%	0%	C	0.102	F	0.67	3500	G	2007

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(607) Meadow Creek Rd	3.00	180	G	95%	1%	1%	2%	1%	0%	F	0.115	F	0.696	190	G	2007
(607) Meadow Creek	1.70	570	G	95%	1%	1%	2%	1%	0%	F	0.092	F	0.604	590	G	2007
(607) Meadow Creek	1.40	400	G	95%	1%	1%	2%	1%	0%	F	0.113	F	0.521	410	G	2007
(607) Meadow Creek Rd	1.62	320	G	95%	1%	1%	2%	1%	0%	C	0.114	F	0.5	330	G	2007
(607)	0.12	240	R							NA			NA		NA	1999
(607) Fries Rd	0.26	1000	G	98%	0%	1%	0%	0%	0%	C	0.094	F	0.624	1100	G	2007
(608) Coal Creek Rd	1.10	410	G	98%	1%	1%	0%	1%	0%	C	0.111	F	0.592	420	G	2007
(609)	2.60	100	R							NA			NA		07/12/2002	
(609)	0.30	70	R							NA			NA		07/12/2002	
(609)	2.20	140	R							NA			NA		1999	
(610)	0.50	340	R							NA			NA		1999	
(611) Caty Sage	1.50	130	R							NA			NA		02/01/2006	
(611) Pheasant Run Lane	1.00	110	R							NA			NA		01/24/2006	
(611) Stones Chapel Rd	0.80	60	R							NA			NA		01/24/2006	
(611)	1.30	80	R							NA			NA		06/11/2002	
(611) Caty Sage	1.20	80	R							NA			NA		02/01/2006	
(611) Caty Sage	0.70	140	R							NA			NA		02/01/2006	
(612)	1.20	70	R							NA			NA		07/12/2002	
(613) Edmonds Rd	1.56	1700	G	94%	0%	1%	4%	1%	0%	F	0.094	F	0.539	1700	G	2007
(613) Edmonds Rd	1.14	1600	G	94%	0%	1%	4%	1%	0%	C	0.105	F	0.591	1600	G	2007
(613)	2.41	470	R							NA			NA		1999	
(614)	0.40	220	R							NA			NA		1999	

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(615)	1.30	130	R			From: Dead End								NA	07/16/2002		
						To: 38-624											
(615) Savannah Rd	3.10	580	G	76%	0%	From: 38-624 Delhart Rd	2%	20%	1%	0%	C	0.097	F	0.625	600	G	2007
						To: 38-613; NC State Line											
(616)	2.00	230	R			From: 38-622								NA	07/16/2002		
						To: 38-626											
(617)	1.20	170	R			From: 38-622								NA	1999		
						To: 38-621											
(617)	0.70	150	R			From: 38-621								NA	07/16/2002		
						To: 38-607											
(618)	0.60	590	R			From: 38-607								NA	1999		
						To: SR 89 Skyline Hwy											
(619)	0.80	320	R			From: 38-607								NA	1999		
						To: 38-643											
(619)	1.49	90	R			From: SCL Galax								NA	07/16/2002		
						To: 38-604											
(620) Round Hill Circle	0.21	20	R			From: 38-604								NA	02/10/2006		
						To: 38-604											
(621)	0.70	110	R			From: 38-622								NA	07/16/2002		
						To: 38-617											
(622)	2.00	130	R			From: 38-625								NA	07/16/2002		
						To: 38-624 WEST											
(622) Delhart Rd	1.70	770	G	97%	0%	From: 38-624 East Delhart Rd	1%	2%	0%	0%	F	0.103	F	0.524	790	G	2007
						To: 38-616 Link Rd											
(622) Delhart Rd	0.90	810	G	97%	0%	From: 38-616 Link Rd	1%	2%	0%	0%	F	0.1	F	0.618	840	G	2007
						To: 38-617 White Pine Rd											
(622) Delhart Rd	1.50	860	G	97%	0%	From: 38-617 White Pine Rd	1%	2%	0%	0%	F	0.095	F	0.526	890	G	2007
						To: 38-621 Nexus Rd											
(622) Delhart Rd	0.70	970	G	97%	0%	From: 38-621 Nexus Rd	1%	2%	0%	0%	C	0.096	F	0.526	1000	G	2007
						To: 38-626 Old Baywood											
(623)	3.04	140	R			From: 38-622								NA	1999		
						To: 38-626 SOUTH											
(623)	0.31	60	R			From: 38-626 SOUTH								NA	1999		
						To: 38-626 NORTH											
(623) Beech Grove Ln	1.09	620	G	97%	0%	From: US 58	1%	1%	0%	0%	C	0.115	F	0.557	640	G	2007
						To: 38-636 Rock Chimney Rd											
(624) Delhart Rd	1.30	1100	G	90%	1%	From: North Carolina State Line	2%	6%	1%	0%	C	0.093	F	0.559	1100	G	2007
						To: 38-622 East Delhart Rd											
(624) Crossroads Dr	3.30	490	G	90%	1%	From: 38-622 East Delhart Rd	2%	6%	1%	0%	F	0.107	F	0.539	500	G	2007
						To: 38-626 Old Baywood Rd											
(624)	0.38	560	R			From: 38-626								NA	1999		
						To: US 58											

Virginia Department of Transportation  
Traffic Engineering Division

*2007*  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(625)	0.20	0	R			From:	North Carolina State Line				NA		NA		NA	07/16/2002	
(625)	0.50	8	R			To:	0.20 MN NC State Line				NA		NA		NA	07/16/2002	
(625)	0.45	20	R			From:	38-622				NA		NA		NA	07/16/2002	
(625)	0.45	50	R			To:	38-707				NA		NA		NA	07/16/2002	
(625)	1.60	110	R			From:	38-633				NA		NA		NA	07/16/2002	
(625)						To:	38-626										
(626)	1.60	50	R			From:	38-632 SOUTH				NA		NA		NA	1999	
(626)	1.51	60	R			To:	38-627				NA		NA		NA	1999	
(626)	0.10	70	R			From:	1.51 MN 38-627				NA		NA		NA	1999	
(626)	2.49	480	R			To:	38-629				NA		NA		NA	1999	
(626)						From:	38-624										
(626) Old Baywood Rd	0.30	690	G	96%	1%	1%	1%	0%	0%	C	0.112	F	0.517	720	G	2007	
(626)						To:	38-636 Haystack Rd										
(626)	3.40	210	R			From:	38-636				NA		NA		NA	1999	
(626)						To:	38-622										
(626) Old Baywood Rd	0.09	1300	G	96%	1%	1%	1%	0%	0%	F	0.093	F	0.591	1300	G	2007	
(626)						To:	38-622 Delhart Rd										
(626)						From:	US 58; 221										
(627)	0.25	30	R			From:	Dead End				NA		NA		NA	1999	
(627)						To:	38-626										
(628)	1.90	20	R			From:	North Carolina State Line				NA		NA		NA	1999	
(628)						To:	38-629 EAST										
(628)	0.50	0	R			From:	38-629 WEST				NA		NA		NA	1999	
(628)						To:	Dead End										
(629)	3.20	30	R			From:	North Carolina State Line				NA		NA		NA	1999	
(629)						To:	38-628 WEST										
(629)	0.20	40	R			From:	38-628 EAST				NA		NA		NA	1999	
(629)						To:	Dead End										
(629)	1.02	50	R			From:	North Carolina State Line				NA		NA		NA	1999	
(629)						To:	1.02 MN 38-628										
(629)	0.22	50	R			From:	38-626				NA		NA		NA	1999	
(630)	0.16	47	R			From:	38-824				NA		NA		NA	1999	
(630)						To:	Dead End										
(631)	0.03	200	R			From:	US 58				NA		NA		NA	1999	
(631)						To:	0.03 MN US 58										
(631)	0.92	160	R			From:	38-634				NA		NA		NA	06/06/2002	

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(631)	1.70	30	R								NA		NA		06/06/2002	
(631)	1.30	20	R								NA		NA		06/06/2002	
(631)	0.55	40	R								NA		NA		06/06/2002	
(631)	1.20	90	R								NA		NA		06/06/2002	
(632)	0.12	2	R								NA		NA		1999	
(632)	1.01	40	R								NA		NA		1999	
(632)	1.70	110	R								NA		NA		1999	
(633)	0.80	50	R								NA		NA		07/16/2002	
(633)	0.85	60	R								NA		NA		07/16/2002	
(634)	1.80	130	R								NA		NA		06/06/2002	
(634)	1.40	330	R								NA		NA		1999	
(634) Beech Grove Ln	0.10	540	G	97%	0%	1%	2%	1%	0%	C	0.096	F	0.610	560	G	2007
(634)	1.40	130	R								NA		NA		1999	
(634)	2.30	100	R								NA		NA		05/29/2002	
(634)	0.30	150	R								NA		NA		1999	
(634)	0.40	140	R								NA		NA		05/29/2002	
(634)	0.20	110	R								NA		NA		1999	
(634) Water Wheel Rd	1.07	330	G	98%	1%	1%	0%	0%	0%	C	0.118	F	0.667	340	G	2007
(634) Water Wheel Rd	0.19	160	G	98%	1%	1%	0%	0%	0%	F	0.146	F	0.696	160	G	2007
(634) Water Wheel Rd	0.50	210	G	98%	1%	1%	0%	0%	0%	F	0.13	F	0.579	210	G	2007
(635)	0.50	9	R								NA		NA		06/06/2002	
(635)	1.70	120	R								NA		NA		06/06/2002	

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(636)	0.15	170	R			From:	38-9513					NA		NA	1999	
						To:	38-626									
(636) Haystack Rd	0.39	840	G	97%	1%	1%	0%	0%	0%	C	0.130	F	0.605	870	G	2007
						From:	38-626 Old Baywood Rd									
						To:	US 58; 221									
(636) Rock Chimney rd	0.94	230	G	93%	1%	2%	2%	2%	0%	C	0.141	F	0.882	240	G	2007
						From:	US 58									
(636) Beach Grove Ln	0.70	750	G	97%	1%	1%	0%	0%	0%	F	0.110	F	0.608	770	G	2007
						To:	38-634 W Longview Ln									
						From:	38-634 WEST									
(636)	0.80	340	R									NA		NA	1999	
						From:	38-631 EAST									
(636)	0.50	110	R									NA		NA	06/06/2002	
						To:	38-631 WEST									
(636)	0.20	70	R			From:	38-631					NA		NA	06/06/2002	
						To:	38-779									
(636)	1.00	50	R			From:	38-779					NA		NA	06/06/2002	
						To:	38-637									
(636)	1.06	5	R			From:	38-637					NA		NA	06/06/2002	
						To:	Dead End									
(637)	1.60	40	R			From:	38-634					NA		NA	06/06/2002	
						To:	38-631									
(637)	1.40	40	R			From:	38-631					NA		NA	06/06/2002	
						To:	38-636									
(638)	1.70	260	R			From:	SR 94 SOUTH					NA		NA	05/29/2002	
						To:	38-640 SOUTH									
(638)	0.20	120	R			From:	38-640 SOUTH					NA		NA	05/29/2002	
						To:	38-640 NORTH									
(638)	0.50	150	R			From:	38-640 NORTH					NA		NA	05/29/2002	
						To:	38-639									
(638)	0.80	460	R			From:	38-639					NA		NA	05/29/2002	
						To:	SR 94 NORTH									
(639)	0.40	220	R			From:	38-638					NA		NA	1999	
						To:	38-880									
(639)	0.90	70	R			From:	38-880					NA		NA	05/29/2002	
						To:	Dead End									
(640)	0.80	40	R			From:	SR 94					NA		NA	05/29/2002	
						To:	38-638 SOUTH									
(640)	0.90	40	R			From:	38-638 SOUTH					NA		NA	05/29/2002	
						To:	38-638 NORTH									
(640)	2.30	130	R			From:	38-638 NORTH					NA		NA	05/29/2002	
						To:	Dead End; Gap									
(640)	0.15	340	R			From:	38-634 WEST					NA		NA	1999	
						To:	38-634 EAST									
(640) Greenville Rd	0.59	500	G	98%	1%	0%	0%	0%	0%	F	0.101	F	0.627	520	G	2007
						From:	38-634 East Water Wheel Rd									
(640) Greenville Rd	0.15	790	G	98%	1%	0%	0%	0%	0%	C	0.095	F	0.619	810	G	2007
						To:	38-780 Mockingbird Ln									
						From:	WCL Galax									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(641)	1.60	180	R								NA		NA		05/29/2002	
(641)	1.42	110	R								NA		NA		05/29/2002	
(641)	0.88	8	R								NA		NA		05/29/2002	
(642)	0.94	80	R								NA		NA		05/29/2002	
(642)	0.06	90	R								NA		NA		05/29/2002	
(643)	1.07	320	R								NA		NA		1999	
(644) Winding Rd	0.40	700	G	98%	0%	1%	0%	1%	0%	C	0.116	F	0.643	720	G	2007
(644) Winding Rd	0.12	620	G	98%	0%	1%	0%	1%	0%	F	0.108	F	0.58	640	G	2007
(644) Winding Rd	0.49	340	G	98%	0%	1%	0%	1%	0%	F	0.121	F	0.544	360	G	2007
(644)	1.43	200	R								NA		NA		1999	
(644)	0.04	170	R								NA		NA		02/10/2006	
(644)	0.06	130	R								NA		NA		02/10/2006	
(644)	0.40	100	R								NA		NA		02/10/2006	
(645)	0.40	80	R								NA		NA		02/10/2006	
(646)	2.60	350	R								NA		NA		1999	
(647) Stevens Creek	0.70	340	G	98%	1%	1%	0%	0%	0%	F	0.108	F	0.711	350	G	2007
(647) Stevens Creek Rd	0.70	430	G	98%	1%	1%	0%	0%	0%	C	0.113	F	0.642	440	G	2007
(647) Steavens Creek Rd	0.50	270	G	98%	1%	1%	0%	0%	0%	F	0.115	F	0.536	280	G	2007
(647) Steavens Creek Rd	0.40	370	G	98%	1%	1%	0%	0%	0%	F	0.112	F	0.517	380	G	2007
(648)	0.10	90	R								NA		NA		1999	
(648)	1.40	400	R								NA		NA		1999	
(649)	3.25	180	R								NA		NA		1999	

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(649)	0.70	240	R			From:	38-713							NA	05/07/2002		
(649)	2.10	260	R			From:	38-805 N. Spring Valley Rd							NA	1999		
(650)	0.45	20	R			To:	38-646							NA	02/10/2006		
(650)	1.76	40	R			From:	Dead End							NA	02/10/2006		
(650)	0.11	50	R			To:	38-660 WEST							NA	02/10/2006		
(650)	0.15	48	R			From:	38-660 EAST							NA	02/10/2006		
(650)	1.28	70	R			To:	38-833 Knob Fork Lane							NA	02/10/2006		
(651)	0.32	90	R			From:	38-805 S. Spring Valley Rd							NA	02/10/2006		
(651)	0.77	48	R			To:	38-773 Issac Lane							NA	02/10/2006		
(651)	0.11	80	R			From:	38-892 Bear Hollow Lane							NA	02/10/2006		
(651) Leafwood Rd	0.70	120	R			To:	38-805 MID							NA	02/07/2006		
(651) Loafwood Rd	0.70	30	R			From:	38-652 Briar Patch Mtn Rd							NA	02/07/2006		
(652) Briar Patch Mtn Rd	3.60	60	R			To:	38-805 N. Spring Valley Rd							NA	02/07/2006		
(653) Arrowhead Dr	4.60	30	R			From:	38-660							NA	02/10/2006		
(653) Arrowhead Dr						To:	38-651 Loafwood Rd; Leafwood Rd										
(654) Peach Bottom Rd	2.30	170	G	97%	0%	1%	0%	1%	0%	0%	C	0.145	F	0.556	170	G	2007
(654) Peach Bottom Rd	1.40	60	G	97%	0%	1%	0%	1%	0%	0%	F	0.226	F	0.533	60	G	2007
(654) Peach Bottom Rd	2.20	70	G	97%	0%	1%	0%	1%	0%	0%	F	0.149	F	0.5	70	G	2007
(654) Peach Bottom Rd	2.60	80	G	97%	0%	1%	0%	1%	0%	0%	F	0.131	F	0.522	90	G	2007
(654) Hines Branch Rd	1.00	80	R			From:	38-660 EAST							NA	02/07/2006		
(654)	2.30	47	R			To:	1.00 MN 38-660 EAST							NA	05/07/2002		
(655)	3.00	50	R			From:	38-805 Spring Valley Rd							NA	02/07/2006		
(656)	0.20	60	R			To:	38-656							NA	02/07/2006		
(656)						From:	38-604 Jerusalem Rd										
(656)						To:	38-660							NA	02/07/2006		
(656)						From:	38-655										

Virginia Department of Transportation  
Traffic Engineering Division

**2007**  
**Annual Average Daily Traffic Volume Estimates By Section of Route**  
**Grayson Maintenance Area**

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(661)	0.25	170	R			From:	Dead End				NA		NA		1999
						To:	38-728 Dormitory Lane; Oakhill Rd								
(662) Logans Lane	0.80	30	R			From:	Dead End				NA		NA		01/19/2006
						To:	38-668 S, Big Ridge Rd								
(662) Falls Rd	0.04	50	R			From:	38-668 N, Big Ridge Rd				NA		NA		01/19/2006
						To:	38-673 S, Bethel Rd								
(662) Falls Rd	0.20	70	R			From:	38-673 N, Falls Rd				NA		NA		02/01/2006
						To:	38-673 N, Falls Rd								
(662) Falls Rd	2.00	40	R			From:	38-664 Serenity Rd				NA		NA		01/19/2006
						To:	38-670 Laurel View Rd								
(662) Falls Rd	1.26	50	R			From:	38-670 Laurel View Rd				NA		NA		02/01/2006
						To:	1.26 MN 38-670								
(662)	0.13	70	R			From:	38-611 W, Caty Sage				NA		NA		01/27/2006
						To:	38-611 E, Caty Sage								
(662)	1.60	280	R			From:	38-663 Caty Sage Rd				NA		NA		01/27/2006
						To:	38-658 Comers Rock Rd								
(663) Caty Sage Rd	1.15	170	R			From:	38-662				NA		NA		01/22/2006
						To:	38-662								
(663) Caty Sage Rd	2.10	140	R			From:	38-665 Stones Chapel Rd				NA		NA		01/27/2006
						To:	38-662 Falls Rd								
(664) Serenity Rd	0.05	50	R			From:	38-662 Falls Rd				NA		NA		01/27/2006
						To:	38-764 Sweet Water Rd								
(664) Serenity Rd	2.50	49	R			From:	38-611 Stones Chapel Rd				NA		NA		01/27/2006
						To:	38-611 Stones Chapel Rd								
(665) Stones Chapel Rd	0.20	70	R			From:	38-611 Stones Chapel Rd; Pheasant Run Lane				NA		NA		01/24/2006
						To:	38-864 Flag Pond Lane								
(665) Stones Chapel Rd	2.20	180	R			From:	38-611 Stones Chapel Rd				NA		NA		01/24/2006
						To:	38-663 Caty Sage Rd								
(665) Stones Chapel Rd	0.90	290	R			From:	38-658 Comers Rock Rd				NA		NA		01/24/2006
						To:	38-658 Comers Rock Rd								
(666) Willow Shade Lane	0.40	40	R			From:	Dead End				NA		NA		02/01/2006
						To:	US 21								
(667) Salom Lane	0.25	20	R			From:	US 21				NA		NA		02/01/2006
						To:	Dead End								
(668) Big Ridge Rd	1.60	30	R			From:	38-658				NA		NA		01/19/2006
						To:	38-662 W, Falls Rd; Logans Lane								
(668) Big Ridge Rd	0.70	70	R			From:	38-662 E, Falls Rd				NA		NA		01/19/2006
						To:	38-673 Falls Rd								
(668) Big Ridge Rd	1.00	70	R			From:	38-764 Sweet Water Rd				NA		NA		01/19/2006
						To:	38-764 Sweet Water Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(668) Big Ridge Rd	2.20	130	R			From: 38-764 Sweet Water Rd				NA		NA	NA	01/19/2006	
			To: 38-611 Pheasant Run Lane; Caty Sage												
(669)	3.10	120	R			From: Dead End				NA		NA	NA	02/01/2006	
			To: 38-825 Sugar Camp Lane												
(670) Laurel View Rd	0.50	30	R			From: 38-658				NA		NA	NA	01/27/2006	
			To: 0.50 ME 38-658												
(670) Laurel View Rd	1.30	20	R			From: 38-658				NA		NA	NA	01/27/2006	
			To: 38-662 Falls Rd												
(671) Mt Zion Rd	1.29	80	R			From: 38-658				NA		NA	NA	02/01/2006	
			To: 1.29 ME 38-658												
(671) Mt Zion Rd	0.21	90	R			From: 38-611 Caty Sage				NA		NA	NA	02/01/2006	
			To: 38-658 Flatridge Rd												
(672) Blue Spring Rd	0.05	30	R			From: 38-658				NA		NA	NA	01/22/2006	
			To: 0.05 MN 38-658												
(672) Honey Grove Rd	0.20	80	R			From: 38-768				NA		NA	NA	01/12/2006	
			To: 38-674 S, Roberts Cove Rd												
(672) Wilburns Mill Rd	1.10	20	R			From: 38-674 N, Roberts Cove Rd				NA		NA	NA	01/12/2006	
			To: 0.80 MN 38-674												
(672) Roberts Cove Rd	0.30	45	R			From: Jefferson Forest Bndy				NA		NA	NA	01/12/2006	
			To: 38-675												
(672) Blue Spring Rd	3.30	20	R			From: 38-675				NA		NA	NA	01/27/2006	
			To: 38-798												
(672) Blue Sjpring Rd	2.90	20	R			From: 38-658 Comers Rock Rd				NA		NA	NA	01/27/2006	
			To: Dead End												
(673) Hillandale Lane	1.00	40	R			From: 38-658 WEST				NA		NA	NA	01/19/2006	
			To: 38-658 EAST												
(673) Bethel Rd	1.20	60	R			From: 38-662 S, Little Rd; Falls Rd				NA		NA	NA	01/19/2006	
			To: 38-662 N, Falls Rd; Little Rd												
(673) Falls Rd	0.40	30	R			From: 38-668 Big Ridge Rd				NA		NA	NA	01/19/2006	
			To: 38-768												
(674) Roberts Cove Rd	1.65	70	R			From: 38-672 S, Roberts Cove Rd; Wilburns Mill Rd				NA		NA	NA	01/12/2006	
			To: 38-672 N, Roberts Cove Rd												
(674) Roberts Cove Rd	1.80	20	R			From: 38-658				NA		NA	NA	01/12/2006	
			To: 38-601												
(675) Panther Creek Rd	1.20	30	R			From: 38-846 W, Cornflower Rd				NA		NA	NA	01/06/2006	
			To: 38-676 Glenwood Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(675) Glen Wood Rd	0.80	20	R								NA		NA		01/06/2006
(675)	1.55	20	R								NA		NA		01/27/2006
(675)	3.95	10	R								NA		NA		01/22/2006
(676) Chestnut Ridge Rd	0.20	30	R								NA		NA		01/04/2006
(676) Chestnut Ridge Rd	3.90	50	R								NA		NA		01/04/2006
(676) Glenwood Rd	1.30	48	R								NA		NA		01/04/2006
(677) Razor Ridge Rd	0.20	120	R								NA		NA		01/04/2006
(677) Razor Ridge Rd	1.10	110	R								NA		NA		01/04/2006
(677) Razor Ridge Rd	0.90	100	R								NA		NA		01/04/2006
(677) Razor Ridge Rd	1.80	80	R								NA		NA		01/04/2006
(677) Razor Ridge Rd	1.20	70	R								NA		NA		01/04/2006
(678) Fox Ridge	2.10	60	R								NA		NA		02/24/2006
(678) Fox Creek Rd	3.20	150	G 97% 0% 2% 1% 0% 0% C 0.128								F 0.762	160	G		2007
(679) Buck Mountain Rd	2.40	50	R								NA		NA		01/12/2006
(680) Little Fox Creek	2.20	70	R								NA		NA		01/12/2006
(680) Grubbs Chapel	1.10	47	R								NA		NA		01/12/2006
(681) Rose Hill Rd	0.95	210	R								NA		NA		02/24/2006
(681) Rose Hill Rd	1.30	120	R								NA		NA		02/24/2006
(682)	1.00	110	R								NA		NA		02/24/2006
(682)	0.85	70	R								NA		NA		02/24/2006
(683) Twin Oaks Rd	1.00	40	R								NA		NA		02/24/2006

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(684)	1.04	90	R								NA		NA		06/13/2002
						From:			Dead End						
(684)	0.29	210	R								NA		NA		06/13/2002
						To:			1.04 ME Dead End						
(684)	0.82	280	R								NA		NA		1999
						To:			38-883						
						From:									
									WCL Independence						
<b>Town of Independence</b>															
(684) Elliott Place	0.25	320	R								NA		NA		1999
						From:			WCL Independence						
(684) Pinehurst St	0.22	160	R								NA		NA		1999
						To:			US 21						
						From:									
(685) Power House Rd	0.74	670	R								NA		NA		1999
						To:			US 58, E Main St						
						From:									
(685) Power House Rd	0.14	700	R								NA		NA		1999
						To:			38-1140						
						From:									
									ECL Independence						
<b>Grayson County</b>															
(685)	0.91	700	N								NA		NA		1999
						To:			38-686; 38-687						
(685)	0.60	150	R								NA		NA		06/04/2002
						To:			38-688						
(685)	0.20	200	R								NA		NA		06/04/2002
						To:			38-888						
(685)	1.20	160	R								NA		NA		1999
						To:			SR 274						
						From:									
(686)	1.80	140	R						38-685				NA		06/04/2002
						To:			38-654 W, Peach Bottom Rd						
(686)	0.30	30	R						38-654 E, Peach Bottom Rd				NA		06/04/2002
						To:			Dead End						
(687)	1.10	220	R						38-685; 38-686				NA		1999
						To:			38-688						
(687)	0.30	100	R								NA		NA		06/04/2002
						To:			38-689 SOUTH						
(687)	0.10	70	R								NA		NA		06/04/2002
						To:			38-689 NORTH						
(687)	1.70	60	R								NA		NA		06/04/2002
						To:			38-691						
(688)	0.80	60	R								NA		NA		06/04/2002
						To:			38-685						
(688)						From:									
									38-687						
(689)	1.50	90	R								NA		NA		06/04/2002
						To:			38-691						
(689)						From:									
(689)	1.00	30	R						38-687 SOUTH						
						To:			38-687 NORTH						
(689)						From:									
									38-654 Peach Bottom Rd						
						To:			Dead End						
(690) Tarny Wood Lane	0.30	20	R								NA		NA		02/28/2006
						To:			38-706						

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(691)	0.50	140	R			From:	SR 274				NA		NA		1999
(691)	1.40	150	R			To:	38-689				NA		NA		06/04/2002
(691)	1.50	140	R			To:	38-687				NA		NA		06/04/2002
(691)	0.10	150	R			From:	38-692 WEST				NA		NA		1999
(691)	0.80	40	R			To:	38-692 EAST				NA		NA		06/04/2002
(691)	1.10	430	R			From:	38-694				NA		NA		1999
(691)						To:	38-660								
(692)	0.70	190	R			From:	38-694				NA		NA		1999
(692)	1.30	220	R			To:	38-691 WEST				NA		NA		1999
(692)						From:	38-691 EAST								
(693)	0.14	110	R			To:	SR 274								
(693)	1.06	70	R			From:	US 58				NA		NA		1999
(693)						To:	0.14 MN US 58								
(694)	0.80	120	R			From:	SR 274				NA		NA		06/04/2002
(694)	1.20	200	R			To:	38-654 Peach Bottom Rd				NA		NA		1999
(695)	3.30	160	R			From:	38-692				NA		NA		06/04/2002
(695)						To:	38-691								
(696) Summerfield Rd	0.40	50	R			From:	38-654 Peach Bottom Rd				NA		NA		02/07/2006
(696) Summerfield Rd	1.50	30	R			To:	Dead End				NA		NA		02/07/2006
(696) Summerfield Rd	1.70	80	R			From:	38-654 N, Peach Bottom Rd								
(696) Summerfield Rd						To:	38-654 S, Peach Bottom Rd								
(697)	1.19	620	R			From:	38-830 Dandelion Lane				NA		NA		02/07/2006
(697)	1.90	130	R			To:	38-660				NA		NA		03/02/2006
(697)	0.40	80	R			From:	US 21				NA		NA		03/02/2006
(697)						To:	38-763								
(697)						From:	38-765								
(697)						To:	38-698								
(697)	1.10	80	R			From:	38-700				NA		NA		03/02/2006
(698)	0.90	120	R			To:	38-697				NA		NA		03/02/2006
(698)	0.57	390	R			From:	38-715				NA		NA		03/02/2006
(698)						To:	US 58								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(699)	0.80	10	R			From:	Dead End						NA	NA	03/02/2006
						To:	38-700								
(700)	1.00	90	R			From:	38-706 Pennford Rd						NA	NA	02/24/2006
						To:	38-702 NORTH								
(700)	0.40	60	R			From:	38-705						NA	NA	02/28/2006
						To:									
(700)	0.60	130	R			From:	38-702 S, Horseford Lane						NA	NA	02/28/2006
						To:									
(700)	2.00	90	R			From:	38-701						NA	NA	02/28/2006
						To:									
(700)	0.80	120	R			From:	North Carolina State Line						NA	NA	03/02/2006
						To:									
(700)	2.60	90	R			From:	38-701						NA	NA	03/02/2006
						To:									
(700)	0.80	60	R			From:	38-701						NA	NA	03/02/2006
						To:									
(700)	0.10	46	R			From:	38-697						NA	NA	03/02/2006
						To:									
(700)	0.40	30	R			From:	0.10 ME 38-697						NA	NA	03/02/2006
						To:									
(700)	0.20	10	R			From:	38-699						NA	NA	03/02/2006
						To:									
(700)	0.20	10	R			From:	Dead End						NA	NA	03/02/2006
						To:									
(701)	0.24	10	R			From:	US 21 SOUTH						NA	NA	02/28/2006
						To:									
(701)	0.10	90	R			From:	38-700 SOUTH						NA	NA	1999
						To:									
(701)	0.49	110	R			From:	38-700 NORTH						NA	NA	1999
						To:									
(701)	0.05	90	R			From:	US 21 NORTH						NA	NA	1999
						To:									
(701)	1.96	50	R			From:	US 21 MID						NA	NA	02/28/2006
						To:									
(701)	0.50	70	R			From:	0.05 ME US 21 MID						NA	NA	02/28/2006
						To:									
(701)	0.10	10	R			From:	38-756						NA	NA	07/26/2002
						To:									
(701)	1.80	80	R			From:	38-757						NA	NA	02/28/2006
						To:									
(701)	0.10	10	R			From:	38-761						NA	NA	02/28/2006
						To:									
(702) Horseford Lane	0.20	30	R			From:	38-700						NA	NA	03/02/2006
						To:									
(702)	1.90	270	R			From:	North Carolina State Line						NA	NA	02/28/2006
						To:									
(702)	1.41	460	R			From:	38-700 SOUTH						NA	NA	02/28/2006
						To:									
(702)	1.41	460	R			From:	38-700 NORTH						NA	NA	02/28/2006
						To:									
(702)	1.41	460	R			From:	38-703 N, Hardin Rd						NA	NA	02/28/2006
						To:									
(702)	1.41	460	R			From:	SCL Independence						NA	NA	02/28/2006
						To:									
<b>Town of Independence</b>															
(702)	0.56	460	N			From:	SCL Independence						NA	NA	02/28/2006
						To:									
(702)	0.56	460	N			From:	US 58 W Main St						NA	NA	02/28/2006
						To:									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year			
						2Axle	3+Axle	1Trail	2Trail									
<b>Grayson County</b>																		
(703)	0.80	240	R			From:	US 21							NA	1999			
						To:	38-702 SOUTH											
(703) Hardin Rd	1.10	300	R			From:	38-702 NORTH							NA	02/28/2006			
						To:	US 58 Wilson Hwy											
(704)	0.60	0	R			From:	38-703							NA	07/26/2002			
						To:	0.60 ME 38-703											
(704)	0.20	30	R			From:	US 21							NA	07/26/2002			
						To:	Dead End											
(705)	0.93	60	R			From:	Dead End							NA	02/28/2006			
						To:	38-700											
(706)	1.25	20	R			From:	Dead End							NA	07/26/2002			
						To:	38-690 Tarny Wood Lane											
(706)	0.15	50	R			From:	38-700							NA	02/24/2006			
						To:	US 58 W, Wilson Hwy											
(706) Pennford Rd	1.90	210	R			From:	US 58 E, Wilson Hwy							NA	02/24/2006			
						To:	Dead End											
(706)	0.60	48	R			From:	38-625							NA	02/24/2006			
						To:	Dead End											
(707)	0.12	10	R			From:	SR 93							NA	07/16/2002			
						To:	38-625											
(708)	1.88	190	R			From:	38-766 WEST							NA	02/17/2006			
						To:	SR 93											
(708)	0.31	80	R			From:	38-766 EAST							NA	02/17/2006			
						To:	38-766 EAST											
(708) Potato Creek Rd	0.39	80	R			From:	38-712							NA	02/17/2006			
						To:	38-601 S Cox Chapel Rd											
						From:	38-601 MID											
(708)	0.66	80	R			From:	38-709							NA	02/17/2006			
						To:	38-601 N, Bridge Creek Rd											
(708)	3.59	40	R			From:	North Carolina State Line							NA	02/17/2006			
						To:	38-708											
(709)	0.50	20	R			From:	North Carolina State Line							NA	02/17/2006			
						To:	38-708											
(710)	0.80	20	R			From:	38-712							NA	02/17/2006			
						To:	38-727 Pine Branch Rd											
(711)	0.80	60	R			From:	38-678 NORTH							NA	06/25/2002			
						To:	38-678 S, Fox Ridge											
(711) Fox Ridge Rd	2.10	320	G	96%	0%	From:	0%	3%	1%	0%	0%	C	0.114	F	0.857	330	G	2007
						To:	US 58 Wilson Hwy											
(711)	0.20	120	R			From:	38-714							NA	02/24/2006			
						To:	38-714											

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(711)	2.10	60	R			From:	38-714				NA		NA		02/24/2006
(711)	1.00	160	R			To:	38-681 Rose Hill Rd				NA		NA		02/28/2006
(711) Gold Hill Rd	1.60	90	R			To:	38-844				NA		NA		02/17/2006
(711)	3.60	220	R			From:	38-601 S. Bridge Creek Rd				NA		NA		02/24/2006
						To:	38-601 N. Bridge Creek Rd								
(711)						To:	US 58 Wilson Hwy								
(712)	0.70	20	R			From:	North Carolina State Line				NA		NA		02/17/2006
(712)	0.30	30	R			To:	38-710				NA		NA		02/12/2006
						To:	38-708 Potato Creek Rd								
(713)	0.20	20	R			From:	Dead End				NA		NA		05/07/2002
(713)	1.00	90	R			To:	0.20 ME Dead End				NA		NA		05/07/2002
						To:	38-649								
(714)	0.70	70	R			From:	Dead End				NA		NA		02/24/2006
						To:	38-711								
(715)	1.20	130	R			From:	38-698				NA		NA		03/02/2006
(715)	3.08	120	R			To:	1.20 ME 38-698				NA		NA		07/26/2002
						To:	US 58								
(716)	1.00	60	R			From:	North Carolina State Line				NA		NA		02/17/2006
						To:	38-767								
(717)	0.25	80	R			From:	38-660				NA		NA		02/10/2006
						To:	Dead End								
(718) Deacon Rd	0.20	80	R			From:	North Carolina State Line				NA		NA		02/17/2006
						To:	38-767								
(719)	0.20	90	R			From:	North Carolina State Line				NA		NA		02/17/2006
						To:	38-767								
(720)	2.10	260	R			From:	38-821				NA		NA		1999
(720)	0.50	160	R			To:	38-609				NA		NA		1999
						To:	Carroll County Line								
(721)	1.13	70	R			From:	SR 16 Jefferson Hwy				NA		NA		12/08/2005
						To:	38-745								
(721)	1.00	30	R			From:	38-722 SOUTH				NA		NA		12/08/2005
						To:	38-722 NORTH								
(721)	0.30	30	R			To:	38-722 NORTH				NA		NA		07/09/2002

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(721)	1.80	50	R								NA		NA		12/08/2005	
(721)	0.60	60	R								NA		NA		12/08/2005	
(722)	0.02	0	R								NA		NA		1999	
(722)	1.65	48	R								NA		NA		12/08/2005	
(722)	1.20	20	R								NA		NA		07/09/2002	
(722)	1.05	120	R								NA		NA		12/01/2005	
(723)	0.50	110	R								NA		NA		12/01/2005	
(723)	3.20	46	R								NA		NA		12/01/2005	
(724)	0.85	30	R								NA		NA		1999	
(724)	0.05	10	R								NA		NA		1999	
(725) Tucker Rd	0.80	150	G	97%	0%	2%	0%	1%	0%	F	0.133	F	0.619	160	G	2007
(725) Grassy Creek Rd	2.70	210	G	97%	0%	2%	0%	1%	0%	F	0.132	F	0.607	210	G	2007
(725) Grassy Creek Rd	0.80	300	G	97%	0%	2%	0%	1%	0%	F	0.123	F	0.608	310	G	2007
(725) Grassy Creek Rd	1.04	470	G	97%	0%	2%	0%	1%	0%	C	0.099	F	0.673	480	G	2007
(725)	0.16	290	R								NA		NA		12/08/2005	
(726) White Top Gap Rd	1.22	120	G	89%	0%	3%	6%	2%	0%	C	0.121	F	0.6	130	G	2007
(726)	1.60	220	R								NA		NA		11/08/2005	
(727) Pine Branch Rd	1.10	45	R								NA		NA		01/10/2006	
(727)	2.10	30	R								NA		NA		01/10/2006	
(727) Pine Branch Rd	0.20	20	R								NA		NA		01/10/2006	
(727) Kindreck Rd	0.30	60	R								NA		NA		01/10/2006	
(728) Oakhill Rd	0.45	310	R								NA		NA		01/10/2006	

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(728) Dormitory Lane	0.05	70	R			From:	38-661					NA		NA	01/10/2006
(728) Oakhill Rd	0.70	60	R			To:	0.05 MN 38-661					NA		NA	01/10/2006
(728) Oakhill Rd	0.20	70	R			From:	38-796 Fishers Rd					NA		NA	01/10/2006
(728) Oakhill Rd	1.80	120	R			To:	38-727 Pine Branch Rd					NA		NA	01/10/2006
(728) Oakhill Rd						From:	US 58 E, Wilson Hwy								
(729)	0.20	10	R			From:	Dead End					NA		NA	02/01/2006
(729)	0.68	70	R			To:	0.20 ME Dead End					NA		NA	02/01/2006
(729) Cloverdale Lane	0.32	120	R			From:	38-894 Pumpkin Lane					NA		NA	02/01/2006
(729) Cloverdale Lane						To:	US 21								
(730) Low Gap Rd	0.90	70	R			From:	38-740					NA		NA	12/29/2005
(730) Low Gap Rd						To:	SR 16 Troutdale Hwy								
(731) Rockbridge	2.60	70	R			From:	38-658 W, Flatridge Rd					NA		NA	01/12/2006
(731) Rockbridge	0.30	30	R			To:	38-775 Guffey Branch Lane					NA		NA	01/12/2006
(731) Rabbit Fork Rd	1.00	50	R			From:	38-794 Rabbit Fork Rd					NA		NA	01/12/2006
(731) Rabbit Fork Rd						To:	38-658 E, Flatridge Rd								
(732) Laurel Creek Rd	0.90	40	R			From:	38-603 Ripshin Rd					NA		NA	01/04/2006
(732) Laurel Creek Rd						To:	38-762								
(732) Country View Rd	1.30	20	R			From:	38-677 Razor Ridge Rd					NA		NA	01/04/2006
(732) Country View Rd						To:									
(733) Pine Branch Rd	2.80	40	R			From:	38-727 Kindreck Rd; Pine Branch Rd					NA		NA	01/10/2006
(733) Pine Branch Rd						To:	38-658 Flatridge Rd								
(734)	0.62	110	R			From:	US 58 Troutdale Hwy					NA		NA	06/25/2002
(734) Chestnut Grove Rd	1.08	80	R			To:	38-835					NA		NA	01/10/2006
(734) Chestnut Grove Rd	0.70	70	R			From:	38-735					NA		NA	01/10/2006
(734) Chestnut Grove Rd	1.10	80	R			To:	38-736 Wallens Creek Rd					NA		NA	01/10/2006
(734) Chestnut Grove Rd						From:	38-658 Flatridge Rd								
(735)	1.29	190	R			From:	SR 16 Troutdale Hwy					NA		NA	01/10/2006
(735)						To:	38-734 Chestnut Grove Rd								
(736) Wallens Creek Rd	1.30	46	R			From:	SR 16 S; 38-738					NA		NA	12/29/2005
(736) Wallens Creek Rd	1.00	80	R			To:	SR 16 N; 38-740					NA		NA	12/29/2005
(736) Wallens Creek Rd	0.50	30	R			From:	1.00 MN SR 16 N					NA		NA	12/29/2005
(736) Wallens Creek Rd						To:	38-734 Chestnut Grove Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(737)	1.00	130	R			From: SR 16 Troutdale Hwy					NA		NA		06/26/2002	
			To: 38-658 Flatridge Rd													
(738) Little Wilson Rd	1.50	160	R			From: 38-740					NA		NA		06/25/2002	
			To: SR 16; 38-730													
(739) Rocky Hollow Rd	3.85	90	R			From: 38-603					NA		NA		12/29/2005	
			To: 38-836 Polter Rd													
(739)	0.85	110	R			From: SR 16 S, Troutdale Hwy					NA		NA		06/21/2002	
			To: SR 16 N, Troutdale Hwy													
(739) Hazelwood Rd	0.90	50	R			From: 38-677 Razor Ridge Rd					NA		NA		12/29/2005	
			To: 38-658 Flatridge Rd													
(740)	2.70	90	R			From: US 58 Highlands Pkwy					NA		NA		12/01/2005	
			To: 38-738 Little Wilson Rd													
(740)	0.40	100	R			From: 38-730 Low Gap Rd					NA		NA		12/01/2005	
			To: SR 16; 38-736													
(741) Homestead Rd	3.70	30	R			From: 38-603					NA		NA		12/29/2005	
			To: SR 16 Troutdale Hwy													
(742)	2.60	120	R			From: North Carolina State Line					NA		NA		07/09/2002	
			To: US 58 S, Highlands Pkwy													
(742)	1.40	50	R			From: US 58 N, Highlands Pkwy					NA		NA		11/16/2005	
			To: Dead End													
(743) Rugby Rd	2.60	170	G	92%	1%	2%	2%	3%	0%	F	0.118	F	0.608	170	G	2007
			To: 38-725 S, Tucker Rd													
(743) Rugby Rd	0.20	300	G	92%	1%	2%	2%	3%	0%	F	0.118	F	0.63	310	G	2007
			To: 38-725 N Grassy Creek Rd													
(743) Rugby Rd	0.40	240	G	92%	1%	2%	2%	3%	0%	F	0.113	F	0.54	250	G	2007
			To: 38-723 York Ridge													
(743) Rugby Rd	0.70	250	G	92%	1%	2%	2%	3%	0%	C	0.134	F	0.667	260	G	2007
			To: 38-723 York Ridge Rd													
			To: US 58 Highlands Pkwy													
(744)	0.30	40	R			From: 38-745					NA		NA		12/01/2005	
			To: 38-807													
(744)	2.80	40	R			From: 38-743					NA		NA		12/01/2005	
			To: North Carolina State Line													
(745)	2.50	210	R			From: 38-725 WEST					NA		NA		07/09/2002	
			To: 38-725 EAST													
(745)	0.70	50	R			From: 38-789					NA		NA		12/08/2005	
			To: 38-721													

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(746)	0.50	20	R								NA		NA		11/16/2005	
(746)	0.90	60	R								NA		NA		11/16/2005	
(747)	0.20	100	R								NA		NA		11/16/2005	
(748)	1.00	20	R								NA		NA		11/16/2005	
(748)	0.40	40	R								NA		NA		11/16/2005	
(748)	1.00	100	R								NA		NA		07/09/2002	
(749)	0.90	48	R								NA		NA		11/16/2005	
(750)	0.74	300	R								NA		NA		07/09/2002	
(750)	1.26	160	R								NA		NA		11/16/2005	
(751)	0.27	60	R								NA		NA		11/08/2005	
(751)	0.93	90	R								NA		NA		11/16/2005	
(751)	1.00	210	R								NA		NA		11/16/2005	
(751) Stirgill Rd	1.10	560	G	98%	0%	1%	0%	0%	0%	C	0.118	F	0.537	580	G	2007
(751) Stirgill Rd			To:	North Carolina State Line												
(752)	0.25	80	R								NA		NA		05/14/2002	
(753)	0.90	40	R								NA		NA		11/08/2005	
(753)	1.30	220	R								NA		NA		11/08/2005	
(754) Old Park Rd	0.80	360	G	93%	0%	4%	2%	0%	0%	C	0.098	F	0.658	380	G	2007
(754) Old Park Rd			To:	US 58 Highlands Pkwy												
(755)	0.75	40	R								NA		NA		11/08/2005	
(755)	1.75	110	R								NA		NA		11/08/2005	
(755) Old Park Rd	1.50	200	G	95%	0%	1%	4%	0%	0%	C	0.122	F	0.692	210	G	2007
(755) Old Park Rd			To:	38-726 N. White Top Gap Rd												
(755)	0.40	100	R								NA		NA		11/08/2005	
(755)			To:	38-754 Old Park Rd												
(755)			To:	38-754												
(755)			To:	US 58 Highlands Pkwy												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(756)	1.20	60	R			From: US 21					NA		NA		07/26/2002
			To: 38-763												
(756)	0.40	40	R			From: 38-756					NA		NA		07/26/2002
			To: 38-701												
(757)	0.40	120	R			From: 38-701					NA		NA		07/26/2002
			To: 38-763												
<b>Town of Fries</b>															
(758) Hilltown Rd	0.20	1300	G	97%	1%	From: 38-1001 Main St	2%	0%	0%	0%	C 0.099	F 0.669	1400	G	2007
			To: Carroll County Line												
<b>Grayson County</b>															
(759)	0.80	170	R			From: 38-646					NA		NA		05/14/2002
			To: 38-647 Stevens Creek												
(760) Liberty Hill Rd	0.30	120	G	96%	0%	From: 38-604 Jerusalem Rd	4%	0%	0%	0%	C 0.124	F 0.5	130	G	2007
			To: 38-777 Liberty Hill Rd												
(760)	0.08	8	R			From: Dead End					NA		NA		04/22/2002
			To: Dead End												
(761)	0.08	70	R			From: 38-701					NA		NA		07/26/2002
			To: 38-757												
(762) Hunt Club Rd	0.50	20	R			From: 38-676 Chestnut Ridge Rd					NA		NA		01/04/2006
			To: 38-677 Razor Ridge Rd												
(762)	0.86	50	R			From: 0.86 MN 38-677					NA		NA		06/21/2002
			To: 38-732 Country View Rd; Laurel Creek Rd												
(762) Country View	0.14	40	R			From: 38-756					NA		NA		01/04/2006
			To: 38-757												
(763)	0.60	40	R			From: 38-756					NA		NA		07/26/2002
			To: 38-757												
(763)	0.80	170	R			From: 38-697					NA		NA		07/26/2002
			To: 38-697												
(764) Sweet Water Rd	1.50	20	R			From: 38-668 Big Ridge Rd					NA		NA		01/19/2006
			To: 38-664 Serenity Rd												
(765)	1.26	170	R			From: 38-697					NA		NA		07/26/2002
			To: 38-888												
(766)	1.00	20	R			From: 38-708 WEST					NA		NA		02/17/2006
			To: 38-852 Fox Wood Lane												
(766)	0.90	30	R			From: 38-708 EAST					NA		NA		02/17/2006
			To: 38-708 EAST												
(767)	2.54	280	R			From: SR 16 Jefferson Hwy					NA		NA		06/27/2002
			To: US 58 Wilson Hwy												
(768)	1.70	100	R			From: 38-672 Wilburns Mill Rd; Blue Spring Rd					NA		NA		06/18/2002
			To: 38-674 Roberts Cove Rd												
(768)	0.35	180	R			From: 38-601					NA		NA		06/18/2002
			To: 38-601												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(769)	2.50	60	R			From: SR 16 Jefferson Hwy					NA		NA		12/08/2005	
						To: 38-721										
(770) Quarry Rd	0.58	260	G	96%	1%	1%	0%	1%	0%	C	0.127	F	0.55	270	G	2007
						To: 38-647 Stevens Creek Rd										
(771)	0.50	20	R			From: North Carolina State Line					NA		NA		11/08/2005	
						To: 38-753										
(772)	1.00	290	R			From: 38-720					NA		NA		07/12/2002	
						To: Dead End										
(773) Issac Lane	0.52	47	R			From: 38-651					NA		NA		02/10/2006	
						To: Dead End										
(774)	0.81	120	R			From: Dead End					NA		NA		05/29/2002	
						To: 38-634										
(775) Guffey Branch Lane	0.05	9	R			From: 38-731 Rockbridge					NA		NA		01/06/2006	
						To: Dead End										
(776)	0.30	30	R			From: Dead End					NA		NA		02/07/2006	
						To: 38-604 Jerusalem Rd										
(777) Liberty Hill Rd	0.50	130	G	93%	1%	2%	2%	2%	0%	C	0.129	F	0.529	130	G	2007
						To: 38-760 Liberty Hill Rd										
(778) Camp Moxley Lane	0.22	20	R			From: US 21					NA		NA		02/01/2006	
						To: Dead End										
(779)	0.50	40	R			From: 38-631					NA		NA		06/06/2002	
						To: 38-636										
(780)	0.45	190	R			From: Dead End					NA		NA		05/29/2002	
						To: 38-781										
(780)	0.10	210	R			From: 38-640					NA		NA		05/29/2002	
						To: Dead End										
(781)	0.10	10	R			From: 38-780					NA		NA		05/29/2002	
						To: North Carolina State Line										
(782)	1.00	46	R			From: 38-746					NA		NA		11/16/2005	
						To: North Carolina State Line										
(783)	1.25	150	R			From: US 58 Highlands Pkwy					NA		NA		11/16/2005	
						To: Jefferson Forest Bndy										
(783)	0.75	60	R			From: Dead End					NA		NA		11/16/2005	
						To: North Carolina State Line										
(784)	0.50	20	R			From: Dead End					NA		NA		1995	
						To: 38-613										
(785)	1.25	220	R			From: 38-886					NA		NA		07/12/2002	
						To: 38-886										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(785)	1.70	250	R			From: 38-886					NA		NA		07/12/2002
			To: 38-607												
(786)	0.25	220	R			From: 38-821					NA		NA		07/12/2002
			To: 38-859												
(786)	0.25	60	R			From: Dead End					NA		NA		07/12/2002
			To: Dead End												
(787)	0.30	110	R			From: Dead End					NA		NA		07/12/2002
			To: 38-615												
(787)	2.52	100	R			From: 2.52 MN 38-615					NA		NA		07/12/2002
			To: 38-607												
(788)	0.31	60	R			From: 38-649					NA		NA		05/14/2002
			To: Dead End												
(789)	0.50	20	R			From: 38-745					NA		NA		07/09/2002
			To: Dead End												
(790)	0.60	70	R			From: Blue Ridge Pkwy					NA		NA		07/12/2002
			To: 38-613; 38-804												
(791)	1.30	350	R			From: 38-658 Comers Rock Rd					NA		NA		05/03/2002
			To: US 21; 38-614												
(791)	1.00	110	R			From: 38-657 Wagon Wheel Rd					NA		NA		04/22/2002
			To: 38-601												
(792) Gem Stream Rd	3.00	45	R			From: 38-658					NA		NA		01/24/2006
			To: 38-791												
(793)	0.05	10	R			From: Dead End					NA		NA		01/06/2006
			To: 38-601												
(794) Rabbit Fork Rd	1.10	60	R			From: 38-731 Rabbit Fork Rd; Rockbridge					NA		NA		01/06/2006
			To: 38-795												
(794) Prim Rose Lane	0.05	70	R			From: 38-858					NA		NA		01/06/2006
			To: 38-601												
(794) Rockbridge Rd	0.25	40	R			From: 38-601					NA		NA		01/06/2006
			To: Dead End												
(795)	0.50	8	R			From: 38-794 Prim Rose Lane; Rabbit Fork Rd					NA		NA		06/13/2002
			To: 38-794 Prim Rose Lane; Rabbit Fork Rd												
(796) Fishers Rd	1.70	30	R			From: US 58 Troutdale Hwy					NA		NA		01/10/2006
			To: 38-728 Oakhill Rd; Dormitory Lane												
(797)	2.10	80	R			From: US 58 Highlands Pkwy					NA		NA		11/16/2005
			To: 38-746												
(797)	0.70	49	R			From: 38-748					NA		NA		11/16/2005
			To: 38-748												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(798)	0.50	20	R			From: 38-672 Blue Spring Rd; Blue Spring Rd								NA	01/27/2006	
						To: Smyth County Line										
(799)	0.60	140	R			From: 38-613								NA	07/12/2002	
						To: 38-609										
(799)	0.50	80	R			From: 38-609								NA	07/12/2002	
						To: Carroll County Line										
(800)	0.10	20	R			From: 38-636								NA	06/06/2002	
						To: Dead End										
(801)	0.50	100	R			From: US 58 Wilson Hwy								NA	02/24/2006	
						To: 0.50 MN US 58										
(801)	0.33	60	R			From: 0.50 MN US 58								NA	02/24/2006	
						To: Dead End										
(802)	0.10	220	R			From: 38-697								NA	03/02/2006	
						To: SCL Independence										
<b>Town of Independence</b>																
(802)	0.63	220	N			From: SCL Independence								NA	03/02/2006	
						To: US 58 E Main St										
<b>Grayson County</b>																
(803) Hardwood Lane	0.50	40	R			From: 38-601								NA	02/24/2006	
						To: Dead End										
(804)	1.50	80	R			From: 38-613; 38-790								NA	07/12/2002	
						To: Blue Ridge Pkwy										
(805) Spring Valley Rd	1.20	310	G	96%	0%	2%	1%	0%	0%	F	0.151	F	0.544	320	G	2007
						To: 38-656 Pilgrim Fork Rd										
(805) Spring Valley Rd	3.19	280	G	96%	0%	2%	1%	0%	0%	F	0.153	F	0.605	290	G	2007
						To: 38-604 W. Jerusalem Rd										
(805) Spring Valley Rd	1.00	260	G	96%	0%	2%	1%	0%	0%	F	0.162	F	0.667	270	G	2007
						To: 38-604 E. Jerusalem Rd										
(805) Spring Valley Rd	0.75	310	G	96%	0%	2%	1%	0%	0%	F	0.098	F	0.578	320	G	2007
						To: 38-654 Hines Branch Rd										
(805) Spring Valley Rd	0.85	310	G	96%	0%	2%	1%	0%	0%	C	0.1	F	0.595	320	G	2007
						To: 38-777 Liberty Hill Rd										
(805) Spring Valley Rd	2.45	380	G	96%	0%	2%	1%	0%	0%	F	0.119	F	0.625	390	G	2007
						To: 38-649 North Bainbridge Rd										
(805) Spring Valley Rd	0.20	1300	G	96%	0%	2%	1%	0%	0%	F	0.138	F	0.59	1400	G	2007
						To: 38-881 Mairland Ln										
(805) Spring Valley Rd	0.55	1500	G	95%	1%	1%	1%	1%	0%	F	0.107	F	0.549	1500	G	2007
						To: 38-648 Providence Rd										
(805) Spring Valley Rd	0.78	1500	G	95%	1%	1%	1%	1%	0%	C	0.111	F	0.591	1500	G	2007
						To: 38-649 South Turkey Knob Rd										
(805) Spring Valley Rd	0.17	1400	G	95%	1%	1%	1%	1%	0%	F	0.107	F	0.615	1500	G	2007
						To: SR 94 Scenic Rd										
(806)	0.50	20	R			From: Dead End								NA	07/09/2002	
						To: 38-725										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(807)	0.35	40	R			From: Dead End					NA		NA		12/01/2005	
						To: 38-744										
(808) Rocky Falls Lane	0.50	50	R			From: Dead End					NA		NA		02/24/2006	
						To: US 58 Wilson Hwy										
(809)	1.05	310	R			From: 38-606					NA		NA		05/17/2002	
						To: Carroll County Line										
(810)	0.70	70	R			From: SR 94					NA		NA		05/29/2002	
						To: Dead End										
(811)	1.00	40	R			From: US 58 Wilson Hwy					NA		NA		02/24/2006	
						To: Dead End										
(812)	0.20	48	R			From: Dead End					NA		NA		11/16/2005	
						To: 38-748										
(813)	0.12	140	R			From: 38-644					NA		NA		1995	
						To: Dead End										
(814)	0.13	30	R			From: Dead End					NA		NA		06/04/2002	
						To: 38-695										
(815)	0.43	140	R			From: SR 94 WEST					NA		NA		05/14/2002	
						To: SR 94 MID										
(815) Tanglewood Rd	0.03	510	G	97%	0%	2%	0%	1%	0%	C	0.097	F	0.518	530	G	2007
						From: SR 94 MID Scenic Rd										
(815)	0.30	210	R			From: 38-647 Stevens Creek					NA		NA		05/14/2002	
						To: SR 94 EAST										
(816)	0.15	410	R			From: 38-649					NA		NA		05/14/2002	
						To: SR 94										
(817)	0.26	50	R			From: US 58 Highlands Pkwy					NA		NA		12/01/2005	
						To: 38-889										
(817)	0.74	6	R			From: 38-889					NA		NA		12/01/2005	
						To: 0.74 MN 38-889										
(817)	0.40	0	R			From: Dead End					NA		NA		07/09/2002	
						To: Dead End										
(818)	0.15	130	R			From: 38-805 Spring Valley Rd					NA		NA		02/07/2006	
						To: 38-857 Shale Hollow Lane										
(818) Mountain Music Lane	0.35	60	R			From: Dead End					NA		NA		02/07/2006	
						To: Dead End										
(819)	0.11	520	R			From: SR 89; SCL Galax					NA		NA		07/12/2002	
						To: SCL Galax										
(820)	0.17	50	R			From: Dead End					NA		NA		06/13/2002	
						To: US 58 Wilson Hwy										
(821) Fairview Rd	1.42	450	G	99%	0%	1%	0%	0%	0%	F	0.138	F	0.515	460	G	2007
						From: SR 89 S, Skyline Hwy										
						To: 38-786 Hickory Rd										

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(821) Fairview Rd	0.59	710	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.571	730	G	2007
			From:	38-786 Hickory La						To:	38-720 Millpond Dr					
(821) Fairview Rd	0.61	1100	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.647	1200	G	2007
			From:	38-720						To:	SR 89 N, Skyline Hwy					
(822)	0.27	40	R									NA		NA	05/14/2002	
			From:	SR 94 WEST						To:	SR 94 EAST					
(823)	0.26	40	R									NA		NA	1995	
			From:	Dead End						To:	38-642					
(824)	0.57	210	R									NA		NA	1995	
			From:	Dead End						To:	WCL Galax					
(825) Sugar Camp Lane	0.10	120	R									NA		NA	02/01/2006	
			From:	US 21						To:	38-669					
(825) Sugar Camp Lane	0.20	60	R									NA		NA	02/01/2006	
			From:	38-669						To:	38-611 Caty Sage					
(826) Orchid Lane	1.00	120	R									NA		NA	02/24/2006	
			From:	Dead End						To:	38-711					
<b>Town of Troutdale</b>																
(827) Auburn Lane	0.13	60	R									NA		NA	02/17/2006	
			From:	Dead End						To:	38-603 Fairwood Rd					
<b>Grayson County</b>																
(828)	0.50	130	R									NA		NA	11/16/2005	
			From:	38-750						To:	Dead End					
(829)	0.40	40	R									NA		NA	07/12/2002	
			From:	Dead End						To:	SR 89 S, Skyline Hwy					
(829)	0.35	20	R									NA		NA	07/12/2002	
			From:	SR 89 N, Skyline Hwy						To:	Blue Ridge Pkwy					
(830) Dandelion Lane	0.20	7	R									NA		NA	02/07/2006	
			From:	Dead End						To:	38-696 Summerfield Rd					
(831) Hidden Valley Lane	0.85	100	R									NA		NA	02/01/2006	
			From:	US 21						To:	Dead End					
(832) Grassy Know Lane	0.60	10	R									NA		NA	02/24/2006	
			From:	38-728 Oakhill Rd						To:	Dead End					
(833) Knob Fork Lane	0.42	30	R									NA		NA	02/10/2006	
			From:	38-650						To:	Dead End					
(834)	0.33	10	R									NA		NA	02/17/2006	
			From:	US 58 Troutdale Hwy						To:	US 58 Troutdale Hwy					
(835)	0.44	100	R									NA		NA	06/25/2002	
			From:	SR 16 Troutdale Hwy						To:	38-734 Chestnut Grove Rd					
(836) Polter Rd	0.58	40	R									NA		NA	12/29/2005	
			From:	38-739 Rocky Hollow Rd						To:	SR 16 Troutdale Hwy					

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Troutdale</b>															
(837) Timberline Rd	0.22	300	R			From:	SR 16 Troutdale Hwy				NA		NA	06/21/2002	
						To:	38-603 Fairwood Rd								
<b>Grayson County</b>															
(838)	0.79	8	R			From:	Dead End				NA		NA	01/17/2006	
						To:	SR 93								
(839) Rock Quarry Lane	0.62	30	R			From:	38-658				NA		NA	01/27/2006	
						To:	Dead End								
(840) Nightingale Lane	0.44	30	R			From:	Cul-de-Sac				NA		NA	12/29/2005	
						To:	SR 16 Troutdale Hwy								
(841)	0.10	470	R			From:	38-626				NA		NA	07/16/2002	
						To:	US 58								
(841)	0.20	320	R			From:	0.20 MN US 58				NA		NA	07/16/2002	
						To:	Dead End								
(841)	0.21	210	R			From:	210				NA		NA	07/16/2002	
						To:	Dead End								
(842)	1.00	80	R			From:	Dead End				NA		NA	05/14/2002	
						To:	38-805 Spring Valley Rd								
(843)	0.25	90	R			From:	Dead End				NA		NA	06/04/2002	
						To:	38-692								
(844)	0.40	80	R			From:	Dead End				NA		NA	02/24/2006	
						To:	38-711 Gold Hill Rd								
(845) Mahogany Lane	0.15	7	R			From:	38-601				NA		NA	01/06/2006	
						To:	Dead End								
(846) Cornflower Rd	1.00	20	R			From:	38-675 Glen Wood Rd; Panther Creek Rd				NA		NA	01/06/2006	
						To:	38-675								
(847)	0.03	50	R			From:	38-603				NA		NA	06/21/2002	
						To:	0.03 MN 38-603								
(847)	0.11	50	R			From:	0.03 MN 38-603				NA		NA	06/21/2002	
						To:	Dead End								
(848)	0.08	40	R			From:	Dead End				NA		NA	05/14/2002	
						To:	38-644 Freedom Lane								
(849)	0.26	40	R			From:	Dead End				NA		NA	06/04/2002	
						To:	38-890								
(849)	0.09	80	R			From:	38-890				NA		NA	06/04/2002	
						To:	US 58								
(850)	0.03	0	R			From:	Dead End				NA		NA	07/12/2002	
						To:	38-870								
(850)	0.22	60	R			From:	38-870				NA		NA	07/12/2002	
						To:	38-785								
(851)	0.75	50	R			From:	Dead End				NA		NA	07/16/2002	
						To:	38-626								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(852) Fox Wood Lane	1.00	6	R			From: 38-766					NA		NA		02/17/2006
			To: Dead End												
(853)	0.30	80	R			From: 38-648					NA		NA		05/14/2002
			To: Dead End												
(854)	0.25	80	R			From: SR 89 Skyline Hwy					NA		NA		07/12/2002
			To: Dead End												
(855) Crusader Lane	0.05	40	R			From: Dead End					NA		NA		02/10/2006
			To: 38-644												
(856)	0.40	170	R			From: North Carolina State Line					NA		NA		12/08/2005
			To: 38-722												
(857) Shale Hollow Lane	0.75	60	R			From: Dead End					NA		NA		02/07/2006
			To: 38-818 Mountain Music Lane												
(858)	0.20	70	R			From: 38-794 Rockbridge Rd; Prim Rose Lane					NA		NA		06/13/2002
			To: 38-601												
(859)	0.21	80	R			From: Dead End					NA		NA		07/12/2002
			To: 38-786												
(860)	0.27	30	R			From: SR 94					NA		NA		05/14/2002
			To: Dead End												
(861) Willow Oak Lane	0.10	30	R			From: US 21					NA		NA		01/24/2006
			To: Dead End												
(862)	0.20	90	R			From: 38-821					NA		NA		07/12/2002
			To: Dead End												
(863)	0.10	70	R			From: 38-648					NA		NA		05/14/2002
			To: 0.10 MS 38-648												
(863)	0.10	70	R			From: Dead End					NA		NA		05/14/2002
			To: Dead End												
(864) Flag Pond Lane	0.50	40	R			From: Dead End					NA		NA		01/24/2006
			To: 38-665 Stones Chapel Rd												
(865)	0.50	340	R			From: 38-619					NA		NA		07/12/2002
			To: 38-819												
(866)	0.10	60	R			From: Dead End					NA		NA		05/14/2002
			To: 38-644												
(867)	0.12	60	R			From: SR 94					NA		NA		05/14/2002
			To: Dead End												
(868)	0.18	30	R			From: Dead End					NA		NA		05/29/2002
			To: 38-634												
(869)	0.39	40	R			From: Dead End					NA		NA		05/29/2002
			To: 38-641												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(870)	0.20	60	R			From: 38-850					NA		NA		07/12/2002
						To: Dead End									
(871)	0.50	60	R			From: Dead End					NA		NA		05/14/2002
						To: 38-813									
(872) Sunbow Lane	0.10	40	R			From: US 21					NA		NA		02/01/2006
						To: Dead End									
(873)	0.35	40	R			From: Dead End					NA		NA		07/12/2002
						To: SR 89 Skyline Hwy									
(874)	0.12	90	R			From: 38-660					NA		NA		05/29/2002
						To: Dead End									
(875)	0.70	60	R			From: US 58 Highlands Pkwy					NA		NA		02/01/2006
						To: Dead End									
(876)	0.19	40	R			From: Dead End					NA		NA		06/21/2002
						To: SR 16 Troutdale Hwy									
(877)	0.22	130	R			From: 38-805 Spring Valley Rd					NA		NA		05/14/2002
						To: Dead End									
(878)	0.65	90	R			From: US 58 Highlands Pkwy					NA		NA		11/08/2005
						To: Dead End									
(879)	0.10	30	R			From: 38-723					NA		NA		07/09/2002
						To: Dead End									
(880)	0.40	40	R			From: Dead End					NA		NA		05/29/2002
						To: 38-639									
(881)	0.10	60	R			From: 38-805 Spring Valley Rd					NA		NA		05/07/2002
						To: Dead End									
(882)	1.50	410	R			From: SR 94					NA		NA		05/29/2002
						To: WCL Galax									
(883)	0.27	20	R			From: Dead End					NA		NA		06/13/2002
						To: 38-684									
(884)	0.28	70	R			From: 38-613					NA		NA		07/12/2002
						To: Dead End									
(885)	0.20	20	R			From: 38-742					NA		NA		11/16/2005
						To: Dead End									
(886)	0.34	270	R			From: 38-785					NA		NA		07/12/2002
						To: SR 89 Skyline Hwy									
(887)	0.08	20	R			From: 38-726					NA		NA		11/08/2005
						To: Dead End									
(888)	0.07	45	R			From: US 58 EAST					NA		NA		07/18/2002
						To: 0.07 MS US 58									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(888)	0.30	45	R			From:	0.07 MS US 58				NA		NA		07/18/2002
(888)	0.15	170	R			To:	38-765				NA		NA		06/04/2002
(888)	0.01	170	R			From:	US 58 WEST				NA		NA		06/04/2002
(888)	1.14	70	R			From:	0.01 MN US 58				NA		NA		06/04/2002
(888)						To:	38-685								
(889)	0.12	10	R			From:	38-817				NA		NA		07/09/2002
(889)						To:	Dead End								
(890)	0.25	40	R			From:	38-849				NA		NA		06/04/2002
(890)						To:	Dead End								
(891)	0.50	20	R			From:	38-805				NA		NA		02/07/2006
(891)						To:	Dead End								
(892) Bear Hollow Lane	0.15	40	R			From:	38-651				NA		NA		02/10/2006
(892)						To:	Dead End								
(893)	0.22	20	R			From:	38-634				NA		NA		05/29/2002
(893)						To:	Dead End								
(894) Pumpkin Lane	0.64	30	R			From:	Dead End				NA		NA		02/01/2006
(894)						To:	38-729 Cloverdale Lane								
(895) Archery Lane	0.22	70	R			From:	38-658				NA		NA		02/01/2006
(895)						To:	Dead End								
(896)	0.24	40	R			From:	SR 274				NA		NA		05/29/2002
(896)						To:	Dead End								
(897)	0.17	70	R			From:	Dead End				NA		NA		05/14/2002
(897)						To:	38-900								
(897)	0.04	140	R			From:	38-805 Spring Valley Rd				NA		NA		05/14/2002
(898)	0.53	70	R			From:	38-9465				NA		NA		07/12/2002
(898)						To:	Dead End								
(899)	0.15	70	R			From:	US 58 Wilson Hwy				NA		NA		06/13/2002
(899)						To:	Cul-de-Sac								
(900)	0.04	70	R			From:	38-897				NA		NA		05/14/2002
(900)						To:	Dead End								
(905)	0.14	90	R			From:	38-821				NA		NA		07/12/2002
(905)						To:	Dead End								
(906)	0.18	NA				From:	38-791				NA		NA		
(906)						To:	Dead End								
(907)	0.30	50	R			From:	38-607				NA		NA		1999
(907)						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(908)	0.08	NA				From: Dead End					NA		NA			
						To: 38-813										
(909)	0.11	40	R			From: Dead End					NA		NA		07/16/2002	
						To: 38-626										
(910)	0.15	100	R			From: Dead End					NA		NA		07/16/2002	
						To: 38-626										
(914)	0.12	40	R			From: Dead End					NA		NA		06/04/2002	
						To: 38-685										
(915)	0.20	90	R			From: SR 274					NA		NA		06/04/2002	
						To: Dead End										
(916)	0.15	40	R			From: Dead End					NA		NA		05/29/2002	
						To: 38-634										
(920)	0.12	47	R			From: 38-607					NA		NA		1999	
						To: Dead End										
(923) Pareo Point Lane	0.10	20	R			From: Dead End					NA		NA		01/27/2006	
						To: 38-658										
(930)	0.31	30	R			From: US 21					NA		NA		02/01/2006	
						To: Dead End										
(940)	0.22	170	R			From: ECL Galax					NA		NA		1995	
						To: 38-941										
(940)	0.28	60	R			From: Cul-de-Sac					NA		NA		1995	
						To: 38-940										
(941)	0.37	NA				From: 38-940					NA		NA			
						To: Dead End										
(942)	0.16	NA				From: Cul-de-Sac					NA		NA			
						To: 38-941										
(950) Rocky Top Lane	0.53	45	R			From: 38-669					NA		NA		02/10/2006	
						To: Dead End										
<b>Town of Fries</b>																
(1001) W Main St	0.21	3100	G	98%	0%	1%	1%	0%	0%	F	0.104	F	0.593	3200	G	2007
						From: SR 94 Scenic Rd	Ivennue Rd									
(1001) W Main St	0.51	2700	G	97%	0%	1%	1%	1%	0%	C	0.106	F	0.594	2700	G	2007
						From: 38-1005 Fire House Dr										
(1001) E Main St	0.61	3600	G	98%	0%	1%	1%	0%	0%	C	0.103	F	0.64	3700	G	2007
						To: 38-758 Hill Town Rd										
						To: 38-606 Fries Rd										
<b>Grayson County</b>																
(1002)	0.45	280	R			From: SR 94 SOUTH					NA		NA		05/17/2002	
						To: SR 94 NORTH										
(1003)	0.09	110	R			From: 38-1002					NA		NA		05/17/2002	
						To: 38-1009										

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(1003)	0.11	20	R			From: 38-1009					NA		NA		05/17/2002
			To: Carroll County Line												
(1004)	0.30	90	R			From: Carroll County Line					NA		NA		05/17/2002
			To: 38-1002												
<b>Town of Fries</b>															
(1005)	0.12	370	R			From: 38-1001					NA		NA		05/17/2002
			To: Dead End												
(1006)	0.09	90	R			From: Dead End					NA		NA		05/17/2002
(1006)	0.08	130	R			From: 38-1001					NA		NA		05/17/2002
			To: Dead End												
(1007)	0.05	140	R			From: Dead End					NA		NA		05/17/2002
(1007)	0.10	110	R			From: 38-1001 E Main St					NA		NA		05/17/2002
			To: Dead End												
<b>Grayson County</b>															
(1008)	0.12	60	R			From: Dead End					NA		NA		05/17/2002
			To: SR 94												
(1009)	0.05	60	R			From: Dead End					NA		NA		1999
			To: 38-1003												
<b>Town of Fries</b>															
(1010)	0.04	1300	R			From: SR 94					NA		NA		05/17/2002
			To: 38-1001 W Main St												
(1011) Carroll	0.13	140	R			From: 38-1001 E Main St					NA		NA		05/17/2002
			To: Dead End												
(1012)	0.29	430	R			From: 38-1001 W, W Main St					NA		NA		05/17/2002
			To: 38-1001 EAST												
(1013) Lee Dr	0.19	60	G	99%	0%	1%	0%	0%	0%	C	0.167	F	60	G	2007
			To: 38-1001 S, E Main St												
<b>Grayson County</b>															
(1015)	0.22	70	R			From: 38-613					NA		NA		07/12/2002
			To: Cul-de-Sac												
(1020)	0.24	110	R			From: 38-654 Peach Bottom Rd					NA		NA		06/04/2002
			To: Dead End												
<b>Town of Independence</b>															
(1100) Wolf Ave	0.03	8	R			From: 38-1132 Williams St					NA		NA		1995
			To: Dead End												
(1101) Davis St	0.24	1100	R			From: US 21					NA		NA		1995
			To: 38-1131 Anvil Rock Rd												
(1101) Davis St	0.10	740	R			From: 38-1104; 38-1105					NA		NA		1995

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
(1102) Hackler Lane	0.15	720	R			From: US 58, W Main St					NA		NA		NA	1995
			To: US 21													
(1103) Edgewood Dr	0.34	110	R			From: Dead End					NA		NA		NA	1995
			To: US 58, W Main St													
(1103) Edgewood Dr	0.12	60	R			From: NA					NA		NA		NA	1999
			To: 0.12 MN US 58													
(1104)	0.08	70	R			From: 38-1101; 38-1105					NA		NA		NA	1995
			To: Dead End													
(1105)	0.23	450	R			From: US 58, E Main St					NA		NA		NA	1995
			To: 38-1108 Hillcrest													
(1106) Lonesome Ave	0.05	600	R			From: US 58, E Main St					NA		NA		NA	1995
			To: 38-1101 Davis St													
(1107) Circle Dr	0.02	20	R			From: 38-1105					NA		NA		NA	1995
			To: 38-1108 Hillcrest													
(1108) Hillcrest	0.34	100	R			From: 38-685 Power House Rd					NA		NA		NA	1995
			To: Dead End													
(1109) Carpenter St	0.13	90	R			From: US 21					NA		NA		NA	1995
			To: 38-1123													
(1109) Carpenter St	0.05	49	R			From: NA					NA		NA		NA	1999
			To: Dead End													
(1110)	0.05	8	R			From: 38-1108 Hillcrest					NA		NA		NA	1995
			To: Dead End													
(1111) Library St	0.14	280	R			From: US 21					NA		NA		NA	1995
			To: 38-802													
(1112) Moore St	0.06	49	R			From: US 21					NA		NA		NA	1999
			To: Dead End													
(1113) Hawkins Lane	0.07	30	R			From: US 58, W Main St					NA		NA		NA	1999
			To: Dead End													
(1114) Anders St	0.07	130	R			From: 38-1122 Grayson Ave					NA		NA		NA	1995
			To: 38-685 Power House Rd													
(1115) Miles St	0.26	110	R			From: US 21					NA		NA		NA	1995
			To: Dead End													
(1116) Colonial Dr	0.05	50	R			From: 38-684 Pinehurst St					NA		NA		NA	1995
			To: Dead End													
(1117) Meadow View Dr	0.10	110	R			From: 38-1120 Round Hill Rd					NA		NA		NA	1995
			To: US 21													
(1118) Mill Ave	0.10	180	R			From: Dead End					NA		NA		NA	1995
			To: US 58, E Main St													

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Independence</b>															
(1119)	0.47	830	R			From:	Dead End				NA		NA	NA	1995
						To:	US 58, E Main St								
(1120) Round Hill Rd	0.07	10	R			From:	Dead End				NA		NA	NA	1995
						To:	38-1130								
(1120) Round Hill Rd	0.15	60	R			From:	38-684 Elliott Place				NA		NA	NA	1995
						To:									
(1121)	0.10	70	R			From:	US 58, E Main St				NA		NA	NA	1995
						To:	Dead End								
(1122) Grayson Ave	0.14	350	R			From:	US 58, E Main St				NA		NA	NA	1995
						To:	38-685 Power House Rd								
(1123)	0.20	100	R			From:	Dead End				NA		NA	NA	1995
						To:	US 21								
(1124)	0.26	1200	R			From:	US 58, E Main St				NA		NA	NA	1995
						To:	38-685 Power House Rd								
(1125)	0.06	30	R			From:	38-1140				NA		NA	NA	1995
						To:	Dead End								
<b>Grayson County</b>															
(1126)	0.45	280	R			From:	US 21				NA		NA	07/26/2002	
						To:	Dead End								
(1127)	0.25	100	R			From:	38-1126				NA		NA	NA	1995
						To:	Dead End								
(1128)	0.05	20	R			From:	38-1127				NA		NA	07/26/2002	
						To:	Dead End								
(1129)	0.35	110	R			From:	Dead End				NA		NA	07/26/2002	
						To:	38-1126								
<b>Town of Independence</b>															
(1130)	0.09	10	R			From:	38-1120 Round Hill Rd				NA		NA	1995	
						To:	Dead End								
(1131) Anvil Rock Rd	0.21	30	R			From:	38-1101 Davis St				NA		NA	1999	
						To:	0.21 MN 38-1101								
(1131) Anvil Rock Rd	0.20	6	R			From:	0.21 MN 38-1101				NA		NA	1995	
						To:	Dead End								
(1132) Williams St	0.16	60	R			From:	38-802 Hilltop Dr				NA		NA	1995	
						To:	Dead End								
(1133) Poplar Ave	0.06	7	R			From:	38-1101 Davis St				NA		NA	1991	
						To:	Dead End								
(1134)	0.24	180	R			From:	Dead End				NA		NA	1995	
						To:	38-1119								
(1134)	0.22	70	R			From:	38-1119				NA		NA	1995	
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
(1135)	0.10	110	R			From: Dead End					NA		NA		1995
						To: 38-685									
<b>Town of Independence</b>															
(1136)	0.09	250	R			From: US 21					NA		NA		1995
						To: Dead End									
(1137) Courthouse Ave	0.04	190	R			From: US 58, E Main St					NA		NA		1995
						To: 38-1101 Davis St									
(1138) Anderson St	0.09	70	R			From: US 21					NA		NA		1995
						To: Dead End									
(1139)	0.17	220	R			From: 38-802 SOUTH					NA		NA		1995
						To: 38-802 NORTH									
(1140)	0.34	NA				From: 38-1124					NA		NA		
						To: 38-685 Power House Rd									
(1141)	0.07	NA				From: 38-1140					NA		NA		
						To: Dead End									
<b>Grayson County</b>															
(1145)	0.40	110	R			From: 38-636 SOUTH					NA		NA		06/06/2002
						To: 38-636 NORTH									
<b>Town of Troutdale</b>															
(1201) High County Ln	0.13	140	R			From: 38-603 Fairwood Rd					NA		NA		06/21/2002
						To: Dead End									
(1202) Woodland Lane	0.43	30	R			From: Dead End					NA		NA		12/29/2005
						To: 38-603 Fairwood Dr									
<b>Grayson County</b>															
(9175) School Lane	0.13	180	R			From: Elk Creek Elem School					NA		NA		01/27/2006
						To: 38-659 Tiny Wood Lane									
<b>Town of Independence</b>															
(9176)	0.11	950	R			From: Independence High					NA		NA		1995
						To: US 58 E Main St									
<b>Grayson County</b>															
(9465)	0.19	180	R			From: 38-821					NA		NA		1991
						To: Fairview Elem School									
(9512)	0.08	120	R			From: Springvalley Elem Sch					NA		NA		1991
						To: 38-649									
(9513)	0.18	140	R			From: Wood Elem Sch					NA		NA		1995
						To: 38-636									
(9916)	0.06	80	R			From: Flatridge Elem Sch					NA		NA		1995
						To: 38-601									
(9966)	0.05	90	R			From: Bridge Creek Elem Sch					NA		NA		1991
						To: 38-601 Bridge Creek Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Grayson County</b>															
9968	0.06	120	R			From:	Mt Rogers High Sch			NA		NA		NA	1991
						To:	US 58 Highlands Pkwy								