

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

38

Grayson County
Town of Fries
Town of Independence
Town of Troutdale

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Gravson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
 Jefferson Hwy	Grayson County	From: North Carolina State Line	4.06	1000	F	89%	1%	1%	1%	8%	0%	C	0.099	F	0.556	1100	F
		To: US 58 Troutdale Hwy															
  Troutdale Hwy	Grayson County	From: US 58 Mouth of Wilson	3.99	1500	F	89%	1%	1%	1%	8%	0%	F	0.093	F	0.515	1600	F
		To: US 58 Volney															
 Troutdale Hwy	Grayson County	From: US 58 Highlands Pkwy	5.66	1100	F	89%	1%	1%	1%	8%	0%	F	0.098	F	0.522	1100	F
		To: ECL Troutdale															
 Troutdale Hwy	Town of Troutdale (Maint: 38)	From: ECL Troutdale	2.26	1000	F	89%	1%	1%	1%	8%	0%	F	0.101	F	0.540	1100	F
		To: WCL Troutdale															
 Troutdale Hwy	Grayson County	From: Smyth County Line	0.82	1000	F	89%	1%	1%	1%	8%	0%	F	0.102	F	0.818	1100	F
		To: North Carolina State Line															
  New River Pkwy	Grayson County	From: North Carolina State Line	3.39	1800	F	92%	0%	1%	0%	6%	0%	C	0.096	F	1900	F	
		To: SCL Independence															
 	Town of Independence (Maint: 38)	From: Town of Independence (Maint: 38)	0.47	1800	N	92%	0%	1%	0%	6%	0%	N	0.096	N	1900	N	
		To: US 58 Main St															
	Town of Independence (Maint: 38)	From: Town of Independence (Maint: 38)	1.64	1900	A	96%	0%	1%	1%	2%	0%	C	0.116	A	0.627	2000	A
		To: NCL Independence															
	Grayson County	From: NCL Independence	8.72	1900	N	96%	0%	1%	1%	2%	0%	N	0.116	N	0.627	2000	N
		To: 38-791 Country Ln															
 Elk Creek Pkwy	Grayson County	From: 38-791 Country Ln	1.45	1600	F	96%	0%	1%	1%	2%	0%	F	0.098	F	0.509	1700	F
		To: 38-805 Spring Valley Rd															
 Elk Creek Pkwy	Grayson County	From: 38-805 Spring Valley Rd	1.37	1400	F	96%	0%	1%	1%	2%	0%	F	0.091	F	0.561	1500	F
		To: Wythe County Line															
 Blue Ridge Parkway	Grayson County (Maint: US)	From: North Carolina State Line	1.13	560	O	99%	0%	1%	0%	NA	NA	NA	NA	NA	NA	NA	
		To: SR 89															
 Blue Ridge Parkway	Grayson County (Maint: US)	From: Grayson County Line	3.56	560	O	99%	0%	1%	0%	NA	NA	NA	NA	NA	NA	NA	
		To: Washington County Line															
 Highlands Pkwy; Jeb Stuart Hwy	Grayson County	From: Washington County Line	9.57	630	F	98%	0%	1%	0%	1%	0%	F	0.101	F	0.511	660	F
		To: SR 362 Grayson Highlands State Park															
 Highlands Pkwy	Grayson County	From: SR 362 Grayson Highlands State Park	3.76	450	F	98%	0%	1%	0%	1%	0%	F	0.13	F	0.516	470	F
		To: 38-740 North of Rugby															
 Highlands Pkwy	Grayson County	From: SR 16 Troutdale Hwy	3.99	660	F	98%	0%	1%	0%	1%	0%	F	0.100	F	0.696	700	F
		To: SR 16 Highlands Pkwy															
  Troutdale Hwy	Grayson County	From: SR 16 Jefferson Hwy	3.99	1500	F	89%	1%	1%	1%	8%	0%	F	0.093	F	0.515	1600	F
		To: SR 16 Jefferson Hwy															

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
58 Wilson Hwy	Grayson County	3.79	1800	F	90%	1%	2%	3%	5%	0%	F	0.090	F	0.556	1900	F
58 Wilson Hwy	Grayson County	8.04	2400	F	90%	1%	2%	3%	5%	0%	C	0.094	F	0.704	2500	F
58 W Main St	Town of Independence (Maint: 38)	0.86	2400	N	90%	1%	2%	3%	5%	0%	N	0.094	N	0.704	2500	N
58 221 E Main St	Town of Independence (Maint: 38)	1.20	6900	F	92%	1%	1%	1%	4%	0%	F	0.11	F	0.63	7200	F
58 221 Grayson Pkwy	Grayson County	1.55	6900	N	92%	1%	1%	1%	4%	0%	N	0.11	N	0.63	7200	N
58 221 Grayson Pkwy	Grayson County	8.68	5000	F	92%	1%	1%	1%	4%	0%	C	NA			5300	F
58 221 Grayson Pkwy	Grayson County	1.36	8200	F	92%	1%	1%	1%	4%	0%	F	0.094	F		8500	F
89 Skyline Hwy	Grayson County	4.89	4900	F	97%	0%	1%	0%	2%	0%	C	0.089	F		5100	F
93 Wilson Hwy	Grayson County	0.92	710	F	86%	0%	3%	7%	4%	0%	C	0.102	F	0.554	750	F
94 Riverside Dr	Grayson County	4.22	1900	F	96%	0%	1%	1%	2%	0%	C	0.108	F	0.676	2000	F
94 Scenic Rd	Grayson County	2.05	1900	F	96%	1%	1%	0%	1%	0%	F	0.109	F	0.699	2000	F
94 Scenic Rd	Grayson County	2.20	1900	F	96%	1%	1%	0%	1%	0%	C	0.092	F	0.571	2000	F
94	Town of Fries (Maint: 38)	0.48	1900	N	96%	1%	1%	0%	1%	0%	N	0.092	N	0.571	2000	N
94 Scenic Rd	Town of Fries (Maint: 38)	0.56	1900	F	96%	1%	1%	0%	1%	0%	F	0.095	F	0.573	2000	F
94	Grayson County	0.63	1900	N	96%	1%	1%	0%	1%	0%	N	0.095	N	0.573	2000	N
97 Pipers Gap Rd	Grayson County	0.78	2400	F	98%	0%	1%	1%	0%	0%	C	0.09	F		2500	F

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
221 21 New River Pkwy	Grayson County	3.39	1800	F	92%	0%	1%	0%	6%	0%	C	0.096	F		1900	F
221 21	Town of Independence (Maint: 38)	0.47	1800	N	92%	0%	1%	0%	6%	0%	N	0.096	N		1900	N
221 58 E Main St	Town of Independence (Maint: 38)	1.20	6900	F	92%	1%	1%	1%	4%	0%	F	0.11	F	0.63	7200	F
221 58 Grayson Pkwy	Grayson County	1.55	6900	N	92%	1%	1%	1%	4%	0%	N	0.11	N	0.63	7200	N
221 58 Grayson Pkwy	Grayson County	8.68	5000	F	92%	1%	1%	1%	4%	0%	C	NA			5300	F
221 58 Grayson Pkwy	Grayson County	1.36	8200	F	92%	1%	1%	1%	4%	0%	F	0.094	F		8500	F
274 Riverside Dr	Grayson County	7.36	830	F	95%	2%	2%	0%	0%	0%	C	0.133	F	0.805	870	F

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(F685)	0.23	NA				From: 38-626 Old Baywood Rd					NA			NA		
						To: Dead End										
(F686)	0.13	NA				From: US 58; 38-626					NA			NA		
						To: Dead End										
(732) Lincoln Rd	0.40	20	R			From: 38-606					NA			NA		11/28/2007
						To: Grayson County Line										
(600)	0.30	60	R			From: North Carolina State Line					NA			NA		11/08/2005
						To: 38-751										
(600)	2.30	90	R			From: US 58 E, Highlands Pkwy					NA			NA		11/08/2005
						To: US 58 W, Highlands Pkwy										
(600)	3.00	140	F	94%	1%	0%	4%	2%	0%	C	0.151	F	0.524	150	F	2008
						To: Smyth County Line										
(601) Flat Ridge Rd	7.43	190	F	96%	0%	2%	1%	1%	0%	F	0.175	F	0.557	200	F	2008
						To: 38-658 Comers Rock Rd										
(601) Old Bridle Creek Rd	1.32	180	F	96%	0%	2%	1%	1%	0%	F	0.111	F	0.773	190	F	2008
						To: 38-679 Buck Mountain Rd										
(601) Old Bridle Creek Rd	3.60	260	F	96%	0%	2%	1%	1%	0%	F	0.118	F	0.7	270	F	2008
						To: 38-803 Hardwood Lane										
(601) Old Bridle Creek Rd	1.84	270	F	96%	0%	2%	1%	1%	0%	C	0.134	F	0.806	290	F	2008
						To: US 58 AL Philpot Mem Hwy										
(601) Old Bridle Creek Rd	1.62	90	F	96%	0%	2%	1%	1%	0%	F	0.204	F	0.512	90	F	2008
						To: 38-711 North										
(601) Cox Chapel Rd	1.41	150	F	98%	0%	1%	1%	1%	0%	C	0.111	F	0.588	160	F	2008
						To: 38-708 N River Bend Rd										
(601) Cox Chapel Rd	0.96	140	F	96%	0%	2%	1%	1%	0%	F	0.157	F	0.622	140	F	2008
						To: 38-708 S River Bend Rd										
(601)	0.25	90	R			From: 38-708 S, Potato Creek Rd					NA			NA		02/17/2006
						To: North Carolina State Line										
(602)	0.50	80	R			From: Wythe County Line					NA			NA		02/10/2006
						To: 38-653 Arrowhead Dr										
(602) Brush Creek Rd	3.30	110	F	92%	3%	1%	3%	1%	0%	C	0.115	F	0.533	120	F	2008
						To: Carroll County Line										
(603) Fairwood Rd	1.90	190	F	97%	1%	1%	1%	1%	0%	F	0.134	F	0.509	200	F	2008
						To: 38-741 Homestead Rd										
(603) Fairwood Rd	2.87	190	F	97%	1%	1%	1%	1%	0%	F	0.121	F	0.617	200	F	2008
						To: WCL Troutdale										
Town of Troutdale																
(603) Fairwood Dr	1.00	290	F	97%	1%	1%	1%	1%	0%	C	0.115	F	0.605	310	F	2008
						To: SR 16 N, Troutdale Hwy										
(603) Fairwood Rd	0.85	260	R			From: SR 16 S, Troutdale Hwy					NA			NA		12/29/2005
						To: ECL Troutdale										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(603) Ripshin Rd	1.60	260	N								NA		NA		12/29/2005	
(603) Ripshin Rd	2.00	60	R								NA		NA		01/06/2006	
(603) Ripshin Rd	2.00	45	R								NA		NA		01/06/2006	
(603) Lostlake Rd	1.90	80	R								NA		NA		01/06/2006	
(604) Jerusalem Rd	0.10	70	R								NA		NA		02/07/2006	
(604) Jerusalem Rd	0.90	30	R								NA		NA		02/07/2006	
(604) Jerusalem Rd	0.60	60	R								NA		NA		02/07/2006	
(604) Jerusalem Rd	1.00	50	R								NA		NA		02/07/2006	
(604) Rabbit Hollow Rd	4.60	80	F	98%	1%	1%	0%	0%	0%	F	0.134	F	0.8	90	F	2008
(604) Liberty Hill	1.10	290	F	98%	1%	1%	0%	0%	0%	C	0.111	F	0.639	300	F	2008
(604)	0.20	540	R								NA		NA		02/10/2006	
(605)	0.60	280	R								NA		NA		1999	
(605)	0.20	140	R								NA		NA		1999	
(606) Water Wheel Rd	0.54	220	F	96%	2%	1%	1%	0%	0%	C	0.113	F	0.5	230	F	2008
(606)	1.05	110	R								NA		NA		1999	
(606)	0.15	90	R								NA		NA		1999	
(606)	0.75	80	R								NA		NA		1999	
(606)	0.65	30	R								NA		NA		1999	
(606)	0.35	0	R								NA		NA		05/17/2002	
Town of Fries																
(606)	0.15	0	R								NA		NA		05/17/2002	
(606) Fries Rd	0.18	3000	F	98%	0%	1%	1%	0%	0%	C	0.096	F		3100	F	2008
Grayson County																
(607) Meadow Creek Rd	3.00	160	F	97%	2%	1%	0%	0%	0%	F	0.135	F	0.651	170	F	2008

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(607) Meadow Creek Rd	1.70	770	F	97%	2%	1%	0%	0%	0%	F	0.105	F	0.798	810	F	2008
(607) Meadow Creek Rd	1.40	390	F	97%	2%	1%	0%	0%	0%	F	0.148	F	0.609	410	F	2008
(607) Meadow Creek Rd	1.62	310	F	97%	2%	1%	0%	0%	0%	C	0.128	F	0.651	320	F	2008
(607)	0.12	240	R							NA			NA		NA	1999
(607) Fries Rd	0.26	930	F	96%	1%	1%	1%	0%	0%	C	0.091	F	0.606	970	F	2008
(608) Coal Creek Rd	1.10	330	F	97%	1%	1%	1%	0%	0%	C	0.098	F	0.541	350	F	2008
(609)	2.60	100	R							NA			NA		NA	07/12/2002
(609)	0.30	70	R							NA			NA		NA	07/12/2002
(609)	2.20	140	R							NA			NA		NA	1999
(610)	0.50	340	R							NA			NA		NA	1999
(611) Caty Sage	1.50	130	R							NA			NA		NA	02/01/2006
(611) Pheasant Run Lane	1.00	110	R							NA			NA		NA	01/24/2006
(611) Stones Chapel Rd	0.80	60	R							NA			NA		NA	01/24/2006
(611)	1.30	80	R							NA			NA		NA	06/11/2002
(611) Caty Sage	1.20	80	R							NA			NA		NA	02/01/2006
(611) Caty Sage	0.70	140	R							NA			NA		NA	02/01/2006
(612)	1.20	70	R							NA			NA		NA	07/12/2002
(613) Edmonds Rd	1.56	1400	F	95%	0%	2%	2%	1%	0%	F	0.085	F	0.572	1500	F	2008
(613) Edmonds Rd	1.14	1300	F	95%	0%	2%	2%	1%	0%	C	0.093	F	0.516	1300	F	2008
(613)	2.41	470	R							NA			NA		NA	1999
(614)	0.40	220	R							NA			NA		NA	1999
(615)	1.30	130	R							NA			NA		NA	07/16/2002

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(615) Savannah Rd	3.10	450	F	87%	1%	4%	6%	3%	0%	C	0.095	F	0.571	480	F	2008
			From:	38-624 Delhart Rd						To:	38-613; NC State Line					
(616)	2.00	230	R											NA		07/16/2002
			From:	38-622 Delhart Rd						To:	38-626					
(617)	1.20	170	R											NA		1999
			From:	38-622 Delhart Rd						To:	38-621					
(617)	0.70	150	R											NA		07/16/2002
			From:	38-607						To:	38-607 Meadow Creek Rd					
(618)	0.60	590	R											NA		1999
			From:	38-607						To:	SR 89 Skyline Hwy					
(619)	0.80	320	R											NA		1999
			From:	38-607 Meadow Creek Rd						To:	38-643					
(619)	1.49	90	R											NA		07/16/2002
			From:	38-643						To:	SCL Galax					
(620) Round Hill Circle	0.21	20	R											NA		02/10/2006
			From:	38-604 Rabbit Hollow Rd						To:	38-604 Rabbit Hollow Rd					
(621)	0.70	110	R											NA		07/16/2002
			From:	38-622 Delhart Rd						To:	38-617					
(622)	2.00	130	R											NA		07/16/2002
			From:	38-625						To:	38-624 W, Crossroads Dr					
(622) Delhart Rd	1.70	780	F	97%	0%	1%	1%	0%	0%	F	0.130	F	0.601	820	F	2008
			From:	38-624 W, Crossroads Dr						To:	38-616 Link Rd					
(622) Delhart Rd	0.90	680	F	97%	0%	1%	1%	0%	0%	F	0.135	F	0.533	710	F	2008
			From:	38-616 Link Rd						To:	38-617 White Pine Rd					
(622) Delhart Rd	1.50	770	F	97%	0%	1%	1%	0%	0%	F	0.137	F	0.535	800	F	2008
			From:	38-617 White Pine Rd						To:	38-621 Nexus Rd					
(622) Delhart Rd	0.70	850	F	97%	0%	1%	1%	0%	0%	C	0.122	F	0.591	890	F	2008
			From:	38-621 Nexus Rd						To:	38-626 Old Baywood					
(623)	3.04	140	R											NA		1999
			From:	38-622 Delhart Rd						To:	38-626 SOUTH					
(623)	0.31	60	R											NA		1999
			From:	38-626 SOUTH						To:	38-626 NORTH					
(623) Beech Grove Ln	1.09	550	F	97%	0%	1%	1%	0%	0%	C	0.097	F	0.517	580	F	2008
			From:	38-626 NORTH						To:	38-636 Rock Chimney Rd					
(624) Delhart Rd	1.30	1000	F	90%	1%	2%	6%	1%	0%	C	0.096	F	0.52	1100	F	2008
			From:	38-636 Rock Chimney Rd						To:	North Carolina State Line					
(624) Crossroads Dr	3.30	440	F	90%	1%	2%	6%	1%	0%	F	0.114	F	0.703	460	F	2008
			From:	North Carolina State Line						To:	38-622 East Delhart Rd					
(624)	0.38	560	R											NA		1999
			From:	38-622 East Delhart Rd						To:	38-626 Old Baywood Rd					
(625)	0.20	0	R											NA		07/16/2002
			From:	38-626 Old Baywood Rd						To:	US 58 Grayson Pkwy					
			From:	US 58 Grayson Pkwy						To:	North Carolina State Line					
			From:	North Carolina State Line						To:	0.20 MN NC State Line					

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(625)	0.50	8	R								NA		NA		07/16/2002	
(625)	0.45	20	R								NA		NA		07/16/2002	
(625)	0.45	50	R								NA		NA		07/16/2002	
(625)	1.60	110	R								NA		NA		07/16/2002	
(625)			To:								38-626					
(626)	1.60	50	R								NA		NA		1999	
(626)	1.51	60	R								NA		NA		1999	
(626)	0.10	70	R								NA		NA		1999	
(626)	2.49	480	R								NA		NA		1999	
(626) Old Baywood Rd	0.30	570	F	97%	1%	1%	0%	1%	0%	C	0.136	F	0.671	600	F	2008
(626)	3.40	210	R								NA		NA		1999	
(626) Old Baywood Rd	0.09	1100	F	97%	1%	1%	0%	1%	0%	F	0.112	F	0.58	1200	F	2008
(626)			To:								US 58; 221					
(627)	0.25	30	R								NA		NA		1999	
(628)	1.90	20	R								NA		NA		1999	
(628)	0.50	0	R								NA		NA		1999	
(629)	3.20	30	R								NA		NA		1999	
(629)	0.20	40	R								NA		NA		1999	
(629)	1.02	50	R								NA		NA		1999	
(629)	0.22	50	R								NA		NA		1999	
(630)	0.16	47	R								NA		NA		1999	
(631)	0.03	200	R								NA		NA		1999	
(631)	0.92	160	R								NA		NA		06/06/2002	
(631)	1.70	30	R								NA		NA		06/06/2002	
(631)	1.30	20	R								NA		NA		06/06/2002	
			To:								38-779					

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(631)	0.55	40	R			From:	38-779							NA	06/06/2002	
						To:	38-636 WEST									
(631)	1.20	90	R			From:	38-636 EAST							NA	06/06/2002	
						To:	38-637									
(632)	0.12	2	R			From:	Dead End							NA	1999	
						To:	0.12 MW Dead End									
(632)	1.01	40	R			From:								NA	1999	
						To:	38-626 SOUTH									
(632)	1.70	110	R			From:								NA	1999	
						To:	38-626 NORTH									
(633)	0.80	50	R			From:	38-625							NA	07/16/2002	
						To:	38-624 S, Crossroads Dr									
(633)	0.85	60	R			From:	38-624 N, Crossroads Dr							NA	07/16/2002	
						To:	38-623									
(634)	1.80	130	R			From:	Dead End							NA	06/06/2002	
						To:	38-631									
(634)	1.40	330	R			From:								NA	1999	
						To:	38-636 WEST									
(634) Beech Grove Ln	0.10	500	F	98%	1%	1%	0%	0%	0%	C	0.115	F	0.742	520	F	2008
						From:	38-636 E, Beach Grove Ln									
(634)	1.40	130	R			From:								NA		1999
						To:	38-637									
(634)	2.30	100	R			From:								NA		05/29/2002
						To:	SR 94; Gap									
(634)	0.30	150	R			From:	38-882; Gap							NA		1999
						To:	38-868									
(634)	0.40	140	R			From:								NA		05/29/2002
						To:	0.40 ME 38-868									
(634)	0.20	110	R			From:								NA		1999
						To:	38-640 WEST									
(634) Water Wheel Rd	1.07	370	F	91%	1%	1%	4%	3%	0%	C	0.109	F	0.630	390	F	2008
						From:	38-640 East Greenville Rd									
(634) Water Wheel Rd	0.19	190	F	91%	1%	1%	4%	3%	0%	F	0.164	F	0.603	200	F	2008
						From:	38-893 Turnip Ln									
(634) Water Wheel Rd	0.50	170	F	91%	1%	1%	4%	3%	0%	F	0.125	F	0.558	180	F	2008
						From:	38-641 Pattons Mill Rd									
(634)	1.70	120	R			From:	38-606 Water Wheel Rd									
						To:	Dead End									
(635)	0.50	9	R			From:								NA		06/06/2002
						To:	38-631									
(635)	1.70	120	R			From:								NA		06/06/2002
						To:	38-634									
(636)	0.15	170	R			From:								NA		1999
						To:	38-9513									
(636) Haystack Rd	0.39	720	F	96%	1%	1%	1%	0%	0%	C	0.15	F	0.573	760	F	2008
						From:	38-626 Old Baywood Rd									
						To:	US 58; 221									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(636) Rock Chimney rd	0.94	210	F	98%	2%	0%	0%	0%	0%	C	0.133	F	0.5	220	F	2008
(636) Beach Grove Ln	0.70	620	F	96%	1%	1%	1%	0%	0%	F	0.119	F	0.629	650	F	2008
(636)	0.80	340	R										NA		NA	1999
(636)	0.50	110	R										NA		NA	06/06/2002
(636)	0.20	70	R										NA		NA	06/06/2002
(636)	1.00	50	R										NA		NA	06/06/2002
(636)	1.06	5	R										NA		NA	06/06/2002
(637)	1.60	40	R										NA		NA	06/06/2002
(637)	1.40	40	R										NA		NA	06/06/2002
(638)	1.70	260	R										NA		NA	05/29/2002
(638)	0.20	120	R										NA		NA	05/29/2002
(638)	0.50	150	R										NA		NA	05/29/2002
(638)	0.80	460	R										NA		NA	05/29/2002
(639)	0.40	220	R										NA		NA	1999
(639)	0.90	70	R										NA		NA	05/29/2002
(640)	0.80	40	R										NA		NA	05/29/2002
(640)	0.90	40	R										NA		NA	05/29/2002
(640)	2.30	130	R										NA		NA	05/29/2002
(640)	0.15	340	R										NA		NA	1999
(640) Greenville Rd	0.59	520	F	95%	0%	1%	2%	2%	0%	F	0.107	F	0.606	540	F	2008
(640) Greenville Rd	0.15	780	F	95%	0%	1%	2%	2%	0%	C	0.11	F	0.594	820	F	2008
(641)	1.60	180	R										NA		NA	05/29/2002
(641)	1.42	110	R										NA		NA	05/29/2002

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(641)	0.88	8	R			From: 38-869					NA		NA		05/29/2002	
			To: Dead End													
(642)	0.94	80	R			From: 38-641					NA		NA		05/29/2002	
			To: 38-823													
(642)	0.06	90	R			From: 38-606					NA		NA		05/29/2002	
			To: 38-619													
(643)	1.07	320	R			From: WCL Galax					NA		NA		1999	
			To: SR 94 Ivennue Rd													
(644) Winding Rd	0.40	630	F	98%	0%	1%	0%	0%	0%	C	0.095	F	0.58	660	F	2008
			To: 38-605 Eagle Bottom													
(644) Winding Rd	0.12	580	F	98%	0%	1%	0%	0%	0%	F	0.136	F	0.776	610	F	2008
			To: 38-770 Quarry Rd													
(644) Winding Rd	0.49	280	F	98%	0%	1%	0%	0%	0%	F	0.141	F	0.566	290	F	2008
			To: 38-647 Stevens Creek													
			From: 38-647 Stevens Creek Rd													
(644)	1.43	200	R			From: 38-604 Liberty Hill; Rabbit Hollow Rd					NA		NA		1999	
			To: 38-855 Crusader Lane													
(644)	0.06	130	R			From: 38-645					NA		NA		02/10/2006	
			To: 38-648													
(646)	2.60	350	R			From: 38-604 Rabbit Hollow Rd					NA		NA		1999	
			To: 38-815 Tanglewood Rd													
(647) Stevens Creek Rd	0.70	230	F	95%	1%	1%	2%	0%	0%	F	0.137	F	0.547	240	F	2008
			To: 38-759 Cattle Dr													
(647) Stevens Creek Rd	0.70	290	F	95%	1%	1%	2%	0%	0%	C	0.123	F	0.585	300	F	2008
			To: 38-644 Winding Rd													
(647) Stevens Creek Rd	0.50	230	F	95%	1%	1%	2%	0%	0%	F	0.128	F	0.566	240	F	2008
			To: 38-770 Quarry Rd													
(647) Stevens Creek Rd	0.40	370	F	95%	1%	1%	2%	0%	0%	F	0.136	F	0.65	380	F	2008
			To: 38-604 Liberty Hill													
(648)	0.10	90	R			From: SR 94 S, Scenic Rd					NA		NA		1999	
			To: SR 94 N, Scenic Rd													
(648)	1.40	400	R			From: 38-805 Spring Valley Rd					NA		NA		1999	
			To: 38-805 S, Spring Valley Rd													
(649)	3.25	180	R			From: 38-713					NA		NA		1999	
			To: 38-805 MID													
(649)	0.70	240	R			From: 38-805 N, Spring Valley Rd					NA		NA		05/07/2002	
			To: 38-646													

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(650)	0.45	20	R			From:	Dead End				NA		NA		02/10/2006	
(650)	1.76	40	R			To:	38-660 W, Carsonville Rd				NA		NA		02/10/2006	
(650)	0.11	50	R			From:	38-660 E, Carsonville Rd				NA		NA		02/10/2006	
(650)	0.15	48	R			To:	1.76 MN 38-660 Carsonville Rd				NA		NA		02/10/2006	
(650)	1.28	70	R			From:	1.87 MN 38-660 E, Carsonville Rd				NA		NA		02/10/2006	
(651)	0.32	90	R			To:	38-833 Knob Fork Lane				NA		NA		02/10/2006	
(651)	0.77	48	R			From:	38-805 Spring Valley Rd				NA		NA		02/10/2006	
(651)	0.11	80	R			To:	38-805 S, Spring Valley Rd				NA		NA		02/10/2006	
(651) Leafwood Rd	0.70	120	R			From:	38-773 Issac Lane				NA		NA		02/07/2006	
(651) Loafwood Rd	0.70	30	R			To:	38-892 Bear Hollow Lane				NA		NA		02/07/2006	
(652) Briar Patch Mtn Rd	3.60	60	R			From:	38-805 MID				NA		NA		02/07/2006	
(652) Briar Patch Mtn Rd						To:	38-652 Briar Patch Mtn Rd				NA		NA		02/07/2006	
(653) Arrowhead Dr	4.60	30	R			From:	38-604 Rabbit Hollow Rd				NA		NA		02/10/2006	
(653) Arrowhead Dr						To:	38-602 Brush Creek Rd				NA		NA		02/10/2006	
(654) Peach Bottom Rd	2.30	140	F	96%	0%	2%	2%	1%	0%	C	0.107	F	0.667	150	F	2008
(654) Peach Bottom Rd						To:	38-686 West Mtn Breeze Ln				NA		NA		02/07/2006	
(654) Peach Bottom Rd	1.40	70	F	96%	0%	2%	2%	1%	0%	F	0.174	F	0.667	70	F	2008
(654) Peach Bottom Rd	2.20	80	F	96%	0%	2%	2%	1%	0%	F	0.147	F	0.63	80	F	2008
(654) Peach Bottom Rd	2.60	70	F	96%	0%	2%	2%	1%	0%	F	0.162	F	0.539	70	F	2008
(654) Hines Branch Rd	1.00	80	R			From:	38-660 W Carsonville Rd				NA		NA		02/07/2006	
(654) Hines Branch Rd						To:	38-660 E, Carsonville Rd				NA		NA		02/07/2006	
(654) Hines Branch Rd	2.30	47	R			From:	1.00 MN 38-660 E, Carsonville Rd				NA		NA		05/07/2002	
(655)	3.00	50	R			To:	38-805 Spring Valley Rd				NA		NA		02/07/2006	
(655)						From:	38-656				NA		NA		02/07/2006	
(656)	0.20	60	R			To:	38-604 Jerusalem Rd				NA		NA		02/07/2006	
(656)						From:	38-660 Carsonville Rd				NA		NA		02/07/2006	
(656)	1.60	30	R			To:	38-655				NA		NA		02/07/2006	
(656) Pilgrim Fork Rd	0.40	90	R			From:	38-657 Wagon Wheel Rd				NA		NA		02/07/2006	
(656) Pilgrim Fork Rd						To:	38-805 Spring Valley Rd				NA		NA		02/07/2006	

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(657) Wagon Wheel Rd	1.20	130	R								NA			NA		01/24/2006
(657) Wagon Wheel Rd	0.69	80	R								NA			NA		01/24/2006
(657)	0.51	40	R								NA			NA		01/24/2006
(658) Flatridge Rd	2.08	150	F	92%	0%	4%	4%	0%	0%	F	0.127	F	0.714	160	F	2008
(658) Flatridge Rd	2.10	180	F	92%	0%	4%	4%	0%	0%	F	0.134	F	0.571	190	F	2008
(658) Flatridge Rd	3.58	130	F	92%	0%	4%	4%	0%	0%	C	0.116	F	0.5	130	F	2008
(658) Comers Rock Rd	3.23	48	F	92%	0%	4%	4%	0%	0%	F	0.185	F	0.6	50	F	2008
(658) Comers Rock Rd	3.60	160	F	92%	0%	4%	4%	0%	0%	F	0.143	F	0.98	160	F	2008
(658) Comers Rock Rd	2.10	280	F	92%	1%	2%	3%	2%	0%	F	0.107	F	0.8	290	F	2008
(658) Comers Rock Rd	0.20	310	F	92%	1%	2%	3%	2%	0%	F	0.101	F	0.623	330	F	2008
(658) Comers Rock Rd	2.59	460	F	92%	1%	2%	3%	2%	0%	F	0.109	F	0.618	480	F	2008
(658) Comers Rock Rd	2.70	1000	F	92%	1%	2%	3%	2%	0%	C	0.096	F	0.644	1100	F	2008
(659) Valley View Rd	0.70	170	R								NA			NA		01/24/2006
(659) Tiny Wood Lane	0.20	40	R								NA			NA		01/24/2006
(659) Hunters Lane	1.95	180	R								NA			NA		01/24/2006
(659) Hunters Lane	0.30	30	R								NA			NA		01/24/2006
(660) Carsonville Rd	3.30	400	F	97%	1%	1%	1%	1%	0%	F	0.121	F	0.726	420	F	2008
(660) Carsonville Rd	3.78	270	F	97%	1%	1%	1%	1%	0%	F	0.121	F	0.689	280	F	2008
(660) Carsonville Rd	1.09	330	F	97%	1%	1%	1%	1%	0%	F	0.125	F	0.612	340	F	2008
(660) Carsonville Rd	2.60	630	F	97%	1%	1%	1%	1%	0%	C	0.107	F	0.708	660	F	2008
(661)	0.25	170	R								NA			NA		1999
(662) Logans Lane	0.80	30	R								NA			NA		01/19/2006

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(662) Falls Rd	0.04	50	R			From:	38-668 S, Big Ridge Rd				NA		NA		01/19/2006
(662) Falls Rd	0.20	70	R			To:	38-668 N, Big Ridge Rd				NA		NA		02/01/2006
(662) Little Rd	0.30	20	R			From:	38-673 S, Bethel Rd				NA		NA		01/19/2006
(662) Falls Rd	2.00	40	R			To:	38-673 N, Falls Rd				NA		NA		01/19/2006
(662) Falls Rd	0.30	70	R			From:	38-664 Serenity Rd				NA		NA		01/19/2006
(662) Falls Rd	1.26	50	R			To:	38-670 Laurel View Rd				NA		NA		02/01/2006
(662)	0.13	70	R			From:	1.26 MN 38-670 Laurel View Rd				NA		NA		01/27/2006
(662)	1.60	280	R			To:	38-611 W, Caty Sage				NA		NA		01/27/2006
(662)						From:	38-611 E, Caty Sage				NA		NA		
(663) Caty Sage Rd	1.15	170	R			To:	38-663 Caty Sage Rd				NA		NA		01/22/2006
(663) Caty Sage Rd	2.10	140	R			From:	38-662				NA		NA		01/27/2006
(664) Serenity Rd	0.05	50	R			To:	38-665 Stones Chapel Rd				NA		NA		01/27/2006
(664) Serenity Rd	2.50	49	R			From:	38-662 Falls Rd				NA		NA		01/27/2006
(665) Stones Chapel Rd	0.20	70	R			To:	38-764 Sweet Water Rd				NA		NA		01/24/2006
(665) Stones Chapel Rd	2.20	180	R			From:	38-611 Stones Chapel Rd				NA		NA		01/24/2006
(665) Stones Chapel Rd	0.90	290	R			To:	38-663 Caty Sage Rd				NA		NA		01/24/2006
(666) Willow Shade Lane	0.40	40	R			From:	38-658 Comers Rock Rd				NA		NA		02/01/2006
(666) Willow Shade Lane						To:	Dead End				NA		NA		
(666) Willow Shade Lane						From:	US 21				NA		NA		
(667) Salom Lane	0.25	20	R			To:	US 21				NA		NA		02/01/2006
(667) Salom Lane						From:	Dead End				NA		NA		
(668) Big Ridge Rd	1.60	30	R			From:	38-662 W, Falls Rd; Logans Lane				NA		NA		01/19/2006
(668) Big Ridge Rd	0.70	70	R			To:	38-662 E, Falls Rd				NA		NA		01/19/2006
(668) Big Ridge Rd	1.00	70	R			From:	38-673 Falls Rd				NA		NA		01/19/2006
(668) Big Ridge Rd	2.20	130	R			To:	38-764 Sweet Water Rd				NA		NA		01/19/2006
(668) Big Ridge Rd	3.10	120	R			From:	38-611 Pheasant Run Lane; Caty Sage				NA		NA		02/01/2006
(669)						To:	38-825 Sugar Camp Lane				NA		NA		

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(670) Laurel View Rd	0.50	30	R								NA		NA		01/27/2006
(670) Laurel View Rd	1.30	20	R								NA		NA		01/27/2006
(671) Mt Zion Rd	1.29	80	R								NA		NA		02/01/2006
(671) Mt Zion Rd	0.21	90	R								NA		NA		02/01/2006
(672) Blue Spring Rd	0.05	30	R								NA		NA		01/22/2006
(672) Honey Grove Rd	0.20	80	R								NA		NA		01/12/2006
(672) Wilburns Mill Rd	1.10	20	R								NA		NA		01/12/2006
(672) Roberts Cove Rd	0.30	45	R								NA		NA		01/12/2006
(672) Roberts Cove Rd	0.80	47	R								NA		NA		01/27/2006
(672) Blue Spring Rd	1.70	30	R								NA		NA		01/27/2006
(672) Blue Spring Rd	3.30	20	R								NA		NA		01/27/2006
(672) Blue Spring Rd	1.30	20	R								NA		NA		01/27/2006
(672) Blue Sjpring Rd	2.90	20	R								NA		NA		01/27/2006
(673) Hillandale Lane	1.00	40	R								NA		NA		01/19/2006
(673) Bethel Rd	1.20	60	R								NA		NA		01/19/2006
(673) Falls Rd	0.40	30	R								NA		NA		01/19/2006
(674) Roberts Cove Rd	1.65	70	R								NA		NA		01/12/2006
(674) Roberts Cove Rd	1.80	20	R								NA		NA		01/12/2006
(675) Panther Creek Rd	1.20	30	R								NA		NA		01/06/2006
(675) Glen Wood Rd	0.40	20	R								NA		NA		01/06/2006
(675) Glen Wood Rd	0.80	20	R								NA		NA		01/06/2006
(675)	1.55	20	R								NA		NA		01/27/2006
(675)	3.95	10	R								NA		NA		01/22/2006

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(676) Chestnut Ridge Rd	0.20	30	R								NA		NA		01/04/2006	
(676) Chestnut Ridge Rd	3.90	50	R								NA		NA		01/04/2006	
(676) Glenwood Rd	1.30	48	R								NA		NA		01/04/2006	
(677) Razor Ridge Rd	0.20	120	R								NA		NA		01/04/2006	
(677) Razor Ridge Rd	1.10	110	R								NA		NA		01/04/2006	
(677) Razor Ridge Rd	0.90	100	R								NA		NA		01/04/2006	
(677) Razor Ridge Rd	1.80	80	R								NA		NA		01/04/2006	
(677) Razor Ridge Rd	1.20	70	R								NA		NA		01/04/2006	
(678) Fox Ridge	2.10	60	R								NA		NA		02/24/2006	
(678) Fox Creek Rd	3.20	120	F	92%	0%	4%	3%	1%	0%	C	0.163	F	0.75	130	F	2008
(679) Buck Mountain Rd	2.40	50	R								NA		NA		01/12/2006	
(680) Little Fox Creek	2.20	70	R								NA		NA		01/12/2006	
(680) Grubbs Chapel	1.10	47	R								NA		NA		01/12/2006	
(681) Rose Hill Rd	0.95	210	R								NA		NA		02/24/2006	
(681) Rose Hill Rd	1.30	120	R								NA		NA		02/24/2006	
(682)	1.00	110	R								NA		NA		02/24/2006	
(682)	0.85	70	R								NA		NA		02/24/2006	
(683) Twin Oaks Rd	1.00	40	R								NA		NA		02/24/2006	
(684)	1.04	90	R								NA		NA		06/13/2002	
(684)	0.29	210	R								NA		NA		06/13/2002	
(684)	0.82	280	R								NA		NA		1999	
			To:													

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Independence															
(684) Elliott Place	0.25	320	R								NA		NA	NA	1999
(684) Pinehurst St	0.22	160	R								NA		NA	NA	1999
(685) Power House Rd	0.74	670	R								NA		NA	NA	1999
(685) Power House Rd	0.14	700	R								NA		NA	NA	1999
											ECL Independence				
Gravson County															
(685)	0.91	700	N								NA		NA	NA	1999
(685)	0.60	150	R								NA		NA	NA	06/04/2002
(685)	0.20	200	R								NA		NA	NA	06/04/2002
(685)	1.20	160	R								NA		NA	NA	1999
(686)	1.80	140	R								NA		NA	NA	06/04/2002
(686)	0.30	30	R								NA		NA	NA	06/04/2002
(687)	1.10	220	R								NA		NA	NA	1999
(687)	0.30	100	R								NA		NA	NA	06/04/2002
(687)	0.10	70	R								NA		NA	NA	06/04/2002
(687)	1.70	60	R								NA		NA	NA	06/04/2002
(688)	0.80	60	R								NA		NA	NA	06/04/2002
(689)	1.50	90	R								NA		NA	NA	06/04/2002
(689)	1.00	30	R								NA		NA	NA	06/04/2002
(690) Tarny Wood Lane	0.30	20	R								NA		NA	NA	02/28/2006
											Dead End				
											38-706				
											SR 274 Riverside Dr				
(691)	0.50	140	R								NA		NA	NA	1999
(691)	1.40	150	R								NA		NA	NA	06/04/2002
(691)	1.50	140	R								NA		NA	NA	06/04/2002
											38-692 WEST				

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(691)	0.10	150	R								NA		NA		1999
(691)	0.80	40	R								NA		NA		06/04/2002
(691)	1.10	430	R								NA		NA		1999
(692)	0.70	190	R								NA		NA		1999
(692)	1.30	220	R								NA		NA		1999
(693)	0.14	110	R								NA		NA		1999
(693)	1.06	70	R								NA		NA		06/06/2002
(694)	0.80	120	R								NA		NA		06/04/2002
(694)	1.20	200	R								NA		NA		1999
(695)	3.30	160	R								NA		NA		1999
(696) Summerfield Rd	0.40	50	R								NA		NA		02/07/2006
(696) Summerfield Rd	1.50	30	R								NA		NA		02/07/2006
(696) Summerfield Rd	1.70	80	R								NA		NA		02/07/2006
(697)	1.19	620	R								NA		NA		03/02/2006
(697)	1.90	130	R								NA		NA		03/02/2006
(697)	0.40	80	R								NA		NA		03/02/2006
(697)	1.10	80	R								NA		NA		03/02/2006
(698)	0.90	120	R								NA		NA		03/02/2006
(698)	0.57	390	R								NA		NA		03/02/2006
(699)	0.80	10	R								NA		NA		03/02/2006
(700)	1.00	90	R								NA		NA		02/24/2006

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(700)	0.40	60	R			From:	38-702 NORTH			NA		NA	NA	02/28/2006	
(700)	0.60	130	R			To:	38-705			NA		NA	NA	02/28/2006	
(700)	2.00	90	R			From:	38-702 S, Horseford Lane			NA		NA	NA	02/28/2006	
(700)	0.80	120	R			To:	38-701			NA		NA	NA	03/02/2006	
(700)	2.60	90	R			From:	North Carolina State Line			NA		NA	NA	03/02/2006	
(700)	0.80	60	R			To:	38-701			NA		NA	NA	03/02/2006	
(700)	0.10	46	R			From:	38-697			NA		NA	NA	03/02/2006	
(700)	0.40	30	R			To:	0.10 ME 38-697			NA		NA	NA	03/02/2006	
(700)	0.20	10	R			From:	38-699			NA		NA	NA	03/02/2006	
(700)						To:	Dead End								
(701)	0.24	10	R			From:	US 21 S, New River Pkwy			NA		NA	NA	02/28/2006	
(701)	0.10	90	R			To:	38-700 SOUTH			NA		NA	NA	1999	
(701)	0.49	110	R			From:	38-700 NORTH			NA		NA	NA	1999	
(701)						To:	US 21 N, New River Pkwy								
(701)	0.05	90	R			From:	US 21 MID			NA		NA	NA	1999	
(701)	1.96	50	R			To:	0.05 ME US 21 MID			NA		NA	NA	02/28/2006	
(701)	0.50	70	R			From:	38-756			NA		NA	NA	07/26/2002	
(701)	0.10	10	R			To:	38-757			NA		NA	NA	02/28/2006	
(701)	1.80	80	R			From:	38-761			NA		NA	NA	03/02/2006	
(701)						To:	38-700								
(702) Horseford Lane	0.20	30	R			From:	North Carolina State Line			NA		NA	NA	02/28/2006	
(702)						To:	38-700 SOUTH								
(702)	1.90	270	R			From:	38-700 NORTH			NA		NA	NA	02/28/2006	
(702)	1.41	460	R			To:	38-703 N, Hardin Rd			NA		NA	NA	02/28/2006	
(702)						From:	SCL Independence								
Town of Independence															
(702)	0.56	460	N			From:	SCL Independence			NA		NA	NA	02/28/2006	
(702)						To:	US 58 W Main St								
Grayson County															
(703)	0.80	240	R			From:	US 21 New River Pkwy			NA		NA	NA	1999	
(703)						To:	38-702 SOUTH								

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(703) Hardin Rd	1.10	300	R			From:	38-702 NORTH							NA	02/28/2006	
						To:	US 58 Wilson Hwy									
(704)	0.60	0	R			From:	38-703							NA	07/26/2002	
						To:	0.60 ME 38-703									
(704)	0.20	30	R			From:	US 21 New River Pkwy							NA	07/26/2002	
						To:										
(705)	0.93	60	R			From:	Dead End							NA	02/28/2006	
						To:	38-700									
(706)	1.25	20	R			From:	Dead End							NA	07/26/2002	
						To:	38-690 Tarny Wood Lane									
(706)	0.15	50	R			From:								NA	02/24/2006	
						To:	38-700									
(706) Pennford Rd	1.90	210	R			From:								NA	02/24/2006	
						To:	US 58 W, Wilson Hwy									
						From:	US 58 E, Wilson Hwy									
(706)	0.60	48	R			To:	Dead End							NA	02/24/2006	
						From:										
(707)	0.12	10	R			To:	38-625							NA	07/16/2002	
						From:										
(708)	1.88	190	R			To:	Dead End							NA	07/16/2002	
						From:	SR 93 Wilson Hwy							NA	02/17/2006	
						To:										
(708)	0.31	80	R			From:	38-766 WEST							NA	02/17/2006	
						To:										
(708)	0.39	80	R			From:	38-766 EAST							NA	02/17/2006	
						To:										
(708) Potato Creek Rd	2.24	60	F	95%	0%	3%	1%	1%	0%	C	0.156	F	0.667	60	F	2008
						To:	38-601 S Cox Chapel Rd									
						From:										
(708)	0.66	80	R			To:	38-601 MID							NA	02/17/2006	
						From:										
(708)	3.59	40	R			To:	38-709							NA	02/17/2006	
						From:										
(708)						To:	38-601 N. Bridge Creek Rd							NA	02/17/2006	
						From:										
(709)	0.50	20	R			To:	North Carolina State Line							NA	02/17/2006	
						From:										
(710)	0.80	20	R			To:	38-708							NA	02/17/2006	
						From:										
(710)	0.80	20	R			To:	North Carolina State Line							NA	02/17/2006	
						From:										
(711)	0.80	60	R			To:	38-712							NA	06/25/2002	
						From:										
(711)	0.80	60	R			To:	38-727 Pine Branch Rd							NA	06/25/2002	
						From:										
(711) Fox Ridge Rd	2.10	280	F	92%	0%	3%	5%	1%	0%	C	0.124	F	0.564	300	F	2008
						To:	38-678 N, Fox Creek Rd									
						From:										
(711)	0.20	120	R			To:	38-678 S, Fox Ridge							NA	02/24/2006	
						From:										
(711)	2.10	60	R			To:	US 58 Wilson Hwy							NA	02/24/2006	
						From:										
(711)	1.00	160	R			To:	38-714							NA	02/28/2006	
						From:										
(711)						To:	38-681 Rose Hill Rd							NA	02/28/2006	
						From:										
(711)						To:	38-844									
						From:										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(711) Gold Hill Rd	1.60	90	R			From:	38-844				NA		NA		02/17/2006
						To:	38-601 S. Bridge Creek Rd								
(711)	3.60	220	R			From:	38-601 N. Bridge Creek Rd				NA		NA		02/24/2006
						To:	US 58 Wilson Hwy								
(712)	0.70	20	R			From:	North Carolina State Line				NA		NA		02/17/2006
						To:	38-710								
(712)	0.30	30	R			From:	38-708 Potato Creek Rd				NA		NA		02/12/2006
						To:	Dead End								
(713)	0.20	20	R			From:	0.20 ME Dead End				NA		NA		05/07/2002
						To:	38-711								
(713)	1.00	90	R			From:	38-649				NA		NA		05/07/2002
						To:	Dead End								
(714)	0.70	70	R			From:	38-698				NA		NA		02/24/2006
						To:	38-711								
(715)	1.20	130	R			From:	1.20 ME 38-698				NA		NA		03/02/2006
						To:	38-698								
(715)	3.08	120	R			From:	4.28 ME 38-698				NA		NA		07/26/2002
						To:	US 58 Grayson Pkwy								
(715)	0.12	90	R			From:	North Carolina State Line				NA		NA		03/02/2006
						To:	38-767								
(716)	1.00	60	R			From:	38-660 Carsonville Rd				NA		NA		02/17/2006
						To:	Dead End								
(717)	0.25	80	R			From:	North Carolina State Line				NA		NA		02/10/2006
						To:	38-767								
(718) Deacon Rd	0.20	80	R			From:	North Carolina State Line				NA		NA		02/17/2006
						To:	38-767								
(719)	0.20	90	R			From:	North Carolina State Line				NA		NA		02/17/2006
						To:	38-767								
(720)	2.10	260	R			From:	38-821 Fairview Rd				NA		NA		1999
						To:	38-609								
(720)	0.50	160	R			From:	Carroll County Line				NA		NA		1999
						To:	SR 16 Jefferson Hwy								
(721)	1.13	70	R			From:	38-745				NA		NA		12/08/2005
						To:	38-722 SOUTH								
(721)	1.00	30	R			From:	38-722 NORTH				NA		NA		12/08/2005
						To:	38-769								
(721)	0.30	30	R			From:	US 58 Troutdale Hwy				NA		NA		07/09/2002
						To:	38-722 NORTH								
(721)	1.80	50	R			From:	38-769				NA		NA		12/08/2005
						To:	US 58 Troutdale Hwy								
(721)	0.60	60	R			From:	US 58 Troutdale Hwy				NA		NA		12/08/2005

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(722)	0.02	0	R											NA	1999	
(722)	1.65	48	R											NA	12/08/2005	
(722)	1.20	20	R											NA	07/09/2002	
(722)	1.05	120	R											NA	12/01/2005	
(723)	0.50	110	R											NA	12/01/2005	
(723)	3.20	46	R											NA	12/01/2005	
(724)	0.85	30	R											NA	1999	
(724)	0.05	10	R											NA	1999	
(725) Tucker Rd	0.80	150	F	88%	0%	1%	10%	0%	0%	F	0.148	F	0.608	160	F	2008
(725) Grassy Creek Rd	2.70	170	F	88%	0%	1%	10%	0%	0%	F	0.156	F	0.697	180	F	2008
(725) Grassy Creek Rd	0.80	260	F	88%	0%	1%	10%	0%	0%	F	0.150	F	0.630	270	F	2008
(725) Grassy Creek Rd	1.04	410	F	88%	0%	1%	10%	0%	0%	C	0.127	F	0.638	430	F	2008
(725)	0.16	290	R											NA	12/08/2005	
(726) White Top Gap Rd	1.22	110	F	96%	0%	3%	1%	0%	0%	C	0.153	F	0.611	110	F	2008
(726)	1.60	220	R											NA	11/08/2005	
(727) Pine Branch Rd	1.10	45	R											NA	01/10/2006	
(727)	2.10	30	R											NA	01/10/2006	
(727) Pine Branch Rd	0.20	20	R											NA	01/10/2006	
(727) Kindreck Rd	0.30	60	R											NA	01/10/2006	
(728) Oakhill Rd	0.45	310	R											NA	01/10/2006	
(728) Dormitory Lane	0.05	70	R											NA	01/10/2006	
(728) Oakhill Rd	0.70	60	R											NA	01/10/2006	

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(728) Oakhill Rd	0.20	70	R											NA	01/10/2006
(728) Oakhill Rd	1.80	120	R											NA	01/10/2006
(729)	0.20	10	R											NA	02/01/2006
(729)	0.68	70	R											NA	02/01/2006
(729) Cloverdale Lane	0.32	120	R											NA	02/01/2006
(730) Low Gap Rd	0.90	70	R											NA	12/29/2005
(731) Rockbridge	2.60	70	R											NA	01/12/2006
(731) Rockbridge	0.30	30	R											NA	01/12/2006
(731) Rabbit Fork Rd	1.00	50	R											NA	01/12/2006
(732) Laurel Creek Rd	0.90	40	R											NA	01/04/2006
(732) Country View Rd	1.30	20	R											NA	01/04/2006
(733) Pine Branch Rd	2.80	40	R											NA	01/10/2006
(734)	0.62	110	R											NA	06/25/2002
(734) Chestnut Grove Rd	1.08	80	R											NA	01/10/2006
(734) Chestnut Grove Rd	0.70	70	R											NA	01/10/2006
(734) Chestnut Grove Rd	1.10	80	R											NA	01/10/2006
(735)	1.29	190	R											NA	01/10/2006
(736) Wallens Creek Rd	1.30	46	R											NA	12/29/2005
(736) Wallens Creek Rd	1.00	80	R											NA	12/29/2005
(736)	0.50	30	R											NA	12/29/2005
(737)	1.00	130	R											NA	06/26/2002

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(738) Little Wilson Rd	1.50	160	R			From: 38-740				NA		NA	NA	06/25/2002		
						To: SR 16; 38-730										
(739) Rocky Hollow Rd	3.85	90	R			From: 38-603 Fairwood Rd				NA		NA	NA	12/29/2005		
						To: 38-836 Polter Rd										
(739)	0.85	110	R			From: SR 16 S, Troutdale Hwy				NA		NA	NA	06/21/2002		
						To: SR 16 N, Troutdale Hwy										
(739) Hazelwood Rd	0.90	50	R			From: 38-677 Razor Ridge Rd				NA		NA	NA	12/29/2005		
						To: 38-658 Flatridge Rd										
(740)	2.70	90	R			From: US 58 Highlands Pkwy				NA		NA	NA	12/01/2005		
						To: 38-738 Little Wilson Rd										
(740)	0.40	100	R			From: 38-730 Low Gap Rd				NA		NA	NA	12/01/2005		
						To: SR 16; 38-736										
(741) Homestead Rd	3.70	30	R			From: 38-603 Fairwood Rd				NA		NA	NA	12/29/2005		
						To: SR 16 Troutdale Hwy										
(742)	2.60	120	R			From: North Carolina State Line				NA		NA	NA	07/09/2002		
						To: US 58 S, Highlands Pkwy										
(742)	1.40	50	R			From: US 58 N, Highlands Pkwy				NA		NA	NA	11/16/2005		
						To: Dead End										
(743) Rugby Rd	2.60	190	F	99%	0%	0%	0%	1%	0%	F	0.118	F	0.592	200	F	2008
						From: 38-725 S, Tucker Rd										
(743) Rugby Rd	0.20	260	F	99%	0%	0%	0%	1%	0%	F	0.118	F	0.677	270	F	2008
						To: 38-725 N Grassy Creek Rd										
(743) Rugby Rd	0.40	230	F	99%	0%	0%	0%	1%	0%	F	0.12	F	0.556	240	F	2008
						To: 38-723 York Ridge										
(743) Rugby Rd	0.70	220	F	99%	0%	0%	0%	1%	0%	C	0.117	F	0.621	240	F	2008
						To: 38-723 York Ridge Rd										
(744)	0.30	40	R			From: 38-745				NA		NA	NA	12/01/2005		
						To: 38-807										
(744)	2.80	40	R			From: 38-743 Rugby Rd				NA		NA	NA	12/01/2005		
						To: North Carolina State Line										
(745)	2.50	210	R			From: 38-725 W, Grassy Creek Rd				NA		NA	NA	07/09/2002		
						To: 38-725 E, Grassy Creek Rd										
(745)	0.70	50	R			From: 38-789				NA		NA	NA	12/08/2005		
						To: 38-721										
(746)	0.50	20	R			From: 38-782				NA		NA	NA	11/16/2005		
						To: North Carolina State Line										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(746)	0.90	60	R			From: 38-782					NA		NA	11/16/2005		
						To: 38-797										
(747)	0.20	100	R			From: Dead End					NA		NA	11/16/2005		
						To: US 58 Highlands Pkwy										
(748)	1.00	20	R			From: North Carolina State Line					NA		NA	11/16/2005		
						To: 38-797										
(748)	0.40	40	R			From: 38-812					NA		NA	11/16/2005		
						To: US 58 Highlands Pkwy										
(749)	0.90	48	R			From: US 58 Highlands Pkwy					NA		NA	11/16/2005		
						To: Dead End										
(750)	0.74	300	R			From: US 58 Highlands Pkwy					NA		NA	07/09/2002		
						To: 38-828										
(750)	1.26	160	R			From: 38-828					NA		NA	11/16/2005		
						To: Dead End										
(751)	0.27	60	R			From: 38-600					NA		NA	11/08/2005		
						To: 0.27 ME 38-600										
(751)	0.93	90	R			From: 1.20 ME 38-600					NA		NA	11/16/2005		
						To: US 58 Highlands Pkwy										
(751) Stigill Rd	1.10	440	F	99%	0%	1%	0%	0%	0%	C	0.091	F	0.587	460	F	2008
						To: North Carolina State Line										
(752)	0.25	80	R			From: Dead End					NA		NA	05/14/2002		
						To: 38-644										
(753)	0.90	40	R			From: 38-726 White Top Gap Rd					NA		NA	11/08/2005		
						To: 38-771										
(753)	1.30	220	R			From: 38-754 Old Park Rd					NA		NA	11/08/2005		
						To: 38-755 Firehouse Rd										
(754) Old Park Rd	0.80	340	F	98%	0%	1%	0%	0%	0%	C	0.106	F	0.605	360	F	2008
						To: US 58 Highlands Pkwy										
(755)	0.75	40	R			From: Dead End					NA		NA	11/08/2005		
						To: 0.75 ME Dead End										
(755)	1.75	110	R			From: 38-726 S, White Top Gap Rd					NA		NA	11/08/2005		
						To: 38-726 N, White Top Gap Rd										
(755) Old Park Rd	1.50	200	F	98%	0%	1%	0%	1%	0%	C	0.13	F	0.5	210	F	2008
						To: 38-754 Old Park Rd										
(755)	0.40	100	R			From: 38-754 Old Park Rd					NA		NA	11/08/2005		
						To: US 58 Highlands Pkwy										
(756)	1.20	60	R			From: US 21 New River Pkwy					NA		NA	07/26/2002		
						To: 38-763										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(756)	0.40	40	R			From: 38-756					NA		NA		07/26/2002	
						To: 38-701										
(757)	0.40	120	R			From: 38-701					NA		NA		07/26/2002	
						To: 38-763										
Town of Fries																
(758) Hilltown Rd	0.20	1100	F	99%	0%	1%	0%	0%	0%	C	0.087	F	0.625	1200	F	2008
						From: Carroll County Line										
Grayson County																
(759)	0.80	170	R			From: 38-646					NA		NA		05/14/2002	
						To: 38-647 Stevens Creek										
(760) Liberty Hill Rd	0.30	90	F	96%	0%	3%	1%	0%	0%	C	0.15	F	0.688	100	F	2008
						From: 38-777 Liberty Hill Rd										
(760)	0.08	8	R			To: Dead End					NA		NA		04/22/2002	
						From: 38-701										
(761)	0.08	70	R			To: 38-757					NA		NA		07/26/2002	
						From: 38-676 Chestnut Ridge Rd										
(762) Hunt Club Rd	0.50	20	R			To: 38-677 Razor Ridge Rd					NA		NA		01/04/2006	
						From: 0.86 MN 38-677 Razor Ridge Rd										
(762) Country View	0.14	40	R			To: 38-732 Country View Rd; Laurel Creek Rd					NA		NA		01/04/2006	
						From: 38-756										
(763)	0.60	40	R			To: 38-757					NA		NA		07/26/2002	
						From: 38-697										
(763)	0.80	170	R			To: 38-697					NA		NA		07/26/2002	
						From: 38-668 Big Ridge Rd										
(764) Sweet Water Rd	1.50	20	R			To: 38-664 Serenity Rd					NA		NA		01/19/2006	
						From: 38-697										
(765)	1.26	170	R			To: 38-888					NA		NA		07/26/2002	
						From: 38-708 WEST										
(766)	1.00	20	R			To: 38-852 Fox Wood Lane					NA		NA		02/17/2006	
						From: 38-708 EAST										
(766)	0.90	30	R			To: SR 16 Jefferson Hwy					NA		NA		02/17/2006	
						From: US 58 Wilson Hwy										
(767)	2.54	280	R			To: US 58 Wilson Hwy					NA		NA		06/27/2002	
						From: 38-672 Wilburns Mill Rd; Blue Spring Rd										
(768)	1.70	100	R			To: 38-674 Roberts Cove Rd					NA		NA		06/18/2002	
						From: 38-601 Flat Ridge Rd										
(768)	0.35	180	R			To: SR 16 Jefferson Hwy					NA		NA		06/18/2002	
						From: 38-721										
(769)	2.50	60	R			To: 38-721					NA		NA		12/08/2005	

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(770) Quarry Rd	0.58	220	F	97%	2%	0%	0%	1%	0%	C	0.107	F	0.539	230	F	2008
(771)	0.50	20	R										NA			11/08/2005
(772)	1.00	290	R										NA			07/12/2002
(773) Issac Lane	0.52	47	R										NA			02/10/2006
(774)	0.81	120	R										NA			05/29/2002
(775) Guffey Branch Lane	0.05	9	R										NA			01/06/2006
(776)	0.30	30	R										NA			02/07/2006
(777) Liberty Hill Rd	0.50	110	F	96%	0%	3%	1%	0%	0%	C	0.137	F	0.647	110	F	2008
(778) Camp Moxley Lane	0.22	20	R										NA			02/01/2006
(779)	0.50	40	R										NA			06/06/2002
(780)	0.45	190	R										NA			05/29/2002
(780)	0.10	210	R										NA			05/29/2002
(781)	0.10	10	R										NA			05/29/2002
(782)	1.00	46	R										NA			11/16/2005
(783)	1.25	150	R										NA			11/16/2005
(783)	0.75	60	R										NA			11/16/2005
(784)	0.50	20	R										NA			1995
(785)	1.25	220	R										NA			07/12/2002
(785)	1.70	250	R										NA			07/12/2002

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(786)	0.25	220	R			From:	38-821 Fairview Rd				NA		NA		07/12/2002
(786)	0.25	60	R			To:	38-859				NA		NA		07/12/2002
(787)	0.30	110	R			To:	Dead End				NA		NA		07/12/2002
(787)	2.52	100	R			From:	Dead End				NA		NA		07/12/2002
(787)	0.13	120	R			To:	38-615 Savannah Rd				NA		NA		07/12/2002
(788)	0.31	60	R			From:	2.52 MN 38-615 Savannah Rd				NA		NA		05/14/2002
(788)	0.50	20	R			To:	38-607 Meadow Creek; Meadow Creek Rd				NA		NA		07/09/2002
(789)	0.60	70	R			From:	38-649				NA		NA		07/12/2002
(789)	1.30	350	R			To:	Dead End				NA		NA		05/03/2002
(790)	0.05	10	R			From:	38-745				NA		NA		01/24/2006
(790)	0.25	40	R			To:	Dead End				NA		NA		01/24/2006
(791)	1.00	110	R			From:	Blue Ridge Pkwy				NA		NA		04/22/2002
(791)	3.00	45	R			To:	38-613; 38-804				NA		NA		01/27/2006
(791)	0.05	10	R			From:	38-658 Comers Rock Rd				NA		NA		01/24/2006
(791)	0.50	8	R			To:	US 21; 38-614				NA		NA		01/06/2006
(792)	0.25	70	R			From:	38-657 Wagon Wheel Rd				NA		NA		01/24/2006
(792)	0.05	10	R			To:	38-658 Comers Rock Rd				NA		NA		01/06/2006
(792)	0.50	40	R			From:	38-791				NA		NA		01/24/2006
(793)	0.05	10	R			From:	Dead End				NA		NA		01/06/2006
(793)	0.05	70	R			To:	38-601 Flat Ridge Rd				NA		NA		01/06/2006
(794)	1.10	60	R			From:	38-731 Rabbit Fork Rd; Rockbridge				NA		NA		01/06/2006
(794)	0.05	70	R			To:	38-795				NA		NA		01/06/2006
(794)	0.25	40	R			From:	38-858				NA		NA		01/06/2006
(794)	0.50	8	R			To:	38-601 Flat Ridge Rd				NA		NA		01/06/2006
(795)	1.70	30	R			From:	Dead End				NA		NA		06/13/2002
(795)	0.05	70	R			To:	38-794 Prim Rose Lane; Rabbit Fork Rd				NA		NA		01/10/2006
(796)	2.10	80	R			From:	US 58 Troutdale Hwy				NA		NA		11/16/2005
(796)	0.70	49	R			To:	38-746				NA		NA		11/16/2005
(796)	0.50	20	R			From:	38-748				NA		NA		01/27/2006
(797)	0.50	20	R			To:	38-672 Blue Spring Rd; Blue Spring Rd				NA		NA		01/27/2006
(798)	0.50	20	R			From:	Smyth County Line				NA		NA		01/27/2006

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(799)	0.60	140	R								NA			NA		07/12/2002
(799)	0.50	80	R								NA			NA		07/12/2002
(800)	0.10	20	R								NA			NA		06/06/2002
(801)	0.50	100	R								NA			NA		02/24/2006
(801)	0.33	60	R								NA			NA		02/24/2006
(802)	0.10	220	R								NA			NA		03/02/2006
Town of Independence																
(802)	0.63	220	N								NA			NA		03/02/2006
Grayson County																
(803) Hardwood Lane	0.50	40	R								NA			NA		02/24/2006
(804)	1.50	80	R								NA			NA		07/12/2002
(805) Spring Valley Rd	1.20	310	F	93%	0%	3%	3%	0%	0%	F	0.097	F	0.657	320	F	2008
(805) Spring Valley Rd	3.19	280	F	93%	0%	3%	3%	0%	0%	F	0.114	F	0.623	290	F	2008
(805) Spring Valley Rd	1.00	260	F	93%	0%	3%	3%	0%	0%	F	0.118	F	0.515	280	F	2008
(805) Spring Valley Rd	0.75	270	F	93%	0%	3%	3%	0%	0%	F	0.108	F	0.594	290	F	2008
(805) Spring Valley Rd	0.85	270	F	93%	0%	3%	3%	0%	0%	C	0.112	F	0.75	280	F	2008
(805) Spring Valley Rd	2.45	360	F	93%	0%	3%	3%	0%	0%	F	0.111	F	0.767	370	F	2008
(805) Spring Valley Rd	0.20	1100	F	93%	0%	3%	3%	0%	0%	F	0.135	F	0.554	1200	F	2008
(805) Spring Valley Rd	0.55	1500	F	94%	2%	2%	0%	2%	0%	F	0.119	F	0.551	1600	F	2008
(805) Spring Valley Rd	0.78	1400	F	94%	2%	2%	0%	2%	0%	C	0.112	F	0.631	1400	F	2008
(805) Spring Valley Rd	0.17	1400	F	94%	2%	2%	0%	2%	0%	F	0.101	F	0.637	1400	F	2008
(806)	0.50	20	R								NA			NA		07/09/2002
(807)	0.35	40	R								NA			NA		12/01/2005

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(808) Rocky Falls Lane	0.50	50	R			From: Dead End					NA		NA		02/24/2006	
						To: US 58 Wilson Hwy										
(809)	1.05	310	R			From: 38-606					NA		NA		05/17/2002	
						To: Carroll County Line										
(810)	0.70	70	R			From: SR 94 Riverside Dr					NA		NA		05/29/2002	
						To: Dead End										
(811)	1.00	40	R			From: US 58 Wilson Hwy					NA		NA		02/24/2006	
						To: Dead End										
(812)	0.20	48	R			From: Dead End					NA		NA		11/16/2005	
						To: 38-748										
(813)	0.12	140	R			From: 38-644 Winding Rd					NA		NA		1995	
						To: Dead End										
(814)	0.13	30	R			From: Dead End					NA		NA		06/04/2002	
						To: 38-695										
(815)	0.43	140	R			From: SR 94 W, Scenic Rd					NA		NA		05/14/2002	
						To: SR 94 MID										
						From: SR 94 MID Scenic Rd										
(815) Tanglewood Rd	0.03	440	F	96%	1%	2%	1%	0%	0%	C	0.144	F	0.528	460	F	2008
						To: 38-647 Stevens Creek										
(815)	0.30	210	R			From: SR 94 E, Scenic Rd					NA		NA		05/14/2002	
						To: SR 94 Scenic Rd										
(816)	0.15	410	R			From: 38-649					NA		NA		05/14/2002	
						To: SR 94 Scenic Rd										
(817)	0.26	50	R			From: US 58 Highlands Pkwy					NA		NA		12/01/2005	
						To: 38-889										
(817)	0.74	6	R			From: 0.74 MN 38-889					NA		NA		12/01/2005	
						To: Dead End										
(817)	0.40	0	R			From: 38-805 Spring Valley Rd					NA		NA		07/09/2002	
						To: 38-857 Shale Hollow Lane										
(818) Mountain Music Lane	0.35	60	R			From: Dead End					NA		NA		02/07/2006	
						To: US 58 Wilson Hwy										
(819)	0.11	520	R			From: SR 89; SCL Galax					NA		NA		07/12/2002	
						To: SCL Galax										
(820)	0.17	50	R			From: Dead End					NA		NA		06/13/2002	
						To: US 58 Wilson Hwy										
(821) Fairview Rd	1.42	350	F	99%	0%	0%	0%	0%	0%	F	0.132	F	0.509	360	F	2008
						To: 38-786 Hickory Rd										
						From: 38-786 Hickory La										
(821) Fairview Rd	0.59	620	F	99%	0%	0%	0%	0%	0%	F	0.102	F	0.561	660	F	2008
						To: 38-720 Millpond Dr										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(821) Fairview Rd	0.61	1000	F	99%	0%	0%	0%	0%	0%	C	0.1	F	0.812	1100	F	2008
			From:		38-720											
			To:		SR 89 N, Skyline Hwy											
(822)	0.27	40	R									NA				05/14/2002
			From:		SR 94 W, Scenic Rd											
			To:		SR 94 E, Scenic Rd											
(823)	0.26	40	R									NA				1995
			From:		Dead End											
			To:		38-642											
(824)	0.57	210	R									NA				1995
			From:		Dead End											
			To:		WCL Galax											
(825) Sugar Camp Lane	0.10	120	R									NA				02/01/2006
			From:		US 21											
			To:		38-669											
(825) Sugar Camp Lane	0.20	60	R									NA				02/01/2006
			From:		38-611 Caty Sage											
(826) Orchid Lane	1.00	120	R									NA				02/24/2006
			From:		Dead End											
			To:		38-711											
Town of Troutdale																
(827) Auburn Lane	0.13	60	R									NA				02/17/2006
			From:		Dead End											
			To:		38-603 Fairwood Rd											
Grayson County																
(828)	0.50	130	R									NA				11/16/2005
			From:		38-750											
			To:		Dead End											
(829)	0.40	40	R									NA				07/12/2002
			From:		Dead End											
			To:		SR 89 S, Skyline Hwy											
(829)	0.35	20	R									NA				07/12/2002
			From:		SR 89 N, Skyline Hwy											
			To:		Blue Ridge Pkwy											
(830) Dandelion Lane	0.20	7	R									NA				02/07/2006
			From:		Dead End											
			To:		38-696 Summerfield Rd											
(831) Hidden Valley Lane	0.85	100	R									NA				02/01/2006
			From:		US 21											
			To:		Dead End											
(832) Grassy Know Lane	0.60	10	R									NA				02/24/2006
			From:		38-728 Oakhill Rd											
			To:		Dead End											
(833) Knob Fork Lane	0.42	30	R									NA				02/10/2006
			From:		38-650											
			To:		Dead End											
(834)	0.33	10	R									NA				02/17/2006
			From:		US 58 Troutdale Hwy											
			To:		US 58 Troutdale Hwy											
(835)	0.44	100	R									NA				06/25/2002
			From:		SR 16 Troutdale Hwy											
			To:		38-734 Chestnut Grove Rd											
(836) Polter Rd	0.58	40	R									NA				12/29/2005
			From:		38-739 Rocky Hollow Rd											
			To:		SR 16 Troutdale Hwy											

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Troutdale															
(837) Timberline Rd	0.22	300	R			From:	SR 16 Troutdale Hwy				NA		NA		06/21/2002
						To:	38-603 Fairwood Rd								
Grayson County															
(838)	0.79	8	R			From:	Dead End				NA		NA		01/17/2006
						To:	SR 93 Wilson Hwy								
(839) Rock Quarry Lane	0.62	30	R			From:	38-658 Comers Rock Rd				NA		NA		01/27/2006
						To:	Dead End								
(840) Nightingale Lane	0.44	30	R			From:	Cul-de-Sac				NA		NA		12/29/2005
						To:	SR 16 Troutdale Hwy								
(841)	0.10	470	R			From:	38-626				NA		NA		07/16/2002
						To:	US 58 Grayson Pkwy								
(841)	0.20	320	R			From:	US 58 Grayson Pkwy				NA		NA		07/16/2002
						To:	0.20 MN US 58								
(841)	0.21	210	R			From:	Dead End				NA		NA		07/16/2002
						To:	Dead End								
(842)	1.00	80	R			From:	Dead End				NA		NA		05/14/2002
						To:	38-805 Spring Valley Rd								
(843)	0.25	90	R			From:	Dead End				NA		NA		06/04/2002
						To:	38-692								
(844)	0.40	80	R			From:	Dead End				NA		NA		02/24/2006
						To:	38-711 Gold Hill Rd								
(845) Mahogany Lane	0.15	7	R			From:	38-601 Flat Ridge Rd				NA		NA		01/06/2006
						To:	Dead End								
(846) Cornflower Rd	1.00	20	R			From:	38-675 Glen Wood Rd; Panther Creek Rd				NA		NA		01/06/2006
						To:	38-675								
(847)	0.03	50	R			From:	38-603 Fairwood Rd				NA		NA		06/21/2002
						To:	0.03 MN 38-603 Fairwood Rd								
(847)	0.11	50	R			From:	Dead End				NA		NA		06/21/2002
						To:	Dead End								
(848)	0.08	40	R			From:	Dead End				NA		NA		05/14/2002
						To:	38-644 Freedom Lane								
(849)	0.26	40	R			From:	Dead End				NA		NA		06/04/2002
						To:	38-890								
(849)	0.09	80	R			From:	US 58 Grayson Pkwy				NA		NA		06/04/2002
						To:	US 58 Grayson Pkwy								
(850)	0.03	0	R			From:	Dead End				NA		NA		07/12/2002
						To:	38-870								
(850)	0.22	60	R			From:	38-870				NA		NA		07/12/2002
						To:	38-785								
(851)	0.75	50	R			From:	Dead End				NA		NA		07/16/2002
						To:	38-626								

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(852) Fox Wood Lane	1.00	6	R			From: 38-766					NA		NA		02/17/2006
			To: Dead End												
(853)	0.30	80	R			From: 38-648					NA		NA		05/14/2002
			To: Dead End												
(854)	0.25	80	R			From: SR 89 Skyline Hwy					NA		NA		07/12/2002
			To: Dead End												
(855) Crusader Lane	0.05	40	R			From: Dead End					NA		NA		02/10/2006
			To: 38-644												
(856)	0.40	170	R			From: North Carolina State Line					NA		NA		12/08/2005
			To: 38-722												
(857) Shale Hollow Lane	0.75	60	R			From: Dead End					NA		NA		02/07/2006
			To: 38-818 Mountain Music Lane												
(858)	0.20	70	R			From: 38-794 Rockbridge Rd; Prim Rose Lane					NA		NA		06/13/2002
			To: 38-601 Flat Ridge Rd												
(859)	0.21	80	R			From: Dead End					NA		NA		07/12/2002
			To: 38-786												
(860)	0.27	30	R			From: SR 94 Scenic Rd					NA		NA		05/14/2002
			To: Dead End												
(861) Willow Oak Lane	0.10	30	R			From: US 21 Elk Creek Pkwy					NA		NA		01/24/2006
			To: Dead End												
(862)	0.20	90	R			From: 38-821 Fairview Rd					NA		NA		07/12/2002
			To: Dead End												
(863)	0.10	70	R			From: 38-648					NA		NA		05/14/2002
			To: 0.10 MS 38-648												
(863)	0.10	70	R			From: Dead End					NA		NA		05/14/2002
			To: Dead End												
(864) Flag Pond Lane	0.50	40	R			From: Dead End					NA		NA		01/24/2006
			To: 38-665 Stones Chapel Rd												
(865)	0.50	340	R			From: 38-619					NA		NA		07/12/2002
			To: 38-819												
(866)	0.10	60	R			From: Dead End					NA		NA		05/14/2002
			To: 38-644												
(867)	0.12	60	R			From: SR 94 Scenic Rd					NA		NA		05/14/2002
			To: Dead End												
(868)	0.18	30	R			From: Dead End					NA		NA		05/29/2002
			To: 38-634												
(869)	0.39	40	R			From: Dead End					NA		NA		05/29/2002
			To: 38-641												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(870)	0.20	60	R			From: 38-850					NA		NA		07/12/2002
						To: Dead End									
(871)	0.50	60	R			From: Dead End					NA		NA		05/14/2002
						To: 38-813									
(872) Sunbow Lane	0.10	40	R			From: US 21					NA		NA		02/01/2006
						To: Dead End									
(873)	0.35	40	R			From: Dead End					NA		NA		07/12/2002
						To: SR 89 Skyline Hwy									
(874)	0.12	90	R			From: 38-660 Carsonville Rd					NA		NA		05/29/2002
						To: Dead End									
(875)	0.70	60	R			From: US 58 Highlands Pkwy					NA		NA		02/01/2006
						To: Dead End									
(876)	0.19	40	R			From: Dead End					NA		NA		06/21/2002
						To: SR 16 Troutdale Hwy									
(877)	0.22	130	R			From: 38-805 Spring Valley Rd					NA		NA		05/14/2002
						To: Dead End									
(878)	0.65	90	R			From: US 58 Highlands Pkwy					NA		NA		11/08/2005
						To: Dead End									
(879)	0.10	30	R			From: 38-723					NA		NA		07/09/2002
						To: Dead End									
(880)	0.40	40	R			From: Dead End					NA		NA		05/29/2002
						To: 38-639									
(881)	0.10	60	R			From: 38-805 Spring Valley Rd					NA		NA		05/07/2002
						To: Dead End									
(882)	1.50	410	R			From: SR 94 Riverside Dr					NA		NA		05/29/2002
						To: WCL Galax									
(883)	0.27	20	R			From: Dead End					NA		NA		06/13/2002
						To: 38-684									
(884)	0.28	70	R			From: 38-613 Edmonds Rd					NA		NA		07/12/2002
						To: Dead End									
(885)	0.20	20	R			From: 38-742					NA		NA		11/16/2005
						To: Dead End									
(886)	0.34	270	R			From: 38-785					NA		NA		07/12/2002
						To: SR 89 Skyline Hwy									
(887)	0.08	20	R			From: 38-726					NA		NA		11/08/2005
						To: Dead End									
(888)	0.07	45	R			From: US 58 E, Grayson Pkwy					NA		NA		07/18/2002
						To: 0.07 MS US 58									

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(888)	0.30	45	R			From:	0.07 MS US 58				NA		NA		07/18/2002
(888)	0.15	170	R			To:	38-765				NA		NA		06/04/2002
(888)	0.01	170	R			From:	US 58 W, Grayson Pkwy				NA		NA		06/04/2002
(888)	1.14	70	R			From:	0.01 MN US 58				NA		NA		06/04/2002
(888)						To:	38-685								
(889)	0.12	10	R			From:	38-817				NA		NA		07/09/2002
(889)						To:	Dead End								
(890)	0.25	40	R			From:	38-849				NA		NA		06/04/2002
(890)						To:	Dead End								
(891)	0.50	20	R			From:	38-805 Spring Valley Rd				NA		NA		02/07/2006
(891)						To:	Dead End								
(892) Bear Hollow Lane	0.15	40	R			From:	38-651				NA		NA		02/10/2006
(892)						To:	Dead End								
(893)	0.22	20	R			From:	38-634 Water Wheel Rd				NA		NA		05/29/2002
(893)						To:	Dead End								
(894) Pumpkin Lane	0.64	30	R			From:	Dead End				NA		NA		02/01/2006
(894)						To:	38-729 Cloverdale Lane								
(895) Archery Lane	0.22	70	R			From:	38-658 Comers Rock Rd				NA		NA		02/01/2006
(895)						To:	Dead End								
(896)	0.24	40	R			From:	SR 274 Riverside Dr				NA		NA		05/29/2002
(896)						To:	Dead End								
(897)	0.17	70	R			From:	Dead End				NA		NA		05/14/2002
(897)						To:	38-900								
(897)	0.04	140	R			From:	38-805 Spring Valley Rd				NA		NA		05/14/2002
(898)	0.53	70	R			From:	38-9465				NA		NA		07/12/2002
(898)						To:	Dead End								
(899)	0.15	70	R			From:	US 58 Wilson Hwy				NA		NA		06/13/2002
(899)						To:	Cul-de-Sac								
(900)	0.04	70	R			From:	38-897				NA		NA		05/14/2002
(900)						To:	Dead End								
(905)	0.14	90	R			From:	38-821 Fairview Rd				NA		NA		07/12/2002
(905)						To:	Dead End								
(906)	0.18	NA				From:	38-791				NA		NA		
(906)						To:	Dead End								
(907)	0.30	50	R			From:	38-607 Meadow Creek Rd				NA		NA		1999
(907)						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
(908)	0.08	NA				From: Dead End				NA		NA				
						To: 38-813										
(909)	0.11	40	R			From: Dead End				NA		NA		07/16/2002		
						To: 38-626										
(910)	0.15	100	R			From: Dead End				NA		NA		07/16/2002		
						To: 38-626										
(914)	0.12	40	R			From: Dead End				NA		NA		06/04/2002		
						To: 38-685										
(915)	0.20	90	R			From: SR 274 Riverside Dr				NA		NA		06/04/2002		
						To: Dead End										
(916)	0.15	40	R			From: Dead End				NA		NA		05/29/2002		
						To: 38-634 Water Wheel Rd										
(920)	0.12	47	R			From: 38-607 Meadow Creek Rd				NA		NA		1999		
						To: Dead End										
(923) Pareo Point Lane	0.10	20	R			From: Dead End				NA		NA		01/27/2006		
						To: 38-658 Comers Rock Rd										
(930)	0.31	30	R			From: US 21				NA		NA		02/01/2006		
						To: Dead End										
(940)	0.22	170	R			From: ECL Galax				NA		NA		1995		
						To: 38-941										
(940)	0.28	60	R			From: Cul-de-Sac				NA		NA		1995		
						To: 38-940										
(941)	0.37	NA				From: 38-940				NA		NA				
						To: Dead End										
(942)	0.16	NA				From: Cul-de-Sac				NA		NA				
						To: 38-941										
(950) Rocky Top Lane	0.53	45	R			From: 38-669				NA		NA		02/10/2006		
						To: Dead End										
Town of Fries																
(1001) W Main St	0.21	2900	F	98%	0%	1%	0%	0%	0%	F	0.096	F	0.565	3000	F	2008
						From: SR 94 Scenic Rd	Ivennue Rd									
(1001) W Main St	0.51	2400	F	98%	1%	1%	0%	0%	0%	C	0.095	F	0.623	2500	F	2008
						To: 38-1005 Fire House Dr										
(1001) E Main St	0.61	3300	F	98%	0%	1%	0%	0%	0%	C	0.108	F	0.591	3500	F	2008
						To: 38-758 Hill Town Rd										
						To: 38-606 Fries Rd										
Grayson County																
(1002)	0.45	280	R			From: SR 94 SOUTH				NA		NA		05/17/2002		
						To: SR 94 NORTH										
(1003)	0.09	110	R			From: 38-1002				NA		NA		05/17/2002		
						To: 38-1009										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(1003)	0.11	20	R			From:	38-1009				NA		NA		05/17/2002
			To:	Carroll County Line											
(1004)	0.30	90	R			From:	Carroll County Line				NA		NA		05/17/2002
			To:	38-1002											
Town of Fries															
(1005)	0.12	370	R			From:	38-1001				NA		NA		05/17/2002
			To:	Dead End											
(1006)	0.09	90	R			From:	Dead End				NA		NA		05/17/2002
(1006)	0.08	130	R			From:	38-1001				NA		NA		05/17/2002
			To:	Dead End											
(1007)	0.05	140	R			From:	Dead End				NA		NA		05/17/2002
(1007)	0.10	110	R			From:	38-1001 E Main St				NA		NA		05/17/2002
			To:	Dead End											
Grayson County															
(1008)	0.12	60	R			From:	Dead End				NA		NA		05/17/2002
			To:	SR 94											
(1009)	0.05	60	R			From:	Dead End				NA		NA		1999
			To:	38-1003											
Town of Fries															
(1010)	0.04	1300	R			From:	SR 94				NA		NA		05/17/2002
			To:	38-1001 W Main St											
(1011) Carroll	0.13	140	R			From:	38-1001 E Main St				NA		NA		05/17/2002
			To:	Dead End											
(1012)	0.29	430	R			From:	38-1001 W, W Main St				NA		NA		05/17/2002
			To:	38-1001 EAST											
(1013) Lee Dr	0.19	50	F	99%	0%	1%	0%	0%	0%	C	0.119	F	50	F	2008
			To:	38-1001 S, E Main St											
Grayson County															
(1015)	0.22	70	R			From:	38-613 Edmonds Rd				NA		NA		07/12/2002
			To:	Cul-de-Sac											
(1020)	0.24	110	R			From:	38-654 Peach Bottom Rd				NA		NA		06/04/2002
			To:	Dead End											
Town of Independence															
(1100) Wolf Ave	0.03	8	R			From:	38-1132 Williams St				NA		NA		1995
			To:	Dead End											
(1101) Davis St	0.24	1100	R			From:	US 21				NA		NA		1995
			To:	38-1131 Anvil Rock Rd											
(1101) Davis St	0.10	740	R			From:	38-1104; 38-1105				NA		NA		1995
			To:												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Independence															
(1102) Hackler Lane	0.15	720	R			From: US 58, W Main St					NA		NA		1995
			To: US 21												
(1103) Edgewood Dr	0.34	110	R			From: Dead End					NA		NA		1995
			To: US 58, W Main St												
(1103) Edgewood Dr	0.12	60	R			From: NA					NA		NA		1999
			To: 0.12 MN US 58												
(1104)	0.08	70	R			From: 38-1101; 38-1105					NA		NA		1995
			To: Dead End												
(1105)	0.23	450	R			From: US 58, E Main St					NA		NA		1995
			To: 38-1108 Hillcrest												
(1106) Lonesome Ave	0.05	600	R			From: US 58, E Main St					NA		NA		1995
			To: 38-1101 Davis St												
(1107) Circle Dr	0.02	20	R			From: 38-1105					NA		NA		1995
			To: 38-1108 Hillcrest												
(1108) Hillcrest	0.34	100	R			From: 38-685 Power House Rd					NA		NA		1995
			To: Dead End												
(1109) Carpenter St	0.13	90	R			From: US 21					NA		NA		1995
			To: 38-1123												
(1109) Carpenter St	0.05	49	R			From: NA					NA		NA		1999
			To: Dead End												
(1110)	0.05	8	R			From: 38-1108 Hillcrest					NA		NA		1995
			To: Dead End												
(1111) Library St	0.14	280	R			From: US 21					NA		NA		1995
			To: 38-802												
(1112) Moore St	0.06	49	R			From: US 21					NA		NA		1999
			To: Dead End												
(1113) Hawkins Lane	0.07	30	R			From: US 58, W Main St					NA		NA		1999
			To: Dead End												
(1114) Anders St	0.07	130	R			From: 38-1122 Grayson Ave					NA		NA		1995
			To: 38-685 Power House Rd												
(1115) Miles St	0.26	110	R			From: US 21					NA		NA		1995
			To: Dead End												
(1116) Colonial Dr	0.05	50	R			From: 38-684 Pinehurst St					NA		NA		1995
			To: Dead End												
(1117) Meadow View Dr	0.10	110	R			From: 38-1120 Round Hill Rd					NA		NA		1995
			To: US 21												
(1118) Mill Ave	0.10	180	R			From: Dead End					NA		NA		1995
			To: US 58, E Main St												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Independence															
(1119)	0.47	830	R			From:	Dead End				NA		NA	NA	1995
						To:	US 58, E Main St								
(1120) Round Hill Rd	0.07	10	R			From:	Dead End				NA		NA	NA	1995
						To:	38-1130								
(1120) Round Hill Rd	0.15	60	R			From:		NA			NA		NA	NA	1995
						To:	38-684 Elliott Place								
(1121)	0.10	70	R			From:	US 58, E Main St				NA		NA	NA	1995
						To:	Dead End								
(1122) Grayson Ave	0.14	350	R			From:	US 58, E Main St				NA		NA	NA	1995
						To:	38-685 Power House Rd								
(1123)	0.20	100	R			From:	Dead End				NA		NA	NA	1995
						To:	US 21								
(1124)	0.26	1200	R			From:	US 58, E Main St				NA		NA	NA	1995
						To:	38-685 Power House Rd								
(1125)	0.06	30	R			From:		NA			NA		NA	NA	1995
						To:	38-1140								
							Dead End								
Grayson County															
(1126)	0.45	280	R			From:	US 21 New River Pkwy				NA		NA	07/26/2002	
						To:	Dead End								
(1127)	0.25	100	R			From:	38-1126				NA		NA	NA	1995
						To:	Dead End								
(1128)	0.05	20	R			From:	38-1127				NA		NA	07/26/2002	
						To:	Dead End								
(1129)	0.35	110	R			From:	Dead End				NA		NA	07/26/2002	
						To:	38-1126								
Town of Independence															
(1130)	0.09	10	R			From:	38-1120 Round Hill Rd				NA		NA	1995	
						To:	Dead End								
(1131) Anvil Rock Rd	0.21	30	R			From:	38-1101 Davis St				NA		NA	1999	
						To:	0.21 MN 38-1101								
(1131) Anvil Rock Rd	0.20	6	R			From:		NA			NA		NA	1995	
						To:	Dead End								
(1132) Williams St	0.16	60	R			From:	38-802 Hilltop Dr				NA		NA	1995	
						To:	Dead End								
(1133) Poplar Ave	0.06	7	R			From:	38-1101 Davis St				NA		NA	1991	
						To:	Dead End								
(1134)	0.24	180	R			From:	Dead End				NA		NA	1995	
						To:	38-1119								
(1134)	0.22	70	R			From:		NA			NA		NA	1995	
						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Grayson County															
(1135)	0.10	110	R			From: Dead End					NA		NA		1995
						To: 38-685									
Town of Independence															
(1136)	0.09	250	R			From: US 21					NA		NA		1995
						To: Dead End									
(1137) Courthouse Ave	0.04	190	R			From: US 58, E Main St					NA		NA		1995
						To: 38-1101 Davis St									
(1138) Anderson St	0.09	70	R			From: US 21					NA		NA		1995
						To: Dead End									
(1139)	0.17	220	R			From: 38-802 SOUTH					NA		NA		1995
						To: 38-802 NORTH									
(1140)	0.34	NA				From: 38-1124					NA		NA		
						To: 38-685 Power House Rd									
(1141)	0.07	NA				From: 38-1140					NA		NA		
						To: Dead End									
Grayson County															
(1145)	0.40	110	R			From: 38-636 S, Beach Grove Ln					NA		NA		06/06/2002
						To: 38-636 N, Beach Grove Ln									
Town of Troutdale															
(1201) High County Ln	0.13	140	R			From: 38-603 Fairwood Rd					NA		NA		06/21/2002
						To: Dead End									
(1202) Woodland Lane	0.43	30	R			From: Dead End					NA		NA		12/29/2005
						To: 38-603 Fairwood Dr									
Grayson County															
(9175) School Lane	0.13	180	R			From: Elk Creek Elem School					NA		NA		01/27/2006
						To: 38-659 Tiny Wood Lane									
Town of Independence															
(9176)	0.11	950	R			From: Independence High					NA		NA		1995
						To: US 58 E Main St									
Grayson County															
(9465)	0.19	180	R			From: 38-821 Fairview Rd					NA		NA		1991
						To: Fairview Elem School									
(9512)	0.08	120	R			From: Springvalley Elem Sch					NA		NA		1991
						To: 38-649									
(9513)	0.18	140	R			From: Wood Elem Sch					NA		NA		1995
						To: 38-636									
(9916)	0.06	80	R			From: Flatridge Elem Sch					NA		NA		1995
						To: 38-601 Flat Ridge Rd									
(9966)	0.05	90	R			From: Bridge Creek Elem Sch					NA		NA		1991
						To: 38-601 Bridge Creek Rd									

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Grayson County																
9968	0.06	120	R			From:	Mt Rogers High Sch			NA		NA		1991	To:	US 58 Highlands Pkwy