

**2008**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**56**

Madison County  
Town of Madison

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
15 James Madison Hwy	Madison County	0.39	7200	F	93%	0%	1%	1%	4%	0%	F	0.085	F		7700	F
15 James Madison Hwy	Madison County	4.92	5300	F	93%	0%	1%	1%	4%	0%	C	0.089	F		5700	F
29 S Seminole Trail	Madison County	5.57	15000	A	93%	1%	1%	1%	5%	0%	C	0.113	A		13000	A
29 230 S Seminole Trail	Madison County	0.52	20000	F	93%	1%	1%	1%	5%	0%	F	0.076	F		19000	F
29 231 S Seminole Trail	Madison County	1.34	20000	F	93%	1%	1%	1%	5%	0%	F	0.075	F		18000	F
29 Seminole Trail	Madison County	2.02	17000	F	93%	1%	1%	1%	5%	0%	F	0.075	F		15000	F
29 N Seminole Trail	Madison County	3.16	16000	F	93%	1%	1%	1%	5%	0%	F	0.072	F		15000	F
29 N Seminole Trail	Madison County	4.03	16000	F	93%	1%	1%	1%	5%	0%	F	0.074	F		14000	F
Bus 29 231 Main St	Madison County	0.33	3700	F	98%	0%	1%	1%	1%	0%	C	0.099	F		4000	F
Bus 29 231 Main St	Town of Madison (Maint: 56)	0.91	3700	N	98%	0%	1%	1%	1%	0%	N	0.099	N		4000	N
Bus 29 Main St	Town of Madison (Maint: 56)	0.05	3900	F	98%	0%	1%	1%	1%	0%	F	0.106	F		4200	F
Bus 29 Main St	Madison County	0.75	3900	N	98%	0%	1%	1%	1%	0%	N	0.106	N		4200	N
48 Skyline Dr	Madison County (Maint: US )	14.77	800	O										NA		NA
230 Wolftown-Hood Rd	Madison County	7.46	3000	F	95%	1%	1%	1%	2%	0%	C	0.090	F	0.606	3200	F
230 29 S Seminole Trail	Madison County	0.52	20000	F	93%	1%	1%	1%	5%	0%	F	0.076	F		19000	F
230 231 Orange Rd	Madison County	0.64	3200	F	94%	0%	1%	3%	2%	0%	C	0.099	F	0.585	3400	F

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
230 Orange Rd	Madison County	2.53	3200	F	94%	0%	1%	3%	2%	0%	C	0.096	F	0.52	3400	F
230 Orange Rd	Madison County	2.86	3000	F	94%	0%	1%	3%	2%	0%	F	0.104	F	0.571	3200	F
230 Orange Rd	Madison County	3.16	3000	F	94%	0%	1%	3%	2%	0%	F	0.092	F	0.585	3200	F
231 S Blue Ridge Tpke	Madison County	9.36	1200	F	96%	1%	1%	1%	2%	0%	C	0.102	F	0.5	1300	F
231 230 Orange Rd	Madison County	0.64	3200	F	94%	0%	1%	3%	2%	0%	C	0.099	F	0.585	3400	F
231 29 S Seminole Trail	Madison County	1.34	20000	F	93%	1%	1%	1%	5%	0%	F	0.075	F		18000	F
231 Bus 29 Main St	Madison County	0.33	3700	F	98%	0%	1%	1%	1%	0%	C	0.099	F		4000	F
231 Bus 29 Main St	Town of Madison (Maint: 56)	0.91	3700	N	98%	0%	1%	1%	1%	0%	N	0.099	N		4000	N
231 N Blue Ridge Tpke	Town of Madison (Maint: 56)	0.04	3500	G	94%	0%	2%	2%	3%	0%	F	0.094	N	0.604	3500	G
231 N Blue Ridge Tpke	Madison County	5.44	3300	F	96%	1%	1%	1%	2%	0%	F	0.094	F	0.604	3500	F
231 South F T Valley Rd	Madison County	7.19	1300	F	94%	0%	2%	2%	3%	0%	C	0.108	F	0.520	1300	F

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(F722) S Frontage Rd	0.05	NA				From:	Dead End				NA			NA		
(F722) N Frontage Rd	0.43	NA				To:	56-687 Fairgrounds Rd				NA			NA		
(F1057) Restoration Lane	0.03	NA				To:	Dead End				NA			NA		
(667) Middle River Rd	1.73	120	R			From:	Greene County Line				NA			NA		07/15/2008
						To:	Dead End									
(600) Bohannon Rd	0.88	100	F	96%	1%	1%	1%	0%	0%	C	0.122	F	0.643	110	F	2008
						To:	56-670 Old Blue Ridge Tpke									
(600) Bohannon Rd	0.05	110	R			From:	0.88 MN 56-670 Old Blue Ridge Tpke				NA			NA		10/12/2005
						To:	56-611 Shotwell Hollow Rd									
(600) Bohannon Rd	0.76	80	R			From:	56-643 S, Weakley Hollow Rd				NA			NA		10/12/2005
						To:	56-643 S; Bohannon Rd									
(600) Weakley Hollow Rd	0.65	340	R			From:	56-643 N, Etlan Rd				NA			NA		10/12/2005
						To:	Shenandoah Natl Park Bndy; Gap									
(600) Nethers Rd	1.30	190	R			From:	56-707 Pine Hill Rd				NA			NA		10/12/2005
						To:	Dead End									
(601) Quarter Run Rd	0.20	30	R			From:	56-622 Tanners Rd				NA			NA		12/28/2005
						To:	56-603 Hughes River Rd									
(602) Hughes River Rd	0.70	40	R			From:	SR 231 South F T Valley Rd				NA			NA		10/25/2005
						To:	SR 231, South F T Valley Rd									
(602) Nethers Rd	0.30	150	R			From:	Rappahannock County Line				NA			NA		10/12/2005
						To:	US 29 N Seminole Trail									
(603) Hebron Valley Rd	1.38	730	R			From:	56-638 Hebron Church Rd				NA			NA		11/28/2005
						To:	56-604 Towles Rd									
(603) Hebron Valley Rd	1.59	730	F	95%	1%	2%	1%	1%	0%	C	0.112	F	0.75	780	F	2008
						To:	56-609 S, Hoover Rd									
(603) Hebron Valley Rd	1.12	370	F	95%	1%	2%	1%	1%	0%	F	0.099	F	0.553	400	F	2008
						To:	56-609 N, Hoover Rd									
(603) Duet Rd	1.34	220	R			From:	56-642; Whippoorwill Rd				NA			NA		11/15/2005
						To:	56-642 Duet Rd									
(603) Whippoorwill Rd	3.85	40	R			From:	56-643 Church Hill Rd				NA			NA		11/15/2005
						To:	56-602 Hughes River Rd									
(603) Hughes River Rd	0.86	40	R			From:	56-603 Hebron Valley Rd				NA			NA		11/15/2005
						To:	56-640 Mill Hill Rd									
(603)	0.20	6	R			From:	Rappahannock County Line				NA			NA		11/15/2005
						To:	56-669 Sawmill Rd									
(604) Towles Rd	1.00	80	R			From:	56-640 Mill Hill Rd				NA			NA		09/30/2002
						To:	56-669 Sawmill Rd									
(604) Towles Rd	0.50	120	R			From:	56-669 Sawmill Rd				NA			NA		11/15/2005
						To:	56-669 Sawmill Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(604) Towles Rd	0.40	80	R								NA		NA		11/15/2005	
(604) Arrington Mountain Rd	1.50	320	R								NA		NA		11/10/2005	
(604) Novum Rd	0.70	210	R								NA		NA		11/15/2005	
(604) Mitchell Mtn Rd	0.98	50	R								NA		NA		11/10/2005	
(604) Mitchell Mtn Rd	1.02	20	R								NA		NA		11/10/2005	
(605) Pullen Lane	0.70	30	R								NA		NA		11/10/2005	
(605) Novum Church Rd	1.54	40	R								NA		NA		11/10/2005	
(605) Novum Church Rd	0.26	120	R								NA		NA		11/10/2005	
(605) Parish Rd	2.10	120	R								NA		NA		11/10/2005	
(605) Parish Rd	0.30	60	R								NA		NA		11/10/2005	
(606) Desert Rd	2.50	40	R								NA		NA		11/15/2005	
(606) Novum Rd	1.70	330	R								NA		NA		11/10/2005	
(606) Novum Rd	0.20	170	R								NA		NA		11/10/2005	
(607) Repton Mill Rd	1.40	110	R								NA		NA		08/26/2002	
(607) Repton Mill Rd	1.00	270	R								NA		NA		08/26/2002	
(607) Repton Mill Rd	0.30	360	R								NA		NA		08/22/2002	
(607) Elly Rd	2.34	870	F	97%	0%	1%	1%	1%	0%	C	0.104	F	0.586	930	F	2008
(607) Elly Rd	2.35	360	R								NA		NA		08/12/2002	
(607) Lillards Ford Rd	2.50	160	R								NA		NA		08/05/2002	
(607) Lillards Ford Rd	1.20	290	R								NA		NA		08/08/2002	
(607) Lillards Ford Rd	0.90	520	R								NA		NA		07/23/2002	
(607) Lillards Ford Rd	0.20	340	R								NA		NA		07/29/2002	
(607) Ridgeview Rd	0.43	970	R								NA		NA		07/29/2002	

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(607) Ridgeview Rd	0.35	800	R								NA		NA		07/29/2002	
(607) Ridgeview Rd	0.60	670	R								NA		NA		07/29/2002	
(607) Ridgeview Rd	1.70	510	R								NA		NA		09/30/2002	
(607) Ridgeview Rd	1.00	300	R								NA		NA		09/30/2002	
(607) Ridgeview Rd	0.80	600	R								NA		NA		09/26/2002	
(607) Ridgeview Rd	1.30	350	R								NA		NA		09/26/2002	
(608) Oakland Rd	0.20	200	R								NA		NA		09/26/2002	
(609) John Myers Rd	0.50	20	R								NA		NA		10/31/2005	
(609) John Myers Rd	0.46	70	R								NA		NA		10/31/2005	
(609) Hoover Rd	1.71	580	F	96%	1%	1%	1%	1%	0%	F	0.118	F	0.621	620	F	2008
(609) Hoover Rd	2.16	730	F	96%	1%	1%	1%	1%	0%	F	0.101	F	0.526	780	F	2008
(609) Hoover Rd	3.19	970	F	96%	1%	1%	1%	1%	0%	F	0.101	F	0.718	1000	F	2008
(609) Hoover Rd	0.47	1600	F	96%	1%	1%	1%	1%	0%	C	0.101	F	0.754	1700	F	2008
(610) Wilhoits Lane	0.50	20	R								NA		NA		11/22/2005	
(611) Shotwell Hollow Rd	1.70	40	R								NA		NA		10/12/2005	
(612) James City Rd	0.02	450	R								NA		NA		1999	
(612) James City Rd	1.90	280	R								NA		NA		09/30/2002	
(613) Kinderhook Rd	3.25	280	R								NA		NA		09/12/2002	
(614) John Tucker Rd	2.15	370	R								NA		NA		08/15/2002	
(614) John Tucker Rd	0.25	450	R								NA		NA		08/15/2002	
(614) Twymans Mill Rd	2.60	410	F	94%	1%	1%	3%	0%	0%	F	0.113	F	0.524	440	F	2008
(614) Locust Dale Rd	1.90	440	F	94%	1%	1%	3%	0%	0%	C	0.102	F	0.54	470	F	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(615) Bluff Mountain Rd	2.23	60	R								NA		NA		11/07/2005	
(615) Bluff Mountain Rd	2.35	230	R								NA		NA		11/07/2005	
(616) Caves Ford Lane	0.30	7	R								NA		NA		08/29/2002	
(616) Caves Ford Lane	0.70	70	R								NA		NA		08/29/2002	
(616) Tatum's School Rd	0.50	90	R								NA		NA		08/29/2002	
(616) Locust Grove Church R	3.22	410	R								NA		NA		11/22/2005	
(616) Good Hope Church Rd	1.91	530	F	95%	0%	2%	2%	1%	0%	C	0.116	F	0.587	560	F	2008
(616) Carpenters Mill Rd	1.60	1100	R								NA		NA		08/15/2002	
(616) Carpenters Mill Rd	1.20	1200	R								NA		NA		08/15/2002	
(617) Whites Lane	0.60	20	R								NA		NA		11/22/2005	
(618) Fords Shop Rd	1.86	180	R								NA		NA		08/05/2002	
(618) Waylands Mill Rd	0.80	320	R								NA		NA		08/05/2002	
(618) Waylands Mill Rd	1.10	80	R								NA		NA		12/14/2005	
(619) Ruckers Ford Lane	0.15	5	R								NA		NA		11/22/2005	
(620) Race Ground Rd	1.60	130	R								NA		NA		11/22/2005	
(620) Tatum's School Rd	1.40	140	R								NA		NA		08/29/2002	
(620) Tatum's School Rd	3.30	230	R								NA		NA		08/22/2002	
(621) Seville Rd	2.90	160	R								NA		NA		09/03/2002	
(621) Seville Rd	0.80	380	R								NA		NA		09/03/2002	
(621) Jacks Shop Rd	1.30	380	R								NA		NA		09/03/2002	
(621) Jacks Shop Rd	2.20	320	R								NA		NA		09/03/2002	
(621) Jacks Shop Rd	0.90	390	R								NA		NA		09/03/2002	

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(621) Beautiful Run Rd	3.01	240	R			From: SR 231 S, Blue Ridge Tpke				NA			NA		08/29/2002	
			To: 56-616 Good Hope Church Rd; Locust Grove Church Rd													
(621) Beautiful Run Rd	1.00	390	F	99%	0%	0%	0%	0%	0%	C	0.111	F	0.542	420	F	2008
			To: SR 230 Orange Rd													
(622) Tanners Rd	0.90	130	R			From: 56-705 Twymans Mill Rd				NA			NA		12/28/2005	
			To: 56-601 Quarter Run Rd													
(622) Tanners Rd	0.80	140	R			From: 56-623 Mt Pisgah Church Rd				NA			NA		12/28/2005	
			To: US 15 James Madison Hwy													
(622) Woodberry Dr	0.10	1400	R			From: Dead End				NA			NA		12/28/2005	
			To: Dead End													
(623) Mt Pisgah Church Rd	0.70	110	R			From: 56-622 Tanners Rd				NA			NA		12/28/2005	
			To: Dead End													
(624) Annies Rd	1.20	190	R			From: 56-662 Shiffletts Corner Lane				NA			NA		11/22/2005	
			To: 56-607 Repton Mill Rd													
(625) Tom Johnston Rd	1.10	170	R			From: 56-607 Elly Rd				NA			NA		11/22/2005	
			To: 56-726 Sparks Lane													
(625) Tom Johnston Rd	0.90	80	R			From: 56-616 Carpenters Mill Rd				NA			NA		11/22/2005	
			To: US 29, SR 230, S Seminole Trail													
(626) Gibbs Rd	0.72	880	R			From: SR 231 Blue Ridge Turnpike; Gap				NA			NA		08/26/2002	
			To: SR 230 Orange Rd; Gap													
(626) Oneals Rd	2.00	830	R			From: 56-616 Carpenters Mill Rd; 56-634 Oak Park Rd				NA			NA		08/15/2002	
			To: 56-634 Oak Park Rd													
(627) Dark Run Lane	0.60	60	R			From: Dead End				NA			NA		12/29/2005	
			To: Dead End													
(628) Spikes Dr	0.30	60	R			From: 56-607 Elly Rd				NA			NA		12/29/2005	
			To: Dead End; Gap													
(628) Berryhill Lane	0.50	47	R			From: 56-634 Oak Park Rd				NA			NA		12/29/2005	
			To: 56-634 Oak Park Rd													
(629) Lonnie Burke Rd	0.80	640	R			From: US 29 N Seminole Trail				NA			NA		08/08/2002	
			To: 56-607 S, Lillards Ford Rd													
(629) Spring Branch Rd	1.30	430	R			From: 56-607 N, Lillards Ford Rd				NA			NA		07/23/2002	
			To: 56-630 Thoroughfare Rd													
(630) Thoroughfare Rd	2.67	280	R			From: 56-631 Leon Rd				NA			NA		08/05/2002	
			To: 56-629 Spring Branch Rd													
(630) Thoroughfare Rd	1.35	260	R			From: 56-629 Spring Branch Rd				NA			NA		07/23/2002	
			To: 56-710 Cook Mountain Dr													
(630) Thoroughfare Rd	0.45	510	R			From: US 29 N Seminole Trail				NA			NA		07/23/2002	
			To: US 29 N Seminole Trail													
(630) Thoroughfare Rd	0.02	360	R			From: 56-678 Tibbs Shop Rd				NA			NA		11/28/2005	
			To: 56-678 Tibbs Shop Rd													

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(631) Meander Run Rd	3.29	220	R								NA		NA		12/14/2005	
(631) Meander Run Rd	0.31	250	R								NA		NA		12/14/2005	
(631) Leon Rd	0.90	400	R								NA		NA		12/14/2005	
(631) Leon Rd	2.52	820	R								NA		NA		12/14/2005	
(631) Kirtley Rd	0.68	46	R								NA		NA		10/27/2005	
(632) Beahm Town Rd	1.03	390	R								NA		NA		12/14/2005	
(632) Beahm Town Rd	0.63	240	R								NA		NA		12/14/2005	
(632) Beahm Town Rd	0.04	250	R								NA		NA		12/14/2005	
(632) Beahm Town Rd	0.65	240	R								NA		NA		12/14/2005	
(632) Beahm Town Rd	0.45	340	R								NA		NA		12/14/2005	
(633) Crawford Lane	0.60	30	R								NA		NA		11/18/2005	
(633) Crawford Lane	0.01	20	R								NA		NA		11/18/2005	
(634) Oak Park Rd	4.10	590	F	98%	0%	1%	0%	1%	0%	F	0.114	F	0.778	630	F	2008
(634) Oak Park Rd	1.87	550	F	98%	0%	1%	0%	1%	0%	F	0.102	F	0.546	580	F	2008
(634) Oak Park Rd	1.32	1100	F	98%	0%	1%	0%	1%	0%	F	0.103	F	0.531	1200	F	2008
(634) Oak Park Rd	1.04	1600	F	98%	0%	1%	0%	1%	0%	F	0.101	F	0.573	1800	F	2008
(634) Oak Park Rd	1.13	2400	F	98%	0%	1%	0%	1%	0%	C	0.092	F	0.55	2500	F	2008
(634) Washington St	0.16	3000	F	98%	0%	1%	1%	0%	0%	C	0.095	F	0.543	3200	F	2008
<b>Town of Madison</b>																
(634) Washington St	0.10	3000	N	98%	0%	1%	1%	0%	0%	N	0.095	N	0.543	3200	N	2008
(634) Schoolhouse Rd	0.09	260	R								NA		NA		12/28/2005	
<b>Madison County</b>																
(634) Schoolhouse Rd	0.17	70	R								NA		NA		12/28/2005	
(635) Mt Zion Church Rd	2.50	20	R								NA		NA		12/28/2005	

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(635) Mt Zion Church Rd	0.30	50	R			From:	2.50 MN 56-614 John Tucker Rd							NA	12/28/2005	
						To:	56-634 Oak Park Rd									
(636) River Rd	0.80	30	R			From:	56-637 Clore Rd							NA	12/28/2005	
						To:	0.80 ME 56-637 Clore Rd									
(636) River Rd	0.03	40	R			From:	US 29 N Seminole Trail							NA	12/28/2005	
						To:										
(637) Clore Rd	0.80	380	R			From:	56-673 Cedar Hill Rd							NA	12/28/2005	
						To:	0.80 MN 56-673 Cedar Hill Rd									
(637) Clore Rd	0.20	150	R			From:	56-636 River Rd							NA	09/09/2002	
						To:	Dead End									
(638) Double Run Rd	0.75	70	R			From:	Dead End							NA	12/28/2005	
						To:	SR 231 S, N Blue Ridge Tpke									
(638) Hebron Church Rd	2.18	240	F	98%	0%	2%	0%	0%	0%	C	0.157	F	0.698	260	F	2008
						From:	SR 231 N, N Blue Ridge Tpke									
(638) Hebron Church Rd	0.50	110	R			From:	56-603 Hebron Valley Rd							NA	10/27/2005	
						To:										
(638) Hebron Church Rd	1.10	40	R			From:	56-639 Tennants Church Rd							NA	10/27/2005	
						To:	US 29 N Seminole Trail									
(639) Tennants Church Rd	1.80	60	R			From:	56-638 Hebron Church Rd							NA	10/27/2005	
						To:	56-640 Mill Hill Rd									
(640) Mill Hill Rd	1.20	20	R			From:	56-604 Towles Rd							NA	10/27/2005	
						To:	56-639 Tennants Church Rd									
(640) Mill Hill Rd	0.50	60	R			From:	56-704 Great Oak Rd							NA	10/27/2005	
						To:										
(640) Wilderness Rd	1.60	50	R			From:	56-607 W, Ridgeview Rd							NA	10/27/2005	
						To:	56-607 E, Ridgeview Rd									
(640) Tryme Rd	0.60	300	R			From:	56-612 James City Rd							NA	10/27/2005	
						To:										
(640) Tryme Rd	0.40	360	R			From:	56-609 Hoover Rd							NA	09/30/2002	
						To:										
(641) Weaver Hollow Rd	1.01	220	R			From:	56-609 Hoover Rd							NA	10/25/2005	
						To:	56-721 Woodward Hollow Rd									
(641) Weaver Hollow Rd	0.01	70	R			From:	56-721 Woodward Hollow Rd							NA	10/25/2005	
						To:	0.01 MS 56-721 Woodward Hollow Rd									
(641) Weaver Hollow Rd	1.49	30	R			From:	56-642 Duet Rd							NA	09/23/2002	
						To:										
(642) Duet Rd	0.40	70	R			From:	56-603 Whippoorwill Rd							NA	10/25/2005	
						To:										
(642) Duet Rd	0.70	70	R			From:	56-641 Weaver Hollow Rd							NA	10/25/2005	
						To:										
(642) Duet Rd	1.10	90	R			From:	56-701 Dulaney Mountain Rd							NA	10/25/2005	
						To:	SR 231 N, South F T Valley Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(642) Poor House Rd	2.15	100	R								NA		NA		09/23/2002	
(642) Poor House Rd	0.65	200	R								NA		NA		09/23/2002	
(642) Lindsey Lane	0.60	80	R								NA		NA		10/31/2005	
(642) Lindsey Lane	0.40	60	R								NA		NA		10/31/2005	
(642) Lindsey Lane	0.50	90	R								NA		NA		09/23/2002	
(642) Lindsey Lane	1.00	80	R								NA		NA		09/23/2002	
			To:								Dead End					
(643) Weakley Hollow Rd	0.30	270	F	96%	2%	1%	2%	0%	0%	C	0.114	F	0.595	290	F	2008
			To:								56-600 S, Bohannon Rd					
(643) Etlan Rd	4.40	110	F	96%	2%	1%	2%	0%	0%	F	0.124	F	0.588	120	F	2008
			To:								SR 231, South F T Valley Rd					
(643) Church Hill Rd	1.00	110	R								NA		NA		09/26/2002	
			To:								56-603 Whippoorwill Rd					
(644) Emmett Rd	1.50	80	R								NA		NA		10/12/2005	
			To:								56-643 Etlan Rd					
(645) Rider Hollow Lane	1.40	80	R								NA		NA		10/12/2005	
			To:								Dead End					
(646) Champe Plain Rd	1.10	140	R								NA		NA		09/26/2002	
			To:								56-644 Emmett Rd					
(646) Champe Plain Rd	1.70	100	R								NA		NA		09/26/2002	
			To:								56-707 Nethers Rd					
(647) Hunter Lane	0.11	180	R								NA		NA		07/23/2002	
			To:								US 29 N Seminole Trail					
(648) Finks Hollow Lane	1.57	130	R								NA		NA		10/12/2005	
			To:								Dead End					
(648) Finks Hollow Lane	0.14	170	R								NA		NA		10/12/2005	
			To:								1.57 ME Dead End					
(649) Quaker Run Rd	1.35	150	R								NA		NA		10/31/2005	
			To:								End State Maintenance					
(649) Quaker Run Rd	1.65	210	R								NA		NA		10/31/2005	
			To:								1.35 ME End State Maintenance					
(649) Quaker Run Rd	0.10	380	R								NA		NA		10/31/2005	
			To:								56-672 Doubletop Rd					
(650) Beamers Head Rd	1.10	70	R								NA		NA		10/31/2005	
			To:								56-651 Aylor Rd					
(650) Oak Grove Rd	1.30	45	R								NA		NA		10/31/2005	
			To:								56-642 E, Lindsey Lane					
(650) Berrey Rd	0.70	47	R								NA		NA		10/31/2005	
			To:								56-642 W, Lindsey Lane					
			To:								56-672 Meadows Lane					

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(651) Aylor Rd	2.80	70	R											NA	11/16/2005	
(651) Aylor Rd	0.90	110	R											NA	09/19/2002	
(651) Aylor Rd	0.40	170	R											NA	09/19/2002	
(651) Aylor Rd	1.00	260	R											NA	09/19/2002	
(651) Aylor Rd	0.60	320	R											NA	09/19/2002	
<b>Town of Madison</b>																
(652) Ruth Rd	0.09	340	R											NA	12/28/2005	
<b>Madison County</b>																
(652) Ruth Rd	3.31	350	R											NA	11/16/2005	
(652) Gaar Mountain Rd	2.40	30	R											NA	11/16/2005	
(652) Horn Hollow Lane	0.10	60	R											NA	11/16/2005	
(652) Horn Hollow Lane	1.00	20	R											NA	11/16/2005	
(653) Blankenbaker Rd	0.35	70	R											NA	10/27/2005	
(653) Blankenbaker Rd	0.68	60	R											NA	10/27/2005	
(654) Williamsburg Pike	0.50	300	R											NA	09/19/2002	
(654) Williamsburg Pike	0.70	120	R											NA	09/19/2002	
(655) Glebe Lane	0.50	20	R											NA	11/16/2005	
(655) Glebe Lane	0.90	80	R											NA	12/28/2005	
(656) Courtney Hollow Lane	1.40	80	R											NA	11/16/2005	
(656) Courtney Hollow Lane	0.50	230	R											NA	09/16/2002	
(657) Edgewood School Lane	0.30	240	R											NA	11/18/2005	
(657) Thrift Rd	4.01	120	F	99%	0%	1%	0%	0%	0%	F	0.150	F	0.55	130	F	2008
<b>Town of Madison</b>																
(657) Thrift Rd	0.09	410	F	99%	0%	1%	0%	0%	0%	C	0.130	F	0.625	440	F	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(658) Ruth Rd	3.80	110	R			From:	56-657 Thrift Rd				NA		NA		09/16/2002	
						To:	56-656 Courtney Hollow Lane									
(659) Madison Mills Lane	0.29	100	R			From:	Dead End				NA		NA		08/19/2002	
						To:	US 15 James Madison Hwy									
(660) Courthouse Mountain R	0.08	200	R			From:	Dead End				NA		NA		09/09/2002	
						To:	Bus US 29 Main St									
(661) Trinity Lane	0.50	60	R			From:	Dead End				NA		NA		11/18/2005	
						To:	0.50 MN Dead End									
(661) Trinity Lane	0.50	70	R			From:	SR 230 Wolftown-Hood Rd				NA		NA		11/18/2005	
						To:										
(662) Shiffletts Corner Lane	1.00	270	R			From:	Dead End				NA		NA		11/22/2005	
						To:	56-624 Annies Rd									
(662) Shiffletts Corner Lane	0.30	320	R			From:	SR 231 S, S Blue Ridge Tpke				NA		NA		11/22/2005	
						To:	SR 231 N, S Blue Ridge Tpke									
(662) Shelby Rd	2.20	690	F	97%	0%	1%	1%	1%	0%	C	0.096	F	0.632	730	F	2008
						To:	US 29, S Seminole Trail									
(662) Shelby Rd	3.67	600	F	98%	0%	1%	0%	0%	0%	C	0.101	F	0.643	640	F	2008
						To:	SR 230 E, Wolftown-Hood Rd									
(662) Graves Mill Rd	0.96	920	F	96%	0%	1%	1%	1%	0%	C	0.096	F	0.62	990	F	2008
						To:	SR 230 W, Wolftown-Hood Rd									
(662) Graves Mill Rd	0.50	1000	R			From:	56-689 Berry Mountain Lane				NA		NA		11/03/2005	
						To:										
(662) Graves Mill Rd	2.80	390	R			From:	56-665 Garth Run Rd				NA		NA		11/07/2005	
						To:										
(662) Graves Mill Rd	1.15	300	R			From:	56-676 General Banks Lane				NA		NA		11/07/2005	
						To:										
(662) Graves Rd	1.60	90	R			From:	56-615 Bluff Mountain Rd				NA		NA		11/07/2005	
						To:										
(663) Walkers Mill Lane	0.90	48	R			From:	Dead End				NA		NA		11/18/2005	
						To:										
(663) Walkers Mill Lane	1.20	100	R			From:	56-664 Carter Ridge Lane				NA		NA		11/18/2005	
						To:										
(663) Willis Rd	2.08	210	R			From:	56-662 S, Shelby Rd				NA		NA		11/18/2005	
						To:	56-662 N, Shelby Rd									
(664) Carter Ridge Lane	0.30	10	R			From:	56-663 Walkers Mill Lane				NA		NA		11/18/2005	
						To:	Dead End									
(665) Garth Run Rd	2.83	140	R			From:	Dead End				NA		NA		11/03/2005	
						To:										
(665) Garth Run Rd	0.35	400	R			From:	56-718 Wallace Gap Lane				NA		NA		11/03/2005	
						To:										
(665) Garth Run Rd	0.52	540	R			From:	56-723 Pine Ridge Lane				NA		NA		11/03/2005	
						To:	56-662 Graves Mill Rd									
(666) Pea Ridge Rd	1.10	120	R			From:	Dead End				NA		NA		11/18/2005	
						To:	SR 230 Wolftown-Hood Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Madison County</b>															
(667) Doc Carpenter Rd	0.30	90	R			From: 56-680 Gate Rd					NA		NA		11/07/2005
			To: Dead End												
(668) Resettlement Court	0.11	140	R			From: Dead End					NA		NA		08/08/2002
			To: 56-688 Resettlement Rd												
(669) Sawmill Rd	0.30	40	R			From: 56-604 Towles Rd					NA		NA		11/15/2005
			To: 56-609 Hoover Rd												
(670) Old Blue Ridge Tpke	1.70	80	R			From: Shenandoah Natl Park Bndy					NA		NA		10/12/2005
			To: 56-648 Finks Hollow Lane												
(670) Old Blue Ridge Tpke	1.42	670	R			From: 56-643 Weakley Hollow Rd					NA		NA		10/12/2005
			To: SR 231, N Blue Ridge Tpke												
(670) Old Blue Ridge Tpke	3.61	1100	G 97%	0%	1%	0%	1%	0%	C NA			1200	G		2008
			To: US 15 James Madison Hwy												
(671) Forest Dr	1.40	230	R			From: US 15 James Madison Hwy					NA		NA		12/28/2005
			To: Dead End												
(672) Doubletop Rd	0.05	140	R			From: 56-649 Quaker Run Rd					NA		NA		10/31/2005
			To: 56-674 Spring Oak Lane												
(672) Meadows Lane	0.25	120	R			From: 56-674 Spring Oak Lane					NA		NA		10/31/2005
			To: 56-650 Berry Rd												
(672) Meadows Lane	0.37	49	R			From: 56-650 Berry Rd					NA		NA		10/31/2005
			To: Dead End												
<b>Town of Madison</b>															
(673) Mud Rd	0.14	100	R			From: 56-652 Ruth Rd					NA		NA		09/09/2002
			To: NCL Madison												
<b>Madison County</b>															
(673) Mud Rd	0.16	120	R			From: NCL Madison					NA		NA		09/09/2002
			To: SR 231 N Blue Ridge Tpke												
(673) Cedar Hill Rd	0.50	760	R			From: SR 231, N Blue Ridge Tpke					NA		NA		09/09/2002
			To: Bus US 29 Main St												
(674) Spring Oak Lane	0.15	20	R			From: Dead End					NA		NA		10/31/2005
			To: 56-672 Doubletop Rd												
(675) Fletcher Rd	1.20	230	R			From: Greene County Line; 39-667 Middle River Rd					NA		NA		09/12/2002
			To: Dead End												
(676) General Banks Lane	0.15	40	R			From: 56-662 Graves Mill Rd					NA		NA		11/07/2005
			To: 0.15 ME 56-662 Graves Mill Rd												
(676) General Banks Lane	0.05	40	R			From: Dead End					NA		NA		11/07/2005
			To: Dead End												
(677) Estes Lane	0.40	20	R			From: Dead End					NA		NA		11/18/2005
			To: US 29 S Seminole Trail												
(678) Tibbs Shop Rd	0.60	330	R			From: 56-607 Ridgeview Rd					NA		NA		07/29/2002
			To: 56-630 Thoroughfare Rd												
(678) Tibbs Shop Rd	0.02	380	R			From: 56-630 Thoroughfare Rd					NA		NA		07/29/2002
			To: US 29 N Seminole Trail												

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(679) Deer Crossing Lane	1.20	230	R											NA	11/22/2005	
			From:			Dead End										
			To:			56-685 Burnt Tree Way										
(680) Gate Rd	0.90	150	R											NA	12/28/2005	
			From:			US 29 N Seminole Trail										
			To:			56-667 Doc Carpenter Rd										
(680) Gate Rd	0.50	40	R											NA	12/14/2005	
			From:			56-667 Doc Carpenter Rd										
			To:			Dead End										
(682) Longshot Lane	0.85	90	R											NA	11/22/2005	
			From:			SR 231, S Blue Ridge Tpke										
			To:			Dead End										
(683) John Weaver Dr	0.29	160	R											NA	11/29/2005	
			From:			Dead End										
(683) John Weaver Dr	0.15	190	R											NA	11/29/2005	
			From:			0.29 MN Dead End										
(683) John Weaver Dr	0.18	450	R											NA	07/29/2002	
			From:			56-724 Geer Lane										
			To:			US 29 N Seminole Trail										
(684) George James Loop	0.27	80	R											NA	08/22/2002	
			From:			SR 230 W, Orange Rd										
			To:			56-735 Short Lane										
(684) George James Loop	0.10	90	R											NA	08/22/2002	
			From:			SR 230 MID, Orange Rd										
(684) Radiant Way	0.21	320	R											NA	08/22/2002	
			To:			56-696 Tinsley Dr										
(684) Radiant Way	0.70	90	R											NA	08/19/2002	
			From:			56-705 Twymans Mill Rd										
			To:			SR 230 E, Orange Rd										
(685) Burnt Tree Way	0.24	180	R											NA	08/19/2002	
			From:			SR 230 W, Orange Rd										
			To:			56-679 Deer Crossing Lane										
(685) Burnt Tree Way	0.24	200	R											NA	08/19/2002	
			From:			SR 230 E, Orange Rd										
(685) Slaughter Dr	0.31	70	R											NA	08/19/2002	
			To:			Dead End										
(686) Fairgrounds Rd Connect	0.04	1600	R											NA	1995	
			From:			SR 230 Orange Rd; SR 231, S Blue Ridge Tpke										
			To:			56-687 Fairgrounds Rd										
(687) Ramp from SR 230 to 5	0.15	150	F	99%	0%	1%	0%	0%	0%	F	0.168	F		160	F	2008
			From:			SR 230 Orange Rd										
(687) Fairgrounds Rd	1.70	1400	F	99%	0%	1%	0%	0%	0%	C	0.098	F	0.519	1500	F	2008
			From:			56-686 Fairgrounds Rd Connector										
(687) Fairgrounds Rd	0.10	850	F	99%	0%	1%	0%	0%	0%	F	0.103	F	0.552	910	F	2008
			From:			US 29 Seminole Trail										
			To:			Bus US 29										
(688) Resettlement Rd	0.30	850	R											NA	12/29/2005	
			From:			56-634 Oak Park Rd										
(688) Resettlement Rd	0.07	650	R											NA	12/29/2005	
			From:			56-725 Little Church Lane										
(688) Resettlement Rd	0.25	230	R											NA	12/29/2005	
			From:			56-668 Resettlement Court										
			To:			Dead End										

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(689) Berry Mountain Lane	0.45	180	R			From: 56-662 Graves Mill Rd					NA		NA		09/12/2002	
			To: Dead End													
(690) Hollowback Lane	0.55	150	R			From: 56-662 Graves Mill Rd					NA		NA		11/03/2005	
			To: Dead End													
(691) Lost Mountain Rd	2.20	20	R			From: SR 230 Orange Rd					NA		NA		10/27/2005	
			To: 56-607 Elly Rd													
(692) Riverview Lane	0.53	110	R			From: SR 230 Wolftown-Hood Rd					NA		NA		10/27/2005	
			To: Dead End													
(693) Hampton Village Rd	0.55	180	R			From: 56-654 Perrys Mill Rd					NA		NA		09/19/2002	
			To: Dead End													
(694) Hoffman Chapel Lane	0.70	20	R			From: 56-638 Hebron Church Rd					NA		NA		10/27/2005	
			To: Dead End													
(695) Yager Mountain Rd	0.80	50	R			From: Dead End					NA		NA		11/16/2005	
			To: 56-655 Glebe Lane													
(696) Tinsley Dr	1.25	260	R			From: 56-684 Radiant Way					NA		NA		08/19/2002	
			To: Dead End													
(697) Bootons Lane	0.75	300	R			From: Dead End					NA		NA		11/16/2005	
			To: SR 230 Orange Rd; 56-685 Burnt Tree Way													
(698) Gabriel Lane	0.50	45	R			From: Dead End					NA		NA		11/16/2005	
			To: 56-652 Horn Hollow Lane													
(699) Lester Utz Lane	0.60	130	R			From: Dead End					NA		NA		11/16/2005	
			To: 56-629 Spring Branch Rd													
(700) Wrights Lane	0.40	110	R			From: Dead End					NA		NA		11/22/2005	
			To: 0.40 MN Dead End													
(700) Wrights Lane	1.25	230	R			From: SR 230 Orange Rd					NA		NA		11/22/2005	
			To: SR 230 Orange Rd													
(701) Dulaney Mountain Rd	0.35	30	R			From: 56-642 Duet Rd					NA		NA		10/25/2005	
			To: Dead End													
(702) Power Dam Rd	0.60	70	R			From: 56-634 Oak Park Rd					NA		NA		12/14/2005	
			To: 0.60 MN 56-634 Oak Park Rd													
(702) Larkins Mill Rd	1.00	40	R			From: 56-607 Lillards Ford Rd					NA		NA		12/14/2005	
			To: 56-607 Lillards Ford Rd													
(703) Eddins Lane	0.20	20	R			From: Dead End					NA		NA		11/22/2005	
			To: 56-616 Caves Ford Lane													
(704) Great Oak Rd	0.90	30	R			From: 56-640 Wilderness Rd; Mill Hill Rd					NA		NA		10/27/2005	
			To: 56-607 Ridgeview Rd													
(705) Twymans Mill Rd	0.78	400	F	99%	0%	0%	1%	0%	0%	C	0.097	F	0.525	430	F	2008
			To: SR 230 Orange Rd													
			To: 56-622 Tanners Rd													

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Madison County</b>																
(705) Twymans Mill Rd	1.80	280	F	99%	0%	0%	1%	0%	0%	F	0.119	F	0.543	300	F	2008
			From:	56-622 Tanners Rd						To:	56-614 Twymans Mill Rd; John Tucker Rd					
(706) Turner Dr	0.70	130	R										NA		NA	10/27/2005
			From:	56-614 Twymans Mill Rd						To:	Dead End					
(707) Nethers Rd	0.30	280	R										NA		NA	10/12/2005
			From:	Rappahannock County Line						To:	56-646 Champe Plain Rd					
(707) Nethers Rd	0.70	320	R										NA		NA	10/12/2005
			From:	56-749 Moon Rd						To:	56-600; Pine Hill Rd					
(707) Nethers Rd	0.30	230	R										NA		NA	10/12/2005
			From:	56-600 Nethers Rd						To:	Rappahannock County Line					
(707) Pine Hill Rd	0.40	30	R										NA		NA	10/12/2005
			From:	Dead End						To:	SR 231, S Blue Ridge Tpke					
(708) Rochelle School Lane	0.60	180	R										NA		NA	11/22/2005
			From:	Dead End						To:	SR 231, S Blue Ridge Tpke					
(709) Medley Mountain Dr	0.20	110	R										NA		NA	11/22/2005
			From:	Dead End						To:	0.20 ME Dead End					
(709) Medley Mountain Dr	0.30	130	R										NA		NA	11/22/2005
			From:	0.20 ME Dead End						To:	56-607 Elly Rd					
(710) Cook Mountain Dr	0.50	200	R										NA		NA	07/23/2002
			From:	56-630 Thoroughfare Rd						To:	Dead End					
(711) Russ Jones Lane	0.70	70	R										NA		NA	11/22/2005
			From:	Dead End						To:	56-607 Repton Mill Rd					
(712) Willis Ford Lane	0.50	120	R										NA		NA	11/22/2005
			From:	0.50 MW SR 231						To:	SR 231, S Blue Ridge Tpke					
(712) Buggy Lane	0.85	150	R										NA		NA	11/22/2005
			From:	SR 231, S Blue Ridge Tpke						To:	Dead End					
(713) Whetstone Rd	0.14	1400	R										NA		NA	11/22/2005
			From:	SR 230 Wolftown-Hood Rd						To:	56-662 Graves Mill Rd					
(714) Bairs Trail Lane	0.70	40	R										NA		NA	11/22/2005
			From:	Dead End						To:	SR 231, S Blue Ridge Tpke					
(715) Tussing Lane	0.40	70	R										NA		NA	11/22/2005
			From:	Dead End						To:	SR 231, S Blue Ridge Tpke					
(716) Mountain Prospect Lane	0.41	49	R										NA		NA	12/14/2005
			From:	Dead End						To:	56-631 Leon Rd					
(717) Ashby Lane	0.25	80	R										NA		NA	10/12/2005
			From:	56-646 Champe Plain Rd						To:	Dead End					
(718) Wallace Gap Lane	0.10	30	R										NA		NA	11/03/2005
			From:	Dead End						To:	56-740 Laurel Dr					
(718) Wallace Gap Lane	0.10	290	R										NA		NA	11/03/2005
			From:	56-665 Garth Run Rd						To:	56-665 Garth Run Rd					

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Madison County</b>															
(719) Gibson Hollow Lane	0.15	60	R			From: 56-643 Etlan Rd					NA		NA		10/12/2005
			To: Dead End												
(720) Leathers Lane	0.50	30	R			From: 56-643 Etlan Rd					NA		NA		10/12/2005
			To: Dead End												
(721) Woodward Hollow Rd	0.80	90	R			From: 56-641 Weaver Hollow Rd					NA		NA		10/25/2005
			To: Dead End												
(722) Fishback Rd	1.27	1300	R			From: 56-634 Oak Park Rd					NA		NA		12/28/2005
			To: FR-1057 Restoration Lane												
(722) Fishback Rd	0.01	NA				From: US 29, N Seminole Trail					NA		NA		
(723) Pine Ridge Lane	0.25	40	R			From: Dead End					NA		NA		11/03/2005
			To: 56-665 Garth Run Rd												
(724) Geer Lane	0.30	210	R			From: Dead End					NA		NA		11/29/2005
			To: 56-683 John Weaver Dr												
(725) Little Church Lane	0.40	250	R			From: 56-688 Resettlement Rd					NA		NA		12/29/2005
			To: Dead End												
(726) Sparks Lane	0.35	60	R			From: 56-625 Tom Johnston Rd					NA		NA		12/29/2005
			To: Dead End												
(727) Stillhouse Dr	0.20	200	R			From: Dead End					NA		NA		08/05/2002
			To: 56-632 Beahm Town Rd												
(728) Village Dr	0.15	200	R			From: SR 231, N Blue Ridge Tpke					NA		NA		09/16/2002
			To: 56-738 Layden Lakeview Circle												
(728) Village Dr	0.17	70	R			From: 56-653 Blankenbaker Rd					NA		NA		09/16/2002
			To: Dead End												
(729) Criglers School Rd	0.06	20	R			From: Dead End					NA		NA		11/28/2005
			To: 56-607 Ridgeview Rd												
(730) Coop Rd	0.22	170	R			From: 56-607 Ridgeview Rd					NA		NA		07/29/2002
			To: US 29 N Seminole Trail												
(731) Roebuck Dr	0.30	40	R			From: Dead End					NA		NA		11/28/2005
			To: 56-607 Elly Rd												
(732) Toms Dr	0.30	60	R			From: 56-607 Lillards Ford Rd					NA		NA		11/28/2005
			To: Dead End												
(733) Oak Hill Court	0.20	100	R			From: Dead End					NA		NA		11/28/2005
			To: US 29, S Seminole Trail												
(734) Marshall Lane	0.15	80	R			From: Dead End					NA		NA		11/22/2005
			To: 56-614 John Tucker Rd												
(735) Short Lane	0.10	70	R			From: Dead End					NA		NA		11/22/2005
			To: 56-684 George James Loop												

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Madison County</b>															
(736) Burks Lane	0.07	48	R			Cul-de-Sac					NA		NA		11/28/2005
			From:							To:					
						US 29 N Seminole Trail									
(737) Hurt Hollow Rd	0.40	60	R			56-642 Poor House Rd					NA		NA		09/23/2002
			From:							To:					
						Dead End									
(738) Layden Lakeview Circle	0.20	40	R			Cul-de-Sac					NA		NA		10/27/2005
			From:							To:					
						56-728 Village Dr									
(739) Crestview Lane	0.23	110	R			56-634 Oak Park Rd					NA		NA		08/08/2002
			From:							To:					
						Dead End									
(740) Laurel Dr	0.10	210	R			Cul-de-Sac					NA		NA		11/03/2005
			From:							To:					
						56-718 Wallace Gap Lane									
(741)	0.26	NA				56-662 Shelby Rd					NA		NA		
			From:							To:					
						SR 230 Wolftown-Hood Rd									
(742) Bright Acres Court	0.17	140	R			Cul-de-Sac					NA		NA		11/28/2005
			From:							To:					
						US 29 N Seminole Trail									
(744) Happy Hills Lane	0.55	NA				56-634 Oak Park Rd					NA		NA		
			From:							To:					
						Dead End									
(745) E Happy Hills Lane	0.17	NA				56-744 Happy Hills Lane					NA		NA		
			From:							To:					
						Dead End									
(749) Moon Rd	0.09	30	R			56-707 Nethers Rd					NA		NA		10/12/2005
			From:							To:					
						Rappahannock County Line									
<b>Town of Madison</b>															
(1001) Church St	0.10	750	R			Bus US 29 Main St					NA		NA		12/28/2005
			From:							To:					
						ECL Madison									
<b>Madison County</b>															
(1001) Church St	0.10	320	R			ECL Madison					NA		NA		12/28/2005
			From:							To:					
						Dead End									
<b>Town of Madison</b>															
(1002) Catherine St	0.06	70	R			Dead End					NA		NA		12/28/2005
			From:							To:					
(1002) Catherine St	0.07	160	R			Bus US 29 Main St					NA		NA		12/28/2005
			From:							To:					
						56-1003 Smith St									
(1003) Smith St	0.25	90	R			Bus US 29 Main St					NA		NA		12/28/2005
			From:							To:					
						56-1002 Catherine St									
<b>Madison County</b>															
(1010) Razors Shop Dr	0.04	47	R			56-607 Elly Rd					NA		NA		08/12/2002
			From:							To:					
						Cul-de-Sac									
(1011) Rolling Green Ln	0.17	46	R			56-629 Spring Branch Rd					NA		NA		12/14/2005
			From:							To:					
						Dead End									
(1017) Greenbriar Court	0.11	30	R			Cul-de-Sac					NA		NA		11/29/2005
			From:							To:					
						56-1018 Coop Shop Lane									

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Madison Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Madison County</b>															
(1018) Coop Shop Lane	0.55	210	R			From: 56-607 Lillards Ford Rd					NA		NA		07/23/2002
			To: Dead End												
(1019) Frays Mill Court	0.10	30	R			From: 56-1018 Coop Shop Lane					NA		NA		07/23/2002
			To: Dead End												
(1020) Weaver Lane	0.26	140	R			From: 56-683 John Weaver Dr					NA		NA		1999
			To: Cul-de-Sac												
(1021) Hebron Court Lane	0.27	NA				From: Dead End					NA		NA		
			To: SR 231, N Blue Ridge Tpke												
(1022)	0.35	NA				From: Dead End					NA		NA		
			To: US 29 N Seminole Trail												
(1030) Oaks Lane	0.07	46	R			From: 56-621 Seville Rd					NA		NA		11/18/2005
			To: Dead End												
(1035) Fox Hunters Ln	0.47	NA				From: 56-722 Fishback Rd					NA		NA		
			To: Dead End												
(9243) Criglersville Elementary	0.08	150	R			From: 56-670 Old Blue Ridge Tpke					NA		NA		09/23/2002
			To: Criglersville Elementary School												
(9244) Madison High School	0.18	350	R			From: Bus US 29 Main St					NA		NA		1999
			To: Madison High School												
(9712) Madison Elementary Sc	0.12	180	R			From: Madison Elementary School					NA		NA		1999
			To: 56-687 Fairgrounds Rd												
(9731) Mountaineer Lane	0.20	1300	R			From: US 29 S Seminole Trail					NA		NA		1999
			To: Madison High School												
(9731) Mountaineer Lane	0.09	740	R			From: William H Wetzel Middle School					NA		NA		1999
			To: 56-687 Fairgrounds Rd												
(9734) Primary School Dr	0.40	850	R			From: 56-687 Fairgrounds Rd					NA		NA		1999
			To: Madison Primary School												