

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

57

Mathews County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
3 Twiggs Ferry Rd	Mathews County	1.37	6400	G	96%	1%	1%	1%	1%	0%	F	0.096	F	0.562	6900	G
3 198	Mathews County	1.55	7500	G	96%	1%	1%	1%	1%	0%	F	0.098	F	0.516	8100	G
3 Windsor Rd	Mathews County	2.07	6000	G	96%	1%	1%	1%	1%	0%	C	0.094	F	0.611	6500	G
3 14 John Clayton Mem Hwy	Mathews County	0.11	11000	G	96%	1%	1%	1%	1%	0%	F	0.095	F	0.588	12000	G
14 3 John Clayton Mem Hwy	Mathews County	0.11	11000	G	96%	1%	1%	1%	1%	0%	F	0.095	F	0.588	12000	G
14 John Clayton Mem Hwy	Mathews County	2.75	6200	G	97%	1%	1%	1%	1%	0%	F	0.09	F	0.620	6700	G
14 John Clayton Mem Hwy	Mathews County	1.38	4900	G	97%	1%	1%	1%	1%	0%	C	0.091	F	0.602	5300	G
14 John Clayton Mem Hwy	Mathews County	3.15	5800	G	97%	1%	1%	1%	1%	0%	F	0.091	F	0.575	6300	G
14 198	Mathews County	1.69	6800	G	97%	1%	1%	1%	1%	0%	C	0.092	F	0.522	7300	G
14 Main St	Mathews County	0.62	5300	G	97%	1%	1%	1%	1%	0%	C	0.088	F	0.577	5700	G
14 John Clayton Mem Hwy	Mathews County	4.65	3300	G	97%	1%	1%	1%	1%	0%	F	0.089	F	0.57	3600	G
14 John Clayton Mem Hwy	Mathews County	1.88	1300	G	96%	1%	2%	1%	1%	0%	C	0.087	F	0.647	1400	G
14 John Clayton Mem Hwy	Mathews County	1.74	410	G	96%	1%	2%	1%	1%	0%	F	0.113	F	0.523	440	G
198 Dutton Rd	Mathews County	0.44	2300	G	94%	1%	2%	2%	2%	0%	F	0.105	F	0.512	2500	G
198 3	Mathews County	1.55	7500	G	96%	1%	1%	1%	1%	0%	F	0.098	F	0.516	8100	G
198	Mathews County	6.24	4300	G	96%	1%	1%	1%	1%	0%	C	0.094	F	0.569	4600	G
198	Mathews County	0.93	6200	G	96%	1%	1%	1%	1%	0%	F	0.092	F	0.556	6700	G

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Mathews Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axe	3+Axe	1Trail	2Trail						
(198) 14	Mathews County	From: [redacted] SR 14 North Intersection	1.69	6800	G	97%	1%	1%	1%	0%	C	0.092	F	0.522	7300	G
		To: [redacted] SR 14 South Intersection														
(198) Buckley Hall Rd	Mathews County	From: [redacted] SR 14 Main St	1.01	1500	G	96%	1%	1%	1%	0%	F	0.105	F	0.601	1700	G
		To: [redacted] 57-642 Buckley Hall Rd														
(223) Cricket Hill Rd	Mathews County	From: [redacted] SR 198 Hudgins	2.07	2200	G	97%	1%	1%	1%	0%	C	0.092	F	0.634	2400	G
		To: [redacted] 57-633 Old Ferry Rd; Gwynn Island														

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(600) Point Rd	1.10	60	R			From: Dead End								NA	05/04/2004	
						To: SR 14 S, John Clayton Mem Hwy										
(600)	1.62	460	G	96%	1%	2%	0%	1%	0%	C	0.109	F	0.525	500	G	2008
						To: SR 14 N, John Clayton Mem Hwy										
(601)	0.54	120	R			From: Dead End								NA	05/04/2004	
						To: 57-602 EAST										
(601)	1.07	100	R			From: 57-602 WEST								NA	05/04/2004	
						To: Dead End										
(602)	0.42	410	R			From: SR 14 John Clayton Mem Hwy								NA	08/28/2007	
						To: 57-691										
(602)	0.30	300	R			From: 57-601 EAST								NA	08/28/2007	
						To: Dead End										
(603)	0.66	30	R			From: Dead End								NA	08/28/2007	
						To: 57-673										
(603)	0.75	140	R			From: SR 14 John Clayton Mem Hwy								NA	08/28/2007	
						To: Dead End										
(604)	1.08	220	R			From: SR 14 John Clayton Mem Hwy								NA	05/04/2004	
						To: Dead End										
(605)	0.80	140	R			From: SR 14 S, John Clayton Mem Hwy								NA	08/28/2007	
						To: SR 14 N, John Clayton Mem Hwy										
(605)	1.10	160	R			From: SR 14 N, John Clayton Mem Hwy								NA	08/28/2007	
						To: 57-710										
(605)	0.10	140	R			From: 57-607								NA	08/28/2007	
						To: Dead End										
(606)	0.50	170	R			From: Dead End								NA	05/04/2004	
						To: 57-646										
(606)	0.40	400	R			From: SR 14 John Clayton Mem Hwy								NA	05/04/2004	
						To: Dead End										
(607)	1.90	240	R			From: SR 14 John Clayton Mem Hwy								NA	08/28/2007	
						To: 57-608										
(608)	1.50	650	G	97%	0%	2%	0%	0%	0%	C	0.086	F	0.508	710	G	2008
						To: 57-609 Bethel Beach Rd										
(608)	1.30	380	G	97%	0%	2%	0%	0%	0%	F	0.093	F	0.721	410	G	2008
						To: 57-649 Peary Rd										
(608)	1.30	110	R			From: 57-649 Peary Rd								NA	05/04/2004	
						To: Dead End										
(609) Bethel Beach Rd	1.00	220	G	97%	1%	1%	1%	0%	0%	C	0.107	F	0.517	240	G	2008
						To: 57-608										
(609) Bethel Beach Rd	0.12	200	R			From: 57-611 Tabernacle Rd								NA	05/04/2004	
						To: 57-705 Kings Landing Rd										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(609) Bethel Beach Rd	0.58	100	R								NA		NA		05/04/2004	
						From:	57-705 Kings Landing Rd									
(609) Bethel Beach Rd	1.10	140	R								NA		NA		05/04/2004	
						To:	57-610									
(609) Bethel Beach Rd	0.08	130	R								NA		NA		05/04/2004	
						From:	1.10 ME 57-610									
(609) Bethel Beach Rd	0.22	60	R								NA		NA		08/20/2007	
						To:	57-720 Bashi Shores Dr									
(610) Marsh Hawk Rd	0.90	47	R								NA		NA		08/20/2007	
						From:	57-614 Ridgefield Rd									
						To:	57-611 N, Tabernacle Rd									
(610)	0.75	30	R								NA		NA		08/20/2007	
						From:	57-611 S, Tabernacle Rd									
(610)	1.05	40	R								NA		NA		05/04/2004	
						To:	0.75 ME 57-611 S, Tabernacle Rd									
						From:	57-609 Bethel Beach Rd									
(611) Church St	2.35	2500	G	98%	1%	1%	0%	0%	0%	C	0.112	F	0.555	2600	G	2008
(611) Church St	0.08	2900	G	98%	1%	1%	0%	0%	0%	F	0.115	F	0.561	3200	G	2008
						From:	57-1003									
(611) Tabernacle Rd	2.26	980	G	98%	1%	1%	0%	0%	0%	F	0.095	F	0.531	1100	G	2008
(611) Tabernacle Rd	2.16	510	G	98%	1%	1%	0%	0%	0%	F	0.11	F	0.569	550	G	2008
						From:	57-613 W, Beaver Dam Rd									
(611)	0.30	47	R								NA		NA		08/20/2007	
						To:	57-609 Bethel Beach Rd									
(612) Garden Creek Rd	0.50	100	R								NA		NA		08/20/2007	
						From:	57-613 Beaverdam Rd									
						To:	57-611 Tabernacle Rd									
(613) Beaver Dam Rd	2.80	100	G								0.133	F	0.667	110	G	2008
						From:	SR 14 John Clayton Mem Hwy									
(613) Knights Woods Rd	1.70	90	R									NA		NA		08/20/2007
						To:	57-611 W, Tabernacle Rd									
						From:	57-611 E, Tabernacle Rd									
(614) Williams Wharf Rd	1.00	110	R									NA		NA		08/20/2007
						To:	57-643 Haven Beach Rd									
(614) Williams Wharf Rd	0.90	170	R									NA		NA		08/20/2007
						From:	Dead End									
(614) Williams Wharf Rd	0.30	80	R									NA		NA		08/20/2007
						To:	SR 14 N, John Clayton Mem Hwy									
						From:	SR 14 S, John Clayton Mem Hwy									
(614) Ridgefield Rd	1.20	90	R									NA		NA		08/20/2007
						To:	57-644 Bandy Ridge Rd; 57-730 Old Ruff Rd									
						From:	57-613 Beaver Dam Rd									
(614)	1.20	90	R									NA		NA		08/20/2007
						To:	57-610									
						From:	57-609 Bethel Beach Rd									
(615)	0.60	80	R									NA		NA		08/20/2007
						To:	Dead End									
						From:	SR 14 John Clayton Mem Hwy									
(616) Hookemfair Rd	0.54	160	R									NA		NA		08/28/2007
						To:	SR 198									
						From:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(617)	0.80	170	R			Dead End								NA	08/28/2007	
(617)	3.37	290	G	98%	0%	0%	1%	1%	0%	F	0.1	F	0.58	310	G	2008
(617)	0.94	1200	G	98%	1%	1%	0%	0%	0%	C	0.092	F	0.552	1300	G	2008
(617)	1.06	1400	G	98%	0%	0%	1%	1%	0%	C	0.091	F	0.551	1500	G	2008
(618)	0.50	1600	G	96%	1%	1%	1%	1%	0%	C	0.106	F	0.510	1800	G	2008
(619)	0.65	40	R			Dead End								NA	08/20/2007	
(619)	0.81	110	R			57-617 WEST								NA	05/10/2004	
(619)	0.50	190	R			57-617 EAST								NA	05/10/2004	
(620)	2.10	520	R			57-660								NA	05/10/2004	
(621) Glebe Rd	0.28	50	R			Dead End								NA	08/20/2007	
(621) Glebe Rd	0.12	110	R			0.28 MN Dead End								NA	08/20/2007	
(621) Glebe Rd	0.95	250	G	94%	4%	0%	1%	1%	0%	F	0.123	F	0.531	270	G	2008
(621) Glebe Rd	0.40	870	G	94%	4%	0%	1%	1%	0%	F	0.083	F	0.729	940	G	2008
(621) Glebe Rd	0.80	1100	G	94%	4%	0%	1%	1%	0%	C	0.206	F	0.578	1200	G	2008
(622) Evans Rd	0.50	90	R			Dead End								NA	08/20/2007	
(622) Evans Rd	0.04	140	R			57-623 W, Thurston Rd								NA	08/20/2007	
(622) Long Rd	1.00	570	G	96%	1%	1%	1%	1%	0%	C	0.097	F	0.55	610	G	2008
(623) Thurston Rd	0.46	80	R			57-623 Mid, Bendall Lane								NA	08/20/2007	
(623) Thurston Rd	0.10	70	R			57-621 Glebe Rd								NA	08/20/2007	
(623) Bendall Lane	0.40	80	R			Dead End								NA	08/20/2007	
(623) Magnolia Rd	0.30	170	R			0.46 MN Dead End								NA	05/10/2004	
(624)	0.15	120	R			Dead End								NA	08/29/2007	
						57-625										
						57-671										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(624)	0.05	30	R			From: 57-671					NA		NA		08/29/2007	
						To: Dead End										
(625)	0.60	270	R			From: 57-660					NA		NA		05/10/2004	
						To: 57-624										
(625)	0.20	130	R			From: 57-624					NA		NA		05/10/2004	
						To: Dead End										
(626)	3.40	480	G	98%	0%	1%	0%	1%	0%	F	0.098	F	0.583	520	G	2008
						To: SR 14 John Clayton Mem Hwy										
						From: SR 198 SOUTH										
(626)	1.80	990	G	98%	0%	1%	0%	1%	0%	C	0.095	F	0.61	1100	G	2008
						To: SR 198 NORTH										
(626)	0.16	300	R			From: 57-666					NA		NA		05/17/2004	
						To: 57-652										
(626)	0.14	230	R			From: 57-652					NA		NA		05/17/2004	
						To: 57-662										
(626)	0.30	50	R			From: 57-662					NA		NA		05/17/2004	
						To: Dead End										
(627) Smithers Rd	0.30	50	R			From: SR 198					NA		NA		05/13/2004	
						To: Dead End										
(628)	0.70	430	G	96%	1%	1%	1%	0%	0%	C	0.106	F	0.5	460	G	2008
						To: SR 198										
(628)	0.80	320	R			From: 57-725					NA		NA		08/29/2007	
						To: 57-725										
(628)	0.17	150	R			From: 57-724					NA		NA		08/29/2007	
						To: Dead End										
(629)	1.28	320	R			From: SR 198					NA		NA		08/29/2007	
						To: 57-722										
(629)	0.44	120	R			From: 57-722					NA		NA		08/29/2007	
						To: Dead End										
(630)	1.50	180	R			From: SR 198					NA		NA		05/17/2004	
						To: Dead End										
(631)	1.20	330	R			From: SR 198					NA		NA		05/17/2004	
						To: Dead End										
(632)	0.50	150	R			From: 57-626					NA		NA		08/29/2007	
						To: Dead End										
(633)	0.20	330	R			From: Dead End					NA		NA		05/13/2004	
						To: Dead End										
(633)	2.66	1200	G	97%	1%	1%	0%	0%	0%	C	0.088	F	0.701	1300	G	2008
						To: Dead End										
(634)	0.50	320	R			From: Dead End					NA		NA		08/29/2007	
						To: 57-633										
(635)	0.60	70	R			From: 57-609 Bethel Beach Rd					NA		NA		05/04/2004	
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(636)	0.35	60	R											NA	08/29/2007	
						From:	Dead End									
(636) S Bay Haven Rd	0.63	110	G	98%	0%	1%	0%	0%	0%	C	0.136	F	0.556	120	G	2008
						To:	57-672									
(636)	0.50	190	R											NA	08/29/2007	
						From:	57-633									
(637)	0.60	90	R											NA	05/13/2004	
						To:	Dead End									
(637)	0.50	270	G	98%	2%	0%	0%	0%	0%	C	0.101	F	0.625	300	G	2008
						To:	57-680									
(638)	1.00	120	R											NA	05/13/2004	
						To:	57-633									
(639) Hills Bay Dr	0.85	120	R											NA	08/29/2007	
						From:	Dead End									
(639) Crab Neck Rd	1.03	400	G	97%	1%	1%	1%	0%	0%	C	0.108	F	0.646	430	G	2008
						To:	SR 223 W, Cricket Hill Rd									
(639) Crab Neck Rd	0.10	130	R											NA	05/13/2004	
						From:	SR 223 E, Cricket Hill Rd									
(639)	0.20	90	R											NA	08/29/2007	
						To:	57-648 Big Gum Rd									
(640) Point Breeze Rd	0.14	200	R											NA	08/29/2007	
						From:	SR 223 Cricket Hill Rd									
(640) Point Breeze Rd	1.41	250	R											NA	08/29/2007	
						To:	57-716 Tobacco Rd									
(641)	1.64	510	G	98%	1%	1%	0%	0%	0%	C	0.114	F	0.525	550	G	2008
						To:	Dead End									
(642) Buckley Hall Rd	0.70	1300	G	97%	1%	1%	1%	0%	0%	C	0.108	F	0.603	1400	G	2008
						From:	SR 198 Buckley Hall Rd									
(642) Fitchetts Wharf Rd	0.96	450	G	97%	1%	1%	1%	0%	0%	F	0.119	F	0.589	490	G	2008
						To:	57-643 Haven Beach Rd									
(642) Fitchetts Wharf Rd	0.14	30	G	97%	1%	1%	1%	0%	0%	F	0.31	F	0.546	30	G	2008
						To:	Dead End									
(643) Haven Beach Rd	0.80	820	G	98%	1%	0%	1%	0%	0%	C	0.107	F	0.61	890	G	2008
						From:	57-642 Buckley Hall Rd									
(643) Lillys Neck Rd	0.20	840	G	96%	1%	1%	2%	1%	0%	C	0.099	F	0.526	900	G	2008
						To:	57-644; Haven Beach Rd									
(643) Haven Beach Rd	0.80	490	G	98%	1%	0%	1%	0%	0%	F	0.115	F	0.6	530	G	2008
						To:	57-644 Lillys Neck Rd									
(643) Haven Beach Rd	0.03	170	R											NA	05/04/2004	
						From:	57-645 Garden Creek Rd									
(643) Haven Beach Rd	0.50	70	R											NA	05/04/2004	
						To:	57-682 Whites Creek Lane									
(643) Haven Beach Rd	0.67	8	R											NA	05/04/2004	
						From:	57-704 Old House Woods Rd									
(643) Haven Beach Rd						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Mathews County															
(644) Bandy Ridge Rd	1.00	20	R			From: 57-614 Williams Wharf Rd					NA		NA		08/26/2007
(644) Bandy Ridge Rd	0.30	30	R			To: 1.00 MN 57-614					NA		NA		08/26/2007
(644) Lillys Neck Rd	1.20	120	R			From: 57-611 W, Tabernacle Rd					NA		NA		08/26/2007
(644) Lillys Neck Rd	1.00	240	R			To: 57-643 S, Haven Beach Rd					NA		NA		08/26/2007
(644) Lillys Neck Rd						From: 57-643 N, Haven Beach Rd					NA		NA		
(645) Garden Creek Rd	0.50	400	R			To: Dead End					NA		NA		05/04/2004
(645) Garden Creek Rd	0.69	80	R			From: 57-643 Haven Beach Rd					NA		NA		05/04/2004
(645) Garden Creek Rd						To: 57-717 Butts Lane					NA		NA		
(645)	0.43	30	R			From: Betty Lane					NA		NA		05/04/2004
(646)						To: Dead End					NA		NA		
(646)	0.14	40	R			From: Dead End					NA		NA		08/26/2007
(646)						To: 57-726					NA		NA		
(646)	0.20	80	R			From: 57-726					NA		NA		08/26/2007
(646)						To: 57-721					NA		NA		
(646)	0.50	150	R			From: 57-721					NA		NA		08/26/2007
(646)						To: 57-606					NA		NA		
(647)	0.70	600	R			From: 57-641					NA		NA		05/13/2004
(647)						To: Dead End					NA		NA		
(648) Big Gum Rd	0.30	130	R			From: 57-639 Crab Neck Rd					NA		NA		08/26/2007
(648) Peary Rd	0.67	170	R			To: 57-640 Point Breeze Rd					NA		NA		
(648) Peary Rd						From: Dead End					NA		NA		08/26/2007
(650)	0.50	190	R			To: 57-608					NA		NA		
(650)						From: 57-660					NA		NA		05/10/2004
(650)	0.30	80	R			To: 57-727					NA		NA		
(650)						From: Dead End					NA		NA		05/10/2004
(651) Myrtle Grove Lane	0.80	45	R			To: 57-660					NA		NA		08/26/2007
(651) Myrtle Grove Lane						From: Dead End					NA		NA		
(652)	0.40	90	R			To: Dead End					NA		NA		08/26/2007
(652)						From: 57-626					NA		NA		
(653) Holly Point Rd	1.00	120	R			From: SR 198 Buckley Hall Rd					NA		NA		08/28/2007
(653) Holly Point Rd						To: Dead End					NA		NA		
(654) Gum Spring Rd	0.40	40	R			From: 57-617					NA		NA		08/20/2007
(654) Gum Spring Rd						To: Dead End					NA		NA		
(655)	0.85	140	R			From: Dead End					NA		NA		08/20/2007
(655)						To: 57-600					NA		NA		

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Mathews County																
(656)	0.30	170	R			From: Dead End					NA		NA		05/13/2004	
						To: 57-633										
(657)	1.10	130	R			From: SR 14 John Clayton Mem Hwy					NA		NA		05/10/2004	
						To: Dead End										
(658) Kingston Lane	1.21	140	R			From: Dead End					NA		NA		08/20/2007	
						To: SR 14 John Clayton Mem Hwy										
(659) Osprey Rd	0.50	140	R			From: 57-660					NA		NA		08/20/2007	
						To: Dead End										
(660)	0.32	90	R			From: 57-660 Begin Loop					NA		NA		05/10/2004	
						To: 57-660 End Loop										
(660)	0.53	260	R			From: 57-617 SOUTH					NA		NA		05/10/2004	
						To: 57-617 NORTH										
(660)	0.30	370	G	96%	1%	0%	0%	1%	0%	F	0.098	F	0.583	400	G	2008
(660)	0.36	440	G	96%	1%	0%	0%	1%	0%	F	0.103	F	0.509	480	G	2008
(660)	2.65	1000	G	96%	1%	0%	0%	1%	0%	F	0.107	F	0.508	1100	G	2008
(660)	2.43	1000	G	96%	1%	0%	0%	1%	0%	C	0.105	F	0.525	1100	G	2008
(661)	0.42	130	R			From: 57-633					NA		NA		05/13/2004	
						To: Dead End										
(662)	0.40	90	R			From: Dead End					NA		NA		08/20/2007	
						To: 57-626										
(663)	0.20	100	R			From: Dead End					NA		NA		05/13/2004	
						To: 57-633										
(664)	0.90	390	R			From: 57-633					NA		NA		08/20/2007	
						To: Dead End										
(665) Blue Water Dr	0.04	10	R			From: Dead End					NA		NA		08/20/2007	
						To: 57-1006										
(665) Fleetwood Circle	0.56	110	R			From: 57-642 Fitchett's Wharf Rd					NA		NA		08/20/2007	
						To: Dead End										
(666)	0.38	120	R			From: Dead End					NA		NA		08/20/2007	
						To: 57-732										
(666)	0.14	330	R			From: 57-626					NA		NA		08/20/2007	
						To: 57-660										
(667)	0.50	100	R			From: Dead End					NA		NA		05/10/2004	
						To: Dead End										
(668)	0.13	130	R			From: Dead End					NA		NA		08/20/2007	
						To: SR 198										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Mathews County															
(669)	0.51	230	R			From: SR 223 Cricket Hill Rd					NA		NA		05/13/2004
			To: Dead End												
(670) Bendall Lane	0.42	70	R			From: 57-623 Magnolia Rd; Bendall Lane					NA		NA		08/20/2007
			To: Dead End												
(671)	0.30	70	R			From: 57-624					NA		NA		08/20/2007
			To: Dead End												
(672)	0.07	60	R			From: Dead End					NA		NA		05/13/2004
			To: 57-636, S Bay Haven Rd												
(673)	0.60	60	R			From: Dead End					NA		NA		08/20/2007
			To: 57-603												
(674)	0.35	100	R			From: Dead End					NA		NA		05/17/2004
			To: 57-626												
(675)	0.30	150	R			From: 57-660					NA		NA		05/10/2004
			To: 0.30 ME 57-660												
(675)	0.10	90	R			From: Dead End					NA		NA		05/10/2004
			To: Dead End												
(676)	0.35	60	R			From: Dead End					NA		NA		08/20/2007
			To: 57-639 Crab Neck Rd												
(677) Canoe Yard Trail	0.66	90	R			From: 57-611 Tabernacle Rd					NA		NA		08/20/2007
			To: 57-609 Bethel Beach Rd												
(678) Baby Lane	0.39	80	R			From: Dead End					NA		NA		08/20/2007
			To: 57-622 Evans Rd												
(679)	0.54	60	R			From: 57-660					NA		NA		08/20/2007
			To: Dead End												
(680)	0.49	220	R			From: Dead End					NA		NA		05/13/2004
			To: 57-637												
(681)	0.53	150	R			From: 57-626					NA		NA		08/20/2007
			To: Dead End												
(682)	0.87	90	R			From: 57-643 Haven Beach Rd					NA		NA		05/04/2004
			To: Dead End												
(683)	0.37	10	R			From: Dead End					NA		NA		08/20/2007
			To: SR 14 John Clayton Mem Hwy												
(684) Gayle Lane	0.25	80	R			From: 57-621 Glebe Rd					NA		NA		08/20/2007
			To: 0.25 ME 57-621												
(684)	0.30	70	R			From: Dead End					NA		NA		08/20/2007
			To: Dead End												
(685)	0.07	70	R			From: Dead End					NA		NA		05/10/2004
			To: 57-660												

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Mathews County															
(686)	0.33	60	R			From: Dead End					NA		NA	08/20/2007	
						To: 57-605									
(687)	0.24	40	R			From: Dead End					NA		NA	05/10/2004	
						To: 57-660									
(687)	0.40	100	R			From: NA					NA		NA	05/10/2004	
						To: 0.40 ME 57-660									
(688) Dixon Rd	0.34	220	R			From: Dead End					NA		NA	08/28/2007	
						To: 57-639 Crab Neck Rd									
(689)	0.36	150	R			From: Dead End					NA		NA	05/04/2004	
						To: 57-600									
(690) Field Point Rd	0.37	100	R			From: 57-642 Fitchett's Wharf Rd					NA		NA	08/28/2007	
						To: Dead End									
(691)	0.25	60	R			From: 57-602					NA		NA	08/28/2007	
						To: Dead End									
(692)	0.52	20	R			From: 57-601					NA		NA	08/28/2007	
						To: Dead End									
(693) Buzzard Point Rd	0.62	80	R			From: Dead End					NA		NA	08/28/2007	
						To: 57-645 Garden Creek Rd									
(694) Waverly Lane	0.40	110	R			From: SR 198					NA		NA	05/13/2004	
						To: Dead End									
(695)	0.10	70	R			From: Dead End					NA		NA	05/13/2004	
						To: 57-633									
(696)	0.42	130	R			From: Dead End					NA		NA	08/28/2007	
						To: 57-639 Crab Neck Rd									
(697)	0.45	90	R			From: SR 14 John Clayton Mem Hwy					NA		NA	05/04/2004	
						To: Dead End									
(698) Captains Grenes Rd	0.20	70	R			From: 57-649					NA		NA	08/28/2007	
						To: Dead End									
(699)	0.37	20	R			From: 57-691					NA		NA	08/28/2007	
						To: Dead End									
(700)	0.48	170	R			From: SR 198					NA		NA	05/13/2004	
						To: Dead End									
(701)	0.35	60	R			From: SR 3 Windsor Rd					NA		NA	05/17/2004	
						To: Dead End									
(702) Piney Point Rd	0.38	47	R			From: Dead End					NA		NA	08/28/2007	
						To: 57-609 Bethel Beach Rd									
(703)	0.61	60	R			From: 57-660					NA		NA	05/10/2004	
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Mathews County															
(704)	0.36	60	R			From: 57-643 Haven Beach Rd					NA		NA		08/20/2007
			To: Dead End												
(705) Kings Landing Rd	0.40	50	R			From: Dead End					NA		NA		08/20/2007
			To: 57-609 Bethel Beach Rd												
(706) Ballast Point Rd	0.32	110	R			From: SR 223 Cricket Hill Rd					NA		NA		05/13/2004
			To: Dead End												
(707) Hurst Neck Rd	0.18	100	R			From: Dead End					NA		NA		08/20/2007
			To: 57-609 Bethel Beach Rd												
(708) Billups Creek Lane	0.27	45	R			From: 57-642 Fitchetts Wharf Rd					NA		NA		08/20/2007
			To: Dead End												
(709)	0.54	40	R			From: 57-650					NA		NA		05/10/2004
			To: Dead End												
(710)	0.28	90	R			From: Dead End					NA		NA		05/04/2004
			To: 57-605												
(711)	0.24	10	R			From: Dead End					NA		NA		08/20/2007
			To: 57-646												
(712)	0.02	30	R			From: 57-600					NA		NA		08/20/2007
			To: SR 14 John Clayton Mem Hwy												
(713)	0.16	720	R			From: SR 14					NA		NA		08/20/2007
			To: 57-641												
(714)	0.20	30	R			From: SR 14 S, John Clayton Mem Hwy					NA		NA		08/20/2007
			To: SR 14 N, John Clayton Mem Hwy												
(715)	0.32	90	R			From: SR 14 S, John Clayton Mem Hwy					NA		NA		08/20/2007
			To: SR 14 N, John Clayton Mem Hwy												
(716) Tobacco Rd	0.17	100	R			From: 57-640 Point Breeze Rd					NA		NA		05/13/2004
			To: SR 223 Cricket Hill Rd												
(717)	0.14	80	R			From: Dead End					NA		NA		08/20/2007
			To: 57-645 Garden Creek Rd												
(718)	0.38	150	R			From: Dead End					NA		NA		05/13/2004
			To: 57-639 Crab Neck Rd												
(719)	0.16	70	R			From: Dead End					NA		NA		08/20/2007
			To: SR 198												
(720) Bashl Shore Dr	0.23	10	R			From: 57-609 Bethel Beach Rd					NA		NA		08/20/2007
			To: Dead End												
(721)	0.43	80	R			From: Dead End					NA		NA		08/20/2007
			To: 57-646												
(722)	0.20	90	R			From: 57-629					NA		NA		05/13/2004
			To: 57-723												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Mathews County															
(723)	0.02	10	R								NA		NA		05/13/2004
(723)	0.08	60	R								NA		NA		05/13/2004
(724)	0.12	200	R								NA		NA		05/13/2004
(725)	0.13	80	R								NA		NA		08/20/2007
(726)	0.22	60	R								NA		NA		08/20/2007
(727)	0.35	120	R								NA		NA		08/20/2007
(728)	0.22	40	R								NA		NA		08/20/2007
(729)	0.43	210	R								NA		NA		05/04/2004
(730)	0.12	40	R								NA		NA		08/20/2007
(731)	0.48	70	R								NA		NA		05/04/2004
(732)	0.07	50	R								NA		NA		05/17/2004
(732)	0.91	310	R								NA		NA		05/17/2004
(733)	0.05	30	R								NA		NA		05/17/2004
(734)	0.05	60	R								NA		NA		05/10/2004
(735)	0.17	160	R								NA		NA		05/10/2004
(736)	0.20	90	R								NA		NA		05/13/2004
(737) Morse Point Rd	0.70	100	R								NA		NA		08/20/2007
(738) Blue Heron Lane	0.25	90	R								NA		NA		08/20/2007
(739)	0.15	90	R								NA		NA		08/20/2007

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Mathews County															
(740)	0.56	80	R			From: Dead End					NA		NA	08/20/2007	
						To: 57-633									
(742)	0.12	NA				From: Cul-de-Sac					NA		NA		
						To: 57-666									
(745)	0.93	140	R			From: Cul-de-Sac					NA		NA	05/10/2004	
						To: SR 14 John Clayton Mem Hwy									
(746)	0.42	40	R			From: 57-745					NA		NA	05/10/2004	
						To: Dead End									
(1001)	0.05	890	R			From: 57-1003					NA		NA	08/20/2007	
						To: 57-1002									
(1001)	0.03	1100	R			From: SR 14 Main St					NA		NA	08/20/2007	
						To: 57-1001									
(1002)	0.05	670	R			From: 57-1001					NA		NA	08/20/2007	
						To: 57-611 Church St									
(1003)	0.05	440	R			From: 57-1001					NA		NA	05/13/2004	
						To: 57-611 Church St									
(1004)	0.16	140	R			From: Dead End					NA		NA	05/13/2004	
						To: SR 14									
(1006)	0.07	60	R			From: 57-665 Fleetwood Circle; Blue Water Dr					NA		NA	05/13/2004	
						To: Begin Loop									
(1006)	0.07	20	R			From: 57-1007					NA		NA	05/13/2004	
						To: End Loop									
(1007)	0.06	20	R			From: 57-1006					NA		NA	05/13/2004	
						To: Cul-de-Sac									
(1010) Martin St	0.42	NA				From: Cul-de-Sac					NA		NA		
						To: SR 3 Windsor Rd									
(1011) Corr St	0.12	450	R			From: Cul-de-Sac					NA		NA	08/20/2007	
						To: 57-1010 Martin St									
(1015)	0.19	9	R			From: SR 198 Buckley Hall Rd					NA		NA	08/20/2007	
						To: Cul-de-Sac									
(1016) Catlett Rd	0.07	10	R			From: Cul-de-Sac					NA		NA	08/20/2007	
						To: 57-1015									
(1101)	0.12	40	R			From: Dead End					NA		NA	05/17/2004	
						To: SR 198									
(9249)	0.08	310	R			From: SR 14					NA		NA	05/13/2004	
						To: Mathews County HS									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Mathews Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Mathews County															
9250	0.10	20	R			From:	57-611 Thomas				NA		NA		08/20/2007
						To:	Hunter Int Sch								