

**2007**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**85**

Shenandoah County  
Town of Edinburg  
Town of Mount Jackson  
Town of New Market  
Town of Strasburg  
Town of Toms Brook  
Town of Woodstock

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route
-  Bypas - Bypass Route
-  Truck - Truck Route
- ALT  
 ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Shenandoah County Line															
11 South Congress St	Town of New Market (Maint: 85)	1.16	4900	G	94%	1%	2%	1%	3%	0%	C	0.09	F	0.59	5000	G
	To: US 211 South Int New Market															
11 211 Congress St	Town of New Market (Maint: 85)	0.27	7100	G	94%	1%	2%	1%	3%	0%	F	0.080	F	0.51	7400	G
	To: US 211 North Int New Market															
11 North Congress St	Town of New Market (Maint: 85)	0.36	5100	G	95%	1%	1%	1%	2%	0%	F	0.085	F	0.513	5300	G
	To: NCL New Market															
11 Old Valley Pike	Shenandoah County	1.83	5100	N	95%	1%	1%	1%	2%	0%	N	0.085	N	0.513	5300	N
	To: 85-767 North of New Market															
11 Old Valley Pike	Shenandoah County	2.17	4700	G	95%	1%	1%	1%	2%	0%	F	0.087	F	0.504	4900	G
	To: 85-730 Cavems Rd															
11 Old Valley Pike	Shenandoah County	1.52	4800	G	95%	1%	1%	1%	2%	0%	C	0.092	F	0.517	4900	G
	To: SCL Mt. Jackson															
11 Main St	Town of Mount Jackson (Maint: 85)	0.72	4800	N	95%	1%	1%	1%	2%	0%	N	0.092	N	0.517	4900	N
	To: SR 263 Orkney Grade															
11 Main St	Town of Mount Jackson (Maint: 85)	1.85	4300	G	95%	1%	1%	1%	2%	0%	F	0.097	F	0.563	4500	G
	To: NCL Mt. Jackson															
11 Old Valley Pike	Shenandoah County	5.07	4300	N	95%	1%	1%	1%	2%	0%	N	0.097	N	0.563	4500	N
	To: SCL Edinburg															
11 Main St	Town of Edinburg (Maint: 85)	0.28	4300	N	95%	1%	1%	1%	2%	0%	N	0.097	N	0.563	4500	N
	To: SR 185															
11 Main St	Town of Edinburg (Maint: 85)	0.79	7300	G	96%	1%	1%	1%	1%	0%	C	0.087	F	0.502	7600	G
	To: NCL Edinburg															
11 Old Valley Pike	Shenandoah County	1.28	7300	N	96%	1%	1%	1%	1%	0%	N	0.087	N	0.502	7600	N
	To: 85-837 Schuller Drive															
11 Old Valley Pike	Shenandoah County	1.69	8100	G	97%	0%	1%	1%	1%	0%	C	0.087	F	0.504	8400	G
	To: SCL Woodstock															
11 Main St	Town of Woodstock (Maint: 85)	0.22	9400	G	96%	0%	1%	1%	1%	0%	C	0.086	F	0.502	9700	G
	To: Lakeview Dr															
11 Main St	Town of Woodstock (Maint: 85)	0.30	11000	G	97%	0%	1%	1%	1%	0%	F	0.085	F	0.5	11000	G
	To: SR 42, W Reservoir Rd															
11 Main St	Town of Woodstock (Maint: 85)	0.65	15000	G	99%	0%	1%	0%	0%	0%	C	0.085	F	0.547	15000	G
	To: Indian Spring Rd															
11 Main St	Town of Woodstock (Maint: 85)	0.85	12000	G	98%	0%	1%	0%	0%	0%	C	0.101	F	0.521	13000	G
	To: W North St															
11 Main St	Town of Woodstock (Maint: 85)	0.53	8700	N	98%	0%	1%	1%	1%	0%	N	0.091	N	0.521	9000	N
	To: NCL Woodstock															

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: NCL Woodstock															
11 Old Valley Pike	Shenandoah County	3.22	8700	G	98%	0%	1%	1%	1%	0%	F	0.091	F	0.521	9000	G
	To: 85-654 Zion Church Road															
11 Old Valley Pike	Shenandoah County	1.42	7600	G	98%	0%	1%	1%	1%	0%	F	0.091	F	0.572	7900	G
	To: SCL Toms Brook															
11 Main St	Town of Toms Brook (Maint: 85)	0.73	7600	N	98%	0%	1%	1%	1%	0%	N	0.091	N	0.572	7900	N
	To: NCL Toms Brook															
11 Old Valley Pike	Shenandoah County	0.41	7600	N	98%	0%	1%	1%	1%	0%	N	0.091	N	0.572	7900	N
	To: 85-651															
11 Old Valley Pike	Shenandoah County	4.03	6400	G	98%	0%	1%	1%	1%	0%	C	0.086	F	0.592	6600	G
	To: SCL Strasburg															
11 Stover Ave	Town of Strasburg (Maint: 85)	0.38	8900	G	97%	1%	1%	1%	1%	0%	C	0.085	F	0.607	9200	G
	To: King St															
	From: Stover Ave															
11 King St	Town of Strasburg (Maint: 85)	0.24	8900	N	97%	1%	1%	1%	1%	0%	N	0.085	N	0.607	9200	N
	To: Holliday St															
11 King St	Town of Strasburg (Maint: 85)	0.16	8600	G	97%	1%	1%	1%	1%	0%	F	0.082	F	0.572	8900	G
	To: SR 55 Massanutten St															
	From: SR 55 King St															
11 55 N Massanutten St	Town of Strasburg (Maint: 85)	0.23	14000	G	96%	0%	1%	1%	1%	0%	F	0.084	F	0.535	14000	G
	To: SR 55 NORTH															
	From: SR 55 N. John Marshall Hwy															
11 N Massanutten St	Town of Strasburg (Maint: 85)	0.70	13000	G	96%	0%	1%	1%	1%	0%	C	0.092	F	0.593	13000	G
	To: NCL Strasburg															
11 Old Valley Pike	Shenandoah County	0.91	12000	G	96%	0%	1%	1%	1%	0%	F	0.088	F	0.621	12000	G
	To: I-81 North of Strasburg															
11 Old Valley Pike	Shenandoah County	1.11	3900	G	92%	0%	1%	4%	3%	0%	C	0.097	F	0.605	4000	G
	To: Warren County Line															
	From: Rockingham County Line															
42 Senedo Rd	Shenandoah County	2.91	1400	G	89%	1%	2%	7%	1%	0%	F	0.099	F	0.558	1400	G
	To: 85-767 Forestville															
42 Senedo Rd	Shenandoah County	5.78	440	G	89%	1%	2%	7%	1%	0%	C	0.095	F	0.563	450	G
	To: SR 263															
42 Senedo Rd	Shenandoah County	2.21	500	G	96%	0%	1%	1%	2%	0%	F	0.109	F	0.595	520	G
	To: 85-720 Crooked Run Road															
42 Senedo Rd	Shenandoah County	3.06	1000	G	96%	0%	1%	1%	2%	0%	C	0.095	F	0.528	1000	G
	To: 85-703 South															
42 Senedo Rd	Shenandoah County	4.67	1600	G	96%	0%	1%	1%	2%	0%	F	0.089	F	0.577	1700	G
	To: 85-675 Columbia Furnace															

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
42	Senedo Rd	From: 85-675 Columbia Furnace To: 85-605 Calvary	4.48	3700	G	97%	0%	1%	0%	2%	0%	F	0.084	F	0.651	3800	G
42	Senedo Rd	From: 85-605 Calvary To: WCL Woodstock	0.86	8700	G	97%	0%	1%	0%	2%	0%	C	0.077	F	0.597	8900	G
42	W Reservoir Rd	From: WCL Woodstock To: I-81	0.44	7900	G	96%	1%	1%	0%	2%	0%	C	0.083	F	0.639	8100	G
42	W Reservoir Rd	From: I-81 To: Susan Ave	0.41	16000	G	97%	0%	1%	0%	1%	0%	C	0.078	F	0.515	16000	G
42	W Reservoir Rd	From: Susan Ave To: Main Street	0.22	16000	G	97%	1%	1%	1%	1%	0%	C	0.082	F	0.552	17000	G
48 55	John Marshall Hwy	From: Frederick County Line To: 85-628 Lebanon Church	4.90	4500	G	93%	0%	1%	1%	5%	0%	F	0.09	F	0.677	4200	G
48 55	John Marshall Hwy	From: 85-628 Lebanon Church To: I-81	3.83	5600	G	93%	0%	1%	1%	5%	0%	F	0.082	F	0.622	5200	G
55 48	John Marshall Hwy	From: Frederick County Line To: 85-628 Lebanon Church	4.90	4500	G	93%	0%	1%	1%	5%	0%	F	0.09	F	0.677	4200	G
55 48	John Marshall Hwy	From: 85-628 Lebanon Church To: I-81	3.83	5600	G	93%	0%	1%	1%	5%	0%	F	0.082	F	0.622	5200	G
55	John Marshall Hwy	From: I-81 To: WCL Strasburg	0.99	4300	G	96%	1%	1%	1%	1%	0%	F	0.081	F	0.523	4500	G
55	John Marshall Hwy	From: WCL Strasburg To: US 11 W, Massanutten St	0.64	4000	G	96%	1%	1%	1%	1%	0%	C	0.083	F	0.573	4100	G
55 11	N Massanutten St	From: US 11 Massanutten St To: US 11 Massanutten St	0.23	14000	G	96%	0%	1%	1%	1%	0%	F	0.084	F	0.535	14000	G
55	King St	From: US 11 E, Massanutten St To: Eberly St	0.60	7800	G	95%	0%	1%	2%	2%	0%	C	0.085	F	0.523	8100	G
55	Front Royal Rd	From: Eberly St To: ECL Strasburg	0.58	4600	G	95%	0%	1%	2%	2%	0%	F	0.095	F	0.557	4800	G
55	Front Royal Rd	From: ECL Strasburg To: Warren County Line	0.99	3900	G	96%	0%	1%	2%	1%	0%	C	0.092	F	0.603	4000	G
North 81		From: Rockingham County Line To: US 211	0.84	20000	G	73%	1%	1%	1%	23%	2%	F	0.075	F		19000	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	G	75%	1%	1%	1%	22%	2%	F	NA			40000	G

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 81	From: US 211															
	Shenandoah County	0.08	21000	G	73%	1%	1%	1%	23%	2%	F	0.075	F	21000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		42000	G	74%	1%	1%	1%	22%	2%	F	0.067	F	0.500	42000	G
North 81	From: SCL New Market															
	Town of New Market (Maint: 85)	0.85	21000	G	73%	1%	1%	1%	23%	2%	F	0.075	F	21000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		42000	G	74%	1%	1%	1%	22%	2%	F	NA		42000	G	
North 81	From: NCL New Market															
	Shenandoah County	3.27	21000	G	73%	1%	1%	1%	23%	2%	F	0.075	F	21000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		42000	G	74%	1%	1%	1%	22%	2%	F	NA		42000	G	
North 81	From: 85-730															
	Shenandoah County	4.42	19000	G	73%	1%	1%	1%	23%	2%	F	0.074	F	19000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	G	75%	1%	1%	1%	22%	2%	F	0.065	F	0.622	41000	G
North 81	From: SR 292															
	Shenandoah County	3.93	23000	G	73%	1%	1%	1%	23%	2%	F	0.078	F	23000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	G	74%	1%	1%	1%	22%	2%	F	0.067	F	0.572	40000	G
North 81	From: 85-614 South Middle Rd															
	Shenandoah County	1.72	18000	G	73%	1%	1%	1%	23%	2%	F	0.065	F	18000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		36000	G	74%	1%	1%	1%	22%	2%	F	0.067	F	0.529	36000	G
North 81	From: SR 185															
	Shenandoah County	3.72	19000	G	73%	1%	1%	1%	23%	2%	F	0.066	F	19000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	74%	1%	1%	1%	22%	2%	F	0.066	F	0.516	37000	G
North 81	From: SCL Woodstock															
	Town of Woodstock (Maint: 85)	0.38	19000	G	73%	1%	1%	1%	23%	2%	F	0.066	F	19000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	74%	1%	1%	1%	22%	2%	F	NA		37000	G	
North 81	From: SR 42															
	Town of Woodstock (Maint: 85)	1.41	19000	G	73%	1%	1%	1%	23%	2%	F	0.062	F	19000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	G	74%	1%	1%	1%	22%	2%	F	0.068	F	0.548	38000	G
North 81	From: NCL Woodstock															
	Shenandoah County	6.68	19000	G	73%	1%	1%	1%	23%	2%	F	0.062	F	19000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	G	74%	1%	1%	1%	22%	2%	F	NA		38000	G	
North 81	From: 85-651 Mount Olive Rd															
	Shenandoah County	5.15	23000	F	73%	1%	1%	1%	23%	2%	F	0.063	F	16000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	F	74%	1%	1%	1%	22%	2%	F	0.068	F	0.539	37000	G
	To: SR 55															

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
North 81	From: SR 55																
	Shenandoah County	1.75	17000	G	73%	1%	1%	1%	23%	2%	F	0.059	F	17000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			38000	G	75%	1%	1%	1%	22%	2%	F	0.071	F	0.59	38000	G
North 81	From: US 11																
	Shenandoah County	0.48	19000	G	73%	1%	1%	1%	23%	2%	F	0.059	F	19000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			40000	G	75%	1%	1%	1%	22%	2%	F	NA			40000	G
North 81	From: Shenandoah County Maintenance Break																
	Shenandoah County (Maint: 34)	0.43	19000	G	73%	1%	1%	1%	23%	2%	F	0.059	F	19000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			40000	G	75%	1%	1%	1%	22%	2%	F	NA			40000	G
South 81	From: Rockingham County Line																
	Shenandoah County	0.92	21000	F	76%	1%	1%	1%	21%	2%	F	0.068	N	21000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			40000	G	75%	1%	1%	1%	22%	2%	F	NA			40000	G
South 81	From: SCL New Market																
	Town of New Market (Maint: 85)	0.24	19000	G	76%	1%	1%	1%	21%	2%	F	0.068	F	19000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			39000	G	74%	1%	1%	1%	22%	2%	F	NA			38000	G
South 81	From: US 211																
	Town of New Market (Maint: 85)	0.61	21000	G	76%	1%	1%	1%	21%	2%	F	0.077	F	21000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			42000	G	74%	1%	1%	1%	22%	2%	F	0.067	F	0.500	42000	G
South 81	From: NCL New Market																
	Shenandoah County	3.51	21000	G	76%	1%	1%	1%	21%	2%	F	0.077	F	21000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			42000	G	74%	1%	1%	1%	22%	2%	F	NA			42000	G
South 81	From: 85-730																
	Shenandoah County	4.58	22000	G	76%	1%	1%	1%	21%	2%	F	0.076	F	22000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			41000	G	75%	1%	1%	1%	22%	2%	F	0.065	F	0.622	41000	G
South 81	From: 85-703; Sr 292																
	Shenandoah County	3.47	18000	G	76%	1%	1%	1%	21%	2%	F	0.074	F	18000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			40000	G	74%	1%	1%	1%	22%	2%	F	0.067	F	0.572	40000	G
South 81	From: 85-614																
	Shenandoah County	2.19	18000	G	76%	1%	1%	1%	21%	2%	F	0.07	F	18000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			36000	G	74%	1%	1%	1%	22%	2%	F	0.067	F	0.529	36000	G
South 81	From: SR 185																
	Shenandoah County	3.31	19000	G	76%	1%	1%	1%	21%	2%	F	0.066	F	19000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			37000	G	74%	1%	1%	1%	22%	2%	F	0.066	F	0.516	37000	G
	To: SCL Woodstock																

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
South 81	From: SCL Woodstock																
	Town of Woodstock (Maint: 85)	0.69	19000	G	76%	1%	1%	1%	21%	2%	F	0.066	F	19000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	74%	1%	1%	1%	22%	2%	F	NA		37000	G		
South 81	From: SR 42																
	Town of Woodstock (Maint: 85)	1.00	19000	G	76%	1%	1%	1%	21%	2%	F	0.075	F	19000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	G	74%	1%	1%	1%	22%	2%	F	0.068	F	0.548	38000	G	
South 81	From: NCL Woodstock																
	Shenandoah County	7.17	19000	G	76%	1%	1%	1%	21%	2%	F	0.075	F	19000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	G	74%	1%	1%	1%	22%	2%	F	NA		38000	G		
South 81	From: 85-651 Mount Olive Rd																
	Shenandoah County	5.29	23000	F	76%	1%	1%	1%	21%	2%	F	0.077	F	21000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	F	74%	1%	1%	1%	22%	2%	F	0.068	F	0.539	37000	G	
South 81	From: SR 55																
	Shenandoah County	1.63	22000	G	76%	1%	1%	1%	21%	2%	F	0.084	F	21000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	G	75%	1%	1%	1%	22%	2%	F	0.071	F	0.59	38000	G	
South 81	From: US 11																
	Shenandoah County	0.07	21000	G	76%	1%	1%	1%	21%	2%	F	0.083	F	21000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	G	75%	1%	1%	1%	22%	2%	F	NA		40000	G		
South 81	From: Frederick County Maintenance Break																
	Shenandoah County (Maint: 34)	0.43	21000	G	76%	1%	1%	1%	21%	2%	F	0.083	F	21000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	G	75%	1%	1%	1%	22%	2%	F	NA		40000	G		
South 81	From: Warren County Line																
185	Stoney Creek Blve	Shenandoah County	0.08	4400	G	95%	0%	1%	1%	3%	0%	C	0.094	F	0.5	4500	G
185	Stoney Creek Blve	Shenandoah County	0.26	4400	N	95%	0%	1%	1%	3%	0%	N	0.087	N	0.561	4500	N
185	Stoney Creek Blve	Town of Edinburg (Maint: 85)	0.66	4400	G	95%	0%	1%	1%	3%	0%	F	0.087	F	0.561	4500	G
211	W Old Cross Rd	Town of New Market (Maint: 85)	0.26	12000	G	96%	1%	1%	1%	2%	0%	C	0.084	F	0.615	12000	G
211	Congress St	Town of New Market (Maint: 85)	0.27	7100	G	94%	1%	2%	1%	3%	0%	F	0.080	F	0.51	7400	G
211	Lee Highway	Town of New Market (Maint: 85)	0.45	5000	G	88%	1%	2%	2%	6%	0%	C	0.081	F	0.549	5200	G

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
211 Lee Highway	Shenandoah County	0.11	5000	N	88%	1%	2%	2%	6%	0%	N	0.081	N	0.549	5200	N
211 Lee Highway	Shenandoah County	3.14	5800	G	88%	1%	2%	2%	6%	0%	F	0.086	F	0.585	6000	G
211 W Old Cross Rd	Shenandoah County	0.94	4300	G	92%	1%	1%	1%	5%	0%	C	0.088	F	0.5	4500	G
211 W Old Cross Rd	Town of New Market (Maint: 85)	0.42	4300	N	92%	1%	1%	1%	5%	0%	N	0.088	N	0.5	4500	N
263	Shenandoah County	1.75	880	G	95%	1%	2%	1%	1%	0%	F	0.115	F	0.622	850	G
263	Shenandoah County	4.74	1900	G	95%	1%	2%	1%	1%	0%	C	0.088	F	0.524	1800	G
263	Shenandoah County	1.46	2100	A	97%	1%	1%	1%	1%	0%	C	0.112	A	0.731	2100	A
263	Shenandoah County	4.36	2800	G	97%	1%	1%	1%	1%	0%	F	0.089	F	0.665	2700	G
263	Town of Mount Jackson (Maint: 85)	0.52	2800	N	97%	1%	1%	1%	1%	0%	N	0.089	N	0.665	2700	N
292 Conicville Rd	Shenandoah County	0.16	10000	N	64%	1%	1%	1%	31%	2%	N	0.066	N	0.518	11000	N
292 Conicville Rd	Town of Mount Jackson (Maint: 85)	0.23	10000	G	64%	1%	1%	1%	31%	2%	C	0.066	F	0.518	11000	G
305 George Collins Parkway	Town of New Market (Maint: 85)	1.79	230	G	100%	0%	0%	0%	0%	0%	C	0.14	F	0.629	230	G

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(F240) North Fork Rd	0.66	NA														
(F241) Wayne Rd	0.06	NA														
(F242) Windsor Knit Rd	0.03	NA														
(F243) Gochenour Rd	0.64	NA														
(F244) Fox Den Rd	0.21	NA														
(F245) Ft. Bowman Rd	0.23	NA														
(F328)	0.12	NA														
(F811) Loving Lane	0.08	NA														
(600)	0.20	30	R													10/06/2005
(600)	2.16	50	R													10/06/2005
(600)	1.32	200	R													11/02/2005
(600) Saumsville Rd	2.06	340	G	97%	0%	1%	0%	0%	0%	C	0.122	F	0.512	350	G	2007
(600) Zepp Rd	1.02	250	G	97%	0%	1%	0%	0%	0%	F	0.128	F	0.696	260	G	2007
(600) Zepp Rd	2.53	250	G	97%	0%	1%	0%	0%	0%	F	0.138	F	0.641	250	G	2007
(600) Zepp Rd	1.90	240	G	97%	0%	1%	0%	0%	0%	F	0.134	F	0.678	240	G	2007
(600) Zepp Rd	1.17	200	R													05/20/2002
(600) Zepp Rd	0.86	170	R													11/17/2005
(600) Zepp Rd	0.70	180	R													05/20/2002
(600) Zepp Rd	1.04	190	R													11/17/2005
(600) Zepp Rd	0.25	170	R													05/20/2002
(600) Zepp Rd	0.43	220	R													11/17/2005
(600) Zepp Rd	0.60	170	R													05/20/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(601)	0.60	60	R													12/01/2005
(601)	0.70	260	R													05/22/2002
(601)	1.40	290	R													12/01/2005
(601)	0.35	740	R													05/28/2002
(601)	0.72	850	G	98%	0%	1%	0%	0%	0%	C	0.117	F	0.594	880	G	2007
(601)	1.96	470	R													12/01/2005
(602) Paddys Run	0.80	20	R													11/17/2005
(603) Van Buren Rd	1.10	80	R													11/17/2005
(604)	0.10	40	R													10/26/2005
(604)	0.17	230	R													10/26/2005
(604)	0.27	380	R													05/16/2002
(604)	1.50	1300	G	97%	0%	2%	0%	1%	0%	F	0.093	F	0.678	1300	G	2007
(604)	0.71	1400	G	97%	0%	2%	0%	1%	0%	F	0.091	F	0.689	1400	G	2007
(604)	1.07	1600	G	97%	0%	2%	0%	1%	0%	C	0.097	F	0.72	1600	G	2007
(605)	0.20	170	R													05/16/2002
(605)	1.13	170	R													05/16/2002
(605)	1.00	490	R													10/26/2005
(605) St. Luke Rd	1.64	1100	G	97%	0%	1%	1%	1%	0%	F	0.098	F	0.654	1100	G	2007
(605) St. Luke Rd	0.80	1300	G	97%	0%	1%	1%	1%	0%	F	0.096	F	0.647	1300	G	2007
(605) St. Luke Rd	0.50	1800	G	97%	0%	1%	1%	1%	0%	C	0.093	F	0.639	1800	G	2007
(605)	0.15	140	R													04/15/2002
(605)	1.07	60	R													10/26/2005
(605)	0.28	100	R													04/15/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(605)	1.42	780	R				From: 85-683 Honeysuckle Ave				NA		NA		1999	
							To: US 11 S; Old Valley Pike									
(605)	0.50	120	R				From: US 11 N; Old Valley Pike				NA		NA		05/13/2002	
							To: Dead End									
(606) Gap Rd	0.90	100	R				From: 85-628				NA		NA		11/17/2005	
							To: 85-623 S; Back Rd									
(606) Gap Rd	1.00	40	R				From: 85-623 N; Back Rd				NA		NA		11/17/2005	
							To: Frederick County Line									
(607) Riffey Lane	0.40	70	R				From: 85-681 Osceola Rd				NA		NA		11/02/2005	
							To: Dead End									
(608) South Hollingsworth Rd	0.37	170	R				From: 85-675 Stoney Creek Rd				NA		NA		10/20/2005	
							To: 0.37 MW 85-675									
(608) South Hollingsworth Rd	0.63	100	R				From: GW Natl For Bndy				NA		NA		10/20/2005	
							To: Dead End									
(608) South Hollingsworth Rd	0.20	90	R				From: Dead End				NA		NA		04/15/2002	
							To: Dead End									
(609) Hollingsworth Rd	0.60	110	R				From: Dead End				NA		NA		10/04/2005	
							To: 85-670 S; East Reservoir Rd									
(609) Hollingsworth Rd	0.45	200	R				From: 85-670 N; East Reservoir Rd				NA		NA		10/04/2005	
							To: 85-669 Hottel Rd									
(609) Hollingsworth Rd	0.35	320	R				From: 85-669 Hottel Rd				NA		NA		05/13/2002	
							To: Rockingham County Line									
(610) Orkney Springs Rd	4.40	200	R				From: Rockingham County Line				NA		NA		09/15/2005	
							To: SR 263									
(611) Supinlick Ridge Lane	1.50	20	R				From: Rockingham County Line				NA		NA		09/15/2005	
							To: 85-725 Morning Star Rd									
(611) Supinlick Ridge Lane	1.10	90	R				From: 85-725 Morning Star Rd				NA		NA		09/15/2005	
							To: 85-726 Flat Rock Rd									
(611) Supinlick Ridge Lane	3.00	200	R				From: 85-726 Flat Rock Rd				NA		NA		09/15/2005	
							To: 3.00 MN 85-726									
(611) Supinlick Ridge Lane	0.30	180	R				From: 3.00 MN 85-726				NA		NA		04/11/2002	
							To: SR 263 WEST									
(611) Supinlick Ridge Lane	0.75	520	R				From: SR 263 EAST				NA		NA		04/25/2002	
							To: 0.75 MN SR 263									
(611) Supinlick Ridge Lane	0.85	520	R				From: 0.75 MN SR 263				NA		NA		04/25/2002	
							To: 85-720 Crooked Run Rd									
(611) Supinlick Ridge Lane	2.60	320	R				From: 85-720 Crooked Run Rd				NA		NA		09/15/2005	
							To: 85-703									
(611) Supinlick Ridge Lane	2.80	70	R				From: 85-703				NA		NA		09/15/2005	
							To: 85-717 Alum Springs Rd									
(612) Mill Creek Rd	2.10	40	R				From: Rockingham County Line				NA		NA		09/13/2005	
							To: 85-726 S; Flat Rock Rd									
(612) Mill Creek Rd	0.70	200	R				From: 85-726 S; Flat Rock Rd				NA		NA		09/13/2005	
							To: 85-726 N; Flat Rock Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(612) Mill Creek Rd	2.49	160	R											NA		04/11/2002
(613) North Mountain Rd	2.95	420	R											NA		09/13/2005
(614) South Middle Rd	1.20	100	R											NA		09/13/2005
(614) South Middle Rd	0.63	200	R											NA		09/13/2005
(614) South Middle Rd	0.11	130	R											NA		04/08/2002
(614) South Middle Rd	1.80	40	R											NA		09/13/2005
(614) South Middle Rd	4.13	1300	G	88%	1%	2%	6%	4%	0%	C	0.091	F	0.615	1400	G	2007
(614) South Middle Rd	1.08	2100	G	96%	0%	1%	2%	0%	0%	F	0.091	F	0.615	2200	G	2007
(614) South Middle Rd	2.15	670	G	96%	0%	1%	2%	0%	0%	F	0.103	F	0.54	690	G	2007
(614) South Middle Rd	0.97	450	G	96%	0%	1%	2%	0%	0%	C	0.097	F	0.667	470	G	2007
(614) South Middle Rd	0.07	880	G	96%	0%	1%	2%	0%	0%	F	0.099	F	0.529	910	G	2007
(614) South Middle Rd	0.92	940	G	96%	0%	1%	2%	0%	0%	F	0.101	F	0.516	970	G	2007
(614) South Middle Rd	0.34	1100	G	96%	0%	1%	2%	0%	0%	F	0.100	F	0.543	1100	G	2007
(614) South Middle Rd	0.47	1100	G	96%	0%	1%	2%	0%	0%	F	0.1	F	0.516	1200	G	2007
(615) Switchback Rd	0.50	90	R											NA		09/13/2005
(616) Ridge Rd	1.15	70	R											NA		09/13/2005
(616) Ridge Rd	2.80	370	R											NA		04/08/2002
(616) Ridge Rd	0.25	550	G	96%	1%	1%	1%	1%	0%	C	0.102	F	0.571	570	G	2007
(617) Evergreen Valley Rd	0.57	910	G	97%	0%	1%	1%	0%	0%	F	0.103	F	0.507	940	G	2007
(617) River Rd	1.38	710	G	97%	0%	1%	1%	0%	0%	C	0.096	F	0.657	730	G	2007
(617) River Rd	1.76	420	R											NA		03/28/2002
(618) Short Mountain Rd	0.52	20	R											NA		10/13/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(619) Miller Lane	0.21	60	R								NA			NA		08/25/2005
(619) Miller Lane	0.70	120	R								NA			NA		08/25/2005
<b>Town of New Market</b>																
(619) Miller Lane	0.08	280	R								NA			NA		03/28/2002
<b>Shenandoah County</b>																
(620) Smith Creek Rd	0.60	340	R								NA			NA		09/08/2005
(620) Smith Creek Rd	0.75	110	R								NA			NA		03/28/2002
(620) Smith Creek Rd	0.10	150	R								NA			NA		09/08/2005
(620) Smith Creek Rd	0.50	150	R								NA			NA		09/08/2005
(620) Smith Creek Rd	0.02	150	R								NA			NA		09/08/2005
(620) Smith Creek Rd	0.05	70	R								NA			NA		03/28/2002
(620) Smith Creek Rd	0.38	200	R								NA			NA		09/08/2005
(620) Smith Creek Rd	0.93	80	R								NA			NA		09/08/2005
(620) Smith Creek Rd	3.59	360	R								NA			NA		09/08/2005
(620) Smith Creek Rd	1.00	280	R								NA			NA		03/28/2002
(620) Smith Creek Rd	0.15	280	R								NA			NA		09/08/2005
(620) Smith Creek Rd	0.73	480	G	97%	0%	1%	1%	0%	0%	F	NA		480	G		2007
(621) Fairmont Lane	0.70	60	R								NA			NA		11/17/2005
(621) Fairmont Lane	4.70	60	R								NA			NA		11/17/2005
(622)	0.62	120	R								NA			NA		11/17/2005
(622)	0.08	180	R								NA			NA		11/17/2005
(622)	1.70	540	G	98%	0%	1%	1%	0%	0%	C	0.09	F	0.5	560	G	2007
(622)	0.70	310	R								NA			NA		06/03/2002
(623)	0.19	1100	G	96%	1%	1%	2%	1%	0%	F	0.097	F	0.633	1200	G	2007

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(623)	1.00	440	G	96%	1%	1%	2%	1%	0%	F	0.109	F	0.510	450	G	2007
						From: 85-768 Union Church Rd										
(623)	2.30	770	G	96%	1%	1%	2%	1%	0%	F	0.095	F	0.516	790	G	2007
						From: 85-681 S; Osceola Rd										
(623)	2.70	760	G	96%	1%	1%	2%	1%	0%	F	0.092	F	0.695	790	G	2007
						From: 85-605 St Luke Rd										
(623)	2.32	1100	G	96%	1%	1%	2%	1%	0%	C	0.093	F	0.548	1100	G	2007
						From: 85-604 SOUTH										
(623)	3.70	1000	G	96%	1%	1%	2%	1%	0%	F	0.107	F	0.707	1100	G	2007
						From: 85-600 Zepp Road										
(623)	3.80	640	G	96%	1%	1%	2%	1%	0%	F	0.118	F	0.547	660	G	2007
						From: 85-653										
(623)	3.10	630	G	96%	1%	1%	2%	1%	0%	F	0.097	F	0.523	650	G	2007
						From: 85-806 Bruebeck Lane										
(623)	1.60	60	R								NA		NA		12/01/2005	
						From: SR 55 S; John Marshall Hwy										
(623)	1.22	40	R								NA		NA		12/01/2005	
						From: 85-741 Cottontown Road										
(623)	3.04	480	R								NA		NA		11/17/2005	
						From: SR 55 MID; John Marshall Hwy										
						From: SR 55 N; John Marshall Hwy										
(624)	0.37	60	R								NA		NA		12/01/2005	
						From: 85-762 Old Factory Road										
						From: Dead End										
(625)	1.40	270	R								NA		NA		11/07/2005	
						From: 85-642 Country Brook Rd										
						From: US 11 Old Valley Pike										
(626)	0.21	40	R								NA		NA		09/13/2005	
						From: Dead End										
(627)	0.33	100	R								NA		NA		09/22/2005	
						From: 85-767 Quicksburg Road										
						From: 85-614 South Middle Road										
(628)	0.60	230	R								NA		NA		05/22/2002	
						From: SR 55 S; John Marshall Hwy										
(628)	0.90	20	R								NA		NA		12/01/2005	
						From: 0.60 MN SR 55										
						From: SR 55 MID										
(628)	3.05	1500	G	97%	0%	0%	1%	1%	0%	C	0.115	F	0.730	1600	G	2007
						From: SR 55 N; John Marshall Hwy										
						From: Frederick County Line										
(629)	2.01	1700	G	57%	2%	2%	31%	7%	0%	C	0.087	F	0.503	1800	G	2007
						From: US 11; FR-811										
(629)	0.34	450	G	57%	2%	2%	31%	7%	0%	F	0.121	F	0.597	470	G	2007
						From: 85-762 Old Factory Road										
(629)	0.06	640	R								NA		NA		06/03/2002	
						From: 85-622 SOUTH										
(629)	1.28	150	R								NA		NA		06/03/2002	
						From: 85-622 NORTH										
(629)	0.25	40	R								NA		NA		12/01/2005	
						From: 85-631 Pine Grove Rd										
						From: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
630 Beeler Dr	0.65	70	R								NA			NA		12/01/2005
630 Beeler Dr	0.60	60	R								NA			NA		12/01/2005
631 Pine Grove Rd	0.60	460	R								NA			NA		12/01/2005
631 Pine Grove Rd	0.35	240	R								NA			NA		06/03/2002
632 Mumaw Rd	0.80	50	R								NA			NA		12/01/2005
633 Red Bud Rd	0.30	40	R								NA			NA		12/01/2005
633 Red Bud Rd	0.75	330	R								NA			NA		12/01/2005
634 Pouts Hill Rd	0.18	230	R								NA			NA		06/03/2002
634 Pouts Hill Rd	0.31	180	R								NA			NA		12/01/2005
634 Pouts Hill Rd	1.18	40	R								NA			NA		12/01/2005
635 Bowman Hill Rd	0.25	880	R								NA			NA		12/01/2005
635 Bowman Hill Rd	0.80	230	R								NA			NA		06/03/2002
635 Bowman Hill Rd	0.10	150	R								NA			NA		12/01/2005
636 Sand Ridge Rd	0.50	60	R								NA			NA		11/17/2005
637 Powhatan Rd	0.81	1100	R								NA			NA		05/28/2002
637 Powhatan Rd	0.12	1200	R								NA			NA		05/28/2002
638 Junction Rd	0.50	140	R								NA			NA		12/01/2005
638 Junction Rd	1.50	320	R								NA			NA		05/28/2002
638 Junction Rd	0.59	620	G	98%	0%	1%	0%	1%	0%	F	0.104	F	0.519	640	G	2007
638 Junction Rd	0.53	2100	G	98%	0%	1%	0%	1%	0%	C	0.086	F	0.677	2100	G	2007
639 Green Acre Dr	1.00	590	R								NA			NA		12/01/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(640) Habron Hollow Rd	0.10	20	R				85-601; 85-757					NA		NA		12/01/2005
							Dead End									
(641) Grover Rd	0.90	45	R				US 11 Old Valley Pike					NA		NA		12/01/2005
							85-757 Copp Rd									
(642) Country Brook Rd	3.35	230	R				NCL Woodstock					NA		NA		05/13/2002
							85-625 Harman Rd					NA		NA		05/16/2002
(642) Country Brook Rd	0.07	49	R				0.07 MN 85-625					NA		NA		11/07/2005
(642) Country Brook Rd	0.78	70	R				85-652 S; Jadwyn Rd					NA		NA		11/07/2005
							85-652 N; Jadwyn Rd					NA		NA		11/07/2005
							85-657 Powhatan Rd					NA		NA		11/07/2005
(642) Country Brook Rd	0.60	90	R				85-655 E; Harrisville Rd 85-655 W; Harrisville Rd					NA		NA		11/07/2005
							85-653					NA		NA		06/10/2002
							85-601					NA		NA		12/01/2005
(643) Tumbling Run Lane	0.30	70	R				Dead End							NA		12/01/2005
							US 11 Old Valley Pike					NA		NA		12/01/2005
(644) Millner Rd	2.10	180	R				85-648 Sandy Hook Rd							NA		12/01/2005
							85-657 Powhatan Rd					NA		NA		11/02/2005
							85-654 WEST 85-654 EAST					NA		NA		11/02/2005
(645) Woodville Rd	0.40	120	R				85-649 Fishers Rd					NA		NA		11/02/2005
							85-653					NA		NA		11/02/2005
(646) Mt Hebron Rd	2.95	320	R				85-623 Back Rd					NA		NA		12/01/2005
							US 11 Old Valley Pike									
							Dead End					NA		NA		05/22/2002
(647) Rocco Rd	0.45	100	R				85-623 Back Rd							NA		05/22/2002
							Dead End					NA		NA		12/01/2005
(648)	0.62	70	R				85-644 Millner Rd					NA		NA		12/01/2005
							85-744 Deer Rapids Road					NA		NA		06/03/2002
(648)	0.10	430	R				85-601					NA		NA		06/03/2002
							Dead End; Gap					NA		NA		12/01/2005
(648) Sandy Hook Rd	0.14	70	R				0.14 MS Dead End					NA		NA		12/01/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Shenandoah County</b>																	
(648)	0.26	220	R								NA			NA		06/03/2002	
From: 0.14 MS Dead End																	
(648)	0.70	1200	R								NA			NA		12/01/2005	
From: 85-788 Lineburg Lane																	
(648)	0.15	1200	R								NA			NA		06/03/2002	
From: Strasburg Mid Sch																	
(648)	Sandy Hook Rd	0.38	2400	G	94%	4%	1%	0%	0%	0%	C	0.259	F	0.558	2500	G	2007
From: 85-9090																	
To: SCL Strasburg																	
(649)	Fishers Rd	1.50	80	R							NA			NA		11/02/2005	
From: Dead End																	
To: 85-645 Woodville Rd																	
(650)	Tea Berry Rd	1.40	70	R							NA			NA		11/07/2005	
From: US 11 Old Valley Pike																	
(650)	Tea Berry Rd	0.10	80	R							NA			NA		11/07/2005	
From: 85-653 WEST																	
(650)	Tea Berry Rd	0.50	60	R							NA			NA		05/28/2002	
From: 85-653 EAST																	
(650)	Tea Berry Rd	0.07	130	R							NA			NA		11/02/2005	
From: 85-651 SOUTH																	
(650)	Tea Berry Rd	1.00	320	R							NA			NA		11/07/2005	
From: 85-651 NORTH																	
To: 85-747 Riverview Dr																	
(651)	Johnson Road	0.81	70	R							NA			NA		11/07/2005	
From: 85-747 Riverview Dr																	
To: 85-650 S; Tea Berry Rd																	
(651)	Hanns Lane	0.91	950	R							NA			NA		11/02/2005	
From: 85-650 N; Tea Berry Rd																	
To: US 11 S; Old Valley Pike																	
(651)	Mount Olive Road	0.97	4500	G	95%	1%	2%	1%	2%	0%	C	0.093	F	0.520	4600	G	2007
From: US 11 Old Valley Pike																	
(651)	Mount Olive Road	1.35	2400	G	95%	1%	2%	1%	2%	0%	F	0.097	F	0.691	2400	G	2007
From: I-81																	
To: 85-623 Back Road																	
(651)	Mount Olive Road	0.45	90	R							NA			NA		11/17/2005	
From: 85-623 Back Rd																	
To: Dead End																	
(652)	Jadwyn Rd	0.31	130	R							NA			NA		10/26/2005	
From: Dead End																	
(652)	Jadwyn Rd	2.58	290	R							NA			NA		05/16/2002	
From: 85-604																	
To: 85-600 S; Zepp Rd; Saumsville Rd																	
(652)	Jadwyn Rd	0.40	80	R							NA			NA		11/17/2005	
From: 85-600 N; Zepp Rd																	
(652)	Jadwyn Rd	0.70	20	R							NA			NA		11/17/2005	
From: 85-658 Mauser Lane																	
To: 85-642 S; Country Brook Rd																	
(652)	Jadwyn Rd	0.60	80	R							NA			NA		11/17/2005	
From: 85-642 N; Country Brook Rd																	
To: 85-655 Harrisville Rd																	
(653)		1.90	340	R							NA			NA		05/20/2002	
From: 85-623 Back Rd																	
To: 85-655 Harrisville Rd																	
(653)		0.50	640	G	99%	0%	1%	0%	0%	0%	C	0.098	F	0.631	670	G	2007
From: 85-655 Harrisville Road																	
To: US 11 S; Old Valley Pike																	

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Toms Brook</b>																
(653) Creek Rd	0.15	340	G	99%	0%	From: US 11 N; Main St To: ECL Toms Brook				F	0.118	F	0.568	350	G	2007
<b>Shenandoah County</b>																
(653)	0.81	120	R			From: ECL Toms Brook To: 85-650 W; Tea Berry Rd					NA			NA		11/07/2005
(653)	0.27	60	R			From: 85-650 E; Tea Berry Rd To: 0.27 ME 85-650 E					NA			NA		11/02/2005
(653)	0.39	60	R			From: 85-645 Woodville Rd To: 85-747 Riverview Dr					NA			NA		11/02/2005
(653)	0.30	20	R			From: 85-747 Riverview Dr To: US 11; 85-657					NA			NA		11/02/2005
(654) Zion Church Rd	0.75	610	G	98%	0%	0%	1%	1%	0%	C	0.109	F	0.529	630	G	2007
(654) Zion Church Rd	1.05	540	G	98%	0%	0%	1%	1%	0%	F	0.114	F	0.539	550	G	2007
(654) Zion Church Rd	0.90	330	R			From: 85-645 EAST To: 85-645 E; Woodville Rd					NA			NA		05/22/2002
(654) Zion Church Rd	0.20	270	R			From: 85-747 Riverview Dr To: 85-600 Zepp Rd					NA			NA		11/02/2005
(655) Harrisville Rd	2.40	260	R			From: 85-623 Back Rd To: 85-653					NA			NA		05/20/2002
(656) Harrisville Rd	1.38	60	R			From: 85-623 Back Rd To: 85-623 Back Rd					NA			NA		11/17/2005
(657) Powhatan Rd	0.40	70	R			From: 85-642 Country Brook Rd To: 0.40 ME 85-642					NA			NA		11/07/2005
(657) Powhatan Rd	1.20	460	R			From: 85-642 Country Brook Rd To: 0.40 ME 85-642					NA			NA		11/02/2005
(657) Powhatan Rd	0.80	60	R			From: US 11; 85-654 W Gap To: US 11; 85-654 E Gap					NA			NA		11/02/2005
(657) Powhatan Rd	0.20	60	R			From: 85-645 Woodville Rd To: 85-600 Zepp Rd					NA			NA		11/02/2005
(658) Mauser Lane	0.90	110	R			From: Dead End To: 85-623 NORTH					NA			NA		11/17/2005
(658) Mauser Lane	0.50	50	R			From: 85-623 SOUTH To: 85-652 Jadwyn Rd					NA			NA		11/17/2005
(659) Shrine Mont Circle	0.15	60	R			From: SR 263 Begin Loop To: End Loop					NA			NA		04/11/2002
(660) Timberlake Rd	1.38	80	R			From: 85-622 To: 85-629 Oranda Rd					NA			NA		12/01/2005
(661) Ridgeley Rd	1.78	120	R			From: US 11 Old Valley Pike To: 85-802 Franley Lane					NA			NA		05/28/2002
(661) Ridgeley Rd	1.33	20	R			From: 85-802 Franley Lane To: 1.33 MS 85-802					NA			NA		11/02/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(661) Ridgeley Rd	0.20	60	R			From: 1.33 MS 85-802					NA			NA		11/02/2005
						To: 85-600 Zepp Rd										
(662) Jess Sine Rd	0.80	130	R			From: 85-642 Country Brook Rd					NA			NA		10/26/2005
						To: US 11 Old Valley Pike										
(663) Artz Rd	0.60	320	R			From: US 11 Old Valley Pike					NA			NA		05/13/2002
						To: 0.60 ME US 11										
(663) Artz Rd	2.19	220	R			From: 0.60 ME US 11					NA			NA		10/26/2005
						To: Dead End										
(664) Moose Rd	1.42	890	R			From: US 11 Old Valley Pike					NA			NA		05/13/2002
						To: 1.42 ME US 11										
(664) Moose Rd	1.33	70	R			From: 1.42 ME US 11					NA			NA		05/13/2002
						To: Dead End										
(665) Mill Rd	1.28	700	G	97%	0%	2%	0%	0%	0%	C	0.108	F	0.543	720	G	2007
						From: ECL Woodstock										
						To: 85-758 Cemetery Road										
(666) Gunn Lane	0.07	70	R			From: 85-758 Cemetery Rd					NA			NA		05/13/2002
						To: 0.07 ME 85-758										
(666) Gunn Lane	0.33	40	R			From: 0.07 ME 85-758					NA			NA		10/04/2005
						To: Dead End										
(667) Lupton Rd	0.50	50	R			From: ECL Woodstock					NA			NA		05/13/2002
						To: Dead End										
(668) French Woods Rd	0.34	230	R			From: ECL Woodstock					NA			NA		10/04/2005
						To: 85-758 Cemetery Rd										
(669) Hottel Rd	0.20	310	R			From: ECL Woodstock					NA			NA		05/03/2002
						To: 85-609 Hollingsworth Rd										
(669) Hottel Rd	0.36	80	R			From: 85-609 Hollingsworth Rd					NA			NA		10/04/2005
						To: 0.36 ME 85-609										
(669) Hottel Rd	0.44	70	R			From: 0.36 ME 85-609					NA			NA		10/04/2005
						To: Dead End										
(670) East Reservoir Rd	0.40	60	R			From: Dead End					NA			NA		10/04/2005
						To: 85-609 S; Hollingsworth Rd										
(670) East Reservoir Rd	0.37	1100	R			From: 85-609 N; Hollingsworth Rd					NA			NA		05/13/2002
						To: ECL Woodstock										
(671) Lakeview Dr	0.25	600	G	97%	0%	2%	1%	1%	0%	C	0.124	F	0.551	620	G	2007
						From: SCL Woodstock										
						To: 0.25 ME SCL Woodstock										
(671) Lakeview Dr	0.67	470	G	97%	0%	2%	1%	1%	0%	F	0.104	F	0.591	490	G	2007
						From: 0.25 ME SCL Woodstock										
						To: 0.92 ME SCL Woodstock										
(671) Lakeview Dr	1.30	160	G	97%	0%	2%	1%	1%	0%	F	0.157	F	0.667	160	G	2007
						To: Dead End										
(672) Chapman Landing Rd	0.43	130	R			From: US 11 Old Valley Pike					NA			NA		10/06/2005
						To: 0.43 ME US 11										
(672) Chapman Landing Rd	1.27	100	R			From: 0.43 ME US 11					NA			NA		10/06/2005
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Shenandoah County</b>																	
(673)		1.20	270	G	87%	1%	2%	4%	6%	0%	C	0.119	F	0.595	280	G	2007
(674)	Run Away Lane	0.27	80	R								NA		NA			09/08/2005
(675)	Wolf Gap Rd	1.74	190	R								NA		NA			04/15/2002
(675)	Wolf Gap Rd	1.58	250	R								NA		NA			10/20/2005
(675)	Wolf Gap Rd	0.66	810	G	98%	0%	1%	0%	0%	0%	F	0.092	F	0.691	840	G	2007
(675)	Wolf Gap Rd	1.81	930	G	98%	0%	1%	0%	0%	0%	F	0.097	F	0.693	960	G	2007
(675)	Wolf Gap Rd	0.63	1200	G	98%	0%	1%	0%	0%	0%	C	0.096	F	0.641	1200	G	2007
(675)	Stoney Creek Rd	2.75	570	G	95%	0%	1%	1%	4%	0%	F	0.098	F	0.556	590	G	2007
(675)	Stoney Creek Rd	1.88	2500	G	95%	0%	1%	1%	4%	0%	C	0.095	F	0.513	2600	G	2007
<b>Town of Edinburg</b>																	
(675)	Picaddilly St	0.14	150	R								NA		NA			05/09/2002
(675)	Picaddilly St	0.12	80	R								NA		NA			10/06/2005
(675)	Picaddilly St	0.05	150	G	95%	0%	1%	1%	4%	0%	F	0.144	F	0.5	160	G	2007
(675)	Fort Rd	0.17	1900	G	98%	0%	1%	1%	0%	0%	C	0.104	F	0.711	1900	G	2007
<b>Shenandoah County</b>																	
(675)	Edinburg Gap Rd	1.19	1800	G	98%	0%	1%	1%	0%	0%	F	0.106	F	0.732	1900	G	2007
(675)	Edinburg Gap Rd	4.42	1200	G	98%	0%	1%	1%	0%	0%	F	0.113	F	0.681	1300	G	2007
(675)	Camp Roosevelt Rd	1.99	450	G	98%	0%	1%	1%	0%	0%	F	0.139	F	0.674	470	G	2007
(675)	Camp Roosevelt Rd	1.67	450	N	98%	0%	1%	1%	0%	0%	N	0.139	N	0.674	470	N	2007
(676)		0.90	90	R								NA		NA			10/26/2005
(676)		1.60	740	R								NA		NA			11/02/2005
(676)		1.05	970	R								NA		NA			05/13/2002
(676)		0.15	1200	G	99%	0%	1%	0%	0%	0%	C	0.090	F	0.632	1300	G	2007
(676)		0.50	250	R								NA		NA			05/13/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Shenandoah County</b>																	
(676)		1.08	250	R			From: 0.50 ME 85-604				NA			NA		05/13/2002	
							To: Dead End										
(677)	Baker House Lane	0.35	30	R			From: 85-604				NA			NA		10/26/2005	
							To: Dead End										
(678)		0.14	50	R			From: 85-675 S, Camp Roosevelt Rd				NA			NA		05/09/2002	
(678)		1.79	210	R			From: 85-830 Hickory Lane				NA			NA		09/27/2005	
							To: 85-675 E, Camp Roosevelt Rd										
(678)		4.14	710	G	97%	0%	2%	1%	0%	0%	C	0.119	F	0.701	730	G	2007
							From: 85-675 EAST										
(678)		3.95	690	G	97%	0%	2%	1%	0%	0%	F	0.113	F	0.540	710	G	2007
							To: 85-775 Old Store Rd										
(678)		1.74	690	G	97%	0%	2%	1%	0%	0%	F	0.096	F	0.621	710	G	2007
							From: 85-758 N; Cemetery Rd										
(678)		1.90	610	G	97%	0%	2%	1%	0%	0%	F	0.096	F	0.662	630	G	2007
							To: 85-774 N; Veach Gap Rd										
(678)		6.67	700	G	97%	0%	2%	1%	0%	0%	F	0.101	F	0.607	730	G	2007
							From: 85-772 Ramsey Rd										
							To: Warren County Line										
(679)	Rittenour Rd	0.10	30	R			From: 85-691 Judge Rye Rd				NA			NA		04/15/2002	
							To: 85-675 Stoney Creek Rd										
(679)	Rittenour Rd	0.76	1400	R			From: 85-681 Osceola Rd				NA			NA		10/06/2005	
							To: 85-681 Osceola Rd										
(679)	Rittenour Rd	0.25	250	R			From: 85-682 Readus Rd				NA			NA		04/25/2002	
							To: 85-682 Readus Rd										
(679)	Rittenour Rd	0.20	130	R			From: 0.20 MN 85-682				NA			NA		10/20/2005	
							To: SR 42										
(679)	Rittenour Rd	0.87	280	R			From: 85-793 Ryman Rd				NA			NA		10/20/2005	
							To: 85-793 Ryman Rd										
(679)	Rittenour Rd	0.03	290	R			From: 85-680 S, Coffmantown Road				NA			NA		05/16/2002	
							To: 85-680 S, Coffmantown Road										
(679)	Rittenour Rd	0.06	220	R			From: 85-680 N; Coffmantown Rd				NA			NA		10/20/2005	
							To: 85-680 N; Coffmantown Rd										
(679)	Rittenour Rd	1.00	100	R			From: 85-605 MID				NA			NA		10/26/2005	
							To: 85-605 E; St. Luke Rd										
(679)	Rittenour Rd	0.03	110	R			From: 0.03 MN 85-605 E				NA			NA		05/20/2002	
							To: 0.03 MN 85-605 E										
(679)	Rittenour Rd	1.57	60	R			From: 85-623 Back Rd				NA			NA		11/02/2005	
							To: 85-623 Back Rd										
(679)	Rittenour Rd	1.51	80	R			From: 1.51 MW 85-623				NA			NA		05/16/2002	
							To: 85-605 WEST										
(679)	Rittenour Rd	0.52	60	R			From: 85-623 Back Rd				NA			NA		10/26/2005	
							To: 85-605 WEST										
(680)	Coffmantown Rd	1.45	150	R			From: 85-793 Ryman Rd				NA			NA		05/16/2002	
							To: 85-793 Ryman Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(680) Coffmantown Rd	0.10	190	R											NA		10/26/2005
(680) Coffmantown Rd	0.11	40	R											NA		05/16/2002
(680) Coffmantown Rd	1.03	50	R											NA		10/26/2005
(680) Coffmantown Rd	0.06	100	R											NA		05/16/2002
(680) Coffmantown Rd	0.20	110	R											NA		10/26/2005
(680) Coffmantown Rd	0.30	190	R											NA		05/16/2002
(681) Osceola Rd	0.15	1100	R											NA		10/06/2005
(681) Osceola Rd	1.89	1300	R											NA		04/15/2002
(681) Osceola Rd	0.80	590	R											NA		10/20/2005
(681) Osceola Rd	1.00	230	R											NA		05/16/2002
(681) Osceola Rd	0.25	130	R											NA		05/20/2002
(681) Osceola Rd	0.15	100	R											NA		11/02/2005
(681) Osceola Rd	0.30	110	R											NA		11/02/2005
(681) Osceola Rd	0.80	120	R											NA		11/02/2005
(681) Osceola Rd	0.30	160	R											NA		11/02/2005
(681) Osceola Rd	0.40	240	R											NA		05/16/2002
(681) Osceola Rd	1.30	70	R											NA		10/26/2005
(681) Osceola Rd	1.00	130	R											NA		05/16/2002
(681) Osceola Rd	1.50	110	R											NA		10/26/2005
(681) Osceola Rd	1.03	60	R											NA		10/26/2005
(682) Readus Rd	1.70	1000	R											NA		10/20/2005
(682) Readus Rd	0.90	640	R											NA		04/25/2002
(682) Readus Rd	1.66	1600	R											NA		10/20/2005
(682) Readus Rd	0.40	30	R											NA		10/26/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(682) Readus Rd	0.69	110	R				From: 85-680 N: Coffmantown Rd					NA		NA		05/16/2002
							To: 85-605 St. Luke Rd									
(683) Honeysuckle Avenue	0.80	450	R				From: 85-605					NA		NA		10/06/2005
							To: SR 42									
(684) Stultz Gap Rd	1.10	100	R				From: 85-685 Barbershop Rd					NA		NA		10/06/2005
							To: 85-686 Ox Rd									
(685) Barbershop Rd	1.35	590	R				From: 85-675 Stoney Creek Rd					NA		NA		04/15/2002
							To: 85-684 Stultz Gap Rd									
(685) Barbershop Rd	0.90	710	R				From: 85-684 Stultz Gap Rd					NA		NA		10/20/2005
							To: 85-682 Readus Rd									
(686) Ox Rd	1.97	1100	R				From: 85-614 South Middle Rd					NA		NA		04/15/2002
							To: 85-675 WEST									
(686) Ox Rd	3.64	1100	R				From: SR 185; 85-675 E					NA		NA		10/13/2005
							To: 85-605 WEST									
(686) Ox Rd	0.11	1200	R				From: 85-605 EAST					NA		NA		05/13/2002
							To: SCL Woodstock									
(687) Lantz Rd	1.20	160	R				From: 85-686 Ox Rd					NA		NA		10/13/2005
							To: 85-710									
(688) Helsley Rd	0.70	60	R				From: 85-779 Ridge Hollow Rd					NA		NA		10/18/2005
							To: SR 42 SOUTH									
(688) Helsley Rd	2.90	200	R				From: SR 42 NORTH					NA		NA		10/20/2005
							To: 85-682 Readus Rd									
(689) Foltz Rd	0.70	130	R				From: Dead End					NA		NA		10/20/2005
							To: 85-694 Wolverton Rd									
(690) Hotteltown Lane	0.62	9	R				From: Dead End					NA		NA		10/20/2005
							To: 85-717 Alum Springs Rd									
(691) Judge Rye Rd	6.67	40	R				From: West Virginia State Line					NA		NA		10/20/2005
							To: 85-717 Alum Springs Rd									
(691) Judge Rye Rd	2.70	60	R				From: 85-717 Alum Springs Rd					NA		NA		10/20/2005
							To: 85-705 Buggy Ridge Rd									
(691) Judge Rye Rd	0.50	90	R				From: 85-705 Buggy Ridge Rd					NA		NA		10/18/2005
							To: 85-779 Ridge Hollow Rd									
(691) Judge Rye Rd	1.20	60	R				From: 85-779 Ridge Hollow Rd					NA		NA		10/18/2005
							To: SR 42									
(691) Judge Rye Rd	4.51	160	R				From: SR 42					NA		NA		10/18/2005
							To: 85-808 Johnstown Rd									
(691) Judge Rye Rd	0.50	340	R				From: 85-808 Johnstown Rd					NA		NA		04/15/2002
							To: 85-809 Union Force Church Rd									
(692) Wiltons Rd	0.70	20	R				From: 85-693 Polk Rd					NA		NA		10/18/2005
							To: 85-691 Judge Rye Rd									
(693) Polk Rd	1.30	70	R				From: 85-614 South Middle Rd					NA		NA		10/18/2005
							To: 85-710									

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(693) Polk Rd	1.80	20	R											NA		10/18/2005
(694) Wolverton Rd	3.30	330	R											NA		04/25/2002
(694) Wolverton Rd	0.09	130	R											NA		04/25/2002
(694) Wolverton Rd	0.21	150	R											NA		10/20/2005
(694) Wolverton Rd	0.60	50	R											NA		10/20/2005
(694) Wolverton Rd	0.80	40	R											NA		10/20/2005
(695) Swann Rd	0.07	60	R											NA		05/06/2002
(695) Swann Rd	0.37	60	R											NA		05/06/2002
(695) Swann Rd	0.16	20	R											NA		10/06/2005
(696) Palmyra Rd	0.20	150	R											NA		12/01/2005
(697) Pontzer Rd	0.30	210	R											NA		12/01/2005
(697) Pontzer Rd	0.57	90	R											NA		05/22/2002
(698) Turkey Knob Rd	3.34	890	G	98%	0%	0%	1%	0%	0%	F	0.108	F	0.654	920	G	2007
(698) Turkey Knob Rd	0.47	840	G	98%	0%	0%	1%	0%	0%	F	0.098	F	0.567	870	G	2007
<b>Town of Mount Jackson</b>																
(698)	0.29	780	G	98%	0%	0%	1%	0%	0%	C	0.086	F	0.569	810	G	2007
(698)	0.11	30	R											NA		1999
(698) Red Banks Rd	0.19	840	G	98%	0%	1%	0%	0%	0%	C	0.096	F	0.581	870	G	2007
<b>Shenandoah County</b>																
(698) Red Banks Rd	2.27	410	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.667	420	G	2007
(698) Red Banks Rd	1.90	250	G	98%	0%	1%	0%	0%	0%	F	0.109	F	0.6	260	G	2007
(698) Palmyra Church Rd	3.44	160	G	98%	0%	1%	0%	0%	0%	F	0.098	F	0.588	170	G	2007
(698) Palmyra Church Rd	0.64	380	G	98%	0%	1%	0%	0%	0%	F	0.096	F	0.704	390	G	2007

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Edinburg</b>																
(698) Palmyra Church Rd	0.11	420	G	98%	0%	From: ECL Edinburg				F	0.093	F	0.678	430	G	2007
(698)	0.05	420	R			From: 85-1419 Palmyra Rd					NA			NA		05/06/2002
						To: WCL Edinburg										
<b>Shenandoah County</b>																
(698)	0.61	500	R			From: WCL Edinburg					NA			NA		05/06/2002
						To: US 11 Old Valley Pike										
(699) Whitehall Lane	0.50	60	R			From: US 11 Old Valley Pike					NA			NA		09/27/2005
						To: 0.50 ME US 11; Gap										
(699) Whitehall Lane	0.10	70	R			From: 85-698; Gap					NA			NA		05/06/2002
						To: 0.10 MS 85-698										
(699) Whitehall Lane	0.40	70	R			From: GW Natl For Bndy					NA			NA		05/06/2002
						To: Dead End										
(699) Whitehall Lane	0.38	50	R			From: US 11 Old Valley Pike					NA			NA		09/27/2005
						To: Dead End										
(700) Old Bethal Rd	0.90	230	R			From: US 11 Old Valley Pike					NA			NA		10/13/2005
						To: Dead End										
(701) Dellinger Gap Rd	0.49	40	R			From: Dead End					NA			NA		09/22/2005
						To: 0.49 ME Dead End										
(701) Dellinger Gap Rd	0.61	120	R			From: GW Natl For Bndy					NA			NA		04/11/2002
						To: 85-717 S; Alum Springs Rd										
(701) Dellinger Gap Rd	0.90	120	R			From: 85-717 N; Alum Springs Rd					NA			NA		04/11/2002
						To: 85-611 Supinlick Ridge Lane										
(702) Miller Rd	0.10	80	R			From: 85-717 Alum Springs Rd					NA			NA		04/11/2002
						To: 0.10 MN 85-717										
(702) Miller Rd	1.74	90	R			From: 85-701 Dellinger Gap Road					NA			NA		04/11/2002
						To: 85-717 Alum Springs Rd										
(703)	3.79	190	R			From: SR 42 NORTH					NA			NA		09/22/2005
						To: SR 42 SOUTH										
(703)	1.95	520	G	96%	0%	2%	2%	1%	0%	F	0.094	F	0.575	540	G	2007
						To: 85-709 N; Buck Hill Rd										
(703)	1.21	490	G	96%	0%	2%	2%	1%	0%	F	0.09	F	0.525	500	G	2007
						To: 85-710										
(703)	0.87	520	R			From: 85-711 Bauserman Rd					NA			NA		04/25/2002
						To: 85-614 N; South Middle Rd										
(703) Mt. Jackson Rd	1.28	2800	G	96%	0%	2%	2%	1%	0%	F	0.09	F	0.594	2900	G	2007
						To: 85-1318 Scothern Rd										
(703)	0.12	2900	G	96%	0%	2%	2%	1%	0%	C	0.091	F	0.628	3000	G	2007
						To: Ramp From I-81										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(704) Riles Run Lane	0.20	10	R								NA		NA			09/22/2005
			From: Dead End													
			To: 85-703													
(705) Buggy Ridge Rd	1.80	30	R								NA		NA			10/18/2005
			From: 85-703													
			To: 85-691 Judge Rye Rd													
(706) Stout Rd	0.59	20	R								NA		NA			10/18/2005
			From: 85-709 Buck Hill Rd													
			To: 85-708													
(706) Stout Rd	1.10	40	R								NA		NA			10/18/2005
			From: 85-707 SOUTH													
			To: 85-707 NORTH													
(706) Stout Rd	1.10	20	R								NA		NA			10/18/2005
			From: 85-710													
			To: 85-698 Palmyra Church Rd													
(707)	0.09	520	R								NA		NA			10/13/2005
			From: US 11 N; Old Valley Pike													
			To: US 11 S; Old Valley Pike													
(707)	0.74	70	R								NA		NA			05/06/2002
			From: 0.74 MW US 11													
(707)	1.56	60	R								NA		NA			10/13/2005
			From: 85-614 N; South Middle Rd													
			To: 85-614 S; South Middle Rd													
(707)	1.00	260	G	96%	1%	1%	1%	0%	0%	C	0.13	F	0.556	270	G	2007
			From: 85-710 SOUTH													
(707)	0.15	420	R								NA		NA			04/25/2002
			From: 85-710 NORTH													
(707)	2.20	280	R								NA		NA			10/18/2005
			From: 85-694 Wolverton Rd													
			To: 85-706 Stout Rd													
(708)	1.20	40	R								NA		NA			10/18/2005
			From: 85-707													
(708)	0.42	180	R								NA		NA			10/18/2005
			From: 85-710													
(708) Bethel Church Rd	0.80	460	G	96%	0%	1%	2%	0%	0%	C	0.111	F	0.611	480	G	2007
			From: 85-614 S; South Middle Rd													
			To: 85-614 N; South Middle Rd													
(708)	1.19	90	R								NA		NA			10/13/2005
			From: Dead End													
			To: 85-715 Orchard Rd													
(709) Buck Hill Rd	2.02	49	R								NA		NA			10/13/2005
			From: 85-711 S; Bauserman Rd													
(709) Buck Hill Rd	0.50	30	R								NA		NA			10/13/2005
			From: 85-711 N; Bauserman Rd													
(709) Buck Hill Rd	0.60	70	R								NA		NA			10/18/2005
			From: 85-703 SOUTH													
			To: 85-703													
(709) Buck Hill Rd	0.13	60	R								NA		NA			04/25/2002
			From: 85-706 Stout Rd													
(709) Buck Hill Rd	1.26	60	R								NA		NA			10/18/2005
			From: 85-694 Wolverton Rd													
			To: Dead End													
(710)	0.50	20	R								NA		NA			09/22/2005
			From: 0.50 MN Dead End													
(710)	0.32	70	R								NA		NA			09/22/2005
			From: SR 263 WEST													

Virginia Department of Transportation  
 Traffic Engineering Division  
 2007  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(710)	0.06	370	R								NA			NA		04/25/2002
(710)	0.70	330	R								NA			NA		09/22/2005
(710)	0.90	180	R								NA			NA		09/22/2005
(710)	1.00	90	R								NA			NA		09/22/2005
(710)	0.80	200	G	97%	0%	1%	2%	0%	0%	C	0.123	F	0.536	210	G	2007
(710)	0.30	300	R								NA			NA		10/18/2005
(710)	0.40	90	R								NA			NA		04/25/2002
(710)	0.70	50	R								NA			NA		10/13/2005
(710)	0.50	40	R								NA			NA		10/13/2005
(710)	0.60	80	R								NA			NA		10/13/2005
(710)	1.00	80	R								NA			NA		10/13/2005
(711) Bauserman Rd	1.80	70	R								NA			NA		09/15/2005
(711) Bauserman Rd	0.20	170	R								NA			NA		09/15/2005
(711) Bauserman Rd	0.80	210	R								NA			NA		09/15/2005
(711) Bauserman Rd	1.20	50	R								NA			NA		10/18/2005
(711) Bauserman Rd	1.00	50	R								NA			NA		10/18/2005
(711) Bauserman Rd	1.40	50	R								NA			NA		10/18/2005
(711) Bauserman Rd	0.60	120	R								NA			NA		10/13/2005
(712) Pennywitt Rd	1.10	120	R								NA			NA		09/22/2005
(713) Sugar Hill Rd	1.10	40	R								NA			NA		11/17/2005
(713) Sugar Hill Rd	2.80	30	R								NA			NA		11/17/2005
(714) Turkey Run Rd	3.68	110	R								NA			NA		11/17/2005
(714) Turkey Run Rd	1.60	70	R								NA			NA		11/17/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(715) Orchard Rd	1.50	100	R									NA		NA		10/13/2005
(715) Orchard Rd	0.50	230	R									NA		NA		04/25/2002
(716) Graveltown Rd	0.80	40	R									NA		NA		09/13/2005
(716) Graveltown Rd	2.10	220	R									NA		NA		05/02/2002
(716) Graveltown Rd	0.90	50	R									NA		NA		09/22/2005
(716) Graveltown Rd	1.30	170	R									NA		NA		04/29/2002
(716) Graveltown Rd	1.30	90	R									NA		NA		10/18/2005
(716) Graveltown Rd	0.90	170	R									NA		NA		04/25/2002
(716) Graveltown Rd	0.20	230	R									NA		NA		10/18/2005
(717)	6.74	460	R									NA		NA		04/11/2002
(717) Alum Springs Rd	2.40	350	R									NA		NA		04/15/2002
(717)	2.53	480	G	98%	0%	1%	0%	1%	0%	C	0.097	F	0.694	490	G	2007
(718) Barb Lane	0.40	4	R									NA		NA		09/22/2005
<b>Town of New Market</b>																
(719) Dixie Lane	0.06	620	R									NA		NA		08/25/2005
(719) Dixie Lane	0.10	190	R									NA		NA		03/28/2002
<b>Shenandoah County</b>																
(720) Crooked Run Rd	4.40	60	R									NA		NA		09/22/2005
(720) Crooked Run Rd	2.70	110	R									NA		NA		04/11/2002
(720) Crooked Run Rd	1.00	170	R									NA		NA		09/15/2005
(720) Crooked Run Rd	0.80	160	R									NA		NA		04/11/2002
(720) Crooked Run Rd	0.70	810	R									NA		NA		09/15/2005
(720) Crooked Run Rd	2.76	450	R									NA		NA		05/02/2002
(720) Crooked Run Rd	0.70	70	R									NA		NA		09/22/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(720) Crooked Run Rd	1.60	40	R									NA		NA		09/22/2005
(720) Crooked Run Rd	0.50	140	R									NA		NA		09/22/2005
(720) Crooked Run Rd	1.30	150	R									NA		NA		05/02/2002
(720) Crooked Run Rd	1.38	530	R									NA		NA		05/06/2002
(721) Kelly Rd	2.20	340	R									NA		NA		09/15/2005
(721) Kelly Rd	1.90	80	R									NA		NA		09/15/2005
(722) Mt Hermon Dr	0.50	510	R									NA		NA		09/15/2005
(723) Happy Valley Rd	1.39	40	R									NA		NA		09/15/2005
(723) Happy Valley Rd	0.81	130	R									NA		NA		09/15/2005
(724) Tussing Lane	0.98	20	R									NA		NA		09/15/2005
(725) Morning Star Rd	1.10	40	R									NA		NA		09/13/2005
(725) Morning Star Rd	2.80	110	R									NA		NA		09/15/2005
(725) Morning Star Rd	0.40	180	R									NA		NA		09/15/2005
(726) Flat Rock Rd	0.60	40	R									NA		NA		09/15/2005
(726) Flat Rock Rd	0.80	30	R									NA		NA		09/15/2005
(726) Flat Rock Rd	1.90	40	R									NA		NA		09/15/2005
(726) Flat Rock Rd	1.90	70	R									NA		NA		09/13/2005
(726) Flat Rock Rd	1.20	30	R									NA		NA		09/13/2005
(727) Solomons Church Rd	0.90	170	R									NA		NA		09/13/2005
(728)	2.10	20	R									NA		NA		09/02/2005
(728)	1.48	190	R									NA		NA		09/13/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Shenandoah County</b>																	
(728)	2.40	210	R								NA			NA		04/08/2002	
(728)	1.60	70	R								NA			NA		09/13/2005	
(728)	New Market Depot Rd	2.40	290	G	96%	0%	1%	1%	2%	0%	F	0.107	F	0.672	300	G	2007
(728)	River Rd	0.14	2000	G	96%	0%	1%	1%	2%	0%	C	0.123	F	0.578	2100	G	2007
(729)	Garber Rd	2.50	140	R							NA			NA		05/02/2002	
(729)	Garber Rd	0.10	370	R							NA			NA		09/22/2005	
(730)		1.70	230	R							NA			NA		04/08/2002	
(730)		1.30	340	R							NA			NA		09/13/2005	
(730)	Caverns Rd	0.61	650	G	90%	1%	1%	1%	6%	0%	F	0.151	F	0.717	670	G	2007
(730)	Caverns Rd	0.67	1800	G	90%	1%	1%	1%	6%	0%	F	0.13	F	0.564	1900	G	2007
(730)	Caverns Rd	0.16	2700	G	90%	1%	1%	1%	6%	0%	C	0.113	F	0.567	2800	G	2007
(730)	Caverns Rd	0.56	2800	G	92%	1%	2%	1%	4%	0%	C	0.102	F	0.558	2900	G	2007
(730)		1.17	360	R							NA			NA		03/28/2002	
(730)		0.71	220	R							NA			NA		09/13/2005	
(730)		5.40	90	R							NA			NA		09/27/2005	
<b>Page County</b>																	
(730)		1.00	80	R							NA			NA		05/09/2002	
<b>Shenandoah County</b>																	
(730)		0.70	46	R							NA			NA		09/27/2005	
(731)	Lutz Hollow Rd	0.90	120	R							NA			NA		04/08/2002	
(732)	Cardinal Rd	0.70	350	R							NA			NA		03/28/2002	
(733)	Limestone Rd	0.70	90	R							NA			NA		08/13/2005	
(734)	Academy Rd	0.18	500	R							NA			NA		03/28/2002	

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(734) Academy Rd	0.54	90	R			From: 0.18 MN SR 211					NA			NA		08/25/2005
						To: Dead End										
<b>Town of New Market</b>																
(735) Smith Creek Rd	0.05	730	R			From: 85-1002 Old Cross Rd					NA			NA		03/28/2002
						To: ECL New Market										
<b>Shenandoah County</b>																
(735) Smith Creek Rd	0.56	190	R			From: ECL New Market					NA			NA		09/08/2005
						To: 85-620 Smith Creek Rd										
(736) Jiggady Rd	2.50	170	R			From: 85-617 River Rd					NA			NA		08/25/2005
						To: 85-617										
(737) Cedar Lane	1.50	40	R			From: US 11 Old Valley Pike					NA			NA		08/25/2005
						To: 85-620 Smith Creek Rd										
(738) Knupp Rd	0.10	20	R			From: Dead End					NA			NA		09/13/2005
						To: 85-613 S; North Mountain Rd										
(738) Knupp Rd	1.52	50	R			From: 85-613 N; North Mountain Rd					NA			NA		09/13/2005
						To: 85-614										
(739) Harmony Lane	0.50	340	R			From: SR 42					NA			NA		04/15/2002
						To: Dead End										
(740) Toll House Rd	0.63	60	R			From: US 11 W; Old Valley Pike					NA			NA		11/07/2005
						To: US 11 E; Old Valley Pike										
(741) Cottontown Rd	0.50	100	R			From: 85-623 Back Rd					NA			NA		12/01/2005
						To: SR 55 John Marshall Hwy										
(742) Georgetown Rd	1.90	120	R			From: 85-720 Crooked Run Rd					NA			NA		09/22/2005
						To: 85-764 Walker Rd										
<b>Town of Mount Jackson</b>																
(743) Shenandoah St	0.04	340	R			From: 85-1328 Railroad St					NA			NA		05/02/2002
						To: 85-1329 Second Ave										
(743) Shenandoah St	0.28	470	R			From: US 11 Main St					NA			NA		1999
						To: US 11 Main St										
<b>Shenandoah County</b>																
(744) Deer Rapids Rd	0.68	420	R			From: 85-870					NA			NA		06/03/2002
						To: 85-648 Sandy Hook Rd										
(745) Spiker Lane	0.30	120	R			From: 85-622					NA			NA		12/01/2005
						To: Dead End										
(746) Bonnet Hill Rd	1.40	60	R			From: Dead End					NA			NA		11/17/2005
						To: 85-600 Zepp Rd										
(747) Riverview Dr	0.90	20	R			From: 85-654					NA			NA		11/02/2005
						To: 85-649 Fishers Rd										
(747) Riverview Dr	0.20	50	R			From: 85-653					NA			NA		11/02/2005
						To: 85-653										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(747) Riverview Dr	1.60	60	R				85-653				NA			NA		11/07/2005
(747) Riverview Dr	0.50	270	R				85-650 Tea Berry Rd				NA			NA		05/28/2002
(747) Riverview Dr	0.40	110	R				0.50 ME 85-650				NA			NA		11/17/2005
							Dead End									
(748) Bonnet Hill Rd	1.00	110	R				Dead End				NA			NA		10/20/2005
							85-675 Stoney Creek Rd									
(749) Millertown Rd	1.30	220	R				85-675 Stoney Creek Rd				NA			NA		10/20/2005
							Dead End									
(750) Indian Run Lane	0.46	100	R				Dead End				NA			NA		11/17/2005
							85-623 Back Rd									
(751) Village Lane	0.06	70	R				85-616				NA			NA		08/25/2005
							Dead End									
(752) Frogtown Lane	0.83	130	R				85-688 Helsley Rd				NA			NA		04/25/2002
							Dead End									
<b>Town of Mount Jackson</b>																
(753) Jackson St	0.09	430	R				85-1328 Railroad St				NA			NA		05/02/2002
							85-1333 Painters St									
(753) Jackson St	0.06	390	R				85-1330 First Ave				NA			NA		09/27/2005
(753) Jackson St	0.10	580	R				US 11 Main St				NA			NA		05/02/2002
<b>Shenandoah County</b>																
(754) Laurel Hill Way	0.51	20	R				SR 55 W; John Marshall Hwy				NA			NA		11/17/2005
							0.51 MN SR 55									
(754) Laurel Hill Way	0.12	30	R				SR 55 E; John Marshall Hwy				NA			NA		05/20/2002
							Dead End									
(755) Williams Lane	0.15	30	R				SR 55 John Marshall Hwy				NA			NA		12/01/2005
							85-623 Back Rd									
(756) Cottontown Rd	0.07	100	R				SR 55 John Marshall Hwy				NA			NA		12/01/2005
							85-646 Mt Hebron Rd									
(757) Copp Rd	1.35	240	R				85-641 Grover Rd				NA			NA		12/01/2005
							85-601 SOUTH									
(757) Copp Rd	0.65	370	R				85-601 NORTH; 85-640				NA			NA		05/28/2002
							85-639 Green Acre Dr									
(757) Copp Rd	0.77	250	R				85-638				NA			NA		05/28/2002
							ECL Woodstock									
(758) Cemetery Rd	1.86	270	R				85-665 Mill Rd				NA			NA		10/04/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(758) Cemetery Rd	0.42	700	R								NA			NA		05/13/2002
(758) Cemetery Rd	0.47	640	R								NA			NA		10/04/2005
(758) Cemetery Rd	0.08	150	R								NA			NA		10/04/2005
(758) Cemetery Rd	4.55	140	R								NA			NA		10/04/2005
(758) Cemetery Rd	0.28	220	R								NA			NA		05/09/2002
(758) Cemetery Rd	0.80	220	R								NA			NA		05/09/2002
(758) Cemetery Rd	0.59	220	R								NA			NA		05/09/2002
(758) Cemetery Rd	0.99	160	R								NA			NA		10/04/2005
(758) Cemetery Rd	2.01	60	R								NA			NA		10/04/2005
(759) Stillhouse Rd	0.30	10	R								NA			NA		11/17/2005
<b>Town of Edinburg</b>																
(760) Water St	0.05	200	G	95%	2%	4%	0%	0%	0%	C	0.127	F		210	G	2007
(760) Water St	0.03	660	R								NA			NA		05/06/2002
(760) Water St	0.17	190	R								NA			NA		10/06/2005
(760) Water St	0.14	100	R								NA			NA		05/06/2002
<b>Shenandoah County</b>																
(760) Water St	0.59	130	R								NA			NA		10/06/2005
(761) Capon Rd	0.34	60	R								NA			NA		05/28/2002
(761) Capon Rd	0.22	60	R								NA			NA		12/01/2005
(762) Old Factory Rd	0.10	170	R								NA			NA		12/01/2005
(762) Old Factory Rd	0.65	120	R								NA			NA		12/01/2005
(763) Patmos Rd	1.60	1200	R								NA			NA		05/16/2002
(763) Patmos Rd	1.10	150	R								NA			NA		10/26/2005
(763) Patmos Rd	0.02	50	R								NA			NA		10/26/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(763) Patmos Rd	0.44	50	R											NA		10/26/2005
(764) Walker Rd	1.20	340	R											NA		05/02/2002
(764) Walker Rd	0.30	660	R											NA		09/27/2005
(765) Grandstaff Lane	0.76	120	R											NA		10/13/2005
(766) Trotaway Lane	0.50	20	R											NA		09/22/2005
(767) Quicksburg Rd	2.76	460	R											NA		04/08/2002
(767) Quicksburg Rd	0.72	650	G	92%	1%	1%	3%	2%	0%	F	0.103	F	0.519	670	G	2007
(767) Quicksbury Rd	1.84	860	G	92%	1%	1%	3%	2%	0%	C	0.102	F	0.556	890	G	2007
(768) Union Church Rd	0.12	830	R											NA		10/20/2005
(769) Saint Davids Church Rd	0.30	80	R											NA		10/04/2005
(769) Saint Davids Church Rd	3.30	70	R											NA		09/27/2005
(769) Saint Davids Church Rd	0.80	60	R											NA		09/27/2005
(769) Saint Davids Church Rd	0.30	100	R											NA		09/27/2005
(769) Saint Davids Church Rd	2.64	40	R											NA		09/27/2005
(770) Dry Run Rd	1.58	150	R											NA		10/04/2005
(770) Dry Run Rd	2.40	110	R											NA		10/04/2005
(770) Dry Run Rd	1.22	48	R											NA		10/04/2005
(770) Dry Run Rd	0.08	80	R											NA		05/09/2002
(770) Dry Run Rd	0.60	110	R											NA		10/04/2005
(771) Boyer Rd	1.60	20	R											NA		10/04/2005
(771) Boyer Rd	0.80	20	R											NA		10/04/2005
(771) Boyer Rd	1.30	160	R											NA		10/04/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(772) Ramsey Rd	0.90	50	R								NA			NA		10/04/2005
(773) Coverstone Rd	1.00	20	R								NA			NA		10/04/2005
(774) Veach Gap Rd	0.60	20	R								NA			NA		10/04/2005
(774) Veach Gap Rd	0.23	60	R								NA			NA		10/04/2005
(774) Veach Gap Rd	0.07	90	R								NA			NA		10/04/2005
(774) Veach Gap Rd	0.07	40	R								NA			NA		05/09/2002
(774) Veach Gap Rd	0.43	30	R								NA			NA		10/04/2005
(775) Old Store Rd	0.35	150	R								NA			NA		05/09/2002
(776) Siberts Rd	0.55	80	R								NA			NA		09/27/2005
(777) Merrick Lane	0.20	10	R								NA			NA		09/27/2005
(778) Quail Lane	0.49	110	R								NA			NA		09/08/2005
(779) Ridge Hollow Rd	0.70	60	R								NA			NA		10/18/2005
(779) Ridge Hollow Rd	0.60	110	R								NA			NA		10/18/2005
(779) Ridge Hollow Rd	2.10	250	R								NA			NA		04/15/2002
(780) Water St	0.98	840	R								NA			NA		10/26/2005
(781) County Farm Lane	0.20	30	R								NA			NA		11/02/2005
(782) Old Factory Rd	0.06	70	R								NA			NA		09/13/2005
(783) Patmos Rd	0.20	50	R								NA			NA		11/02/2005
(783) Patmos Rd	0.10	50	R								NA			NA		11/02/2005
<b>Town of Edinburg</b>																
(784) South Grove Ave	0.29	150	R								NA			NA		05/09/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(785) Post Office Rd	0.22	30	R								NA			NA		12/01/2005
(785) Post Office Rd	0.10	960	R								NA			NA		05/22/2002
(786) Lineburg Lane	0.16	48	R								NA			NA		1999
<b>Town of New Market</b>																
(787) Shenandoah Dr	0.35	500	R								NA			NA		03/28/2002
<b>Shenandoah County</b>																
(788) Lineburg Lane	0.40	170	R								NA			NA		12/01/2005
(789) Sam Clark Rd	0.30	60	R								NA			NA		10/20/2005
<b>Town of Mount Jackson</b>																
(790) Center St	0.10	210	R								NA			NA		05/02/2002
(790) Center St	0.12	630	R								NA			NA		05/02/2002
<b>Shenandoah County</b>																
(791) Crider Lane	0.31	100	R								NA			NA		10/26/2005
(792) Church Rd	0.10	220	R								NA			NA		04/15/2002
(793) Ryman Rd	0.15	20	R								NA			NA		10/20/2005
(794) Colley Block Rd	0.20	90	R								NA			NA		12/01/2005
(795) Sawmill Lane	0.20	70	R								NA			NA		11/02/2005
(796) Hawkins Rd	0.20	40	R								NA			NA		09/27/2005
(796) Hawkins Rd	0.65	130	R								NA			NA		09/27/2005
<b>Town of Edinburg</b>																
(797) North Grove Avenue	0.10	70	R								NA			NA		05/09/2002
<b>Shenandoah County</b>																
(798) Creek Lane	0.12	20	R								NA			NA		09/22/2005
(799) Posey Hollow Rd	0.57	20	R								NA			NA		12/01/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(800) Edinburg Reservoir Rd	0.42	50	R								NA			NA		10/13/2005
(800) Edinburg Reservoir Rd	0.28	30	R								NA			NA		05/06/2002
(801) Pughs Lane	0.30	100	R								NA			NA		10/26/2005
(802) Franley Lane	0.15	40	R								NA			NA		11/02/2005
(803) Oak Tree Rd	0.80	90	R								NA			NA		10/04/2005
(804) Ross Lane	0.16	20	R								NA			NA		10/18/2005
(805) St. Luke Rd	0.18	60	R								NA			NA		09/13/2005
(806) Bruebeck Lane	0.03	70	R								NA			NA		05/22/2002
(806) Bruebeck Lane	0.66	70	R								NA			NA		12/01/2005
(807) Mumaw Lane	0.10	20	R								NA			NA		09/15/2005
(808) Johnstown Rd	0.35	60	R								NA			NA		10/06/2005
(809) Union Force Church Rd	0.08	360	R								NA			NA		04/15/2002
(809) Union Force Church Rd	0.80	80	R								NA			NA		10/06/2005
(810) Elizabeth Lane	0.25	200	R								NA			NA		04/25/2002
(811) Lone Pine Rd	0.18	30	R								NA			NA		10/13/2005
(812) Burner Lane	0.37	50	R								NA			NA		10/04/2005
(813) Taylortown Rd	0.19	140	R								NA			NA		10/06/2005
(813) Taylortown Rd	0.05	500	R								NA			NA		05/09/2002
(814)	0.35	30	R								NA			NA		04/11/2002
(815) Strickler Lane	0.30	30	R								NA			NA		09/08/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(816) Spring St	0.72	1100	G	99%	0%	1%	0%	0%	0%	C	0.092	F	0.726	1100	G	2007
						From: 85-676										
						To: WCL Woodstock										
(817)	0.03	10	R								NA		NA		06/03/2002	
						From: Dead End										
						To: 85-634 Pouts Hill Rd										
(818)	0.08	120	R								NA		NA		05/22/2002	
						From: 85-740 Toll House Rd										
						To: US 11; Gap										
(819) Lodge Hall Lane	0.15	70	R								NA		NA		09/22/2005	
						From: SR 263										
						To: Dead End										
(821) Triplett Rd	0.20	10	R								NA		NA		05/28/2002	
						From: 85-601										
						To: Dead End										
(822) Cave Spring Lane	0.30	130	R								NA		NA		10/06/2005	
						From: 85-698 Palmyra Church Rd										
						To: Dead End										
<b>Town of New Market</b>																
(823) Clicks Lane	0.40	1000	R								NA		NA		03/28/2002	
						From: US 11 South Congress St										
						To: ECL New Market										
<b>Shenandoah County</b>																
(823) Clicks Lane	0.80	510	R								NA		NA		03/28/2002	
						From: ECL New Market										
						To: 85-620 Smith Creek Rd										
(824) Fox Den Rd	0.55	40	R								NA		NA		12/01/2005	
						From: FR-244										
						To: 85-638										
(825) Radio Station Rd	0.30	40	R								NA		NA		12/01/2005	
						From: 0.30 ME US 11										
						To: US 11 Old Valley Pike										
(825) Radio Station Rd	0.54	850	R								NA		NA		06/03/2002	
						From: Dead End										
						To: 85-620 Smith Creek Rd										
(826) Woods Chapel Rd	0.80	320	R								NA		NA		03/28/2002	
						From: GW Natl For Bndy										
(826) Woods Chapel Rd	1.37	130	R								NA		NA		09/08/2005	
						From: 85-730										
						To: 85-767 Quicksbury Rd										
(827) Old Bridge Rd	0.77	130	R								NA		NA		03/28/2002	
						From: Dead End										
						To: Dead End										
(828) Monument Lane	0.21	4	R								NA		NA		09/08/2005	
						From: US 11 Old Valley Pike										
						To: Dead End										
(829) Ritenour Lane	0.05	120	R								NA		NA		05/22/2002	
						From: 85-740 Toll House Rd										
						To: 85-740 E; Toll House Rd										
(829) Ritenour Lane	0.03	290	R								NA		NA		05/22/2002	
						From: US 11 Old Valley Pike										
						To: 85-730										
(830) Hickory Lane	1.30	90	R								NA		NA		09/27/2005	
						From: 85-678										
						To: Dead End										
(831) Stayman Rd	0.67	100	R								NA		NA		08/25/2005	
						From: 85-616										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(832) Short Lane	0.19	20	R									NA		NA		04/08/2002
						From: Rockingham County Line										
						To: 85-613 North Mountain Rd										
(833) Stonewall Lane	0.44	1700	R									NA		NA		09/13/2005
						From: 85-9386 Ashby Lee Elem Sch										
						To: 85-730 Caverns Rd										
(834) Oak Lane	0.35	110	R									NA		NA		03/28/2002
						From: Dead End										
						To: US 211 Lee Hwy										
(835) Grosbeak Lane	0.40	20	R									NA		NA		09/15/2005
						From: 85-611 Supinlick Ridge Lane										
						To: Dead End										
(836) Resort Dr	1.57	1300	G	98%	0%	1%	0%	0%	0%	C	0.107	F	0.542	1300	G	2007
						From: SR 263										
						To: Dead End										
(837) Schuller Dr	0.24	490	R									NA		NA		05/09/2002
						From: Dead End										
						To: US 11 Old Valley Pike										
(838) Resort Dr	0.25	80	R									NA		NA		09/08/2005
						From: 85-620										
						To: Dead End										
(839) Landfill Rd	0.25	1600	R									NA		NA		05/09/2002
						From: Dead End										
						To: US 11 Old Valley Pike										
(840) Hebron Hollow Rd	0.60	60	R									NA		NA		09/27/2005
						From: 85-769 Saint Davids Church Rd										
						To: Dead End										
(841) Grove Rd	0.40	530	R									NA		NA		04/15/2002
						From: 85-681 Osceola Rd										
						To: SR 42										
(842) Park Lane	0.40	100	R									NA		NA		11/07/2005
						From: Dead End										
						To: US 11 Old Valley Pike										
(843) Fleming Rd	0.67	90	R									NA		NA		05/06/2002
						From: 85-698 Red Banks Rd										
						To: Dead End										
(845) Woodville Rd	0.11	40	R									NA		NA		10/04/2005
						From: 85-758 Cemetery Rd										
						To: Dead End										
(847) Rocco Rd	0.16	1600	R									NA		NA		04/25/2002
						From: Dead End										
						To: 85-681 Osceola Rd										
(848)	0.47	NA										NA		NA		
						From: SR 55 John Marshall Hwy										
						To: Cul-de-Sac										
(849)	0.28	NA										NA		NA		
						From: Cul-de-Sac										
						To: 85-763 Patmos Road										
(850) Unnamed Rt	0.07	110	R									NA		NA		12/01/2005
						From: 85-629 Oranda Rd										
						To: Dead End										
(851)	0.39	NA										NA		NA		
						From: 85-623										
						To: Dead End										
(856)	0.34	NA										NA		NA		
						From: 85-698 N, Turkey Knob Rd										
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(860)	0.27	10	R											NA		03/28/2002
(865)	0.80	170	R											NA		11/02/2005
(866)	0.14	NA												NA		
(870)	0.10	300	R											NA		06/03/2002
(950)	1.34	740	R											NA		05/02/2002
(953)	0.50	100	R											NA		08/25/2005
(953)	0.35	2400	G	97%	0%	1%	1%	2%	0%	C	0.11	F	0.52	2500	G	2007
(955)	0.14	130	R											NA		03/28/2002
<b>Town of New Market</b>																
(1001)	0.80	1700	G	99%	0%	1%	0%	0%	0%	C	0.098	F	0.577	1700	G	2007
(1001)	0.09	620	R											NA		08/25/2005
(1001)	0.07	30	R											NA		03/28/2002
(1002)	0.05	2000	G	95%	0%	2%	1%	2%	0%	F	0.091	F	0.526	2100	G	2007
(1002)	0.37	1900	G	95%	0%	2%	1%	2%	0%	C	0.109	F	0.68	2000	G	2007
(1002)	0.13	1500	G	95%	0%	2%	1%	2%	0%	F	0.113	F	0.702	1600	G	2007
<b>Shenandoah County</b>																
(1002)	0.14	1400	G	95%	0%	2%	1%	2%	0%	F	0.113	N	0.702	1400	G	2007
<b>Town of New Market</b>																
(1003)	0.20	240	R											NA		1999
(1003)	0.05	750	R											NA		03/28/2002
(1003)	0.42	980	G	99%	0%	0%	0%	0%	0%	C	0.096	F	0.515	1000	G	2007
(1004)	0.06	130	R											NA		1999
(1004)	0.09	390	G	99%	0%	1%	0%	0%	0%	C	0.11	F	0.522	400	G	2007

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of New Market</b>																
1004 Stonewall St	0.06	130	R								NA			NA		03/28/2002
1005 Ashby Lane	0.09	300	R								NA			NA		09/08/2005
1006 East Seminary Lane	0.06	290	R								NA			NA		03/28/2002
1007 West Lee St	0.06	90	R								NA			NA		1999
1007 West Lee St	0.10	660	R								NA			NA		03/28/2002
1007 West Lee St	0.06	720	R								NA			NA		08/25/2005
1007 West Lee St	0.10	60	R								NA			NA		03/28/2002
1008 Confederate St	0.10	200	R								NA			NA		08/25/2005
1008 Confederate St	0.06	340	R								NA			NA		03/28/2002
1008 Confederate St	0.09	170	R								NA			NA		03/28/2002
1009 Stuart St	0.10	320	R								NA			NA		08/25/2005
1009 Stuart St	0.06	570	R								NA			NA		03/28/2002
1010 Breckenridge Rd	0.15	100	R								NA			NA		08/25/2005
1011 Clark St	0.11	160	R								NA			NA		03/28/2002
1012 Fairway Dr	0.19	210	R								NA			NA		1999
1013 Shenville Dr	0.20	140	R								NA			NA		03/28/2002
1014 Shady Lane	0.04	10	R								NA			NA		1999
1014 Shady Lane	0.08	260	R								NA			NA		03/28/2002
1014 Shady Lane	0.03	610	R								NA			NA		1999
1015 Early St	0.05	140	R								NA			NA		1999
1016 Shipp St	0.14	20	R								NA			NA		08/25/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of New Market</b>																
(1017) Massanutten Ave	0.21	90	R								NA			NA		03/28/2002
(1017) Massanutten Avenue	0.13	60	R								NA			NA		1999
(1018) Jackson Avenue	0.08	260	R								NA			NA		03/28/2002
(1019) Pleasant View Dr	0.21	110	R								NA			NA		1999
(1019) Pleasant View Dr	0.15	110	R								NA			NA		03/28/2002
(1020) Fairway Dr	0.05	1200	R								NA			NA		03/28/2002
(1022) Clark St	0.08	70	R								NA			NA		08/25/2005
<b>Shenandoah County</b>																
(1024)	0.22	NA									NA			NA		
(1025) Sara Ann Avenue	0.27	30	R								NA			NA		04/15/2002
(1025) Sara Ann Avenue	0.09	80	R								NA			NA		04/15/2002
(1026) Wesley Chapel Dr	0.20	40	R								NA			NA		04/15/2002
(1028) Fravel Court	0.16	40	R								NA			NA		05/16/2002
(1029) Shool House Lane	0.58	130	R								NA			NA		05/16/2002
(1030) McIntosh St	0.09	20	R								NA			NA		05/13/2002
(1031) Jonathan St	0.14	30	R								NA			NA		05/13/2002
(1032) Hisey Avenue	0.10	60	R								NA			NA		05/13/2002
<b>Town of New Market</b>																
(1033)	0.09	NA									NA			NA		
(1035) Tyler Dr	0.26	320	R								NA			NA		08/25/2005
(1036) Sun Beau Court	0.09	70	R								NA			NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of New Market</b>																
(1037) Sun Briar Court	0.04	40	R								NA		NA			1999
(1038) Dillon Court	0.05	30	R								NA		NA			1999
(1040) Woodbine Way	0.26	150	R								NA		NA			08/25/2005
(1040) Woodbine Way	0.07	320	R								NA		NA			08/25/2005
(1041) Periwinkle Lane	0.18	70	R								NA		NA			1999
(1042)	0.14	NA									NA		NA			
(1044) Par Dr	0.16	300	R								NA		NA			08/25/2005
(1044) Par Dr	0.08	70	R								NA		NA			08/25/2005
(1044) Par Dr	0.03	10	R								NA		NA			08/25/2005
(1045) Tee Court	0.07	60	R								NA		NA			08/25/2005
(1045) Tee Court	0.08	130	R								NA		NA			08/25/2005
(1045) Tee Court	0.19	110	R								NA		NA			08/25/2005
(1046) Bogey Avenue	0.13	60	R								NA		NA			08/25/2005
<b>Shenandoah County</b>																
(1055) Spring Hollow Rd	0.31	400	R								NA		NA			10/26/2005
(1056) Meadow Dr	0.09	30	R								NA		NA			10/26/2005
(1057) Larkspur Dr	0.15	47	R								NA		NA			10/26/2005
(1080) Hillview Dr	0.15	310	R								NA		NA			05/30/2002
(1081) Nikita Dr	0.10	170	R								NA		NA			05/30/2002
(1082) Doral Dr	0.12	100	R								NA		NA			05/30/2002
(1100) Little Sorrel Dr	0.51	250	R								NA		NA			12/01/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(1101) Wise Avenue	0.36	60	R											NA	NA	12/01/2005
(1101) Wise Avenue	0.03	20	R											NA	NA	12/01/2005
(1102) Breckenridge Court	0.43	150	R											NA	NA	05/30/2002
(1103) Greenleaf Rd	0.28	NA												NA	NA	
(1105)	0.07	NA												NA	NA	
(1120) Farm Hill Lane	0.11	80	R											NA	NA	11/17/2005
(1200) Queen St	0.17	40	R											NA	NA	06/03/2002
<b>Town of Strasburg</b>																
(1206) B St	0.14	NA												NA	NA	
(1210) Third St	0.07	290	R											NA	NA	1995
<b>Town of Mount Jackson</b>																
(1301) Dutch Lane	0.25	430	G	99%	0%	1%	0%	0%	0%	C	0.114	F	0.585	440	G	2007
(1301) Dutch Lane	0.13	310	R											NA	NA	05/09/2002
(1302) Shannon Avenue	0.08	20	R											NA	NA	05/06/2002
(1302) Shannon Avenue	0.06	140	R											NA	NA	05/06/2002
(1303) Tisinger St	0.08	110	R											NA	NA	05/06/2002
(1303) Tisinger St	0.08	80	R											NA	NA	1999
(1304) Gospel St	0.36	480	R											NA	NA	05/06/2002
(1305) Lonas St	0.02	30	R											NA	NA	09/27/2005
(1305) Lonas St	0.11	110	R											NA	NA	05/06/2002
(1305) Lonas St	0.05	220	R											NA	NA	1999
(1305) Lonas St	0.12	220	R											NA	NA	05/06/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Mount Jackson</b>																
(1305) Lonas St	0.07	300	R				From: 85-1306 Broad St				NA			NA		1999
							To: 85-1301 Dutch Lane									
(1306) Broad St	0.42	300	R				From: 85-1324 Orkney Dr				NA			NA		05/06/2002
							To: 85-1305 Lonas St									
(1307) Shannon Avenue	0.08	80	R				From: 85-1302 Shannon Ave				NA			NA		05/06/2002
							To: Dead End									
(1308) Shenell Dr	0.25	210	R				From: US 11 Main St				NA			NA		05/06/2002
							To: End Loop									
(1309) Apple Avenue	0.13	260	R				From: US 11 Main St				NA			NA		1999
							To: 85-1310 E; Dogwood Dr									
(1310) Dogwood Dr	0.09	60	R				From: 85-1312 W; Maple Ave				NA			NA		05/06/2002
							To: 85-1309 W; Apple Ave									
(1310) Dogwood Dr	0.19	50	R				From: 85-1309 E; Apple Ave				NA			NA		1999
							To: 85-1312 E; Maple Ave									
(1310) Dogwood Dr	0.09	100	R				From: 85-1312 E; Maple Ave				NA			NA		05/06/2002
							To: 85-1325 Elm Dr									
(1310) Dogwood Dr	0.07	80	R				From: 85-1316 East Avondale Ave				NA			NA		05/06/2002
							To: Dead End									
(1311) Montvue Avenue	0.10	130	R				From: 0.10 MN Dead End				NA			NA		05/06/2002
							To: US 11									
(1312) Maple Avenue	0.07	220	R				From: US 11 Main St				NA			NA		09/27/2005
							To: 85-1310 W; Dogwood Dr									
(1312) Maple Avenue	0.06	160	R				From: 85-1310 E; Dogwood Dr				NA			NA		05/06/2002
							To: 85-1310 Dogwood Dr									
(1312) Maple Avenue	0.03	60	R				From: ECL Mount Jackson				NA			NA		05/06/2002
							To: 85-1314 Nelson Street									
(1313) Hopewell Avenue	0.12	80	R				From: Dead End				NA			NA		1999
							To: Dead End									
(1314) Nelson St	0.13	100	R				From: 85-1313 Hopewell Ave				NA			NA		05/06/2002
							To: US 11									
(1315) Mill Creek Lane	0.15	40	R				From: Dead End				NA			NA		05/02/2002
							To: 85-698									
(1316) East Avondale Avenue	0.18	440	R				From: Dead End				NA			NA		09/27/2005
							To: US 11 Main St									
(1316) East Avondale Avenue	0.17	320	R				From: NCL Mt Jackson				NA			NA		05/06/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Mount Jackson</b>																
(1316) East Avondale Avenue	0.14	100	R								NA			NA		05/06/2002
<b>Shenandoah County</b>																
(1317) Cannon Hill Rd	0.37	30	R								NA			NA		09/27/2005
(1318) Scothern Rd	0.66	30	R								NA			NA		05/06/2002
(1318) Scothern Rd	0.30	45	R								NA			NA		09/27/2005
(1318) Scothern Rd	0.53	170	R								NA			NA		05/06/2002
(1319) Short Run Lane	0.10	50	R								NA			NA		09/27/2005
(1319) Short Run Lane	0.06	0	R								NA			NA		05/06/2002
<b>Town of Mount Jackson</b>																
(1320) Moore Avenue	0.04	20	R								NA			NA		05/02/2002
(1320) Moore Avenue	0.08	90	R								NA			NA		1999
(1321) Craig St	0.08	80	R								NA			NA		05/02/2002
(1322) Randall St	0.06	70	R								NA			NA		09/27/2005
(1322) Randall St	0.08	140	R								NA			NA		05/01/2002
(1323) Medical Dr	0.06	190	R								NA			NA		09/27/2005
(1324) Orkney Dr	0.03	750	R								NA			NA		05/06/2002
(1324) Orkney Dr	0.07	880	R								NA			NA		1999
(1324) Orkney Dr	0.16	510	R								NA			NA		05/06/2002
(1325) Elm Dr	0.13	110	R								NA			NA		1999
(1326) Wunder St	0.07	200	R								NA			NA		05/06/2002
(1326) Wunder St	0.05	200	R								NA			NA		05/06/2002
(1326) Wunder St	0.08	250	R								NA			NA		05/06/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Mount Jackson</b>																
(1327) Broad St	0.12	140	R													1999
(1328) Railroad St	0.03	10	R													05/02/2002
(1328) Railroad St	0.07	270	R													05/02/2002
(1328) Railroad St	0.13	310	R													1999
(1329) Second Avenue	0.10	50	R													09/27/2005
(1330) First Avenue	0.14	60	R													1999
(1330) First Avenue	0.11	100	R													05/02/2002
(1331) Robin St	0.06	350	R													1999
(1332) Swan Dr	0.08	80	R													05/06/2002
(1333) Painters St	0.20	50	R													09/27/2005
(1334) Bridge St	0.19	140	R													05/06/2002
(1335)	0.05	NA														
<b>Town of Edinburg</b>																
(1401) Shenandoah Avenue	0.27	550	R													1999
(1402) South High St	0.02	150	R													1991
(1402) North High St	0.30	280	G	94%	2%	3%	1%	1%	0%	C	0.148	F	0.675	290	G	2007
(1403) Walnut St	0.08	290	R													10/06/2005
(1404) Winfred St	0.15	60	R													05/06/2002
(1405) Printz St	0.05	810	R													05/09/2002
(1405) Printz St	0.09	310	R													10/06/2005
(1406) South Wissen St	0.12	80	R													1999

Virginia Department of Transportation  
 Traffic Engineering Division  
 2007  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Edinburg</b>																
(1406) South Wissen St	0.21	90	R								NA			NA		05/06/2002
(1407) Hisey St	0.04	530	R								NA			NA		10/06/2005
(1408) Massanutten St	0.12	60	R								NA			NA		05/06/2002
<b>Shenandoah County</b>																
(1409) Fry Rd	0.15	40	R								NA			NA		10/06/2005
<b>Town of Edinburg</b>																
(1410) Windsor Knit Rd	0.34	820	R								NA			NA		05/06/2002
<b>Shenandoah County</b>																
(1410) Windsor Knit Rd	0.16	70	R								NA			NA		05/06/2002
(1410) Windsor Knit Rd	0.16	100	R								NA			NA		10/06/2005
(1411) Henney Rd	0.21	30	R								NA			NA		10/06/2005
(1412) Molneu Rd	0.09	230	R								NA			NA		10/06/2005
<b>Town of Edinburg</b>																
(1413) Koontz St	0.05	70	R								NA			NA		05/09/2002
(1414) Orchard St	0.04	70	R								NA			NA		1999
(1415) Palmyra Road Ext.	0.06	8	R								NA			NA		10/06/2005
<b>Shenandoah County</b>																
(1416) Bottom Rd	0.20	80	R								NA			NA		10/06/2005
(1417) Cooper St	0.04	70	R								NA			NA		05/06/2002
<b>Town of Edinburg</b>																
(1417) Cooper St	0.07	70	R								NA			NA		05/06/2002
(1417) Cooper St	0.08	70	R								NA			NA		05/06/2002
(1418) Mill Rd	0.08	580	R								NA			NA		10/06/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(1418) Mill Rd	0.15	580	N								NA			NA		10/06/2005
<b>Town of Edinburg</b>																
(1419) Palmyra Rd	0.10	280	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.63	290	G	2007
(1419) Palmyra Rd	0.30	450	G	99%	0%	1%	0%	0%	0%	C	0.101	F	0.717	470	G	2007
(1420) Jackson St	0.13	110	R								NA			NA		05/06/2002
<b>Shenandoah County</b>																
(1421) Cliffside Dr	0.24	180	R								NA			NA		10/06/2005
(1421) Cliffside Dr	0.29	110	R								NA			NA		05/09/2002
(1422) Sunset Court	0.14	60	R								NA			NA		10/06/2005
(1423) Manor Dr	0.24	110	R								NA			NA		10/06/2005
(1424) Saum Court	0.06	30	R								NA			NA		10/06/2005
(1425)	0.09	NA									NA			NA		
(1430) Crisman Rd	0.13	70	R								NA			NA		05/09/2002
(1431) Crisman Rd	0.10	30	R								NA			NA		1999
(1431) Crisman Rd	0.04	10	R								NA			NA		05/09/2002
(1432) Crisman Rd	0.10	60	R								NA			NA		1999
(1500) Jessica Place	0.15	180	R								NA			NA		1999
<b>Town of Toms Brook</b>																
(1500) Jessica Place	0.05	180	R								NA			NA		1999
(1501) Hillcrest Rd	0.06	100	R								NA			NA		05/22/2002
<b>Shenandoah County</b>																
(1505)	0.32	NA									NA			NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Shenandoah County</b>																
(1506)	0.27	NA					From: 85-1505				NA			NA		
							To: 85-1505									
(1507)	0.10	NA					From: Dead End				NA			NA		
							To: 85-1506									
(1520) Marguerie Dr	0.22	380		R			From: 85-651				NA			NA		12/02/2005
							To: 85-1524 Lambert Lane									
(1521) Cecilia St	0.11	40		R			From: 85-1520 Marguerie Dr				NA			NA		1999
							To: Cul-de-Sac									
(1522) Roberts Rd	0.22	180		R			From: 85-1520 Marguerie Dr				NA			NA		11/02/2005
							To: Cul-de-Sac									
(1523) Thorne Avenue	0.05	40		R			From: Cul-de-Sac				NA			NA		1999
							To: 85-1520 Marguerie Dr									
(1524) Lambert Lane	0.09	30		R			From: Cul-de-Sac				NA			NA		1999
							To: Dead End									
(1601) Courtland Way	0.11	30		R			From: 85-1602				NA			NA		10/13/2005
							To: 85-1603									
(1602) Courtland Way	0.05	60		R			From: 85-1601 Courtland Way				NA			NA		05/06/2002
							To: US 11 Old Valley Pike									
(1603) Rolling Hills Lane	0.10	10		R			From: Dead End				NA			NA		10/13/2005
							To: 0.10 ME Dead End									
(1603) Rolling Hills Lane	0.35	120		R			From: 85-1601 Courtland Way				NA			NA		05/06/2002
							To: US 11 Old Valley Pike									
(1603) Rolling Hills Lane	0.05	180		R			From: Dead End				NA			NA		10/13/2005
							To: US 11 Old Valley Pike									
(1604) Wayne Rd	0.17	10		R			From: Dead End				NA			NA		05/06/2002
							To: 85-614									
(1604) Wayne Rd	0.27	140		R			From: 85-614				NA			NA		10/06/2005
							To: FR-241									
(9090)	0.38	2300		R			From: Dead End				NA			NA		05/28/2002
							To: 85-648 Sandy Hook Rd									
(9386) Ashby Lee Elementary S	0.26	690		R			From: 85-833 Stonewall Lane				NA			NA		1999
							To: Cul-de-Sac									
(9387) North Fork Middle Scho	0.16	1100		R			From: 85-730 Caverns Rd				NA			NA		05/02/2002
							To: 85-730 Caverns Rd									
(9388)	0.16	1000		R			From: 85-648 SOUTH				NA			NA		06/03/2002
							To: 85-648 NORTH									
(9389) Stonewall Jackson High	0.08	60		R			From: 85-833 W; Stonewall Lane				NA			NA		05/02/2002
							To: 85-833 E; Stonewall Lane									

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Woodstock</b>																
(9745) W W Robinson High Sc	0.71	2500	R								NA		NA			05/02/2002
<b>Shenandoah County</b>																
(9747) Stonewall Jackson High	0.23	1100	R								NA		NA			1999
<b>Town of Strasburg</b>																
(1) Branch St	0.26	400	G	99%	0%	1%	0%	0%	0%	C	0.119	F	0.5	420	G	2007
(2) Orchard St	0.18	430	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.567	450	G	2007
(3) Eberly St	0.10	540	G	99%	0%	1%	0%	0%	0%	F	0.112	F	0.736	550	G	2007
(4) Aileen Ave	0.28	470	G	99%	0%	1%	0%	0%	0%	F	0.133	F	0.705	490	G	2007
(5) Sharpe St	0.08	620	G	99%	0%	1%	0%	0%	0%	F	0.106	F	0.722	640	G	2007
(1966) Franklin St	0.18	440	G	98%	0%	1%	0%	1%	0%	C	0.098	F	0.511	460	G	2007
(1967) Ash St	0.77	1300	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.536	1400	G	2007
(1967) Washington St	0.37	2200	G	99%	0%	0%	0%	0%	0%	F	0.103	F	0.641	2300	G	2007
(1967) Washington St	0.43	1900	G	99%	0%	1%	0%	0%	0%	C	0.096	F	0.573	2000	G	2007
(1967) Washington St	0.18	870	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.539	900	G	2007
(1971) Capon St	0.16	2700	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.556	2800	G	2007
(1971) Capon St	0.50	1700	G	99%	0%	1%	0%	0%	0%	C	0.085	F	0.537	1700	G	2007
(1974) Holliday St	0.30	1400	G	98%	1%	1%	0%	0%	0%	C	0.153	F	0.638	1500	G	2007
(1974) Holliday St	0.07	4000	G	98%	1%	1%	0%	0%	0%	F	0.216	F	0.610	4200	G	2007
(1974) Holliday St	0.08	2700	G	98%	1%	1%	0%	0%	0%	F	0.095	F	0.531	2800	G	2007
(1974) Holliday St	0.08	1800	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.737	1900	G	2007
(1975) Queen St	0.19	550	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.728	570	G	2007
(1975) Queen St	1.10	2300	G	98%	1%	1%	0%	0%	0%	C	0.130	F	0.566	2400	G	2007

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Woodstock</b>																
① 330 Indian Spring Rd	0.18	840	G	99%	0%	0%	0%	0%	0%	C	0.110	F	0.568	870	G	2007
② 330 Lakeview Dr	0.09	1300	G	99%	0%	0%	0%	0%	0%	F	0.1	F	0.523	1300	G	2007
③ 330 Ox Rd	0.56	4100	G	99%	0%	0%	1%	0%	0%	C	0.096	F	0.537	4200	G	2007
④ 330 Massanutten Heights R	0.33	1600	G	99%	0%	0%	0%	0%	0%	C	0.101	F	0.529	1700	G	2007
⑤ 330 Commerce St	0.08	1600	G	99%	0%	0%	0%	0%	0%	C	0.1	F	0.529	1700	G	2007
⑥ 330 Mill Rd	0.20	1500	G	99%	0%	0%	0%	0%	0%	F	0.096	F	0.58	1500	G	2007
⑦ 330 E Reservoir Rd	0.20	4100	G	99%	0%	1%	0%	1%	0%	F	0.090	F	0.501	4300	G	2007
⑦ 330 E Reservoir Rd	0.33	1100	G	99%	0%	1%	0%	1%	0%	C	0.105	F	0.542	1100	G	2007
⑧ 330 Summit Ave	0.52	700	G	99%	0%	1%	0%	0%	0%	C	0.123	F	0.593	720	G	2007
⑨ 330 Water St	0.51	2200	G	98%	0%	1%	1%	1%	0%	C	0.095	F	0.549	2300	G	2007
⑨ 330 Water St	0.27	2500	G	96%	2%	2%	1%	1%	0%	C	0.094	F	0.521	2600	G	2007
⑨ 330 Water St	0.22	2100	G	98%	0%	1%	1%	1%	0%	F	0.099	F	0.517	2200	G	2007
⑨ 330 Water St	0.68	2100	G	98%	0%	1%	1%	1%	0%	F	0.096	F	0.518	2200	G	2007
⑪ 330 Church St	0.12	160	G	98%	1%	1%	0%	0%	0%	C	0.128	F	0.526	160	G	2007
⑫ 330 Hughes St	0.10	180	G	99%	0%	1%	0%	0%	0%	C	0.118	F	0.6	180	G	2007
⑬ 330 Hollingsworth Rd	0.39	1300	G	98%	0%	1%	0%	0%	0%	C	0.094	F	0.595	1400	G	2007
⑭ 330 Lee St	0.35	280	G	99%	0%	0%	0%	0%	0%	C	0.133	F	0.525	290	G	2007
⑬ 330 North St	0.33	1700	G	97%	1%	1%	1%	1%	0%	C	0.097	F	0.668	1800	G	2007
⑬ 330 North St	0.43	2500	G	98%	0%	1%	0%	0%	0%	C	0.098	F	0.711	2500	G	2007
⑬ 330 W Spring St	0.36	1300	G	98%	0%	1%	0%	0%	0%	C	0.103	F	0.634	1300	G	2007

Virginia Department of Transportation  
 Traffic Engineering Division  
 2007  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Woodstock</b>																
① 1961 351 W Spring St	0.52	1400	G	98%	0%	From: Summit Ave				C	0.100	F	0.625	1500	G	2007
						To: Main St										
① 1961 351 E Spring St	0.09	600	G	98%	0%	From: US 11				F	0.112	F	0.533	630	G	2007
						To: Church St										
① 1961 351 E Spring St	0.10	360	G	98%	0%	From: 330-11 Church St				F	0.102	F	0.614	380	G	2007
						To: 330-9 Water St										
<b>Town of Strasburg</b>																
Fort St		230	G			From: High St					0.137	F		230	G	2007
						To: Queen St										
Massanutten Street		NA				From: East Queen Street					NA		NA			
						To: SR 55 King Street										
Thompson Street		NA				From: US 11					NA		NA			
						To: Lee Street										
<b>Town of Woodstock</b>																
Locust St		120	G			From: Summit Ave					0.163	F		120	G	2007
						To: Commerce St										