

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

93

Warren County
Town of Front Royal

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
11 Old Valley Pike	Warren County	From: Shenandoah County Line To: Frederick County Line	0.19 3900 F	91%	0%	1%	4%	3%	0%	C 0.091 F					4100 F	
48 Skyline Dr	Warren County (Maint: US)	From: Rappahannock County Line To: Rappahannock County Line	1.69 650 O								NA				NA	
48 Skyline Dr	Warren County (Maint: US)	From: US 340; Front Royal To: Shenandoah County Line	10.47 650 O								NA				NA	
55 Strasburg Rd	Warren County	From: Shenandoah County Line To: 93-626 Andrews Rd	4.91 3500 N	96%	0%	1%	1%	1%	0%	N 0.1 N	0.535				3700 N	
55 Strasburg Rd	Warren County	From: 93-626 Andrews Rd To: WCL Front Royal	2.30 6300 F	96%	0%	1%	1%	1%	0%	F 0.092 F					6600 F	
55 Strasburg Rd	Town of Front Royal	From: US 340, US 522 Shenandoah Ave To: WCL Front Royal	0.90 8400 F	98%	1%	1%	0%	0%	0%	C 0.085 F					9100 F	
55 522 340 Shenandoah Ave	Warren County	From: US 522 To: CL Front Royal	0.45 27000 N	96%	1%	1%	1%	1%	0%	N NA					28000 N	
55 522 340 Shenandoah Ave	Town of Front Royal	From: CL Front Royal To: 14 ST	0.34 27000 F	96%	1%	1%	1%	1%	0%	F NA					28000 F	
55 522 340 14th St	Town of Front Royal	From: 14 ST To: Shenandoah Ave	0.24 22000 F	96%	1%	1%	1%	1%	0%	F NA					23000 F	
55 522 340 North Royal Ave	Town of Front Royal	From: Shenandoah Ave To: North Royal Ave	0.35 24000 F	96%	1%	1%	1%	1%	0%	C NA					25000 F	
55 340 North Royal Ave	Town of Front Royal	From: North Royal Ave To: US 522 & US 340	0.25 12000 F	97%	1%	1%	1%	1%	0%	F 0.090 F					14000 F	
55 340 North Royal Ave	Town of Front Royal	From: US 522 & US 340 To: 6th St	0.57 17000 F	97%	1%	1%	1%	1%	0%	C 0.086 F					18000 F	
55 340 South Royal Ave	Town of Front Royal	From: 6th St To: E Main St	0.40 14000 F	96%	1%	1%	1%	1%	0%	C 0.087 F					15000 F	
55 South St	Town of Front Royal	From: E Main St To: US 340, S Royal Ave	0.54 14000 F	98%	1%	1%	0%	0%	0%	C NA					15000 F	
55 John Marshall Hwy	Town of Front Royal	From: US 340, S Royal Ave To: US 522, S Commerce Ave	1.72 14000 F	98%	1%	1%	0%	1%	0%	C 0.087 F					16000 F	
55 John Marshall Hwy	Warren County	From: US 522, S Commerce Ave To: ECL Front Royal	2.98 10000 F	98%	0%	1%	0%	1%	0%	C 0.093 F					11000 F	
55 John Marshall Hwy	Warren County	From: ECL Front Royal To: SR 79 Apple Mountain Rd	1.35 4100 F	98%	0%	1%	0%	1%	0%	F 0.105 F	0.586				4300 F	
		From: SR 79 Apple Mountain Rd To: Fauquier County Line														

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
340 Stonewall Jackson Hwy	Warren County	2.46	4400	F	95%	1%	1%	1%	2%	0%	C	0.089	F		4700	F
340 Stonewall Jackson Hwy	Warren County	5.30	6400	F	95%	1%	1%	1%	2%	0%	F	0.088	F	0.692	6700	F
340 Stonewall Jackson Hwy	Warren County	2.78	7800	F	95%	1%	1%	1%	2%	0%	F	0.089	F		8200	F
340 Stonewall Jackson Hwy	Warren County	0.83	12000	F	95%	1%	1%	1%	2%	0%	F	0.088	N	0.692	13000	F
340 South Royal Ave	Town of Front Royal	0.31	15000	F	95%	1%	1%	1%	2%	0%	F	0.090	F		16000	F
340 55 South Royal Ave	Town of Front Royal	0.40	14000	F	96%	1%	1%	1%	1%	0%	C	0.087	F		15000	F
340 55 North Royal Ave	Town of Front Royal	0.57	17000	F	97%	1%	1%	1%	1%	0%	C	0.086	F		18000	F
340 55 North Royal Ave	Town of Front Royal	0.25	12000	F	97%	1%	1%	1%	1%	0%	F	0.090	F		14000	F
340 522 55 North Royal Ave	Town of Front Royal	0.35	24000	F	96%	1%	1%	1%	1%	0%	C	NA			25000	F
340 522 55 14th St	Town of Front Royal	0.24	22000	F	96%	1%	1%	1%	1%	0%	F	NA			23000	F
340 522 55 Shenandoah Ave	Town of Front Royal	0.34	27000	F	96%	1%	1%	1%	1%	0%	F	NA			28000	F
340 522 55 Shenandoah Ave	Warren County	0.45	27000	N	96%	1%	1%	1%	1%	0%	N	NA			28000	N
340 522 Shenandoah Ave	Warren County	0.22	27000	F	96%	0%	1%	1%	1%	0%	F	0.086	F		29000	F
340 522 Winchester Rd	Warren County	0.83	27000	F	96%	0%	1%	1%	1%	0%	C	0.084	F		28000	F
340 522 Winchester Rd	Warren County	1.28	22000	F	85%	1%	1%	2%	10%	0%	C	0.079	F		24000	F
340 522 Winchester Rd	Warren County	2.81	17000	F	84%	1%	1%	2%	12%	0%	C	0.084	F		18000	F
340 522 Winchester Rd	Warren County	0.30	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F
340 522 Winchester Rd	Frederick County (Maint: 93)	0.53	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
522 340 Winchester Rd	Warren County	2.81	17000	F	84%	1%	1%	2%	12%	0%	C	0.084	F		18000	F
522 340 Winchester Rd	Warren County	0.30	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F
522 340 Winchester Rd	Frederick County (Maint: 93)	0.53	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F
522 340 Winchester Rd	Warren County	0.39	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F
522 340 Winchester Rd	Frederick County (Maint: 93)	0.30	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F
522 340 Winchester Rd	Warren County	0.16	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F
522 340 Stonewall Jackson Hwy	Clarke County (Maint: 93)	1.79	17000	F	84%	1%	1%	2%	12%	0%	C	0.082	F		18000	F
							US 340; SR 277 Double Toll Gate									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
(F225)	0.71	NA				From:	Dead End				NA			NA		
						To:	93-609 Ritenour Hollow Rd									
(F283)	0.41	60	R			From:	Dead End				NA		NA	07/30/2008		
						To:	Fauquier County Line									
(F285)	0.24	80	R			From:	Dead End				NA		NA	07/30/2008		
						To:	93-647 Dismal Hollow Rd									
(F730) Townsen Dr	0.26	4400	R			From:	Dead End				NA		NA	07/30/2008		
						To:	US 522 Winchester Rd									
(F731) Paterson Dr	0.26	4100	R			From:	93-655 Country Club Rd				NA		NA	07/30/2008		
						To:	Dead End									
(F870)	0.08	0	R			From:	SR 79; Ramp to I-66; Ramp From I-66				NA		NA	07/30/2008		
						To:	Dead End									
(600) Hickerson Hollow Rd	1.00	30	R			From:	Dead End				NA		NA	07/30/2008		
						To:	93-604 Harmony Hollow Rd									
(601) Pomeroy Rd	1.00	60	R			From:	Dead End				NA		NA	07/30/2008		
						To:	93-604 Harmony Hollow Rd									
(602)	0.25	200	R			From:	93-604 Harmony Hollow Rd				NA		NA	01/24/2006		
						To:	0.25 ME 93-604 Harmony Hollow Rd									
(602)	0.45	30	R			From:	Dead End				NA		NA	01/24/2006		
						To:										
(603)	2.90	820	G	95%	1%	3%	1%	0%	0%	C	NA		820	G	2008	
(603) Howellsville Rd	2.30	2200	F	98%	0%	1%	1%	0%	0%	C	0.097	F	0.524	2300	F	2008
(604) Harmony Hollow Rd	0.90	80	R			From:	Dead End				NA		NA	07/30/2008		
						To:	93-600 Hickerson Hollow Rd									
(604) Harmony Hollow Rd	0.82	160	R			From:	93-602				NA		NA	01/24/2006		
						To:	93-602 Moore Rd									
(604) Harmony Hollow Rd	0.34	530	F	96%	1%	2%	1%	0%	0%	F	0.114	F	0.795	550	F	2008
(604) Harmony Hollow Rd	1.59	780	F	96%	1%	2%	1%	0%	0%	C	0.099	F	0.615	820	F	2008
(605) Poor House Rd	1.70	250	R			From:	US 340 Stonewall Jackson Hwy				NA		NA	08/05/2008		
						To:	93-649 Brownstown Rd									
(606) Shenandoah Shores Rd	1.72	3300	G			From:	NCL Front Royal				NA		3300	G	2008	
						To:	1.72 MN of NCL									
(606) Shenandoah Shores Rd	0.51	2200	R			From:	2.23 MN of NCL				NA		NA	07/30/2008		
						To:	Dead End									
(606) Shenandoah Shores Rd	0.25	110	R			From:	Dead End				NA		NA	01/24/2006		

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
(607) Rocky Lane	0.60	320	R											NA	08/05/2008	
(607) Rocky Lane	1.00	150	R											NA	08/05/2008	
(608) Wilson Burke Rd	0.45	590	R											NA	08/07/2008	
(609) Ritenour Hollow Rd	0.40	400	R											NA	12/27/2005	
(609) Ritenour Hollow Rd	0.77	710	R											NA	08/12/2008	
(609) Ritenour Hollow Rd	0.27	360	R											NA	12/27/2005	
(609) Ritenour Hollow Rd	0.10	800	R											NA	08/12/2008	
(610) Bucks Mill Rd	0.20	460	R											NA	08/12/2008	
(610) Bucks Mill Rd	2.15	160	R											NA	08/12/2008	
(610) Bucks Mill Rd	0.05	70	R											NA	12/21/2005	
(611) Long Meadow Rd	2.60	80	R											NA	08/14/2008	
(611) Long Meadow Rd	0.10	180	R											NA	08/14/2008	
(611) Long Meadow Rd	3.38	290	R											NA	08/14/2008	
(612) Gafia Lodge Rd	1.20	230	R											NA	12/27/2005	
(612) Gafia Lodge Rd	1.00	70	R											NA	08/12/2008	
(612) Gafia Lodge Rd	0.90	40	R											NA	08/12/2008	
(613) Bentonville Brownownt	3.06	410	F	95%	0%	1%	3%	1%	0%	F	0.102	F	0.578	430	F	2008
(613) Bentonville Brownownt	2.26	1000	F	95%	0%	1%	3%	1%	0%	C	0.091	F	0.505	1100	F	2008
(613) Bentonville Brownownt	0.31	1200	F	95%	0%	1%	3%	1%	0%	F	0.103	F	0.645	1300	F	2008
(613) Indian Hollow Rd	0.96	420	R											NA	08/05/2008	
(613)	4.69	230	R											NA	08/07/2008	
(613)	1.04	380	R											NA	08/07/2008	
(613)	0.49	160	R											NA	08/07/2008	

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
(614)	1.30	30	R			From: 93-626 S, Toten Lane					NA		NA		08/07/2008	
(614)	0.70	110	R			From: SR 55 W, Strasburg Rd					NA		NA		12/21/2005	
(615) Stokes Airport Rd	1.90	1000	F	91%	0%	1%	8%	0%	0%	C	0.103	F	0.675	1100	F	2008
(615)	0.10	60	R			To: 93-626 E, Toten Lane					NA		NA		08/07/2008	
(615)	0.27	470	R			From: 93-626 WEST					NA		NA		1988	
(615)	0.43	40	R			To: 0.27 MN 93-626					NA		NA		08/07/2008	
(615)	1.50	590	R			From: 93-660					NA		NA		12/21/2005	
(616)	0.70	120	R			To: 93-619 N, Mtn Rd					NA		NA		08/12/2008	
(616)	0.90	130	R			From: 93-678 Fort Valley Rd					NA		NA		08/12/2008	
(617) Ridgeway Rd	1.70	250	R			To: SR 55 Strasburg Rd					NA		NA		08/07/2008	
(618)	0.89	710	R			From: 93-610 Bucks Mill Rd					NA		NA		01/26/2006	
(618)	0.50	600	R			To: 93-618					NA		NA		08/07/2008	
(618)	0.80	280	R			From: 93-626					NA		NA		01/26/2006	
(619) Rivermont Dr	2.09	4800	F	99%	0%	1%	0%	0%	0%	F	0.095	F	0.685	5000	F	2008
(619) Rivermont Dr	0.08	4400	F	99%	0%	1%	0%	0%	0%	F	0.097	F	0.682	4600	F	2008
(619) Rivermont Dr	2.22	3200	F	99%	0%	1%	0%	0%	0%	C	0.087	F		3300	F	2008
(619) Mountain Rd	1.93	690	F	99%	0%	1%	0%	0%	0%	F	0.105	F	0.533	730	F	2008
(619) Mountain Rd	2.43	940	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.636	980	F	2008
(620) Bennys Beach Rd	0.60	310	R			To: Dead End					NA		NA		07/30/2008	
(621) Punch Run Rd	0.60	1300	R			From: 93-658 Rockland Rd					NA		NA		12/21/2005	
(622)	1.00	110	R			To: 93-660					NA		NA		08/05/2008	
						From: SR 55 Strasburg Rd					NA		NA			
						To: 93-678 Fort Valley Rd					NA		NA			
						From: 93-634 Smith Run Rd					NA		NA			
						To: 1.00 MN 93-634 Smith Run Rd					NA		NA			

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
(622)	0.10	110	R			From:	1.00 MN 93-634 Smith Run Rd				NA		NA		08/05/2008	
(622)	0.39	80	R			To:	Dead End; Gap				NA		NA		08/05/2008	
(622)	0.50	80	R			To:	0.39 ME of Dead End				NA		NA		08/05/2008	
(622)	0.50	230	R			To:	0.89 ME of Dead End				NA		NA		08/05/2008	
(622)	0.70	140	R			To:	From: 93-649 Brownstown Rd				NA		NA		01/26/2006	
(622)	2.79	180	R			To:	From: 93-631				NA		NA		08/05/2008	
(622)	0.36	300	R			To:	From: 2.79 MN 93-631				NA		NA		01/26/2006	
(622)	0.06	300	R			To:	From: 93-654 Maple St				NA		NA		08/05/2008	
(622)						To:	From: 93-674 Limeton Church Rd									
(623) Downing Farm Rd	1.72	430	R			To:	From: Dead End				NA		NA		01/26/2006	
(623) Downing Farm Rd	0.38	440	R			To:	From: 1.72 MN Dead End				NA		NA		08/07/2008	
(624) Happy Creek Rd	0.50	4200	F	95%	0%	1%	4%	0%	0%	F	0.091	F	0.519	4400	F	2008
(624)	0.40	3600	F	95%	0%	1%	4%	0%	0%	F	0.087	F	0.617	3700	F	2008
(624) Morgan Ford Rd	1.28	3400	F	95%	0%	1%	4%	0%	0%	C	0.094	F		3600	F	2008
(624) Morgan Ford Rd	1.80	1600	F	95%	0%	1%	4%	0%	0%	F	0.106	F	0.527	1700	F	2008
(624)	3.60	290	R			To:	From: 93-661 Fairground Rd				NA		NA		01/10/2006	
(625) Pine Hills Rd	0.25	80	R			To:	From: Clarke County Line									
(626)	1.60	160	R			To:	From: 93-637 Guard Hill Rd				NA		NA		08/12/2008	
(626)						To:	From: Dead End									
(626)						To:	From: 93-619 Mtn Rd								08/07/2008	
(626) Toten Lane	1.80	1400	F	97%	0%	0%	2%	0%	0%	C	0.108	F	0.563	1500	F	2008
(626)						To:	From: SR 55 W, Strasburg Rd									
(626)	1.00	320	R			To:	From: SR 55 E, Strasburg Rd				NA		NA		08/07/2008	
(626)	0.10	190	R			To:	From: 93-614				NA		NA		12/21/2005	
(626)	0.50	10	R			To:	From: 93-610 Bucks Mill Rd				NA		NA		08/07/2008	
(626)	0.20	70	R			To:	From: Dead End									
(626)	0.70	110	R			To:	From: Dead End; Gap				NA		NA		08/12/2008	
(626)						To:	From: 93-612 Gafia Lodge Rd				NA		NA		08/12/2008	
(626)						To:	From: 93-637 River Rd									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
(627) Reliance Rd	0.79	1600	F	97%	0%	1%	1%	1%	0%	F	0.089	F	0.511	1700	F	2008
(627) Reliance Rd	3.48	1500	F	97%	0%	1%	1%	1%	0%	C	0.097	F	0.605	1600	F	2008
(627) Reliance Rd	0.33	2300	F	97%	0%	1%	1%	1%	0%	F	0.082	F	0.556	2400	F	2008
(628) Rocky Hollow Rd	0.80	45	R										NA		NA	08/05/2008
(628) Rocky Hollow Rd	0.30	150	R										NA		NA	08/05/2008
(628) Rocky Hollow Rd	1.10	100	R										NA		NA	08/05/2008
(629) Acron Hill Rd	0.65	30	R										NA		NA	08/05/2008
(629) Acron Hill Rd	1.00	140	R										NA		NA	01/26/2006
(630) Thompson Hollow Rd	1.85	440	R										NA		NA	08/05/2008
(630) Thompson Hollow Rd	0.40	440	R										NA		NA	08/05/2008
(631)	1.20	90	R										NA		NA	08/05/2008
(631)	5.70	110	R										NA		NA	08/05/2008
(631)	0.40	380	R										NA		NA	08/05/2008
(631)	0.10	630	R										NA		NA	01/26/2006
(632) Fetchett Rd	0.40	20	R										NA		NA	08/05/2008
(632) Fetchett Rd	0.70	110	R										NA		NA	06/20/2002
(633) Broad Run Rd	0.40	48	R										NA		NA	08/05/2008
(634) Smith Run Rd	1.00	220	R										NA		NA	01/26/2006
(634) Smith Run Rd	1.20	90	R										NA		NA	08/05/2008
(635) Bowmans Mill Rd	0.20	90	R										NA		NA	08/14/2008
(635) Bowmans Mill Rd	1.90	30	R										NA		NA	08/14/2008

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
(636) Crassland Rd	1.00	40	R			From: Dead End						NA		NA	07/30/2008	
						To: 93-638										
(637)	0.15	1200	R			From: Dead End						NA		NA	08/12/2008	
						To: US 522 Winchester Rd										
(637) Guard Hill Rd	1.76	940	F	98%	0%	1%	1%	0%	0%	F	0.09	F	0.514	990	F	2008
						From: 93-625 Pine Hills Rd										
(637) Guard Hill Rd	2.51	440	F	98%	0%	1%	1%	0%	0%	C	0.125	F	0.527	460	F	2008
						To: 93-626 Catletts Ford Rd										
(637) River Rd	1.01	400	F	98%	0%	1%	1%	0%	0%	F	0.135	F	0.605	410	F	2008
						From: 93-627 Chapel Rd; Reliance Rd										
(637)	1.21	150	R			From: 93-627 Reliance Rd						NA		NA	12/27/2005	
						To: 93-854 Buckhorn Rd										
(637)	0.50	80	R			From: Frederick County Line						NA		NA	08/12/2008	
						To: Fauquier County Line; 30-638										
(638)	1.20	290	R			From: 93-636 Crassland Rd						NA		NA	01/24/2006	
						To: SR 55 John Marshall Hwy										
(638)	0.60	560	R			From: FR-283						NA		NA	07/30/2008	
						To: 93-1133										
(638)	2.39	2800	R			From: 93-688						NA		NA	01/10/2006	
						To: 93-603 Howellsville Rd										
(638) Howellsville Rd	2.90	1700	F	98%	0%	1%	0%	1%	0%	C	0.097	F	0.76	1800	F	2008
						From: Clarke County Line; 21-638										
(639)	0.36	1000	R			From: Frederick County Line						NA		NA	12/27/2005	
						To: 93-802 S, Zion Church Rd										
(639)	0.03	320	R			From: 93-802 N, Zion Church Rd						NA		NA	08/12/2008	
						To: US 522 Winchester Rd										
(639)	3.03	200	R			From: 93-658 N, Rockland Rd						NA		NA	12/27/2005	
						To: 93-658 S, Rockland Rd										
(639)	0.05	590	R			From: 93-624						NA		NA	07/30/2008	
						To: 93-735 Bowman Hollow Rd										
(640) Bunker Hill Rd	0.20	130	R			From: Frederick County Line						NA		NA	08/12/2008	
						To: 93-639										
(641) Double Church Rd	0.10	920	R			From: Frederick County Line						NA		NA	12/27/2005	
						To: Dead End										
(642) Milldale Hollow Rd	1.00	30	R			From: 1.00 MW Dead End						NA		NA	07/30/2008	
						To: 93-624										
(642) Milldale Hollow Rd	0.20	100	R			From: 93-624						NA		NA	01/10/2006	

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
(673) McCoys Ford Rd	0.70	1000	R			From: 93-623 Downing Farm Rd								NA	01/26/2006	
			To: 93-619 Mtn Rd													
(674) Limeton Church Rd	0.48	120	R			From: US 340 Stonewall Jackson Hwy								NA	08/05/2008	
			To: 93-622													
(674) Limeton Church Rd	0.17	470	R			From: 93-622								NA	01/26/2006	
			To: 93-737													
(675) Success Rd	0.25	60	R			From: US 522 Winchester Rd								NA	08/12/2008	
			To: Cul-de-Sac													
(676) Corron Dr	0.30	180	R			From: 93-677 Catlett Mtn Rd								NA	01/26/2006	
			To: Dead End													
(677) Catlett Mtn Rd	2.17	180	R			From: 93-619 Rivermont Dr								NA	08/07/2008	
			To: 93-679													
(678) Fort Valley Rd	1.77	1500	F	98%	0%	1%	1%	0%	0%	C	0.107	F	0.596	1500	F	2008
			To: SR 55; 93-610													
(679)	1.32	130	R			From: 93-619 W, Rivermont Dr								NA	01/26/2006	
			To: 93-619 E, Rivermont Dr													
(679)	0.70	570	R			From: 93-619 E, Rivermont Dr								NA	08/07/2008	
			To: 93-677 Catlett Mtn Rd													
(680) Russ Johnson Rd	0.31	30	R			From: 93-619 W, Rivermont Dr								NA	08/07/2008	
			To: 93-619 E, Rivermont Dr													
(681) Luray Ave	0.24	190	R			From: WCL Front Royal								NA	08/07/2008	
			To: Dead End													
(682) Poe Dr	0.10	40	R			From: Dead End								NA	1999	
			To: 93-1111 Boies Dr													
(682) Poe Dr	0.06	100	R			From: 93-1111 Dennis Dr								NA	06/24/2002	
			To: SR 55 Strasburg Rd													
(683) Bowling Green Rd	1.48	210	R			From: 93-661 Fairground Rd								NA	07/30/2008	
			To: 93-658 Rockland Rd													
(684)	0.09	20	R			From: Dead End								NA	01/26/2006	
			To: 93-686 Pinkett Lane													
(684)	0.06	70	R			From: 93-613								NA	08/05/2008	
			To: 93-638 Howellsville Rd													
(685)	0.24	60	R			From: 93-638 Howellsville Rd								NA	01/10/2006	
			To: Dead End													
(686) Pinkett Lane	0.05	20	R			From: Dead End								NA	08/05/2008	
			To: 93-684													
(687)	0.27	20	R			From: Cul-de-Sac								NA	01/10/2006	
			To: 93-638 Howellsville Rd													

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Warren County															
(688)	0.20	310	R			From:	93-638							NA	01/26/2006
						To:	Dead End								
(689)	0.28	150	R			From:	93-624 Morgan Ford Rd							NA	07/30/2008
						To:	Dead End								
(690)	0.24	70	R			From:	SR 55 Strasburg Rd							NA	08/07/2008
						To:	Dead End								
(700) Figgins Rd	0.36	130	R			From:	Dead End							NA	08/07/2008
						To:	93-677 Catlett Mtn Rd								
(701) Barnett Dr	0.40	210	R			From:	Dead End							NA	08/07/2008
						To:	93-619 Rivermont Dr								
(702) Baugh Dr	1.36	1500	R			From:	Dead End							NA	08/12/2008
						To:	93-661 Fairground Rd								
(703) Success Farm Lane	0.08	20	R			From:	Dead End							NA	08/12/2008
						To:	93-661 Fairground Rd								
(704) Jenny Wren Dr	0.20	120	R			From:	SR 55 Strasburg Rd							NA	12/21/2005
						To:	Dead End								
(710) Lower Valley Rd	0.39	500	R			From:	93-678 Fort Valley Rd							NA	12/21/2005
						To:	Dead End								
(711)	0.71	320	R			From:	Dead End							NA	11/21/2008
						To:	93-710 Lower Valley Rd								
(712)	0.11	30	R			From:	93-710 Lower Valley Rd							NA	11/21/2008
						To:	Cul-de-Sac								
(725)	2.11	80	R			From:	Dead End							NA	01/26/2006
						To:	US 340 Stonewall Jackson Hwy								
(730)	0.25	310	R			From:	Dead End							NA	01/26/2006
						To:	93-613 Bentonville Brownstown Rd								
(735) Bowman Hollow Rd	1.00	90	R			From:	Dead End							NA	08/12/2008
						To:	93-640 Bunker Hill Rd								
(735) Bowman Hollow Rd	0.40	70	R			From:	93-640 Bunker Hill Rd							NA	08/12/2008
						To:	Frederick County Line								
(736) Molly Campbell Lane	0.20	20	R			From:	93-609 Ritenour Hollow Rd							NA	08/12/2008
						To:	93-627 Reliance Rd								
(737)	0.05	40	R			From:	93-654 Maple St							NA	01/26/2006
						To:	93-674 Limeton Church Rd								
(737)	0.02	880	R			From:	93-674 Limeton Church Rd							NA	08/19/2008
						To:	US 340 Stonewall Jackson Hwy								
(737)	0.40	120	R			From:	US 340 Stonewall Jackson Hwy							NA	01/26/2006
						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail			
Warren County												
(738) Jennings Lane	0.30	60	R			From: 93-613 Bentonville Brownstown Rd				NA	NA	08/05/2008
			To: Dead End									
(739) Robinson Rd	0.22	70	R			From: 93-660				NA	NA	08/07/2008
			To: Dead End									
(745)	0.18	390	R			From: 93-649 Brownstown Rd				NA	NA	01/24/2006
			To: Dead End									
(802) Zion Church Rd	0.16	1200	R			From: US 522 Winchester Rd				NA	NA	08/19/2008
			To: 93-639 SOUTH									
(802) Zion Church Rd	0.08	300	R			From: 93-639 NORTH				NA	NA	12/27/2005
			To: Dead End									
(802) Zion Church Rd	0.20	120	R			From: 93-624				NA	NA	08/12/2008
			To: Dead End									
(810)	0.23	60	R			From: 93-811				NA	NA	01/10/2006
			To: 93-639									
(810)	0.34	70	R			From: Cul-de-Sac				NA	NA	01/10/2006
			To: 93-810									
(840) Water Plant Rd	1.00	570	R			From: Frederick County Line				NA	NA	08/14/2008
			To: 93-611; 93-612									
(842)	0.20	40	R			From: Dead End				NA	NA	1994
			To: 93-612 Gafia Lodge Rd									
(842)	1.25	40	R			From: 93-612 Gafia Lodge Rd				NA	NA	08/14/2008
			To: 1.25 MN 93-612 Gafia Lodge Rd									
(842)	0.05	40	R			From: 93-611 W, Long Meadow Rd				NA	NA	08/14/2008
			To: 93-611 E, Long Meadow Rd									
(842)	1.22	190	R			From: Frederick County Line				NA	NA	08/14/2008
			To: 93-637									
(854) Buckhorn Rd	0.25	140	R			From: Frederick County Line				NA	NA	08/12/2008
			To: Frederick County Line									
Frederick County												
(854) Buckhorn Rd	0.21	90	R			From: Frederick County Line				NA	NA	12/27/2005
			To: Dead End									
Warren County												
(1010) Park Ridge Court	0.20	180	R			From: Cul-de-Sac				NA	NA	01/24/2006
			To: 93-649 Brownstown Rd									
(1013)	1.02	150	R			From: 93-661 Fairground Rd				NA	NA	01/10/2006
			To: 93-624									
(1014)	0.20	50	R			From: 93-1013				NA	NA	01/10/2006
			To: Cul-de-Sac									
(1015)	0.17	60	R			From: 93-658 Rockland Rd				NA	NA	01/10/2006
			To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Warren County															
(1020)	0.61	250	R			From: FR-225					NA		NA		08/12/2008
			To: 93-1022												
(1021)	0.24	110	R			From: 93-1022					NA		NA		08/12/2008
			To: 93-1020												
(1022)	0.31	130	R			From: Cul-de-Sac					NA		NA		08/12/2008
			To: 93-1020												
(1022)	0.04	80	R			From: Cul-de-Sac					NA		NA		08/12/2008
			To: Cul-de-Sac												
(1030)	0.20	50	R			From: Dead End					NA		NA		08/07/2008
			To: 93-673 McCloys Ford Rd												
(1031)	0.20	70	R			From: Cul-de-Sac					NA		NA		08/07/2008
			To: 93-679												
(1032)	0.49	NA				From: Cul-de-Sac					NA		NA		
			To: 93-646 Esteppe Rd												
(1033)	0.22	NA				From: 93-1032					NA		NA		
			To: Cul-de-Sac												
(1110) Dennis Dr	0.09	30	R			From: Dead End					NA		NA		08/07/2008
			To: 93-682 Poe Dr												
(1111) Boies Dr	0.08	30	R			From: Dead End					NA		NA		1999
			To: 93-682 Poe Dr												
(1120) West Duck St	0.29	1000	R			From: 93-1125 Mallard Place					NA		NA		12/21/2005
			To: WCL Front Royal												
(1121) River Court	0.11	120	R			From: 93-1120 West Duck St					NA		NA		1999
			To: Cul-de-Sac												
(1122) Baron Place	0.15	120	R			From: Cul-de-Sac					NA		NA		1999
			To: 93-1120 West Duck St												
(1123) Weaver Lane	0.07	170	R			From: 93-1120 West Duck St					NA		NA		1999
			To: Cul-de-Sac												
(1124) Earl Court	0.06	80	R			From: 93-1123 Weaver Lane					NA		NA		1999
			To: Cul-de-Sac												
(1125) Mallard Place	0.22	230	R			From: Cul-de-Sac					NA		NA		12/21/2005
			To: Cul-de-Sac												
(1126) Morgan Place	0.11	100	R			From: Cul-de-Sac					NA		NA		1999
			To: 93-1125 Mallard Place												
(1130)	0.54	140	R			From: 93-1132					NA		NA		07/30/2008
			To: 93-638												
(1131)	0.21	9	R			From: Cul-de-Sac					NA		NA		07/30/2008
			To: 93-1130												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Warren County															
(1132)	0.29	20	R			Cul-de-Sac					NA		NA		07/30/2008
(1132)	0.23	70	R			From: 93-1134					NA		NA		07/30/2008
(1133)	0.46	60	R			From: 93-1130					NA		NA		07/30/2008
(1134)	0.07	30	R			To: 93-638							NA		07/30/2008
Town of Front Royal															
(2 112) Criser Rd	0.51	3100	F	98%	1%	0%	0%	0%	0%	C	0.093	F	3400	F	2008
(2 112) Criser Rd	0.71	4700	F	98%	1%	0%	0%	0%	0%	F	0.103	F	5100	F	2008
(4001 112) Luray Ave	0.45	1700	F	98%	1%	0%	0%	0%	0%	F	0.159	F	1800	F	2008
(4001 112) Luray Ave	0.21	1900	F	98%	1%	0%	0%	0%	0%	C	0.131	F	2100	F	2008
(4002 112) Stonewall Dr	0.25	440	F	98%	1%	1%	1%	0%	0%	F	0.101	F	667	F	2008
(4002 112) Stonewall Dr	0.42	2500	F	98%	1%	1%	1%	0%	0%	C	0.124	F	550	F	2008
(4004 112) West Main St	0.64	1700	F	97%	0%	1%	0%	1%	0%	F	0.107	F	538	F	2008
(4004 112) West Main St	0.07	2100	F	97%	0%	1%	0%	1%	0%	F	0.095	F	2300	F	2008
(4004 112) East Main St	0.25	3100	F	97%	0%	1%	0%	1%	0%	C	0.090	F	648	F	2008
(4004 112) East Main St	0.13	3000	F	97%	0%	1%	0%	1%	0%	F	0.084	F	3300	F	2008
(4005 112) Happy Creek Rd	0.85	2900	F	98%	1%	1%	0%	0%	0%	C	0.103	F	3200	F	2008
(4006 112) Kendrick Lane	0.19	8100	F	98%	1%	1%	0%	0%	0%	C	0.093	F	8800	F	2008
(4006 112) 6th St	0.11	8200	F	98%	0%	1%	0%	1%	0%	F	0.087	F	8900	F	2008
(4006 112) 6th St	0.14	4900	F	98%	0%	1%	0%	1%	0%	F	0.089	F	5300	F	2008
(4006 112) 6th St	0.62	6900	F	98%	0%	1%	0%	1%	0%	C	0.089	F	7500	F	2008
(4006 112) Happy Creek Rd	2.19	7900	F	98%	0%	1%	0%	1%	0%	F	0.095	F	8600	F	2008
(4010 112) Shenandoah Ave	0.50	6400	F	98%	0%	1%	0%	1%	0%	C	0.096	F	7000	F	2008

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Warren Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Warren County																
E Strasburg Road			NA			From: US 340, US 522 Shenandoah Ave					NA			NA		
			To: Old Winchester Pike													
Town of Front Royal																
11th St	720	F				From: Virginia Ave				0.095	F		720	F	2008	
			To: North Royal Ave													
13th St	310	F				From: Jefferson Avenue				0.126	F	0.593	310	F	2008	
			To: Monroe Avenue													
Jamestown Rd	1300	F				From: Accomac Road				0.107	F		1300	F	2008	
			To: Charles Street													
Kendrick Lane	3500	F				From: Massanuttan Avenue				0.116	F	0.529	3500	F	2008	
			To: Shenandoah Avenue													
Washington Avenue	320	F				From: Happy Creek Road				0.109	F	0.5	320	F	2008	
			To: 6th Street													