2007

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 173

Town of Boydton

Information in this report is included in Report

58

(Mecklenburg County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	te
(F241)	Frontage Road (F	precedes frontage route number)
(600)	Secondary Route	

Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wve - Wve Route connector

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2007 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Bovdton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW
~~	From:	V	VCL Boydto	on												
(58)	Town of Boydton (Maint: 58)	0.60	4600	N	83%	1%	1%	1%	14%	0%	Ν	0.105	Ν	0.586	4600	Ν
$\overline{}$	To:	N	NCL Boydto	on												
Bus	From:	US 58	West of B	oydton												
(58)	Town of Boydton (Maint: 58)	0.48	1100	F	97%	1%	1%	2%	0%	0%	F	0.122	F	0.527	1200	F
Bus	To- From:		SR 92													
(58)	Town of Boydton (Maint: 58)	0.55	1200	F	97%	1%	1%	2%	0%	0%	С	0.121	F	0.572	1300	F
	To:	N	NCL Boydto	on												
_	From:		US 58 Bus													
92)	Town of Boydton (Maint: 58)	0.32	1100	F	96%	2%	1%	0%	1%	0%	С	0.121	F	0.669	1100	F
\smile	To:	N	NCL Boydton													

7 5/14/2008

Virginia Department of Transportation Traffic Engineering Division 2007 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Boydton

							of Boydtor				I/		D:-			
Route	Length	AADT	QA	4Tire	Bus		Truc 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Boydton		Fron	.i				ıs US 58				-					
688	0.15	1000	F	95%	2%	ві 1%	0%	2%	0%	F	0.122	F	0.547	1100	F	2007
(6 <u>8</u> 8)		Tr					L Boydton									
		Fron	:			SCI	Boydton									
707	0.31	1000	F	96%	2%	1%	0%	1%	0%	С	0.131	F	0.552	1100	F	2007
		Fron	c c				ecatur; Monro 5 Decatur St									
707	0.13	1100	F	96%	2%	1%	0%	1%	0%	F	0.126	F	0.757	1200	F	2007
58		To	c			US 58	BUS; SR 92									
O 1 # 0		Fron		2221	407		Boydton	201				_			_	
756 Jefferson St	0.37	610	F	99%	1%	0%	0%	0%	0%	С	0.11	F	0.608	670	F	2007
O Jefferson Ct	0.00	From	<u> </u>	000/	40/		01 School St		00/				0.502	500		0007
756 Jefferson St	0.29	480	F	99%	1%	0%	0%	0%	0%	F	0.11	F	0.593	520	F	2007
756) Jefferson St	0.12	290 From	 R				58-707				NA			NA		07/30/2007
(756) Jefferson St	0.12	290 To				58-1213	3 Jefferson S	t						INA		07/30/200
		Fron	c				Jefferson St									
(1201) School St	0.06	250	F	99%	1%	0%	0%	0%	0%	С	0.12	F	0.629	280	F	2007
58		To	c			Bu	ıs US 58									
		Fron				58-12	205 Decatur									
(1202) Bank St	0.13	480	R				**C 50				NA			NA		07/30/200
		Fron					ıs US 58									
(100)	0.29	100	L				58-688	NA			NA		06/21/200			
(1203)	0.23	To				NCI	_ Boydton							INA		00/21/200-
		Fron	:				5 Monroe St	1			l					
1204 58 Hull St	0.11	330	R								NA			NA		06/21/2004
		Tr					SR 92									
1204 Hull St	0.06	100 From	R								NA			NA		06/21/2004
58		Tr	-			58-12	06 Jones St									
(1204) Hull St	0.10	60	R								NA			NA		06/21/2004
38		To Fron				58-1217	7 Cemetery S	St			_					
(1204) Hull St	0.10	40	R								NA			NA		07/30/2007
		Tron Fron				Ви	ıs US 58									
(1204) Carter Lane	0.12	190	R								NA			NA		07/30/2007
		To				ECI	_ Boydton									
O December 21	0.07	From				58-12	06 Jones St							NIA		07/00/000
(1205) Decatur St	0.07	70	R								NA —			NA		07/30/200
(1205) Monroe St	0.24	490 From					58-707				NA			NA		06/21/2004
(1205) Monroe St	0.24	490	R								INA			INA		06/21/2002
(1205) Monroe St	0.08	350 From	R			Bu	ıs US 58				NA			NA		07/30/2007
(1205) Monroe St	0.06	330									INA			INA		07/30/200
(1205) Monroe St	0.03	30 From	R			58-12	204 Hull St				NA			NA		07/30/2007
1205 MONTOE St	0.03	To				D	ead End							INA		01/30/2001
		From	:				5 Decatur St									
Jones St	0.13	220	R				Tana St				NA			NA		07/30/2007
58						Br	ıs US 58				¬					
(1206) Jones St	0.08	80 From	R								NA			NA		07/30/200
58		To	:			58-12	204 Hull St									
		Fron					SR 92									
(1207) Bryson St	0.06	60	R								NA			NA		07/30/200
		Tr				58-12	06 Jones St									

5/14/2008 8

Virginia Department of Transportation Traffic Engineering Division 2007 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Boydton

								-									
Route	Length	AADT	QA	4Tire	Bus	~			Truck xle 1T		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Bovdton		From:					58-756	Loffor	con Ct			1					
1208 Sheriff St	0.06	60	R				36-730	Jeners	SOII St			NA			NA		07/30/2007
1200	0.00	To					Bu	s US 5	58			–					0.700,200.
		From:					Bu	s US 5	58								
1209 Madison St Ext	0.19	190	R									NA			NA		07/30/2007
(1209) Madison St Ext		To:					ECL	. Boyd	ton								
		From:				58	8-756 E	E, Jeffe	erson St								
1210 Park St	0.31	40	R									NA			NA		06/21/2004
58		To:				58	8-756 V	V, Jeffe	erson St								
		From:					5	58-707									
1211 Finch Lane	0.10	80	R									NA			NA		07/30/2007
58		To:					De	ead En	d								
_		From:				5	58-1214	4 Jeffer	rson St								
1213 Jefferson St	0.03	70	R									NA			NA		07/30/2007
58		To:					58-756	Jeffers	son St								
1214 Jefferson St		From:					De	ead En	d								
	0.10	50	R									NA			NA		07/30/2007
		To:				5	58-1213	3 Jeffer	rson St								
1215 Bryant St		From					Bu	s US 5	58								
	0.07	20	R									<u>N</u> A			NA		07/30/2007
		To-					De	ead En	d								
$\widehat{}$		From:				58-	-1209 N	Madiso	n St Ext								
1216 Barnes St	0.06	70	R									NA			NA		07/30/2007
<u> </u>		To:					Bu	is US 5	58								
		From:					Bu	s US 5	58			ᆜ					.= / /
1217 Cemetery St	0.13	20 To-	R				50. 10	20411	11.04			NA			NA		07/30/2007
								204 Hu									
Considerate Ct	0.00	From:	_			58-	-1220 V	V, Crac	ddock Ct						NΙΔ		07/00/000
1218 Craddock St	0.09	60	R									NA			NA		07/30/2007
<u> </u>		From:				58	3-1220 I	E, Crad	dock Ct								
1218 Craddock St	0.08	140	R									_NA			NA		07/30/2007
		To: From:					58-121 58-121										
1218) Craddock St	0.06	200	R				30-121	ı yıvıa _l	леы			NA			NA		07/30/2007
Craddock St 58	0.00	To:					5	58-707				—i"``			147		0170072001
		From:				5	58-1218	R Cradd	lock St								
1219 Maple Dr	0.09	50	R				70 1210	Crudo	JOCK DI			NA			NA		07/30/2007
1219 Maple Dr		To:					De	ead En	d								
		From:				58			ddock St								
1220 Craddock Ct	0.16	60	R					,				NA			NA		07/30/2007
		To:				58-	-12 <u>18</u> V	W, Crac	ddock St								
		From:					Cui	1-de-Sa	ac								
9253 58	0.05	110	R				Cu					NA			NA		10/01/2007
58		To					58-120)1 Scho	nol St								

5/14/2008 9