

**2007**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Special Locality Report**

**221**

Town of Gate City

Information in this report is included in Report

**84**

(Scott County)

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.61	33000	N	94%	1%	1%	0%	4%	0%	N	0.081	N	0.53	33000	N
	To: Bus US 23 East of Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.16	12000	A	92%	0%	1%	1%	7%	0%	C	0.099	A	0.517	12000	A
	From: NCL Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.36	12000	N	92%	0%	1%	1%	7%	0%	N	0.099	N	0.517	12000	N
	To: NCL Gate City															
Bus 23 Bus 58 Bus 421	From: US 23 South of Gate City															
23 58 421	Town of Gate City (Maint: 84)	0.23	18000	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.528	20000	G
	To: 84-836 Jones St															
Bus 23 Bus 58 Bus 421	From: 84-836 Jones St															
23 58 421	Town of Gate City (Maint: 84)	0.47	11000	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.564	12000	G
	To: SR 71															
Bus 23 Bus 58 Bus 421	From: SR 71															
23 58 421	Town of Gate City (Maint: 84)	0.12	7900	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.572	8500	G
	To: 84-665 Moccasin Ave															
Bus 23 Bus 58 Bus 421	From: 84-665 Moccasin Ave															
23 58 421	Town of Gate City (Maint: 84)	0.15	5800	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.551	6200	G
	To: 84-763 Fir St															
Bus 23 Bus 58 Bus 421	From: 84-763 Fir St															
23 58 421	Town of Gate City (Maint: 84)	0.84	4100	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.569	4400	G
	To: 84-762 Stames St															
Bus 23 Bus 58 Bus 421	From: 84-762 Stames St															
23 58 421	Town of Gate City (Maint: 84)	0.80	3100	G	97%	0%	1%	0%	1%	0%	C	0.090	F	0.533	3400	G
	To: WCL Gate City															
58 23 421	From: NCL Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.36	12000	N	92%	0%	1%	1%	7%	0%	N	0.099	N	0.517	12000	N
	To: SCL Gate City															
58 23 421	From: NCL Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.16	12000	A	92%	0%	1%	1%	7%	0%	C	0.099	A	0.517	12000	A
	To: Bus US 23 East of Gate City															
58 23 421	From: Bus US 23 East of Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.61	33000	N	94%	1%	1%	0%	4%	0%	N	0.081	N	0.53	33000	N
	To: SCL Gate City															
Bus 58 Bus 23 Bus 421	From: CL Gate City															
58 23 421	Town of Gate City (Maint: 84)	0.80	3100	G	97%	0%	1%	0%	1%	0%	C	0.090	F	0.533	3400	G
	To: 84-762															
Bus 58 Bus 23 Bus 421	From: 84-762															
58 23 421	Town of Gate City (Maint: 84)	0.84	4100	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.569	4400	G
	To: 84-763															
Bus 58 Bus 23 Bus 421	From: 84-763															
58 23 421	Town of Gate City (Maint: 84)	0.15	5800	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.551	6200	G
	To: 84-665															
Bus 58 Bus 23 Bus 421	From: 84-665															
58 23 421	Town of Gate City (Maint: 84)	0.12	7900	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.572	8500	G
	To: SR 71															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2007  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Gate City

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: SR 71 Bus 58 Bus 23 Bus 421	Town of Gate City (Maint: 84)	0.47	11000	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.564	12000	G
To: 84-836																
From: US 23 South of Gate City Bus 58 Bus 23 Bus 421	Town of Gate City (Maint: 84)	0.23	18000	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.528	20000	G
To: US 23 South of Gate City																
From: Bus 23 Bus 71 E Jackson St	Town of Gate City (Maint: 84)	0.55	4200	G	96%	0%	1%	1%	2%	0%	F	0.095	F	0.576	4500	G
To: 84-904 Jones St																
From: 84-904 Jones St 71 E Jackson St	Town of Gate City (Maint: 84)	0.85	7600	G	96%	0%	1%	1%	2%	0%	F	0.092	F	0.628	8200	G
To: ECL Gate City																
From: NCL Gate City 421 23 58	Town of Gate City (Maint: 84)	0.36	12000	N	92%	0%	1%	1%	7%	0%	N	0.099	N	0.517	12000	N
To: SCL Gate City																
From: NCL Gate City 421 23 58	Town of Gate City (Maint: 84)	0.16	12000	A	92%	0%	1%	1%	7%	0%	C	0.099	A	0.517	12000	A
To: Bus US 23 East of Gate City																
From: Bus US 23 East of Gate City 421 23 58	Town of Gate City (Maint: 84)	0.61	33000	N	94%	1%	1%	0%	4%	0%	N	0.081	N	0.53	33000	N
To: SCL Gate City																
From: US 23 South of Gate City Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.23	18000	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.528	20000	G
To: 84-836																
From: 84-836 Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.47	11000	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.564	12000	G
To: SR 71																
From: SR 71 Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.12	7900	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.572	8500	G
To: 84-665																
From: 84-665 Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.15	5800	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.551	6200	G
To: 84-763																
From: 84-763 Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.84	4100	G	99%	0%	1%	0%	0%	0%	F	0.086	F	0.569	4400	G
To: 84-762																
From: 84-762 Bus 421 Bus 23 Bus 58	Town of Gate City (Maint: 84)	0.80	3100	G	97%	0%	1%	0%	1%	0%	C	0.090	F	0.533	3400	G
To: CL Gate City																

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Town of Gate City</b>																	
(619) 84																	
	0.21	510	R								NA			NA		01/08/2004	
(619) 84	Old Nickelsville Rd	0.01	160	R							NA			NA		08/27/2007	
(619) 84		0.33	1200	R							NA			NA		01/08/2004	
(619) 84		0.37	2100	R							NA			NA		01/08/2004	
(665) 84	Moccasin Ave	0.04	920	R							NA			NA		01/08/2004	
(665) 84	Moccasin Ave	0.15	1800	G	98%	0%	1%	0%	1%	0%	C	0.085	F	0.61	1900	G	2007
(665) 84	Moccasin Ave	0.25	1600	G	98%	0%	1%	0%	1%	0%	F	0.093	F	0.597	1800	G	2007
(665) 84	Moccasin St	0.26	1200	G	99%	0%	1%	0%	0%	0%	C	0.090	F	0.612	1300	G	2007
(666) 84	Red Hill Rd	0.29	710	R							NA			NA		01/08/2004	
(762) 84		0.14	240	R							NA			NA		01/08/2004	
(763) 84		0.40	220	R							NA			NA		01/08/2004	
(763) 84		0.11	310	R							NA			NA		01/08/2004	
(764) 84		0.18	140	R							NA			NA		01/08/2004	
(765) 84		0.03	90	R							NA			NA		01/08/2004	
(765) 84	Cypress St	0.02	30	R							NA			NA		08/15/2007	
(766) 84	Rollins St	0.03	30	R							NA			NA		08/15/2007	
(766) 84	Elm St	0.07	710	R							NA			NA		08/15/2007	
(767) 84	Woodland St	0.39	660	R							NA			NA		08/15/2007	
(767) 84	Tucker St	0.10	1000	R							NA			NA		08/27/2007	
(768) 84	Solon St	0.13	1500	R							NA			NA		08/27/2007	
(768) 84	Solon St	0.62	1500	R							NA			NA		08/27/2007	

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
769 84 Bishop St	0.21	1300	R			From: Bus US 23					NA			NA		08/27/2007
						To: SR 71, E Jackson St										
781 84 Poplar St	0.19	190	R			From: 84-665 Moccasin St					NA			NA		08/15/2007
						To: 84-767 Woodland St										
782 84 Walnut St	0.24	250	R			From: Dead End					NA			NA		08/15/2007
						To: 84-767 Woodland St										
783 84 Fir St	0.10	130	R			From: Dead End					NA			NA		08/15/2007
						To: 84-763										
784 84 Virginia Ave	0.06	140	R			From: SR 23					NA			NA		08/13/2007
						To: 84-798 Highland St										
785 84 Cleveland Ave	0.07	390	R			From: Bus US 23					NA			NA		08/15/2007
						To: 84-782 Walnut St										
785 84 Cleveland Ave	0.16	140	R			From: 84-781 Poplar St					NA			NA		08/15/2007
						To: 84-819 Chestnut St										
793 84 Old Nickelsville Rd	0.19	390	R			From: 84-619 Old Nickelsville Rd					NA			NA		08/27/2007
						To: SR 71, E Jackson St										
796 84 Gillenwater Loop	0.11	20	R			From: SR 71 W, E Jackson St					NA			NA		08/27/2007
						To: ECL Gate City										
798 84 Highland St	0.48	110	R			From: Dead End					NA			NA		08/13/2007
						To: 84-799 Lombard St										
799 84 Lombard St	0.07	360	R			From: 84-798 Highland St					NA			NA		08/13/2007
						To: US 23										
813 84 Cherry St	0.07	90	R			From: 84-814 Sherman St					NA			NA		08/15/2007
						To: 84-665 Moccasin St										
814 84 Sherman St	0.28	40	R			From: 84-819 Chestnut St					NA			NA		08/15/2007
						To: Dead End										
819 84 Chestnut St	0.12	140	R			From: 84-814 Sherman St					NA			NA		08/13/2007
						To: Dead End										
820 84 Promise St	0.07	40	R			From: Dead End					NA			NA		08/13/2007
						To: 84-819 Chestnut St										
823 84 Beech St	0.12	1000	R			From: 84-769 Bishop St					NA			NA		08/27/2007
						To: 84-836 Jones St										
824 84 Wolfe St	0.37	170	R			From: 84-835 Anderson St					NA			NA		08/15/2007
						To: 84-1419 Oak St										
831 84 Elm St	0.04	310	R			From: 84-832 Elm St					NA			NA		08/15/2007
						To: 84-766 Elm St										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
(832) 84 Elm St	0.39	160	R								NA		NA			08/15/2007
(835) 84 Anderson St	0.22	270	R								NA		NA			08/15/2007
(836) 84 Harry Fry Dr	0.40	2400	R								NA		NA			08/27/2007
(838) 84 Hill St	0.07	40	R								NA		NA			08/15/2007
(839) 84 Hill St	0.05	70	R								NA		NA			08/15/2007
(842) 84 Sargeant St	0.23	290	R								NA		NA			08/29/2007
(843) 84 Campbell St	0.06	80	R								NA		NA			08/13/2007
(844) 84 Bradford St	0.09	440	R								NA		NA			08/27/2007
(844) 84 Kane St	0.15	170	R								NA		NA			08/27/2007
(849) 84 Richmond St	0.07	46	R								NA		NA			08/13/2007
(850) 84 Franklin St	0.06	70	R								NA		NA			08/13/2007
(851) 84 Darter St	0.19	120	R								NA		NA			08/13/2007
(853) 84 Campbell St	0.11	80	R								NA		NA			08/13/2007
(889) 84 Broadwater Ave	0.19	830	R								NA		NA			08/27/2007
(898) 84 Sharon Dr	0.15	370	R								NA		NA			08/29/2007
(904) 84 Jones St	0.06	11000	G	98%	0%	1%	0%	1%	0%	F	0.084	F	0.577	12000	G	2007
(904) 84 Jones St	0.24	8900	G	98%	0%	1%	0%	1%	0%	C	0.086	F	0.602	9600	G	2007
(905) 84 Barker Sub Ave	0.04	420	R								NA		NA			08/29/2007
(906) 84 Lynn Dr	0.07	110	R								NA		NA			08/29/2007

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
(906) 84 Lynn Dr	0.10	60	R			From: 84-905 Barker Sub Ave					NA			NA		08/29/2007
						To: 84-619										
(930) 84 Short Dr	0.08	70	R			From: 84-836 Harry Fry Dr					NA			NA		08/27/2007
						To: 84-931 Cedar Ave										
(931) 84 Cedar Ave	0.10	50	R			From: 84-836 Harry Fry Dr					NA			NA		08/27/2007
						To: 84-930 Short Dr										
(931) 84 Cedar Ave	0.03	40	R			From: Dead End					NA			NA		08/27/2007
						To: Dead End										
(932) 84 Ruth St	0.04	40	R			From: Dead End					NA			NA		08/29/2007
						To: 84-842 Sargeant St										
(1401) 84 Ellen Dr	0.07	560	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: 84-1403 Valley View St										
(1402) 84 Davidson St	0.07	90	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: 84-1403 Valley View St										
(1403) 84 Valley View St	0.12	200	R			From: 84-1401 Ellen Dr					NA			NA		08/29/2007
						To: 84-1402 Davidson St										
(1404) 84 Arora St	0.06	80	R			From: SR 71, E Jackson St					NA			NA		08/29/2007
						To: Dead End										
(1405) 84 Dillon Dr	0.16	480	R			From: Bus US 23					NA			NA		08/13/2007
						To: Dead End										
(1406) 84 Jay St	0.15	150	R			From: Dead End					NA			NA		08/13/2007
						To: 84-1405 Dillon Dr										
(1407) 84 Linda St	0.10	80	R			From: Bus US 23					NA			NA		08/13/2007
						To: 84-1406 Jay St										
(1408) 84 Frances St	0.10	70	R			From: 84-1409 Bowen Dr					NA			NA		08/13/2007
						To: 84-1406 Jay St										
(1409) 84 Bowen Dr	0.06	130	R			From: 84-1408 Frances St					NA			NA		08/13/2007
						To: 84-1407 Linda St										
(1410) 84 Barbara Rd	0.12	350	R			From: 84-906 Lynn Dr					NA			NA		08/29/2007
						To: Dead End										
(1411) 84 Water St	0.15	2600	R			From: 84-665 Moccasin Ave					NA			NA		08/27/2007
						To: Bus US 23										
(1412) 84 Una St	0.11	70	R			From: 84-1413 Eva St					NA			NA		07/11/2007
						To: 0.11 MN 84-1413										
(1412) 84 Una St	0.15	90	R			From: Bus US 23					NA			NA		07/11/2007
						To: Bus US 23										
(1413) 84 Eva St	0.03	80	R			From: Dead End					NA			NA		07/11/2007
						To: 84-1412 Una St										

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Gate City

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Gate City</b>																
(1413/84) Eva St	0.04	130	R				From: 84-1412 Una St					NA		NA		07/11/2007
							To: Dead End									
(1414/84)	0.10	50	R				From: 84-1413 Eva St					NA		NA		07/11/2007
							To: Dead End									
(1415/84) Hillcrest Dr	0.34	150	R				From: 84-767 Woodland St					NA		NA		08/15/2007
							To: Dead End									
(1416/84) DHU St	0.05	30	R				From: 84-785 Cleveland Ave					NA		NA		08/15/2007
							To: Dead End									
(1417/84) Monte Vista Dr	0.04	100	R				From: 84-781 Poplar St					NA		NA		08/15/2007
							To: Dead End									
(1419/84) Oak St	0.04	450	R				From: SR 71, E Jackson St					NA		NA		08/29/2007
							To: 84-824 Wolfe St									
(1420/84) Massey Dr	0.07	120	R				From: 84-1401 Ellen Dr					NA		NA		08/29/2007
							To: 84-1421 Cross St									
(1420/84) Massey Dr	0.06	20	R				From: 84-1421					NA		NA		08/29/2007
							To: 84-1402									
(1421/84) Cross St	0.05	90	R				From: 84-1420 Massey Dr					NA		NA		08/29/2007
							To: 84-1403 Valley View St									
(1422/84) Vanzant Dr	0.02	760	R				From: Dead End					NA		NA		08/15/2007
							To: 84-763									
(1423/84) Anita Ave	0.08	90	R				From: Dead End					NA		NA		08/29/2007
							To: 84-1410 Barbara Rd									
(1424/84) Embar St	0.12	90	R				From: Dead End					NA		NA		08/29/2007
							To: 84-1410 Barbara Rd									
(1425/84) Beverly Circle	0.19	220	R				From: 84-898 Sharon Dr					NA		NA		08/29/2007
							To: Dead End									
(1427/84) Ravine St	0.24	210	R				From: SR 71, E Jackson St					NA		NA		08/15/2007
							To: Dead End									
(1428/84) Cedar Ave	0.13	50	R				From: Dead End					NA		NA		08/27/2007
							To: 84-836; 84-931									
(9380/84) Broadwater Ave	0.15	1000	R				From: 84-836 Harry Fry Dr					NA		NA		08/27/2007
							To: Scott Co Voc School									
(9380/84) Broadwater Ave	0.11	1000	R				From: Scott Co Voc School					NA		NA		08/27/2007
							To: Dead End									
(9763/84)	0.15	1600	R				From: Bus US 23					NA		NA		08/29/2007
							To: Gate City High Sch									
(9839/84) Bishop St	0.12	1100	R				From: Shoemaker Elem Sch					NA		NA		08/27/2007
							To: 84-769 Bishop St									