

2011

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

13

Buchanan County
Town of Grundy

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
80 Red Bud Hwy	Buchanan County	9.92	1700	G	92%	2%	2%	3%	2%	0%	C	0.106	F	0.608	1800	G
80 Breaks Park Rd	Buchanan County	1.60	740	G	82%	1%	1%	1%	15%	0%	F	0.113	F	0.632	780	G
83	Buchanan County	2.47	2800	G	96%	0%	1%	1%	1%	0%	F	0.089	F	0.610	2900	G
83	Buchanan County	5.96	3300	G	96%	0%	1%	1%	1%	0%	C	0.09	F	0.583	3500	G
83 Dickenson Hwy	Buchanan County	1.95	5200	G	96%	0%	1%	1%	1%	0%	F	0.105	F	0.628	5400	G
83 460	Buchanan County	1.99	11000	G	96%	0%	1%	1%	2%	0%	F	0.096	F	0.532	12000	G
83 460	Town of Grundy (Maint: 13)	1.96	11000	G	96%	0%	1%	1%	2%	0%	F	0.102	F	0.528	12000	G
83 Edgewater Dr	Town of Grundy (Maint: 13)	1.49	7300	G	95%	1%	1%	1%	2%	0%	F	0.106	F	0.505	7700	G
83 State Creek Rd	Buchanan County	2.93	5400	G	95%	1%	1%	1%	2%	0%	F	0.112	F	0.583	5600	G
83	Buchanan County	4.24	2900	G	95%	1%	1%	1%	2%	0%	C	0.117	F	0.717	3100	G
83	Buchanan County	2.47	1700	G	95%	1%	1%	1%	2%	0%	F	0.101	F	0.65	1800	G
83	Buchanan County	4.67	810	G	95%	1%	1%	1%	2%	0%	F	0.115	F	0.708	850	G
460	Buchanan County	2.61	3300	G	96%	0%	1%	1%	2%	0%	F	0.107	F	0.603	3600	G
460	Buchanan County	2.09	3500	G	96%	0%	1%	1%	2%	0%	F	0.103	F	0.623	3800	G
460	Buchanan County	2.36	4300	G	96%	0%	1%	1%	2%	0%	F	0.098	F	0.514	4600	G
460	Buchanan County	2.59	5900	G	96%	0%	1%	1%	2%	0%	F	0.108	F	0.558	6500	G
460	Buchanan County	1.56	6100	G	96%	0%	1%	1%	2%	0%	F	0.096	F	0.553	6600	G

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW														
							2Axe	3+Axe	1Trail	2Trail																				
 460	Town of Grundy (Maint: 13)	From: WCL Grundy	1.62	6100	N	96%	0%	1%	1%	2%	0%	N	0.096	N	0.553	6600	N													
		To: US 460 Par; 13-1006 NORTH																												
 460 	Town of Grundy (Maint: 13)	From: US 460 Par; 13-1006 South	1.96	11000	G	96%	0%	1%	1%	2%	0%	F	0.102	F	0.528	12000	G													
		To: SCL Grundy																												
 460 	Buchanan County	From: SR 83 South Intersection	1.99	11000	G	96%	0%	1%	1%	2%	0%	F	0.096	F	0.532	12000	G													
		To: Buchanan County																												
 460	Buchanan County	From: 13-638 Dismal River Rd	3.59	9800	G	96%	0%	1%	1%	2%	0%	F	0.091	F	0.510	11000	G													
		To: 13-1101 Keen Mtn Camp																												
 460	Buchanan County	From: 13-1101 Keen Mtn. Camp																												
		To: Buchanan County																												
 460	Buchanan County	From: 13-680	2.21	7500	G	96%	0%	1%	1%	2%	0%	F	0.087	F	0.549	8200	G													
		To: Tazewell County Line																												

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Grundy																
(83) 1006 Riverside Dr	0.44	7100	G								NA			7300	G	2011
Combined Traffic:		7100	G								NA			NA		
(83) 1006 Riverside Dr	0.18	3500	G								NA			3600	G	2011
Combined Traffic:		3500	G								NA			NA		
(460) 1006 Riverside Dr	0.18	3500	G								NA			3600	G	2011
Combined Traffic:		3500	G								NA			NA		
(460) 1006 Riverside Dr	0.44	7100	G								NA			7300	G	2011
Combined Traffic:		7100	G								NA			NA		
Buchanan County																
(600) Hurricane	0.10	920	G	97%	1%	1%	1%	0%	0%	C	0.098	F	0.586	970	G	2011
To:																
(600) Hurricane	0.90	840	G	97%	1%	1%	1%	0%	0%	F	0.099	F	0.584	880	G	2011
To:																
(600) Hurricane	7.00	160	G	97%	1%	1%	1%	0%	0%	F	0.121	F	0.61	170	G	2011
To:																
(601) Convict Hwy	2.20	1100	R								NA			NA		12/10/2007
To:																
(602) Indian Creek	0.55	460	G	84%	0%	3%	9%	5%	0%	F	0.12	F	0.526	490	G	2011
To:																
(602) Indian Creek Rd	1.41	320	G	84%	0%	3%	9%	5%	0%	C	0.131	F	0.523	340	G	2011
To:																
(602)	3.67	600	R								NA			NA		03/03/2008
To:																
(602)	3.06	70	R								NA			NA		03/03/2008
To:																
(602)	1.01	70	R								NA			NA		03/03/2008
To:																
(602)	1.52	410	R								NA			NA		03/05/2008
To:																
(603)	0.90	120	R								NA			NA		01/29/2008
To:																
(603)	0.70	90	R								NA			NA		04/07/2008
To:																
(603)	1.50	60	R								NA			NA		01/28/2008
To:																
(604) Poplar Gap Rd	2.04	900	R								NA			NA		12/12/2007
To:																
(604) Poplar Gap Rd	2.96	540	R								NA			NA		12/12/2007
To:																
(604) Poplar Gap Rd	1.40	400	R								NA			NA		12/10/2007
To:																

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(604) Poplar Gap Rd	1.00	540	R			From:	13-614				NA		NA	NA	12/10/2007	
(604) Poplar Gap Rd	2.52	1000	R			To:	13-615 Hoot Owl St				NA		NA	NA	01/07/2008	
(605) Russell Fork	3.22	490	R			From:		SR 80			NA		NA	NA	01/28/2008	
(605) Russell Fork	1.10	950	R			To:	13-705 Little Fox				NA		NA	NA	01/16/2008	
(605) Russell Fork	2.20	160	R			From:	13-619 Lee Master Dr				NA		NA	NA	01/16/2008	
(605) Russell Fork						To:	13-658; 25-605									
(606) Rakes Ridge	1.30	550	R			From:	Dickenson County Line				NA		NA	NA	12/12/2007	
(607) Fletchers Hwy	0.90	100	R			To:	SR 83									
(608) Right Fork Greenbrier	2.30	1200	R			From:	13-600 Hurricane				NA		NA	NA	12/12/2007	
(608) Right Fork Greenbrier	1.30	430	R			To:	2.30 ME 13-611 Greenbrier				NA		NA	NA	12/12/2007	
(609) King Solomon Colley Rd	4.64	490	G	94%	0%	1%	3%	2%	0%	F	0.105	F	0.513	510	G	2011
(609) King Solomon Colley Rd	0.94	1000	G	94%	0%	1%	3%	2%	0%	F	0.099	F	0.509	1100	G	2011
(609) Bull Creek Rd	1.76	1500	G	94%	0%	1%	3%	2%	0%	F	0.088	F	0.510	1600	G	2011
(609) Bull Creek Rd	0.92	2200	G	94%	0%	1%	3%	2%	0%	C	0.09	F	0.588	2300	G	2011
(610) Conaway/Cow Fork	3.79	370	R			From:	US 460									
(610) Conaway/Cow Fork	2.51	500	R			To:	SR 80				NA		NA	NA	11/05/2007	
(610) Conaway/Cow Fork	2.72	670	R			From:	3.79 MN SR 80				NA		NA	NA	11/05/2007	
(611) Greenbrier	1.56	1400	R			To:	6.30 MN SR 80				NA		NA	NA	12/12/2007	
(611) Greenbrier	1.20	940	R			From:	US 460									
(611) Greenbrier						To:	SR 83									
(612) Looneys Fork	0.70	170	R			From:	13-714 Little Greenbrier				NA		NA	NA	01/16/2008	
(613)	3.40	250	R			To:	Dead End									
(613)	3.40	110	R			From:	13-636				NA		NA	NA	02/14/2008	
(613)						To:	3.40 MN 13-636									
(613)						From:	13-616				NA		NA	NA	02/19/2008	

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Buchanan County															
(614)	4.00	210	R			From:	13-604 Poplar Gap Rd				NA		NA		12/10/2007
(614)	1.00	440	R			To:	4.00 MN 13-604				NA		NA		12/10/2007
(615) Hoot Owl St	2.70	740	G			From:	13-604 Poplar Gap Rd				NA		740	G	2011
						To:	WCL Grundy								
Town of Grundy															
(615) Hoot Owl St	0.49	610	R			From:	WCL Grundy				NA		NA		01/07/2008
(615) Hoot Owl St	0.06	860	R			To:	13-1009 Levisa St				NA		NA		01/07/2008
						From:	US 460, SR 83								
Buchanan County															
(616)	0.60	190	R			From:	92-622 Reynolds Ridge Rd				NA		NA		02/21/2008
(616)	1.60	60	R			To:	Tazewell County Line ; 92-612				NA		NA		01/31/2008
(616)	2.40	90	R			From:	1.60 MN 92-612				NA		NA		01/31/2008
(616)	1.50	90	R			To:	13-637 Bearwallow				NA		NA		01/31/2008
(616)	4.60	50	R			From:	13-613				NA		NA		01/31/2008
(616)	0.60	40	R			To:	13-719 Mitchell Rd				NA		NA		01/31/2008
(616)	1.00	80	R			From:	0.60 MS 13-719 Mitchell Rd				NA		NA		01/31/2008
(616)	0.70	290	R			To:	13-636				NA		NA		02/19/2008
(616)	1.00	380	R			From:	13-704 Peapatch				NA		NA		03/17/2008
(616)	1.00	570	R			To:	13-635				NA		NA		01/31/2008
(616)	0.60	180	R			From:	1.00 MN 13-635				NA		NA		01/31/2008
(616)						To:	13-639 Compton Mtn Rd								
(617) Little Prater	1.90	420	R			From:	Dead End				NA		NA		04/03/2008
(617) Little Prater	0.30	1600	G			To:	13-695 Cripple Bridge				NA		1600	G	2011
						From:	US 460								
(618) Fox Ridge Dr	1.39	130	R			From:	Tazewell County Line				NA		NA		01/09/2008
(618) Fox Ridge Dr	1.01	200	R			To:	1.40 MW of CL				NA		NA		01/09/2008
(618) Fox Ridge Dr	2.22	380	R			From:	13-634 Pistol Bridge				NA		NA		01/09/2008
						To:	US 460								
(619) Lee Master Dr	3.82	590	R			From:	13-605 Russell Fork				NA		NA		01/28/2008
						To:	3.82 MN 13-605 Russell Fork								

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(619) Lee Master Dr	2.96	210	R											NA	01/16/2008	
						From:	3.82 MN	13-605 Russell Fork								
(619) Lee Master Dr	2.00	1400	R											NA	04/03/2008	
						To:	13-612 Looneys Fork									
						From:		SR 83								
(620)	1.56	430	R											NA	03/05/2008	
						From:	SR 83									
(620)	3.21	290	R											NA	03/17/2008	
						To:	13-622 N, Ball Circle									
(620)	0.98	210	R											NA	03/17/2008	
						To:	13-623 Council Mtn									
(620)	2.75	180	R											NA	04/07/2008	
						From:		13-625								
(620) Indian Gap Rd	1.35	300	G	92%	0%	1%	6%	0%	0%	F	0.17	F	0.763	310	G	2011
						To:	13-600 Hurricane									
(620) Deskins Rd	2.82	460	G	92%	0%	1%	6%	0%	0%	F	0.112	F	0.626	480	G	2011
						From:	13-662 Robinsons Fork Rd									
(620)	3.42	1000	G	92%	0%	1%	6%	0%	0%	C	0.118	F	0.746	1000	G	2011
						To:	13-657 Back Hurricane									
						From:		SR 83								
(621) Brown Mtn	2.00	180	R											NA	02/21/2008	
						From:	Dead End									
(621) Brown Mtn	2.20	540	R											NA	02/21/2008	
						To:	13-635									
						From:	Tazewell County Line									
(622) Ball Creek	2.40	250	R											NA	03/17/2008	
						To:	13-620									
(622) Ball Creek	1.70	170	R											NA	03/17/2008	
						To:	2.40 MN 13-620									
(623) Council Mtn	0.10	30	R											NA	03/05/2008	
						From:	SR 80									
(623) Council Mtn	1.50	30	R											NA	03/03/2008	
						To:	0.10 MN SR 80									
(623) Council Mtn	0.49	47	R											NA	03/05/2008	
						To:	1.60 MN SR 80									
(623) Council Mtn	1.00	60	R											NA	03/05/2008	
						To:	2.09 MN SR 80									
(623) Council Mtn	0.26	100	R											NA	03/05/2008	
						To:	3.09 MN SR 80									
(623) Council Mtn	0.25	220	R											NA	03/17/2008	
						To:	13-681 Rockhouse									
						From:		13-620								
(624) Garden Creek Rd	2.23	1100	G	95%	0%	1%	2%	1%	0%	F	0.099	F	0.652	1200	G	2011
						To:	Russell County Line									
(624) Garden Creek Rd	1.28	1300	G	95%	0%	1%	2%	1%	0%	F	0.116	F	0.603	1400	G	2011
						To:	13-665 Rosin Camp									
						From:		13-662								
(624)	0.92	1400	G	95%	0%	1%	2%	1%	0%	F	0.11	F	0.637	1500	G	2011
						To:	13-683 Horn Branch									
						From:		13-627 Dry Fork								
(624)	2.57	1800	G	95%	0%	1%	2%	1%	0%	F	NA			1900	G	2011

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(624)	0.59	1900	G	95%	0%	1%	2%	1%	0%	F	0.104	F	0.644	2000	G	2011
(624)	0.25	2400	G	95%	0%	1%	2%	1%	0%	F	0.091	F	0.543	2600	G	2011
(624)	1.40	2800	G	95%	0%	1%	2%	1%	0%	C	0.091	F	0.542	2900	G	2011
(624) Garden Creek Rd	0.18	3300	G	95%	0%	1%	2%	1%	0%	F	0.093	F	0.588	3400	G	2011
(624) Kennel Gap Rd	2.35	260	R											NA		12/18/2007
(625)	0.35	50	R											NA		03/17/2008
(625)	1.70	120	R											NA		03/17/2008
(625)	2.05	100	R											NA		03/17/2008
(625)	0.35	110	R											NA		03/17/2008
(626) Trace Branch	2.90	210	R											NA		01/09/2008
(627) Dry Fork	3.50	640	R											NA		04/03/2008
(627) Dry Fork	5.10	290	R											NA		04/07/2008
(628) Horn Mtn Rd	3.91	160	R											NA		02/14/2008
(628) Horn Mtn Rd	2.43	70	R											NA		02/14/2008
(628) Horn Mtn Rd	0.17	200	R											NA		02/14/2008
(628) Horn Mtn Rd	2.50	220	R											NA		02/14/2008
(628) Horn Mtn Rd	1.00	190	R											NA		02/14/2008
(628) Horn Mtn Rd	0.50	170	R											NA		02/14/2008
(629)	0.80	450	R											NA		02/21/2008
(629)	4.00	360	R											NA		02/21/2008
(629)	1.50	130	R											NA		02/14/2008
(629)	2.50	1100	R											NA		02/21/2008

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(629)	1.97	3500	R											NA	02/21/2008	
(629)	0.76	50	R											NA	02/21/2008	
(629) Big Branch Rd	2.54	200	R											NA	02/11/2008	
(630) Drill	0.50	80	R											NA	02/06/2008	
(631) Middle Fork	0.01	490	R											NA	12/10/2007	
(631) Middle Fork	1.50	180	R											NA	12/10/2007	
(631) Middle Fork	0.99	100	R											NA	12/10/2007	
(632) Page Dr	1.60	200	G	91%	1%	2%	4%	3%	0%	F	0.134	F	0.632	220	G	2011
(632) Page Dr	3.30	240	G	91%	1%	2%	4%	3%	0%	F	0.115	F	0.597	250	G	2011
(632) Page Dr	3.10	500	G	91%	1%	2%	4%	3%	0%	C	0.172	F	0.871	520	G	2011
(633) Horn Mtn	0.50	20	R											NA	02/14/2008	
(634) Pistol Branch	1.70	240	R											NA	01/09/2008	
(635)	6.82	570	R											NA	02/21/2008	
(635) Wimmer Gap Rd	3.92	950	G	91%	1%	1%	6%	2%	0%	C	0.106	F	0.570	1000	G	2011
(636)	4.14	260	G	91%	0%	2%	2%	5%	0%	C	0.125	F	0.875	280	G	2011
(636)	0.16	270	R											NA	02/14/2008	
(636)	5.24	100	R											NA	02/19/2008	
(637) Bearwallow	1.90	170	R											NA	01/31/2008	
(638) Dismal River Rd	0.85	1800	G	76%	0%	2%	9%	12%	0%	C	0.087	F	0.530	1900	G	2011
(638) Dismal River Rd	3.06	1300	G	76%	0%	2%	9%	12%	0%	F	0.106	F	0.513	1300	G	2011
(638) Dismal River Rd	2.47	770	G	76%	0%	2%	9%	12%	0%	F	0.105	F	0.743	810	G	2011

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(638) Dismal River Rd	5.16	570	G	76%	0%	2%	9%	12%	0%	F	0.102	F	0.646	600	G	2011
(638) Dismal River Rd	2.52	1300	G	84%	1%	1%	3%	12%	0%	C	0.097	F	0.563	1400	G	2011
(638) Dismal River Rd	0.46	2400	G	84%	1%	1%	3%	12%	0%	F	0.091	F	0.501	2500	G	2011
(638) Dismal River Rd	1.77	2200	G	84%	1%	1%	3%	12%	0%	F	0.094	F	0.502	2300	G	2011
(638) Dismal River Rd	0.81	1100	G	84%	1%	1%	3%	12%	0%	F	0.09	F	0.505	1200	G	2011
(638) Dismal River Rd	3.75	640	G	84%	1%	1%	3%	12%	0%	F	0.106	F	0.615	670	G	2011
(639) Compton Mtn Rd	4.50	150	R											NA		12/05/2007
(639) Compton Mtn Rd	1.25	170	R											NA		02/14/2008
(639) Compton Mtn Rd	0.45	170	R											NA		01/31/2008
(640) Hale Creek	0.30	1600	R											NA		02/11/2008
(640) Hale Creek	2.24	1600	R											NA		02/11/2008
(640) Hale Creek	0.16	1700	R											NA		02/21/2008
(640) Hale Creek	1.40	490	R											NA		12/05/2007
(640) Hale Creek	0.10	870	R											NA		12/05/2007
(641) Patterson	2.30	650	R											NA		02/11/2008
(641) Patterson	3.20	640	R											NA		02/11/2008
(642) Elkins Branch	5.25	1700	R											NA		12/20/2007
(643) Hurley Rd	4.11	1100	G	95%	1%	1%	1%	2%	0%	F	0.102	F	0.65	1200	G	2011
(643) Hurley Rd	1.64	1500	G	95%	1%	1%	1%	2%	0%	F	0.103	F	0.532	1600	G	2011
(643) Hurley Rd	2.15	2000	G	95%	1%	1%	1%	2%	0%	F	0.119	F	0.669	2100	G	2011
(643) Hurley Rd	1.22	1900	G	95%	1%	1%	1%	2%	0%	F	0.102	F	0.546	2000	G	2011
(643) Hurley Rd	0.28	2800	G	95%	1%	1%	1%	2%	0%	F	0.092	F	0.583	3000	G	2011
(643) Hurley Rd	1.00	2700	G	95%	1%	1%	1%	2%	0%	C	0.094	F	0.578	2800	G	2011

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(643) Hurley Rd	0.82	1900	G	95%	1%	1%	1%	2%	0%	F	0.094	F	0.556	2000	G	2011
(643) Hurley Rd	1.06	1800	G	95%	1%	1%	1%	2%	0%	F	0.103	F	0.649	1900	G	2011
(643) Hurley Rd	1.74	1500	G	95%	1%	1%	1%	2%	0%	F	0.102	F	0.617	1600	G	2011
(643) Hurley Rd	1.64	1100	G	95%	1%	1%	1%	2%	0%	F	0.098	F	0.537	1100	G	2011
(643) Hurley Rd	0.60	20	R											NA		11/15/2007
(644) Hunts Fork Rd	2.00	300	R											NA		11/15/2007
(645)	0.10	2900	G	93%	1%	1%	4%	1%	0%	F	0.087	F	0.541	3000	G	2011
(645)	0.21	1900	G	93%	1%	1%	4%	1%	0%	F	0.105	F	0.569	2000	G	2011
(645)	6.98	840	G	93%	1%	1%	4%	1%	0%	C	0.112	F	0.54	880	G	2011
(645) Paw Paw Rd	2.46	1200	G	93%	1%	1%	4%	1%	0%	F	0.117	F	0.567	1200	G	2011
(646) Guesses Fork	2.88	1100	G	96%	1%	1%	1%	0%	0%	C	0.097	F	0.605	1200	G	2011
(646)	3.03	690	G	96%	1%	1%	1%	0%	0%	F	0.104	F	0.544	720	G	2011
(647)	1.50	310	R											NA		11/07/2007
(647)	0.50	390	R											NA		11/07/2007
(647)	1.00	520	R											NA		11/07/2007
(647)	2.00	540	R											NA		11/07/2007
(648) Pounding Mill Branch	0.80	110	R											NA		11/07/2007
(648) Pounding Mill Branch	1.10	170	R											NA		11/07/2007
(649) Laurel Fork	0.37	180	R											NA		11/13/2007
(649) Laurel Fork	1.63	40	R											NA		11/13/2007
(650) Home Creek Rd	2.34	900	G	90%	1%	1%	2%	5%	0%	C	0.091	F	0.578	950	G	2011
(650) Home Creek Rd	6.09	570	G	90%	1%	1%	2%	5%	0%	F	0.091	F	0.504	600	G	2011

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(650) Lesters Fork Rd	5.71	1200	G	90%	1%	1%	2%	5%	0%	F	0.093	F	0.579	1300	G	2011
			From:	13-651 S, Left Fork Lesters						To:	13-643 Hurley Rd					
(651) Left Fork Lesters	0.80	1300	R											NA		12/20/2007
			From:	13-650						To:	13-642 Elkins Branch					
(651) Left Fork Lesters	1.57	650	R											NA		12/20/2007
			From:	1.57 MN 13-642						To:	1.57 MN 13-642					
(651) Left Fork Lesters	0.13	290	R											NA		11/15/2007
			From:	13-675 Brushy Fork						To:	13-675 Brushy Fork					
(651) Lt. Fk. Lesters	0.93	270	R											NA		11/15/2007
			From:	0.93 MN 13-675 Brushy Fork						To:	13-650					
(651) Lt. Fk. Lesters	2.07	340	R											NA		11/15/2007
			From:	Dead End						To:	13-643 SOUTH					
(652)	1.25	250	R											NA		11/13/2007
			From:	13-643 SOUTH						To:	13-643 NORTH					
(652)	0.90	720	R											NA		11/13/2007
			From:	13-706 Lick Creek						To:	13-706 Lick Creek					
(652)	1.10	310	R											NA		11/13/2007
			From:	1.10 ME 13-706 Lick Creek						To:	1.10 ME 13-706 Lick Creek					
(652)	0.99	260	R											NA		11/13/2007
			From:	2.09 ME 13-706 Lick Creek						To:	2.09 ME 13-706 Lick Creek					
(652)	0.50	160	R											NA		11/13/2007
			From:	2.59 ME 13-706 Lick Creek						To:	2.59 ME 13-706 Lick Creek					
(652)	4.01	120	R											NA		11/13/2007
			From:	West Virginia State Line						To:	West Virginia State Line					
(653) Coon Branch	0.50	490	R											NA		11/13/2007
			From:	13-643 Hurley Rd						To:	0.50 ME 13-643 Hurley Rd					
(653) Coon Branch	0.20	390	R											NA		11/13/2007
			From:	13-709 Blacky Fork						To:	13-709 Blacky Fork					
(653) Coon Branch	1.30	150	R											NA		11/13/2007
			From:	Dead End						To:	Dead End					
(654) Spruce Pine	1.00	250	R											NA		02/11/2008
			From:	13-638						To:	13-638					
(654) Spruce Pine	1.10	40	R											NA		02/11/2008
			From:	Dead End						To:	Dead End					
(655) Lynn Camp	4.55	390	R											NA		11/05/2007
			From:	US 460						To:	US 460					
(655) Lynn Camp	0.35	46	R											NA		11/05/2007
			From:	Dead End						To:	Dead End					
(656) Looney Creek	3.00	120	R											NA		12/20/2007
			From:	US 460						To:	13-677 Wolfpen					
(656) Looney Creek	0.90	130	R											NA		12/20/2007
			From:	Dead End						To:	Dead End					
(657) Back Hurricane	0.85	630	R											NA		01/28/2008
			From:	13-600 Hurricane						To:	0.85 MN 13-600 Hurricane					

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(657) Back Hurricane	0.45	600	R			From:	0.85 MN 13-600 Hurricane						NA	NA	01/28/2008	
(657) Back Hurricane	0.50	480	R			To:	13-603 SOUTH						NA	NA	01/28/2008	
(657) Back Hurricane	5.30	450	R			From:	13-603 NORTH						NA	NA	01/28/2008	
(657) Back Hurricane						To:	13-620									
(658) Little Paw Paw	3.09	200	R			From:	13-605 Russell Fork						NA	NA	12/12/2007	
(658) Little Paw Paw	0.91	500	R			To:	3.09 MN 13-605 Russell Fork						NA	NA	12/12/2007	
(659) Left Fork Home Creek	0.80	220	R			From:	13-650 Home Creek Rd						NA	NA	12/20/2007	
(659) Left Fork Home Creek	1.10	170	R			To:	0.80 MN 13-650 Home Creek Rd						NA	NA	12/20/2007	
(660) Long Branch	1.10	300	R			From:	Dead End						NA	NA	02/06/2008	
(660) Long Branch						To:	13-624									
Town of Grundy																
(661) Watkins Branch	0.36	240	R			From:	Dead End						NA	NA	01/14/2008	
(661) Watkins Branch	0.20	980	R			To:	13-1010 Holland St						NA	NA	01/14/2008	
(661) Watkins Branch						From:	US 460									
Buchanan County																
(662)	0.30	80	R			From:	Dead End						NA	NA	02/06/2008	
(662)	0.90	130	R			To:	0.30 MS Dead End						NA	NA	02/06/2008	
(662) Robinson Fork Rd	2.00	470	G	93%	0%	2%	4%	1%	0%	C	0.096	F	0.647	490	G	2011
(662) Robinson Fork Rd							From:	13-620 N; Deskins Rd; Indian Gap Rd								
(662) Robinson Fork Rd							To:	13-624 Garden Creek Rd								
(663) Laurel Branch	1.10	170	R			From:	13-605 Russell Fork						NA	NA	01/28/2008	
(663) Laurel Branch	0.75	90	R			To:	1.10 MS 13-605 Russell Fork						NA	NA	01/28/2008	
(663) Laurel Branch						From:	Dead End									
(664) Deel Fork	0.90	230	R			From:	Dead End						NA	NA	01/07/2008	
(664) Deel Fork						To:	13-609									
(665) Rosin Camp	0.30	120	R			From:	13-624						NA	NA	02/06/2008	
(665) Rosin Camp	1.20	90	R			To:	0.30 MN 13-624						NA	NA	02/06/2008	
(665) Rosin Camp						From:	Dead End									
(666) Mill Branch	2.10	190	R			From:	13-638						NA	NA	02/11/2008	
(666) Mill Branch						To:	Dead End									
(667) Whitts Branch	0.50	140	R			From:	Dead End						NA	NA	02/06/2008	
(667) Whitts Branch						To:	13-660 Long Branch									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(668) Little Garden	0.98	100	R								NA		NA		12/18/2007	
			From:			Dead End										
			To:			13-624										
(669) Garden School	0.10	80	R								NA		NA		12/18/2007	
			From:			13-624										
			To:			Dead End										
(670) Abners Fork Rd	0.34	60	R								NA		NA		11/15/2007	
			From:			Dead End										
(670) Abners Fork Rd	0.51	130	R								NA		NA		11/15/2007	
			From:			0.34 MN Dead End										
			To:			13-645										
(671) Davis Mtn	1.50	130	R								NA		NA		01/09/2008	
			From:			13-618 Fox Ridge Dr										
			To:			13-671 Davis Mtn										
(671) Davis Mtn	0.07	140	R								NA		NA		01/09/2008	
			From:			US 460										
(672) Copperhead	0.80	140	R								NA		NA		03/03/2008	
			From:			13-602										
(672) Copperhead	1.25	290	R								NA		NA		03/03/2008	
			To:			0.80 ME 13-602										
(673) War Fork	0.77	120	R								NA		NA		12/12/2007	
			From:			SR 83										
(673) War Fork	0.23	80	R								NA		NA		12/12/2007	
			To:			0.77 MS SR 83										
(673) War Fork	0.29	20	R								NA		NA		12/12/2007	
			From:			1.00 MS SR 83										
			To:			Dead End										
(674) Upper Mill Branch	1.70	310	R								NA		NA		12/05/2007	
			From:			SR 83										
			To:			Dead End										
(675) Brushey Fork	0.50	90	R								NA		NA		11/15/2007	
			From:			Dead End										
(675) Brushey Fork	0.69	120	R								NA		NA		11/15/2007	
			To:			13-740 Davis Fork										
(675) Brushey Fk	0.51	310	R								NA		NA		11/15/2007	
			From:			0.70 MS 13-740 Davis Fork										
			To:			13-651 Left Fork Lesters										
(676) Race Fork	1.37	540	R								NA		NA		11/07/2007	
			From:			Dead End										
(676) Race Fork	0.69	1600	R								NA		NA		11/07/2007	
			To:			1.37 MN Dead End										
			From:			13-643										
(677) Wolfpen	1.00	40	R								NA		NA		12/20/2007	
			To:			Dead End										
(678) Patterson	0.10	50	R								NA		NA		1986	
			From:			13-641 Patterson										
			To:			Dead End										
(679) Jakes Branch	0.50	20	R								NA		NA		01/28/2008	
			From:			13-603										
			To:			Dead End										
(680) Contrary Creek Rd	0.65	4900	G	90%	1%	1%	4%	4%	0%	C	0.085	F	0.568	5100	G	2011
			From:			US 460										
			To:			13-629 S, Aus Keen Rd										

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(680) Contrary Creek Rd	2.48	4100	G	90%	1%	1%	4%	4%	0%	F	0.084	F	0.531	4300	G	2011
						From:	13-629 S, Aus Keen rd									
(680) Contrary Creek Rd	1.67	2900	G	90%	1%	1%	4%	4%	0%	F	0.095	F	0.57	3100	G	2011
						To:	13-629 N, Big Branch Rd									
						From:	13-638 Dismail River Rd									
(681) Rockhouse	1.60	150	R										NA		NA	12/18/2007
						To:	13-600 Hurricane									
(682) Mavisdale Hill Rd	0.10	190	R										NA		NA	12/18/2007
						From:	Dead End									
(682) Mavisdale Hill Rd	0.20	130	R										NA		NA	03/05/2008
						To:	13-624 NORTH									
						From:	13-624 SOUTH									
						To:	0.20 ME Dead End									
(683) Horn Branch	1.00	160	R										NA		NA	02/06/2008
						From:	13-624									
(683) Horn Branch	0.25	48	R										NA		NA	02/06/2008
						To:	1.00 MN 13-624									
						From:	Dead End									
(684) Webb Branch	0.15	900	R										NA		NA	04/07/2008
						To:	US 460									
(685) Lower Big Branch	0.10	60	R										NA		NA	02/11/2008
						From:	13-638									
(685) Lower Big Branch	2.40	40	R										NA		NA	02/11/2008
						To:	0.10 MN 13-638									
						From:	Dead End									
(686) Booth Branch	0.23	240	R										NA		NA	02/25/2008
						To:	SR 83									
						From:	SR 83									
Town of Grundy																
(687) Yates St	0.03	240	R										NA		NA	01/14/2008
						To:	US 460									
						From:	Dead End									
(688) Yates St	0.25	150	R										NA		NA	01/14/2008
						To:	13-687 Russell Hill									
(688) Yates St	0.16	90	R										NA		NA	01/14/2008
						To:	Dead End									
(689) Mimosa St	0.15	60	R										NA		NA	02/25/2008
						To:	SR 83 Edgewater Dr									
						From:	SR 83 Edgewater Dr									
Buchanan County																
(690) Harrys Branch	0.50	170	R										NA		NA	02/14/2008
						To:	13-638									
(690) Harrys Branch	1.00	140	R										NA		NA	02/14/2008
						To:	0.50 MW 13-638									
						From:	Dead End									
(691)	0.35	410	R										NA		NA	01/07/2008
						To:	13-645									
(691)	2.15	340	R										NA		NA	01/07/2008
						To:	13-699									
						From:	Dead End									
(692) Combs Ridge	0.90	160	R										NA		NA	03/03/2008
						To:	13-602									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Buchanan County																
(693) Crow Pass Rd	1.35	240	R								NA		NA		01/07/2008	
			From:	13-631 Middle Fork												
			To:	Dead End												
(694) Mill Creek	1.00	200	R								NA		NA		11/07/2007	
			From:	Dead End												
			To:	13-697 Knox Creek; Cedar Branch												
(695) Cripple Bridge	0.01	150	R								NA		NA		04/03/2008	
			From:	Dead End												
			To:	13-617 Little Prater												
(696) Funeral Home	0.35	45	R								NA		NA		01/14/2008	
			From:	13-730 Funeral Home												
			To:	US 460												
(697) Cedar Branch	0.10	790	G	98%	1%	0%	1%	0%	0%	F	0.112	F	0.524	830	G	2011
			From:	13-643												
			To:	13-694 Mill Creek												
(697) Knox Creek	2.50	530	G	98%	1%	0%	1%	0%	0%	C	0.122	F	0.52	560	G	2011
			From:	Kentucky State Line												
(698) Garden Creek	0.02	80	R								NA		NA		12/18/2007	
			From:	13-624												
			To:	Dead End												
(699)	0.50	200	R								NA		NA		01/07/2008	
			From:	13-645												
			To:	13-691												
(700)	1.13	1000	R								NA		NA		12/20/2007	
			From:	US 460												
			To:	13-650 Home Creek Rd												
(700) Thomas Mtn Rd	1.34	620	G	80%	1%	2%	6%	11%	0%	C	0.092	F	0.546	650	G	2011
			From:	13-645												
(700)	2.32	3700	R								NA		NA		1992	
			From:	13-733 State Line Est												
(700)	0.45	2100	R								NA		NA		1992	
			From:	Kentucky State Line												
(701) Smith Branch	1.00	290	R								NA		NA		12/05/2007	
			From:	SR 83												
			To:	1.00 MN SR 83												
(701) Smith Branch	0.30	210	R								NA		NA		12/05/2007	
			To:	Dead End												
(702)	0.84	130	R								NA		NA		01/09/2008	
			From:	Dead End												
			To:	13-624												
(703) Davis Ridge	0.75	80	R								NA		NA		01/09/2008	
			From:	13-671 Davis Mtn												
			To:	Dead End												
(704) Peapatch	0.75	30	R								NA		NA		01/31/2008	
			From:	Dead End												
			To:	13-616												
(705) Little Fox	2.00	180	R								NA		NA		01/16/2008	
			From:	13-605 Russell Fork												
			To:	2.00 ME 13-605 Russell Fork												
(705) Little Fox	0.05	130	R								NA		NA		01/16/2008	
			To:	Dead End												
(706) Lick Creek	1.00	40	R								NA		NA		11/13/2007	
			From:	13-652												
			To:	Dead End												

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Buchanan County															
(707) Bear Branch	1.45	150	R			SR 83					NA		NA		12/12/2007
			From:							To:	Dead End				
(708) Harman Junction	0.30	10	R			Dead End					NA		NA		12/10/2007
			From:							To:	0.30 ME Dead End				
(708) Harman Junction	0.10	40	R			NA					NA		NA		12/10/2007
			From:							To:	US 460				
(709) Blacky Fork	0.50	60	R			Dead End					NA		NA		11/13/2007
			From:							To:	13-653 Coon Branch				
(710) Loop Rd	0.41	90	R			Begin Loop					NA		NA		02/21/2008
			From:							To:	13-638				
(711) Upper Elk Creek	2.75	310	R			Kentucky State Line					NA		NA		11/07/2007
			From:							To:	2.75 ME of State Line				
(711) Upper Elk Creek	0.55	240	R			NA					NA		NA		11/07/2007
			From:							To:	Dead End				
(712) Hollow Poplar	0.72	110	R			SR 80					NA		NA		03/03/2008
			From:							To:	Dead End				
(713) Horn Mtn	0.50	20	R			13-628 Horn Mtn Rd					NA		NA		02/14/2008
			From:							To:	Dead End				
(714) Little Greenbrier	0.04	90	R			Dead End					NA		NA		12/12/2007
			From:							To:	13-611 Greenbrier				
(715) Upper Big Branch	4.30	180	R			13-629 Big Branch Rd					NA		NA		02/11/2008
			From:							To:	13-638				
(716) Stone Coal Branch	0.30	260	R			SR 83					NA		NA		12/05/2007
			From:							To:	Dead End				
(717) Vocational School	0.03	830	R			SR 83					NA		NA		02/25/2008
			From:							To:	13-728 Hobbs Branch				
(717) Vocational School	0.25	320	R			NA					NA		NA		02/25/2008
			From:							To:	Dead End				
(718) Airport Rd	1.90	440	R			SR 83					NA		NA		04/03/2008
			From:							To:	Dead End				
(719) Mitchell Rd	0.90	50	R			Dead End					NA		NA		01/31/2008
			From:							To:	13-616				
(720) Worm Branch	0.41	50	R			13-600 Hurricane					NA		NA		03/05/2008
			From:							To:	Dead End				
(721) Needmore	0.05	120	R			US 460					NA		NA		01/14/2008
			From:							To:	13-723 Short Gap				
(721) Needmore	0.30	40	R			NA					NA		NA		01/14/2008
			From:							To:	Dead End				
(722) Mullins Rd	0.27	90	R			Dead End					NA		NA		02/21/2008
			From:							To:	13-680				

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Buchanan County															
(723) Short Gap	0.05	20	R			From: Dead End				NA		NA		NA	01/14/2008
			To: 13-721 Needmore												
(724)	0.07	20	R			From: Dead End				NA		NA		NA	02/21/2008
			To: 13-629												
(725) Tookland	0.02	120	R			From: US 460				NA		NA		NA	04/03/2008
			To: Dead End												
(726) Grassy Creek	0.07	49	R			From: Dead End				NA		NA		NA	04/07/2008
			To: US 460												
(727) Grimsleyville	0.23	40	R			From: US 460				NA		NA		NA	04/07/2008
			To: US 460												
(728) Hobbs Branch	1.30	30	R			From: Dead End				NA		NA		NA	02/25/2008
			To: 1.30 MN Dead End												
(728) Hobbs Branch	0.66	320	R			From: SR 83				NA		NA		NA	02/25/2008
			To: 13-717 Vocational School												
(729) Laurel Branch	0.35	120	R			From: Dead End				NA		NA		NA	12/12/2007
			To: SR 83												
(730) Funeral Home	0.30	180	R			From: Dead End				NA		NA		NA	01/14/2008
			To: 13-696 Funeral Home												
(730) Funeral Home	0.10	270	R			From: US 460				NA		NA		NA	01/14/2008
			To: US 460												
(731) Bill Young	0.10	30	R			From: Dead End				NA		NA		NA	1992
			To: 13-680												
(732) Vansant	0.08	200	R			From: Dead End				NA		NA		NA	04/07/2008
			To: US 460												
(733) State Line Est	0.11	30	R			From: US 460				NA		NA		NA	01/07/2008
			To: 13-700												
(734) Hale Branch	0.15	270	R			From: Dead End				NA		NA		NA	04/07/2008
			To: 13-632 Page												
(736) Honaker Branch	0.50	140	R			From: 13-680				NA		NA		NA	02/21/2008
			To: Dead End												
(737)	0.67	NA				From: Cul-de-Sac				NA		NA		NA	
			To: 13-718 Airport Rd.												
(738) Fowler Rd	0.10	90	R			From: 13-728 Hobbs Branch				NA		NA		NA	02/25/2008
			To: Dead End												
(740) Davis Fork	0.25	80	R			From: 13-675 Brushey Fork				NA		NA		NA	11/15/2007
			To: Dead End												
(745) Puncheon Camp	0.15	100	R			From: Dead End				NA		NA		NA	11/15/2007
			To: 0.15 MN Dead End												

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Buchanan County															
(745) Puncheon Camp	0.90	200	R			From: 0.15 MN Dead End				NA		NA		NA	11/15/2007
			To: 13-645												
(748)	0.23	NA				From: 13-609				NA		NA			
			To: Dead End												
(750) Strip Bench Rd	0.60	45	R			From: Dead End				NA		NA		NA	04/03/2008
			To: 13-718 Airport Rd												
(755) Childress Branch	0.04	48	R			From: Dead End				NA		NA		NA	12/20/2007
			To: US 460												
(759) Childress Branch	0.12	40	R			From: US 460				NA		NA		NA	04/07/2008
			To: Dead End												
(760) Dicks Branch	0.20	30	R			From: 13-619 Lee Master Dr				NA		NA		NA	01/16/2008
			To: Dead End												
(765) Spruce Pine	1.06	120	R			From: 13-608 Right Fork Greenbrier				NA		NA		NA	01/16/2008
			To: Dead End												
(800) Keen Mtn	1.85	450	R			From: SR 330 Keen Mountain Correctional Ctr Rd Sys				NA		NA		NA	02/21/2008
			To: 13-629												
(801)	1.00	NA				From: Dead End				NA		NA			
			To: 13-800 Keen Mtn.												
(838) Stateline Ridge Rd	2.23	130	R			From: 13-639 Compton Mtn Rd				NA		NA		NA	01/31/2008
			To: Dead End												
Town of Grundy															
(1001) Long Bottom	0.01	860	R			From: SR 83 Edgewater Dr				NA		NA		NA	07/23/2001
			To: 13-1002 W. Long Bottom												
(1001) Long Bottom	0.11	48	R			From: 13-1008 Long Bottom				NA		NA		NA	1992
			To: 13-1002 E, Long Bottom												
(1002) Long Bottom	0.08	50	R			From: Dead End				NA		NA		NA	1992
			To: 13-1001 Long Bottom												
(1002) Long Bottom	0.03	50	R			From: 13-1001 Long Bottom				NA		NA		NA	07/23/2001
			To: 13-1008 Long Bottom												
(1002) Long Bottom	0.06	320	R			From: 13-1008 Long Bottom				NA		NA		NA	07/23/2001
			To: 13-1001 Long Bottom												
(1002) Long Bottom	0.06	200	R			From: 13-1001 Long Bottom				NA		NA		NA	07/23/2001
			To: Dead End												
(1003) Walnut St	0.21	710	R			From: SR 83 Edgewater Dr				NA		NA		NA	07/23/2001
			To: 13-1004 Newhouse Branch												
(1003) Walnut St	0.30	650	R			From: SR 83 Edgewater Dr				NA		NA		NA	07/23/2001
			To: 13-1003 Walnut St												
(1004) Newhouse Branch	0.14	320	R			From: 13-1003 Walnut St				NA		NA		NA	07/23/2001
			To: 13-1011 McGlothlin St												

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Grundy															
(1004) Newhouse Branch	0.76	270	R			From:	13-1011 McGothlin St				NA		NA	07/23/2001	
			To:				Dead End								
(1005) Poetown Rd	0.27	590	R			From:	US 460				NA		NA	01/07/2008	
			To:				US 460								
(1006) Riverside Dr	0.18	3500	G			From:	US 460 W, Main St				NA		3600	G	2011
Combined Traffic:		3500	G								NA			NA	
(1006) Riverside Dr	0.44	7100	G			From:	13-1007 2nd St				NA		7300	G	2011
Combined Traffic:		7100	G								NA			NA	
			To:				US 460 EAST								
(1007) Grundy	0.12	860	R			From:	13-1006 Riverside Dr				NA		NA	07/23/2001	
			To:				Dead End								
(1008) Long Bottom	0.03	70	R			From:	13-1001 Long Bottom				NA		NA	07/23/2001	
			To:				13-1002 Long Bottom								
(1009) Levisa St	0.16	180	R			From:	Dead End				NA		NA	01/07/2008	
			To:				13-615 Hoot Owl St								
(1010) Holland St	0.04	30	R			From:	13-661 Watkins Branch				NA		NA	01/14/2008	
			To:				Dead End								
(1011) McGlothlin St	0.15	70	R			From:	Dead End				NA		NA	07/23/2001	
			To:				13-1004 Newhouse Branch								
(1012) Depot Rd	0.04	200	R			From:	US 460				NA		NA	1994	
			To:				Dead End								
Buchanan County															
(1013) Carter Rd	0.09	130	R			From:	US 460				NA		NA	04/07/2008	
			To:				Dead End								
(1020) Deel	0.04	150	R			From:	Dead End				NA		NA	04/03/2008	
			To:				US 460								
(1025)	0.04	20	R			From:	Dead End				NA		NA	02/25/2008	
			To:				US 460								
(1030) Council Park	0.38	60	R			From:	Dead End				NA		NA	07/18/2001	
			To:				SR 80								
(1101) Keen Mtn Camp	0.17	10	R			From:	Dead End				NA		NA	12/18/2007	
			To:				13-1106 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.04	120	R			From:	13-1106 Keen Mtn Camp				NA		NA	12/18/2007	
			To:				13-1105 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.03	210	R			From:	13-1105 Keen Mtn Camp				NA		NA	12/18/2007	
			To:				13-1104 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.04	210	R			From:	13-1104 Keen Mtn Camp				NA		NA	12/18/2007	
			To:				13-1103 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.04	260	R			From:	13-1103 Keen Mtn Camp				NA		NA	12/18/2007	
			To:				13-1102 Keen Mtn Camp								

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Buchanan County															
(1101) Keen Mtn Camp	0.06	530	R			From:	13-1102 Keen Mtn Camp				NA		NA		12/18/2007
						To:	US 460								
(1102) Keen Mtn. Camp	0.04	120	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1103) Keen Mtn. Camp	0.06	100	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1104) Keen Mtn. Camp	0.06	40	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1105) Keen Mtn. Camp	0.07	20	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1106) Keen Mtn. Camp	0.06	60	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(9000) Grundy High	0.41	1100	R			From:	Cul-de-Sac				NA		NA		02/25/2008
						To:	SR 83 Edgewater Dr								
(607 ₂₅)	0.30	820	N			From:	Dickenson County Line				NA		NA		08/26/2003
						To:	Buchanan CL; 13-606								