

**2011**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**74**

Prince George County  
City of Hopewell

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW			
							2Axle	3+Axle	1Trail	2Trail									
10	Randolph Rd	From: Prince George County	Chesterfield County Line	0.32	19000	G	95%	0%	1%	1%	3%	0%	F	0.088	N	0.504	20000	G	
10	Randolph Rd	To: City of Hopewell (Maint: 74)	WCL Hopewell	0.10	17000	N	95%	0%	1%	1%	3%	0%	N	0.087	N		20000	N	
10	Randolph Rd	To: City of Hopewell	Maintenance Boundary	0.12	17000	F	95%	0%	1%	1%	3%	0%	F	0.087	F		20000	F	
10	Randolph Rd	To: City of Hopewell	North 6th Ave	0.40	11000	F	95%	0%	1%	1%	3%	0%	F	0.083	F		13000	F	
10	Randolph Rd	To: City of Hopewell	Main St	0.74	10000	F	95%	0%	1%	1%	3%	0%	F	0.083	F		12000	F	
10	156	Randolph Rd	From: City of Hopewell	SR 156; Winston Churchill Dr	1.26	9700	F	95%	0%	1%	1%	3%	0%	F	0.085	F		11000	F
10	156	James River Dr	From: Prince George County	ECL Hopewell	1.17	9300	F	95%	0%	1%	1%	3%	0%	F	0.089	F		10000	F
10	106	156 James River Dr	From: Prince George County	SR 156 W, Winston Churchill Rd	0.73	9700	F	93%	0%	1%	1%	6%	0%	C	0.085	F		9900	F
10	James River Dr	To: Prince George County	SR 156 E, .	2.24	5000	F	93%	0%	1%	1%	6%	0%	F	0.084	F		5100	F	
10	James River Dr	To: Prince George County	74-641 Moody Rd	2.54	3700	F	93%	0%	1%	1%	6%	0%	F	0.086	F		3800	F	
10	James River Dr	To: Prince George County	74-609 Garysville	5.93	3200	F	90%	1%	1%	2%	6%	0%	C	0.087	F		3200	F	
10	James River Dr	To: Prince George County	74-1201 Morning Star Rd	2.00	2800	F	93%	1%	1%	1%	5%	0%	F	0.085	F		2700	F	
35	Courtland Rd	To: Prince George County	Surry County Line	4.05	2400	F	86%	1%	1%	1%	12%	0%	C	0.085	F		2400	F	
35	301	Courtland Rd	From: Prince George County	I-95: SR 156 Prince George Dr	0.72	930	F	86%	1%	1%	1%	12%	0%	F	0.098	F		950	F
35	Ramp	To: Prince George County	74-605 Spain Dr	From: SR 35 TO RT 95	0.15	NA							NA		NA				
35	Ramp	To: Prince George County	SR 35 Courtland Rd	From: I-95-N FROM RT 35	0.29	NA							NA		NA				
36	Oaklawn Blvd	To: Prince George County	I-95 South	From: ECL Petersburg	0.76	15000	F	97%	0%	0%	0%	2%	0%	F	0.095	F		16000	F
		To: Hill Dr; Ft Lee Main Gate																	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
[36] Oaklawn Blvd	Prince George County	1.25	17000	A	97%	0%	0%	0%	2%	0%	C	0.095	A	19000	A	
[36] Oaklawn Blvd	Prince George County	0.20	33000	N	96%	0%	0%	1%	2%	0%	N	0.081	N	37000	N	
[36] Oaklawn Blvd	City of Hopewell	0.52	33000	F	96%	0%	0%	1%	2%	0%	C	0.081	F	37000	F	
[36] Oaklawn Blvd	City of Hopewell	0.65	28000	F	97%	0%	0%	0%	2%	0%	F	0.078	F	31000	F	
[36] Oaklawn Blvd	City of Hopewell	0.43	10000	F	97%	0%	0%	0%	2%	0%	F	0.079	F	11000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							23000	G	97%	0%	1%	2%	0%	F	NA	25000 G
[36] Winston Churchill Dr	City of Hopewell	0.60	19000	G	97%	0%	0%	0%	2%	0%	F	NA		21000	G	
[36] Winston Churchill Dr	City of Hopewell	0.39	12000	F	97%	0%	0%	0%	2%	0%	F	0.079	F	13000	F	
[36] [156] Winston Churchill Dr	City of Hopewell	0.25	11000	F	97%	0%	0%	0%	2%	0%	F	0.081	F	12000	F	
[36] Arlington Rd	City of Hopewell	0.12	2000	F	97%	0%	0%	0%	2%	0%	F	0.090	F	2200	F	
[36] 15th Avenue	City of Hopewell	0.77	5100	F	99%	0%	0%	0%	0%	0%	C	0.085	F	5400	F	
[36] 15th Avenue	City of Hopewell	0.22	2400	F	99%	0%	0%	0%	0%	0%	F	0.094	F	2600	F	
[36] Broadway St	City of Hopewell	0.44	6900	F	99%	0%	0%	0%	0%	0%	F	0.089	F	7300	F	
[36] 6th Avenue	City of Hopewell	0.31	9000	F	99%	0%	0%	0%	0%	0%	F	0.091	F	9600	F	
East [36] Ramp	City of Hopewell (Maint: 74)	0.24	NA								NA			NA	NA	
East [36] Ramp	City of Hopewell (Maint: 74)	0.22	NA								NA			NA	NA	
West [36] Ramp	City of Hopewell (Maint: 74)	0.21	NA								NA			NA	NA	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck			QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail							
West 36 Ramp	City of Hopewell (Maint: 74)	From: 0.34 To: I-295-W FROM RT 35 WEST	SR 36 TO RT 295 NORTHW	NA							NA		NA			
36 Woodlawn St	City of Hopewell	0.61	12000	G	97%	0%	0%	1%	1%	0%	C	NA		13000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	23000		G	97%	0%	0%	1%	2%	0%	F	NA		25000	G	
36 Woodlawn St	City of Hopewell	0.35	10000	F	97%	0%	1%	0%	2%	0%	C	0.078	F	11000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	21000		F	97%	0%	1%	0%	2%	0%	F	NA		22000	F	
North 95	Prince George County	2.41	17000	A	83%	1%	1%	0%	15%	0%	C	0.148	A	14000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	33000		A	86%	1%	1%	1%	12%	0%	F	NA		28000	A	
North 95	Prince George County	3.73	18000	G	83%	1%	1%	0%	15%	0%	F	0.14	A	15000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	36000		G	86%	1%	1%	1%	12%	0%	F	0.083	A	0.539	29000	G
North 95	Prince George County	4.54	19000	A	84%	1%	1%	1%	14%	0%	C	0.139	A	17000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	40000		A	86%	1%	1%	1%	11%	0%	C	0.120	A	34000	A	
North 95	Prince George County	1.11	21000	B	84%	1%	1%	1%	14%	0%	F	0.132	A	18000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	41000		B	86%	1%	1%	1%	11%	0%	F	0.118	A	36000	B	
North 95	Prince George County	0.66	12000	B	84%	1%	1%	1%	14%	0%	F	0.128	A	11000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	26000		N	87%	1%	1%	1%	11%	0%	N	0.060	A	23000	N	
North 95	Prince George County	0.30	13000	A	84%	1%	1%	1%	14%	0%	F	0.125	A	12000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	27000		A	86%	1%	1%	1%	11%	0%	F	0.112	A	24000	A	
North 95	City of Petersburg (Maint: 74)	1.15	16000	B	84%	1%	1%	1%	14%	0%	F	0.113	A	14000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	32000		B	86%	1%	1%	1%	11%	0%	F	0.102	A	29000	B	
North 95	City of Petersburg (Maint: 74)	2.79	19000	A	84%	1%	1%	1%	14%	0%	F	0.108	A	18000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	41000		A	87%	1%	1%	1%	11%	0%	F	0.097	A	40000	A	
	To: US 460 West St															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 95		From:	US 460 West St													
	City of Petersburg (Maint: 74)	0.50	<b>19000</b>	<b>N</b>	84%	1%	1%	1%	14%	0%	N	0.108	N	18000	N	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>41000</b>	<b>N</b>	87%	1%	1%	1%	11%	0%	N	NA		40000	N	
	To:	I-85														
North 95	Carson Rest Area Ramp	From:	I-95 North to Rest Area											NA	1300	G
	Prince George County	0.19	<b>1300</b>	<b>G</b>												
	To:	Enter Rest Area Parking Lot														
North 95	Carson Rest Area Ramp	From:	Exit Rest Area Parking Lot											NA	NA	
	Prince George County	0.20	<b>NA</b>													
	To:	I-95 North from Rest Area														
North 95	Ramp	From:	I-95 North											NA	NA	
	Prince George County	0.25	<b>NA</b>													
	To:	74-623 Rowanty Rd														
North 95	Ramp	From:	I-95 North to Weigh Station											NA	NA	
	Prince George County	0.36	<b>NA</b>													
	To:	I-95 North from Weigh Station														
North 95	Ramp	From:	I-95 North											NA	NA	
	Prince George County	0.23	<b>NA</b>													
	To:	SR 35 Courtland Rd														
North 95	Ramp	From:	I-95 North											NA	NA	
	Prince George County	0.80	<b>NA</b>													
	To:	US 301 Crater Rd														
North 95	Ramp	From:	I-95 North											NA	NA	
	City of Petersburg (Maint: 74)	0.17	<b>840</b>	<b>A</b>										0.114	A	820
	To:	123-9008 Rives Rd														
North 95	Ramp	From:	I-95 North											0.121	A	300
	City of Petersburg (Maint: 74)	0.35	<b>280</b>	<b>B</b>												
	To:	123-9010 Wagner Rd														
North 95	Ramp	From:	I-95 North											NA	NA	
	City of Petersburg (Maint: 74)	0.23	<b>NA</b>													
	To:	123-9010 Wagner Rd														
North 95	Ramp	From:	I-95 North Collector Rd											NA	NA	
	City of Petersburg (Maint: 74)	0.11	<b>NA</b>													
	To:	US 460 County Dr														
North 95	Ramp	From:	I-95 Collector Rd											NA	NA	
	City of Petersburg (Maint: 74)	0.14	<b>NA</b>													
	To:	BUS US 460 P														
North 95	Ramp	From:	I-95 Collector Rd											NA	NA	
	City of Petersburg (Maint: 74)	0.16	<b>NA</b>													
	To:	US 301												NA	NA	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
North 95 Ramp	City of Petersburg (Maint: 74)	0.04	NA										NA		NA		
North 95 Ramp	City of Petersburg (Maint: 74)	0.15	NA										NA		NA		
North 95 Ramp	City of Petersburg (Maint: 74)	0.26	10000	A								0.137	A	12000	A		
North 95 Ramp	City of Petersburg (Maint: 74)	0.22	NA										NA		NA		
North 95 Ramp	City of Petersburg (Maint: 74)	0.06	NA										NA		NA		
North 95 Ramp	City of Petersburg (Maint: 74)	0.14	15000	A								0.113	A	16000	A		
North 95 Ramp	City of Petersburg (Maint: 74)	0.01	NA										NA		NA		
North 95 Ramp	City of Petersburg (Maint: 74)	0.19	NA										NA		NA		
South 95	Prince George County	2.91	16000	A	89%	1%	1%	1%	9%	0%	F	0.153	A	14000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	33000	A	86%	1%	1%	1%	1%	12%	0%	F	NA		28000	A		
South 95	Prince George County	3.42	18000	G	89%	1%	1%	1%	9%	0%	F	0.136	A	15000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	36000	G	86%	1%	1%	1%	1%	12%	0%	F	0.083	A	0.539	29000	G	
South 95	Prince George County	5.45	21000	A	89%	1%	1%	1%	9%	0%	C	0.129	A	18000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	40000	A	86%	1%	1%	1%	1%	11%	0%	C	0.120	A	34000	A		
South 95	Prince George County	0.16	20000	B	89%	1%	1%	1%	9%	0%	F	0.127	A	18000	B		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	41000	B	86%	1%	1%	1%	1%	11%	0%	F	0.118	A	36000	B		
South 95	Prince George County	0.42	14000	N	89%	1%	1%	1%	9%	0%	N	0.123	N	12000	N		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	26000	N	87%	1%	1%	1%	1%	11%	0%	N	NA		23000	N		
	I-295 West																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 		From:	I-295 West													
	Prince George County	0.42	14000	A	89%	1%	1%	1%	9%	0%	F	0.123	A	12000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	27000		A	86%	1%	1%	1%	11%	0%	F	0.112	A	24000	A	
South 		To:	SCL Petersburg													
	City of Petersburg (Maint: 74)	0.34	14000	A	89%	1%	1%	1%	9%	0%	F	0.123	A	12000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	27000		A	86%	1%	1%	1%	11%	0%	F	NA		24000	A	
South 		To:	Rives Rd													
	City of Petersburg (Maint: 74)	1.22	16000	B	89%	1%	1%	1%	9%	0%	F	0.111	A	15000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	32000		B	86%	1%	1%	1%	11%	0%	F	0.102	A	29000	B	
South 		To:	Wagner Rd													
	City of Petersburg (Maint: 74)	2.29	22000	A	89%	1%	1%	1%	9%	0%	F	0.1	A	22000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	41000		A	87%	1%	1%	1%	11%	0%	F	0.097	A	40000	A	
South 		To:	US 460 County Rd; US 301 Crater Rd													
	City of Petersburg (Maint: 74)	0.53	22000	N	89%	1%	1%	1%	9%	0%	N	0.1	N	22000	N	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	41000		N	87%	1%	1%	1%	11%	0%	N	NA		40000	N	
South 		To:	I-85													
	From:	I-95 South														
South 	Prince George County	0.20	680	G								0.147	A	680	G	
	To:	US 301 Crater Rd														
South 		From:	I-95 South to Weigh Station													
	Prince George County	0.23	NA										NA		NA	
	To:	I-95 South from Weigh Station														
South 		From:	I-95 South													
	Prince George County	0.22	NA											NA		NA
South 		From:	I-95 South Exit 41B													
	Prince George County	0.04	NA											NA		NA
	To:	SR 35 Courtland Rd														
South 		From:	I-95 South Exit 41A													
	Prince George County	0.04	NA											NA		NA
	To:	SR 35 Courtland Rd														
South 		From:	I-95 South													
	Prince George County	0.12	2000	B									0.146	A	2000	B
	To:	US 301 Crater Rd														
South 		From:	I-95 South													
	Prince George County	0.36	1600	G	78%	0%	1%	1%	19%	0%	F	NA		1400	G	
	To:	I-295 North														
South 		From:	I-95 South											NA		NA
	City of Petersburg (Maint: 74)	0.16	NA													
	To:	123-9008 Rives Rd														

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.25 To: 123-9010 Wagner Rd	I-95 South	NA								NA		NA		
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.31 To: 123-9010 Wagner Rd	I-95 South	5100 A								0.095	A	5500	A	
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.09 To: 123-9012 FROM RTROUTE 95 SOUTH	I-95-S050X TO GRAHAM ROAD	NA								NA		NA		
South 95 460 Ramp	City of Petersburg (Maint: 74)	From: 0.06 To: Ramp to Graham Rd	I-95 South	9300 A								0.094	A	10000	A	
South 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.07 To: Ramp from US 301	Ramp to Graham Rd	NA								NA		NA		
South 95 460 Bus 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.18 To: Ramp from US 301	Ramp from US 301	NA								NA		NA		
South 95 460 Bus 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.27 To: US 460 Ramp	Ramp from US 301	11000 A								0.115	A	12000	A	
South 95 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From: 0.22 To: I-95 South	US 460 Ramp	NA								NA		NA		
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.12 To: I-95-S TO WASHINTON & WYTHE STS	I-95-S TO WASHINTON & WYTHE STS	NA								NA		NA		
South 95 Ramp	City of Petersburg (Maint: 74)	From: 0.19 To: CEUS 460 FROM RT 95 SOUTH	I-95-S052B TO WASHINGTON STREET	NA								NA		NA		
106 Courthouse Rd	Prince George County	From: 2.39 To: 74-634 Allin Rd	ECL Petersburg	9000 F	95%	2%	1%	1%	1%	0%	F	0.093	F	9500	F	
106 Courthouse Rd	Prince George County	From: 0.86 To: 74-616 Laurel Spring Rd	74-634 Allin Rd	12000 F	95%	2%	1%	1%	1%	0%	C	0.102	F	12000	F	
106 Courthouse Rd	Prince George County	From: 1.50 To: BYP SR 156 Ruffin Rd	74-616 Laurel Spring Rd	6300 F	95%	2%	1%	1%	1%	0%	F	0.095	F	6600	F	
106 Bypass 156	Prince George County	From: 1.09 To: 74-609	BYP SR 156 Ruffin Rd	6000 F	89%	1%	1%	1%	9%	0%	F	0.088	F	6300	F	
106 Bypass 156	Prince George County	From: 3.47 To: RT 156 BUS & RT 10	74-609	3600 F	89%	1%	1%	1%	9%	0%	C	0.090	F	3800	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
<b>106 10 156</b> James River Dr	Prince George County	From: 0.73 To: 2.69	RT 156 BUS & RT 10				1%	6%	0%	0%	C	0.085	F	9900	F	
			RT 10 & RT 156	F	88%	1%	1%	1%	9%	0%	C	0.092	F	4700	F	
<b>106 156</b>	Prince George County	From: 2.69 To: Charles City County Line	Charles City County Line													
<b>144</b> Temple Ave	Prince George County	From: 2.58 To: Chesterfield County Line	SR 36				0%	1%	0%	0%	C	0.097	A	34000	A	
			Chesterfield County Line	A	98%	0%	0%	0%	0%	0%	C	0.097	A	34000	A	
<b>156 301</b> Prince George Dr	Prince George County	From: 0.17 To: US 301 Crater Rd	SR 35 Courtland Rd				1%	3%	0%	0%	F	0.092	F	1900	F	
			US 301 Crater Rd	F	91%	3%	2%	1%	3%	0%	C	0.125	F	1700	F	
<b>156</b> Prince George Dr	Prince George County	From: 4.09 To: 74-626 Tavern Rd	74-626 Tavern Rd				1%	3%	0%	0%	F	0.126	F	2200	F	
			74-626 Tavern Rd	F	91%	3%	2%	1%	3%	0%	F	0.126	F	2200	F	
<b>156</b> Prince George Dr	Prince George County	From: 5.73 To: US 460 West of Disputanta	US 460 West of Disputanta				0%	4%	0%	0%	C	0.117	F	4800	F	
			US 460 West of Disputanta	F	89%	5%	2%	0%	4%	0%	C	0.117	F	4800	F	
<b>156</b> Prince George Dr	Prince George County	From: 0.89 To: SR 106 Courthouse Rd; Bypass SR 156	SR 106 Courthouse Rd; Bypass SR 156				1%	1%	0%	0%	C	0.096	F	7600	F	
			SR 106 Courthouse Rd; Bypass SR 156	F	97%	1%	1%	1%	1%	0%	C	0.096	F	7600	F	
<b>156</b> Prince George Dr	Prince George County	From: 2.24 To: 74-674 Mount Sinai Rd	74-674 Mount Sinai Rd				1%	1%	0%	0%	F	0.092	F	7800	F	
			74-674 Mount Sinai Rd	F	97%	1%	1%	1%	1%	0%	F	0.092	F	7800	F	
<b>156</b> Arlington Rd	City of Hopewell	From: 0.56 To: SCL Hopewell	SCL Hopewell				1%	1%	0%	0%	F	0.087	F	10000	F	
			SCL Hopewell	F	97%	1%	1%	1%	1%	0%	F	0.087	F	10000	F	
<b>156</b> High Ave	City of Hopewell	From: 0.38 To: Berry Street	Berry Street				1%	1%	0%	0%	C	0.089	F	5200	F	
			Berry Street	F	97%	0%	0%	1%	1%	0%	C	0.089	F	5200	F	
<b>156 36</b> Winston Churchill Dr	City of Hopewell	From: 0.25 To: S RT 36	S RT 36				0%	2%	0%	0%	F	0.081	F	12000	F	
			S RT 36	F	97%	0%	0%	0%	2%	0%	F	0.081	F	12000	F	
<b>156</b> Winston Churchill Rd	City of Hopewell	From: 0.55 To: Arlington Rd	Arlington Rd				0%	1%	0%	0%	F	0.081	F	17000	F	
			Arlington Rd	F	98%	0%	0%	0%	1%	0%	F	0.081	F	17000	F	
<b>156</b> Winston Churchill Dr	City of Hopewell	From: 0.80 To: South 6th Ave	South 6th Ave				0%	1%	0%	0%	F	0.082	F	8100	F	
			South 6th Ave	F	98%	0%	0%	0%	1%	0%	F	0.082	F	8100	F	
<b>156 10</b> Randolph Rd	City of Hopewell	From: 1.26 To: SR 10; Randolph Rd	SR 10; Randolph Rd				1%	3%	0%	0%	F	0.085	F	11000	F	
			SR 10; Randolph Rd	F	95%	0%	1%	1%	3%	0%	F	0.085	F	11000	F	
<b>156 10</b> James River Dr	Prince George County	From: 1.17 To: ECL Hopewell	ECL Hopewell				1%	3%	0%	0%	F	0.089	F	10000	F	
			ECL Hopewell	F	95%	0%	1%	1%	3%	0%	F	0.089	F	10000	F	
<b>156 10 106</b> James River Dr	Prince George County	From: 0.73 To: W SR 156	W SR 156				1%	6%	0%	0%	C	0.085	F	9900	F	
			W SR 156	F	93%	0%	1%	1%	6%	0%	C	0.085	F	9900	F	
<b>156 10 106</b> James River Dr	Prince George County	From: 0.73 To: N SR 10	N SR 10				1%	6%	0%	0%	C	0.085	F	9900	F	
			N SR 10	F	93%	0%	1%	1%	6%	0%	C	0.085	F	9900	F	



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 295	From: NCL Hopewell															
	City of Hopewell (Maint: 74)	3.30	16000	A	78%	0%	1%	1%	19%	0%	F	0.119	A		16000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	31000		A	79%	1%	1%	1%	18%	0%	F	0.104	A		31000	A
West I-295 is signed as North I-295																
West 295	To: SR 36 Oaklawn Blvd; SCL Hopewell															
	From: Prince George County	7.38	11000	G	78%	0%	1%	1%	19%	0%	F	0.13	A		10000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	22000		G	79%	1%	1%	1%	18%	0%	F	0.079	A	0.518	20000	G
West I-295 is signed as North I-295																
West 295	To: US 460 County Dr															
	From: Prince George County	1.75	9300	A	78%	0%	1%	1%	19%	0%	C	0.149	A		8500	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	18000		A	79%	1%	1%	1%	18%	0%	C	0.120	A		16000	A
West I-295 is signed as North I-295																
West 295	To: Ramp from I-95 South Exit 46A															
	From: Prince George County	0.57	8200	B	78%	0%	1%	1%	19%	0%	F	0.139	A		7400	B
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	17000		N	79%	1%	1%	1%	18%	0%	N	NA			15000	N
West 295 Ramp	To: I-295 North															
	From: Prince George County	0.50	NA												NA	NA
West 295 Ramp	To: US 460 County Dr															
	From: I-295 West															
	Prince George County	0.39	NA												NA	NA
West 295 Ramp	To: US 460 County Dr															
	From: I-295 West															
West 295 Ramp	City of Hopewell (Maint: 74)	0.28	NA													
	To: SR 36 Oaklawn Blvd															
West 295 Ramp	To: I-295 West															
	From: City of Hopewell (Maint: 74)	0.12	NA												NA	NA
	To: SR 36 Oaklawn Blvd															
301 Crater Rd	To: Sussex County Line															
	From: Prince George County	2.69	850	F	92%	2%	1%	0%	5%	0%	C	0.110	F		870	F
301 Crater Rd	To: 74-604; 74-623 Rowanty Rd															
	From: Prince George County	3.86	1300	F	92%	2%	1%	0%	5%	0%	F	0.091	F		1300	F
301 35 Courtland Rd	To: SR 35 Courtland Rd															
	From: << Invalid Overlap >>															
301 156 Prince George Dr	Prince George County	0.72	930	F	86%	1%	1%	1%	12%	0%	F	0.098	F		950	F
	To: SR 35 Courtland Rd															
	From: << Invalid Overlap >>															
301 156 Prince George Dr	Prince George County	0.17	1900	F	91%	3%	2%	1%	3%	0%	F	0.092	F		1900	F
	To: SR 156 Prince George Dr															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
301 Crater Rd	Prince George County	4.24	1700	F	97%	0%	1%	0%	1%	0%	C	0.103	F	1700	F	
301 Crater Rd	Prince George County	2.25	6100	F	99%	0%	0%	0%	0%	0%	C	0.101	F	6200	F	
301 Ramp	Prince George County	0.14	NA										NA		NA	
301 Ramp	Prince George County	0.17	2000	F								0.146	F	2000	F	
301 Ramp	Prince George County	0.15	660	F								0.098	F	660	F	
301 Ramp	City of Petersburg (Maint: 74)	0.19	6900	F								0.077	F	6900	F	
North 301 Ramp	City of Petersburg (Maint: 74)	0.10	1800	F								0.081	F	1800	F	
South Bus 301 460 Ramp US 301 S to I-95 S at Exit ???	City of Petersburg (Maint: 74)	0.20	680	F	97%	1%	1%	1%	1%	0%	F	0.114	F	720	F	
460 95 Ramp	City of Petersburg (Maint: 74)	0.06											See I-95 for directional traffic volume estimates for this segment.			
460 95 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.07											See I-95 for directional traffic volume estimates for this segment.			
460 95 460 Bus Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.18											See I-95 for directional traffic volume estimates for this segment.			
460 95 460 Bus Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.27											See I-95 for directional traffic volume estimates for this segment.			
460 County Dr	Prince George County	0.40	13000	F	90%	0%	1%	1%	8%	0%	F	0.083	F	13000	F	
460 County Dr	Prince George County	0.74	14000	N	83%	1%	1%	1%	14%	0%	N	0.077	N	13000	N	
460 County Dr	Prince George County	3.07	14000	F	83%	1%	1%	1%	14%	0%	F	0.077	F	13000	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
County Dr	Prince George County	From:	SR 156 Prince George Dr													
		To:	6.20	13000	F	83%	1%	1%	1%	14%	0%	F	0.074	F	12000	F
East Ramp	Prince George County	From:	US 460 TO RT 295 SOUTHE													
		To:	0.50	520	F							0.133	F		520	F
East Ramp	Prince George County	From:	US 460 I-295-W003B FROM RT 295 NOR													
		To:	0.33	1100	F							0.114	F		1100	F
West Ramp	Prince George County	From:	US 460 I-295-E003A TO & FROM RTE 2													
		To:	0.36	800	F							0.097	F		800	F
West Ramp	Prince George County	From:	US 460 TO RT 295 NORTHW													
		To:	0.51	1900	G							0.108	A		2100	G
Bus 301 Ramp US 301 S to I-95 S at Exit ???	City of Petersburg (Maint: 74)	From:	US 301													
		To:														See US 301 for directional traffic volume estimates for this segment.
Bus 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From:	Ramp from US 301South													
		To:														See I-95 for directional traffic volume estimates for this segment.
Bus 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	From:	Ramp from US 301North													
		To:														See I-95 for directional traffic volume estimates for this segment.
Bus Ramp	City of Petersburg (Maint: 74)	From:	CEUS 460-P002B CEUS 460-E006B FROM													
		To:	0.11	8600	F							0.112	F		8600	F
Bus 95 Ramp	City of Petersburg (Maint: 74)	From:	I-95-N FROM RT 460 BUS00- WASHINGTON &													
		To:														
Bus 460 Ramp	City of Petersburg (Maint: 74)	From:	CEUS 460 TO RT 95 NORTH													
		To:	0.20	12000	F							0.097	F		12000	F
Bus 460 Ramp	City of Petersburg (Maint: 74)	From:	CEUS 460-P002B CEUS 460- 6B FROM													
		To:														
Bus 460 Ramp	City of Petersburg (Maint: 74)	From:	CEUS 460													
		To:	0.08	NA												NA

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(F121) Park Dale Rd	1.12	680	R			From: Dead End					NA		NA	03/05/2008	
			To: SR 35 Courtland Rd												
(F122) Sunny Brook Rd	2.86	590	R			From: SR 35; US 301 Crater Rd					NA		NA	03/05/2008	
			To: 74-607 Sunny Brook Rd; Butter Branch Rd												
(F123) Gatewood Rd	0.50	80	R			From: 74-608 Garys Church Rd					NA		NA	03/05/2008	
			To: Dead End												
(F124) Gravel Brook Rd	1.16	1400	R			From: US 301 Ramp From I-95					NA		NA	03/05/2008	
			To: 74-608 Garys Church Rd												
(F125) Indian Rd	1.65	360	R			From: US 301 Ramp From I-95					NA		NA	03/05/2008	
			To: Dead End												
(F292)	0.40	8	R			From: Dead End					NA		NA	03/17/2008	
			To: Dead End												
(F294) Rowanty Ct	0.03	20	R			From: Dead End					NA		NA	03/17/2008	
			To: 74-670 Rowanty Ct												
(F295) Indian Rd	0.15	360	R			From: Dead End					NA		NA	03/05/2008	
			To: 74-671 Indian Rd												
<b>City of Petersburg</b>															
(F329) Lake Shore Dr	0.17	10	R			From: Dead End					NA		NA	03/17/2008	
			To: 74-1102 Lakeshore Dr												
(F330) N Normandy Dr	2.93	3700	R			From: Dead End					NA		NA	03/17/2008	
			To: FR-331 Service Rd												
(F331) Service Rd	0.78	1400	R			From: Dead End					NA		NA	03/17/2008	
			To: Dead End												
<b>Prince George County</b>															
(F342)	0.66	10	R			From: Prop 74-730					NA		NA	03/17/2008	
			To: Dead End												
(F990)	0.17	NA				From: 74-1101 Community Lane					NA		NA		
			To: Dead End												
(600) Ellis Rd	1.77	160	R			From: 74-611 Lebanon Rd					NA		NA	03/31/2008	
			To: Surry County Line												
(601) Alden Rd	0.80	120	R			From: US 460; 74-624					NA		NA	03/31/2008	
			To: 74-613 Webb Rd												
(601) Alden Rd	3.06	170	R			From: 74-613 Webb Rd					NA		NA	03/31/2008	
			To: Surry County Line												
(602) Point Rd	0.43	70	R			From: 74-653 Willow Hill Rd; Upper Brandon Rd					NA		NA	03/31/2008	
			To: Dead End												
(603) Baxter Rd	1.29	2500	R			From: ECL Petersburg					NA		NA	06/27/2011	
			To: SR 106 Courthouse Rd												



Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(611) Lebanon Rd	3.27	60	R			From: 74-610 Chippokes Rd						NA		NA	03/31/2008
			To: Dead End												
(612) Cedar Lane	0.90	200	R			From: 74-611 Lebanon Rd						NA		NA	03/31/2008
			To: 74-616 Laurel Springs Rd; Pole Run Rd												
(613) Webb Rd	1.50	110	R			From: Sussex County Line						NA		NA	03/31/2008
			To: 74-601 Alden Rd												
(613) Webb Rd	1.80	290	R			From: 74-625 Hines Rd						NA		NA	03/31/2008
			To: 74-615 Nobles Rd												
(614) Nobles Rd	1.90	230	R			From: SR 10 W, James River Dr						NA		NA	03/31/2008
			To: 74-615 Nobles Rd												
(614) Wards Creek Rd	3.20	60	R			From: SR 10 E, James River Dr						NA		NA	03/31/2008
			To: SR 106, 74-724												
(616) Laurel Springs Rd	1.96	4800	F	94%	3%	2%	0%	0%	0%	C	0.167	F	4800	F	2011
			To: SR 156 N, Prince George Dr												
(616) Laurel Springs Rd; Pole Run Rd	2.50	1800	F	97%	1%	1%	0%	0%	0%	F	0.101	F	1800	F	2011
			To: 74-618 Hollywood Dr												
(616) Laurel Springs Rd; Pole Run Rd	1100	F	97%	1%	1%	0%	0%	0%	0%	C	0.112	F	1200	F	2011
			To: 74-625 Hines Rd												
(616) Laurel Springs Rd; Pole Run Rd	350	F	97%	1%	1%	0%	0%	0%	0%	F	0.112	F	360	F	2011
			To: SR 10 James River Dr												
(617) Hollywood Rd	0.90	30	R			From: 74-618 Hollywood Rd						NA		NA	03/31/2008
			To: Dead End												
(618) Robin Rd	2.37	330	R			From: 74-627 Pumphouse Rd						NA		NA	03/31/2008
			To: 74-630 W, Golf Course Rd; Gold Course Rd												
(618) Queen St	0.10	630	R			From: 74-630 E, Gold Course Rd; Golf Course Rd						NA		NA	03/31/2008
			To: US 460 County Dr												
(618) Queen St	1.20	570	R			From: 74-629 East Quaker Rd						NA		NA	03/31/2008
			To: 74-632 South Hampton Rd												
(618) Hitchcock Rd	2.76	130	R			From: 74-632 South Hampton Rd						NA		NA	03/31/2008
			To: 74-635 Centennial Rd												
(618) Hollywood Rd	0.94	270	R			From: 74-635 Centennial Rd						NA		NA	03/31/2008
			To: 74-616 Laurel Springs Rd; Pole Run Rd												
(619) Holdworths Rd	2.10	260	R			From: 74-625 Arwood Rd; County Line Rd						NA		NA	06/27/2011
			To: 74-627 Pumphouse Rd; Loving Union Rd												
(620) Tatum Rd	1.00	580	R			From: 74-638 Templeton Rd						NA		NA	06/27/2011
			To: 1.00 ME 74-638 Templeton Rd												
(620) Tatum Rd	1.90	270	R			From: 74-627 Loving Union Rd						NA		NA	06/27/2011
			To: 74-627 Loving Union Rd												





Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(631) Lansing Rd	0.35	490	R											NA	03/05/2008
(631) Lansing Rd	1.83	160	R											NA	03/05/2008
(632) South Hampton Rd	0.17	90	R											NA	03/31/2008
(634) Allin Rd	0.51	5700	F	95%	3%	1%	1%	0%	0%	C	0.103	F	6000	F	2011
			To:												
(635) Centennial Rd	2.35	200	R											NA	03/10/2008
(635) Centennial Rd	3.75	430	R											NA	03/10/2008
(635) Heritage Rd	1.10	670	R											NA	03/10/2008
(635) Heritage Rd	2.20	600	R											NA	03/10/2008
(636) Lawyers Rd	2.10	460	R											NA	03/10/2008
(636) Lawyers Rd	0.80	640	R											NA	03/10/2008
			To:												
(637) Log Rd	0.70	290	R											NA	06/27/2011
			To:												
(638) Templeton Rd	0.88	140	F	97%	1%	0%	1%	1%	0%	F	0.14	F	140	F	2011
(638) Templeton Rd	2.60	470	F	97%	1%	0%	1%	1%	0%	C	0.118	F	480	F	2011
(638) Templeton Rd	2.50	390	F	96%	1%	2%	0%	0%	0%	C	0.167	F	390	F	2011
(638) Templeton Rd	0.27	1000	F	96%	1%	2%	0%	0%	0%	F	0.142	F	1100	F	2011
			To:												
(639) Flowerdew Hundred Rd	2.00	90	R											NA	03/10/2008
(639) Flowerdew Hundred Rd	1.66	70	R											NA	03/10/2008
			To:												
(640) Powells Creek Rd	1.00	20	R											NA	03/10/2008
			To:												
(641) Merchant Hope Rd	1.40	900	R											NA	03/10/2008
(641) Merchant Hope Rd	1.40	880	F	95%	2%	2%	0%	0%	0%	C	0.097	F	900	F	2011
			To:												
(641) Moody Rd	3.00	200	R											NA	03/10/2008
			To:												

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(642) Beaver Castle Rd	0.53	1500	R								NA		NA		03/10/2008
(642) Beaver Castle Rd	0.07	630	R								NA		NA		06/27/2011
(642) Beaver Castle Rd	0.06	680	R								NA		NA		06/27/2011
(642) Beaver Castle Rd	0.12	590	R								NA		NA		06/27/2011
(642) Beaver Castle Rd	0.07	480	R								NA		NA		06/27/2011
(642) Beaver Castle Rd	0.07	370	R								NA		NA		06/27/2011
(642) Beaver Castle Rd	0.08	200	R								NA		NA		06/28/2011
(643) Bobs Way	0.09	30	R								NA		NA		03/19/2008
(644) James Crest Dr	0.80	140	R								NA		NA		03/10/2008
(645) Puddledock Rd	0.78	5500	G	98%	0%	1%	0%	0%	0%	F	0.095	N	6000	G	2011
(645) Puddledock Rd	1.19	3800	G	98%	0%	1%	0%	0%	0%	F	NA		4100	G	2011
(645) River Rd	1.11	5900	F	98%	0%	1%	0%	0%	0%	C	0.102	F	6200	F	2011
(645) River Rd	2.15	5500	F	98%	0%	1%	0%	0%	0%	F	0.104	F	5800	F	2011
(645) River Rd	0.19	6000	F	98%	0%	1%	0%	0%	0%	F	0.091	F	6300	F	2011
(646) Middle Rd	2.17	5000	F	98%	0%	1%	1%	0%	0%	C	0.1	F	5300	F	2011
(646) Sandy Ridge Rd	2.72	2200	F	98%	0%	1%	1%	0%	0%	F	0.109	F	2300	F	2011
(646) Sandy Ridge Rd	0.81	710	F	97%	0%	0%	1%	2%	0%	C	0.106	F	730	F	2011
(646) Sandy Ridge Rd	0.79	600	F	97%	0%	0%	1%	2%	0%	F	0.102	F	610	F	2011
(646) Halls Farm Rd	2.40	220	R								NA		NA		03/10/2008
(647) Takgach Rd	0.46	1100	R								NA		NA		06/28/2011
(647) Takgach Rd	0.09	1300	R								NA		NA		06/28/2011
(647) Takgach Rd	0.44	1400	R								NA		NA		06/28/2011
(648) Clary Rd	0.11	80	R								NA		NA		06/28/2011

















Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1112) Boisseau Dr	0.27	130	R			From:	ECL Petersburg			NA		NA	NA	07/12/2011	
						To:	74-1113 Lakeside Dr								
(1113) Lakeside Dr	0.20	210	R			From:	NCL Petersburg			NA		NA	NA	07/12/2011	
						To:	74-1111 Munt Dr								
(1113) Lakeside Dr	0.37	40	R			From:	74-1111 Munt Dr			NA		NA	NA	07/12/2011	
						To:	74-1112 Boisseau Dr								
(1113) Lakeside Dr	0.08	440	R			From:	74-1112 Boisseau Dr			NA		NA	NA	07/12/2011	
						To:	74-603 Baxter Rd								
(1115) Brookshire Dr	0.05	60	R			From:	Cul-de-Sac			NA		NA	NA	07/18/2011	
						To:	74-1116 Brookshire Dr								
(1115) Brookshire Dr	0.08	180	R			From:	SR 106 Courthouse Rd			NA		NA	NA	07/18/2011	
						To:	74-1115 Brookshire Dr								
(1116) Brookshire Dr	0.08	120	R			From:	74-1115 Brookshire Dr			NA		NA	NA	07/18/2011	
						To:	Cul-de-Sac								
(1120) Rustic Dr	0.29	100	R			From:	Cul-de-Sac			NA		NA	NA	08/10/2011	
						To:	74-604 Halifax Rd								
(1125) Hidden Hills Dr	0.89	300	R			From:	Bypass SR 156			NA		NA	NA	07/18/2011	
						To:	74-1127								
(1126) Castlewood Dr	0.39	70	R			From:	Cul-de-Sac			NA		NA	NA	03/10/2008	
						To:	Cul-de-Sac								
(1127)	0.18	50	R			From:	74-1125 Hidden Hills Dr			NA		NA	NA	03/10/2008	
						To:	Cul-de-Sac								
(1130) Decatur Dr	0.26	120	R			From:	74-1131 Drayton Rd			NA		NA	NA	03/05/2008	
						To:	74-622 Fairwood Rd								
(1131) Drayton Rd	0.14	20	R			From:	Cul-de-Sac			NA		NA	NA	03/05/2008	
						To:	74-1130 Decatur Dr								
(1131) Drayton Rd	0.08	70	R			From:	74-1130 Decatur Dr			NA		NA	NA	03/05/2008	
						To:	74-1132 Drayton Rd								
(1132) Drayton Rd	0.13	20	R			From:	74-1131 Drayton Rd			NA		NA	NA	03/05/2008	
						To:	Cul-de-Sac								
(1140) Bland Ridge Dr	0.37	310	R			From:	74-608 Johnson Rd			NA		NA	NA	03/05/2008	
						To:	74-1141 Lakeview Dr								
(1140) Bland Ridge Dr	0.13	120	R			From:	74-1141 Lakeview Dr			NA		NA	NA	03/05/2008	
						To:	74-1142 Fairway Dr								
(1141) Lakeview Dr	0.11	160	R			From:	74-1140 Bland Ridge Dr			NA		NA	NA	03/05/2008	
						To:	74-1142 Fairway Dr								
(1142) Fairway Dr	0.08	40	R			From:	Dead End			NA		NA	NA	03/05/2008	
						To:	74-1141 Lakeview Dr								
(1142) Fairway Dr	0.08	30	R			From:	74-1141 Lakeview Dr			NA		NA	NA	03/05/2008	
						To:	74-1140 Bland Ridge Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1142) Fairway Dr	0.02	30	R			From:	74-1140 Bland Ridge Dr			NA		NA	NA	03/05/2008	
			To:	Cul-de-Sac											
(1143) Bland Ridge Ct	0.18	130	R			From:	74-1140 Bland Ridge Dr			NA		NA	NA	08/10/2011	
			To:	74-608 Johnson Rd											
(1150) Trailing Rock Rd	0.19	790	R			From:	Cul-de-Sac			NA		NA	NA	07/14/2011	
			To:	74-1158 Willow Oak Dr											
(1150) Trailing Rock Rd	0.19	890	R			From:	74-1157 Willow Oak Dr			NA		NA	NA	07/20/2011	
			To:	74-1156 Branchester Pkwy											
(1150) Trailing Rock Rd	0.08	790	R			From:	74-1157 Willow Oak Dr			NA		NA	NA	07/14/2011	
			To:	74-1156 Branchester Pkwy											
(1150) Trailing Rock Rd	0.08	1100	R			From:	74-1155 Oakleaf Lane			NA		NA	NA	07/14/2011	
			To:	74-1154 Farm Crest Ct											
(1150) Trailing Rock Rd	0.07	1200	R			From:	74-1154 Farm Crest Ct			NA		NA	NA	07/14/2011	
			To:	74-1153 Fox Den Ct											
(1150) Trailing Rock Rd	0.10	1300	R			From:	74-1153 Fox Den Ct			NA		NA	NA	07/14/2011	
			To:	74-1152 Rockshire Ct											
(1150) Tarailing Rock Rd	0.04	1300	R			From:	74-1152 Rockshire Ct			NA		NA	NA	07/14/2011	
			To:	74-1151 Old Logging Circle											
(1150) Trailing Rock Rd	0.20	1600	R			From:	74-1151 Old Logging Circle			NA		NA	NA	07/20/2011	
			To:	SR 156 Prince George Dr											
(1151) Old Logging Circle	0.11	160	R			From:	74-1150 Trailing Rock Rd			NA		NA	NA	07/14/2011	
			To:	Cul-de-Sac											
(1152) Rockshire Ct	0.05	70	R			From:	Cul-de-Sac			NA		NA	NA	07/14/2011	
			To:	74-1150 Trailing Rock Rd											
(1153) Fox Den Ct	0.06	100	R			From:	Cul-de-Sac			NA		NA	NA	07/14/2011	
			To:	74-1150 Trailing Rock Rd											
(1154) Farm Crest Ct	0.06	50	R			From:	Cul-de-Sac			NA		NA	NA	07/20/2011	
			To:	74-1150 Trailing Rock Rd											
(1155) Oakleaf Lane	0.19	270	R			From:	Dead End			NA		NA	NA	07/20/2011	
			To:	74-1150 Trailing Rock Rd											
(1156) Branchester Pkwy	0.08	520	R			From:	74-1150 Trailing Rock Rd			NA		NA	NA	03/13/2008	
			To:	74-1386 Hearthsde Court											
(1157) Willow Oak Dr	0.32	390	R			From:	Dead End			NA		NA	NA	07/20/2011	
			To:	74-1150 Trailing Rock Rd											
(1158) Willow Oak Dr	0.07	250	R			From:	Dead End			NA		NA	NA	08/10/2011	
			To:	74-1150 Trailing Rock Rd											
(1159) Haley Rd	0.17	600	R			From:	74-647 Takgach Rd			NA		NA	NA	08/10/2011	
			To:	74-1150 Trailing Rock Rd											
(1170) Baxter Ridge Dr	0.59	100	R			From:	74-603 S, Baxter Rd			NA		NA	NA	08/10/2011	
			To:	74-603 N, Baxter Rd											

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1171) Woods Ridge Trace	0.30	510	R			From: 74-1170 Baxter Ridge Dr				NA			NA		03/17/2008
			To: Cul-de-Sac												
(1172) Baxter Ridge Ct	0.05	70	R			From: 74-1170 Baxter Ridge Dr				NA			NA		03/17/2008
			To: Dead End												
(1173) Ridgeway Ct	0.04	45	R			From: Dead End				NA			NA		03/17/2008
			To: 74-1170 Baxter Ridge Dr												
(1174) Rebel Landing	0.04	40	R			From: Dead End				NA			NA		03/17/2008
			To: 74-1170 Baxter Ridge Dr												
(1175) Cross Point Lane	0.20	790	R			From: 74-1170 Baxter Ridge Dr				NA			NA		03/17/2008
			To: Cul-de-Sac												
(1176) Barrell Point Rd	0.09	120	R			From: 74-1175 Cross Point Lane				NA			NA		03/17/2008
			To: Dead End												
(1177) Barrell Point Rd	0.03	40	R			From: Dead End				NA			NA		03/17/2008
			To: 74-1176 Barrell Point Rd												
(1178) Cross Point Ct	0.08	90	R			From: Dead End				NA			NA		03/17/2008
			To: 74-1175 Cross Point Lane												
(1179)	0.20	NA				From: 74-1171				NA			NA		
			To: Cul-de-Sac												
(1180) Woods Ridge Lane	0.09	140	R			From: 74-1171 Woods Ridge Trace				NA			NA		03/17/2008
			To: Cul-de-Sac												
(1181) Woods Ridge Ct	0.06	60	R			From: Cul-de-Sac				NA			NA		03/17/2008
			To: 74-1180 Woods Ridge Lane												
(1182) Wood Lane	0.17	370	R			From: 74-1175 Cross Point Lane				NA			NA		03/17/2008
			To: Dead End												
(1183) Brandon Lane	0.10	130	R			From: Dead End				NA			NA		03/17/2008
			To: 74-1182 Wood Lane												
(1183) Brandon Lane	0.05	40	R			From: Cul-de-Sac				NA			NA		03/17/2008
			To: 74-1182 Wood Lane												
(1184) Brandon Court	0.05	40	R			From: 74-1183 Brandon Lane				NA			NA		03/17/2008
			To: Cul-de-Sac												
(1200) Watch Run Dr	0.55	230	R			From: Dead End				NA			NA		08/10/2011
			To: 74-647 Takgach Rd												
(1201) Morning Star Rd	0.20	290	F	98%	1%	1%	0%	0%	0%	C	0.119	F	300	F	2011
			To: SR 10 James River Dr												
			To: 74-611 Brandon Rd; Lebanon Rd												
(1205) Jovern Dr	0.13	240	R			From: 74-630 Jefferson Park Rd				NA			NA		08/10/2011
			To: Dead End												
(1206) Jerral Dr	0.23	120	R			From: Dead End				NA			NA		08/10/2011
			To: 74-630 Bull Hill Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1210) Chieftain Rd	0.23	150	R			From:	SR 10 James River Dr			NA		NA	NA	08/10/2011	
						To:	Dead End								
(1220) Jordan Pkwy	0.43	360	R			From:	SR 156 SOUTH			NA		NA	NA	03/11/2008	
						To:	74-1221 Beggars Bush			NA		NA	NA	03/11/2008	
(1220) Jordan Pkwy	0.66	230	R			From:	SR 156 NORTH			NA		NA	NA	03/11/2008	
						To:	Dead End								
(1221) Beggars Bush	0.04	20	R			From:	74-1220 Jordan Pkwy			NA		NA	NA	03/11/2008	
						To:	Cul-de-Sac								
(1222) South Bacons Chase	0.11	90	R			From:	74-1220; 74-1223			NA		NA	NA	03/11/2008	
						To:	74-1220; 74-1222								
(1223) North Bacons Chase	0.08	70	R			From:	Cul-de-Sac			NA		NA	NA	03/11/2008	
						To:	74-1220 Jordan Pkwy								
(1224) Farrar Landing	0.08	50	R			From:	74-721 Mica Dr			NA		NA	NA	03/11/2008	
						To:	74-1231 Copperfield Dr								
(1230) Copperfield Terrace	0.21	190	R			From:	Cul-de-Sac			NA		NA	NA	04/02/2008	
						To:	74-1231 Copperfield Dr								
(1231) Copperfield Dr	0.22	140	R			From:	Cul-de-Sac			NA		NA	NA	04/02/2008	
						To:	Cul-de-Sac								
(1301) Forbes Dr	0.08	520	R			From:	SR 156 Prince George Dr			NA		NA	NA	07/18/2011	
						To:	74-1303 Manchester Dr								
(1301) Forbes Dr	0.07	230	R			From:	74-1303 Manchester Dr			NA		NA	NA	07/18/2011	
						To:	74-1305 Pfost Ave								
(1301) Forbes Dr	0.05	210	R			From:	74-1305 Pfost Ave			NA		NA	NA	07/18/2011	
						To:	74-1302 Ontario Dr								
(1302) Ontario Dr	0.07	30	R			From:	Dead End			NA		NA	NA	07/18/2011	
						To:	74-1301 Forbes Dr								
(1302) Ontario Dr	0.07	190	R			From:	74-1301 Forbes Dr			NA		NA	NA	07/19/2011	
						To:	74-1306 Toronto Lane								
(1302) Ontario Dr	0.06	160	R			From:	74-1306 Toronto Lane			NA		NA	NA	07/19/2011	
						To:	74-1308 Windsor Ct								
(1302) Ontario Dr	0.08	110	R			From:	74-1308 Windsor Ct			NA		NA	NA	07/19/2011	
						To:	74-1309 Goose Bay Ct								
(1302) Ontario Dr	0.03	110	R			From:	74-1309 Goose Bay Ct			NA		NA	NA	07/19/2011	
						To:	Dead End								
(1303) Manchester Dr	0.06	370	R			From:	74-1301 Forbes Dr			NA		NA	NA	07/18/2011	
						To:	74-1306 Toronto Lane								
(1303) Manchester Dr	0.06	220	R			From:	74-1306 Toronto Lane			NA		NA	NA	07/20/2011	
						To:	74-1308 Windsor Ct								
(1303) Manchester Dr	0.08	140	R			From:	74-1308 Windsor Ct			NA		NA	NA	07/20/2011	
						To:	Dead End								
(1304) Manitoba Ct	0.06	9	R			From:	74-1308 Windsor Ct			NA		NA	NA	07/19/2011	
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1305) Pfost Ave	0.11	110	R			From:	Dead End						NA	NA	07/18/2011
			To:	74-1301 Forbes Dr											
(1306) Toronto Lane	0.11	80	R			From:	74-1303 Manchester Dr						NA	NA	07/19/2011
			To:	74-1302 Ontario Dr											
(1307) Monroe Ave	0.04	7	R			From:	Dead End						NA	NA	07/28/2011
			To:	74-1313 Hamilton St											
(1307) Monroe Ave	0.04	160	R			From:	74-1319 Madison St						NA	NA	07/28/2011
			To:	74-1325 Robert E Lee Dr											
(1308) Windsor Ct	0.06	180	R			From:	74-1303 Manchester Dr						NA	NA	07/20/2011
			To:	74-1304 Manitoba Ct											
(1308) Windsor Ct	0.05	170	R			From:	74-1302 Ontario Dr						NA	NA	07/19/2011
			To:	74-1319 Madison St											
(1308) Windsor Ct	0.04	40	R			From:	Dead End						NA	NA	07/19/2011
			To:	74-1325 Robert E Lee Dr											
(1309) Goose Bay Ct	0.04	60	R			From:	74-1302 Ontario Dr						NA	NA	07/19/2011
			To:	Dead End											
(1310) Hermitage Rd	0.05	40	R			From:	74-1325 Robert E Lee Dr						NA	NA	07/28/2011
			To:	Cul-de-Sac											
(1311) Edinburg Ct	0.05	100	R			From:	74-1324 Brandywine Dr						NA	NA	07/28/2011
			To:	Cul-de-Sac											
(1312) Butor Rd	0.21	990	R			From:	74-1324 Brandywine Dr						NA	NA	07/28/2011
			To:	74-1332 Monroe Ave											
(1313) Hamilton Ave	0.10	210	R			From:	74-1323 Jefferson Park Rd						NA	NA	07/28/2011
			To:	74-1322 Cousins Ave											
(1313) Hamilton Ave	0.08	300	R			From:	74-1307 Monroe Ave						NA	NA	07/28/2011
			To:	74-1325 Robert E Lee Dr											
(1314) Devon Ct	0.05	170	R			From:	74-1324 Brandywine Dr						NA	NA	08/23/2011
			To:	Cul-de-Sac											
(1316) Westbrook Rd	0.08	320	R			From:	74-1324 Brandywine Dr						NA	NA	08/10/2011
			To:	74-1317 Spring Rd											
(1316) Westbrook Rd	0.09	280	R			From:	74-1331 Pruett Dr						NA	NA	08/10/2011
			To:	74-1332 Monroe Ave											
(1316) Westbrook Rd	0.06	240	R			From:	74-1316 Westbrook Rd						NA	NA	08/10/2011
			To:	74-1342 Old Iron Rd											
(1317) Spring Rd	0.07	90	R			From:	74-1325 Robert E Lee Dr						NA	NA	07/28/2011
			To:	74-1342 Old Iron Rd											
(1318) Cheshire Dr	0.09	20	R			From:	74-1343 Hyde Park Dr						NA	NA	08/22/2011
			To:	74-1342 Old Iron Rd											
(1318) Cheshire Dr	0.14	270	R			From:	74-1343 Hyde Park Dr						NA	NA	08/22/2011
			To:	74-1342 Old Iron Rd											

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1319) Madison St	0.10	490	R			From:	74-1323 Jefferson Park Rd				NA		NA	08/22/2011	
(1319) Madison St	0.02	590	R			To:	74-1320 Briarwood Ct				NA		NA	08/22/2011	
(1319) Madison St	0.08	100	R			From:	74-1322 Cousins Ave				NA		NA	08/22/2011	
(1319) Madison St						To:	74-1307								
(1320) Briarwood Ct	0.04	310	R			From:	74-1319 Madison St				NA		NA	08/22/2011	
(1320) Briarwood Ct	0.07	630	R			To:	74-1321 Lafayette Rd				NA		NA	08/22/2011	
(1320) Briarwood Ct	0.36	180	R			From:	Begin Loop				NA		NA	08/22/2011	
(1320) Briarwood Ct						To:	End Loop								
(1321) Lafayette Rd	0.52	320	R			From:	Dead End				NA		NA	08/22/2011	
(1321) Lafayette Rd	0.10	470	R			To:	74-1323 Jefferson Park Rd				NA		NA	08/22/2011	
(1321) Lafayette Rd						From:	74-1320 Briarwood Ct								
(1322) Cousins Ave	0.06	460	R			From:	Dead End				NA		NA	08/19/2011	
(1322) Cousins Ave	0.05	280	R			To:	74-1313 Hamilton St				NA		NA	08/19/2011	
(1322) Cousins Ave						From:	74-1319 Madison St								
(1323) Jefferson Park Rd	0.05	950	R			From:	74-630 Jefferson Park Rd				NA		NA	08/22/2011	
(1323) Jefferson Park Rd						To:	74-1313 Hamilton St								
(1323) Jefferson Park Rd	0.05	650	R			From:	74-1319 Madison St				NA		NA	08/22/2011	
(1323) Jefferson Park Rd						To:	74-1321 Lafayette Rd								
(1324)	0.37	NA				From:	74-630 Jefferson Park Rd				NA		NA		
(1324) Brandywine Dr	0.08	2400	R			To:	74-1325 Robert E Lee Dr				NA		NA	08/19/2011	
(1324) Brandywine Dr	0.06	2300	R			From:	74-1311 Edinburg Ct				NA		NA	08/19/2011	
(1324) Brandywine Dr						To:	74-1312 Butor Rd								
(1324) Brandywine Dr	0.06	1800	R			From:	74-1314 Devon Ct				NA		NA	08/22/2011	
(1324) Brandywine Dr						To:	74-1316 Westbrook Rd								
(1324) Brandywine Dr	0.09	1400	R			From:	74-1342 Old Iron Rd				NA		NA	08/22/2011	
(1325) Robert E Lee Dr	0.37	400	R			From:	Cul-de-Sac				NA		NA	07/28/2011	
(1325) Robert E Lee Dr						To:	74-1318 Cheshire Dr								
(1325) Robert E Lee Dr	0.06	470	R			From:	74-1324 Brandywine Dr				NA		NA	07/28/2011	
(1325) Robert E Lee Dr						To:	74-1310 Hermitage Rd								
(1325) Robert E Lee Dr	0.18	540	R			From:	74-1307 Monroe Ave				NA		NA	07/28/2011	
(1325) Robert E Lee Dr						To:	74-1307 Monroe Ave								

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1326) Birchett Dr	0.16	930	R			From:	SR 156				NA		NA	NA	07/25/2011
(1326) Birchett Dr	0.06	860	R			To:	74-1327 Pfost Ave				NA		NA	NA	07/25/2011
(1326) Birchett Dr	0.08	620	R			From:	74-1328 Esposito Pl				NA		NA	NA	07/25/2011
(1326) Birchett Dr	0.10	310	R			To:	74-1329 Montreal Ave				NA		NA	NA	07/25/2011
(1326) Birchett Dr	0.07	240	R			From:	74-1330 Vancouver Ave				NA		NA	NA	07/26/2011
(1326) Birchett Dr	0.17	70	R			To:	74-1333 Quebec Ave				NA		NA	NA	07/26/2011
(1327) Pfost Ave	0.08	110	R			From:	74-1326 Birchett Dr				NA		NA	NA	07/27/2011
(1328) Esposito Pl	0.09	190	R			To:	74-1336 Moncol Dr				NA		NA	NA	07/25/2011
(1328) Esposito Pl	0.09	120	R			From:	74-1326 Birchett Dr				NA		NA	NA	07/25/2011
(1329) Montreal Ave	0.06	200	R			To:	Dead End				NA		NA	NA	07/25/2011
(1329) Montreal Ave	0.10	140	R			From:	74-1326 Birchett Dr				NA		NA	NA	07/25/2011
(1329) Montreal Ave	0.05	30	R			To:	74-1334 Perrin Dr				NA		NA	NA	07/26/2011
(1330) Vancouver Ave	0.06	130	R			From:	74-1335 Stracchini Lane				NA		NA	NA	07/26/2011
(1330) Vancouver Ave	0.05	100	R			To:	Dead End				NA		NA	NA	07/26/2011
(1330) Vancouver Ave	0.07	40	R			From:	74-1326 Birchett Dr				NA		NA	NA	07/26/2011
(1331) Pruett Dr	0.12	160	R			To:	74-1334 Perrin Dr				NA		NA	NA	08/15/2011
(1332) Monroe Ave	0.15	390	R			From:	Cul-de-Sac				NA		NA	NA	08/15/2011
(1332) Monroe Ave	0.07	1100	R			To:	74-1312 Butor Rd				NA		NA	NA	07/20/2011
(1332) Monroe Ave	0.06	80	R			From:	74-1316 Westbrook Rd				NA		NA	NA	07/20/2011
(1333) Quebec Ave	0.07	50	R			To:	74-1316 Westbrook Rd				NA		NA	NA	07/20/2011
(1333) Quebec Ave	0.06	80	R			From:	Old Iron Rd				NA		NA	NA	07/26/2011
(1333) Quebec Ave	0.07	50	R			To:	74-1326 Birchett Dr				NA		NA	NA	07/26/2011
(1334) Perrin Dr	0.10	90	R			From:	74-1334 Perrin Dr				NA		NA	NA	07/26/2011
(1334) Perrin Dr	0.07	90	R			To:	Dead End				NA		NA	NA	07/26/2011
(1334) Perrin Dr	0.10	90	R			From:	74-1329 Montreal Ave				NA		NA	NA	07/25/2011
(1334) Perrin Dr	0.07	90	R			To:	74-1330 Vancouver Ave				NA		NA	NA	07/25/2011
(1334) Perrin Dr	0.07	90	R			From:	74-1333 Quebec Ave				NA		NA	NA	07/25/2011

Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Prince George County</b>															
(1334) Perrin Dr	0.06	60	R			From:	74-1333 Quebec Ave						NA	NA	07/26/2011
			To:			74-1326 Birchett Dr									
(1335) Straccioni Lane	0.10	60	R			From:	74-1329 Montreal Ave						NA	NA	07/26/2011
			To:			74-1330 Vancouver Ave									
(1336) Moncol Dr	0.07	50	R			From:	74-1327 Pfost Ave						NA	NA	07/25/2011
			To:			74-1328 Esposito Pl									
(1337) Crossing Blvd	0.31	8000	R			From:	SR 36 Oaklawn Blvd						NA	NA	08/15/2011
			To:			Dead End									
(1338) Birchett Pl	0.10	120	R			From:	Cul-de-Sac						NA	NA	08/15/2011
			To:			74-1326 Birchett Dr									
(1342) Old Iron Rd	0.06	60	R			From:	Cul-de-Sac						NA	NA	03/19/2008
			To:			74-1344 Berkshire Dr									
(1342) Old Iron Rd	0.07	70	R			From:							NA	NA	08/15/2011
			To:			74-1343 Hyde Park Dr									
(1342) Old Iron Rd	0.05	840	R			From:							NA	NA	08/15/2011
			To:			74-1318 Cheshire Dr									
(1342) Old Iron Rd	0.08	1000	R			From:							NA	NA	08/15/2011
			To:			74-1324 Brandywine Dr									
(1342) Old Iron Rd	0.09	2300	R			From:							NA	NA	08/15/2011
			To:			74-1317 Spring Rd									
(1342) Old Iron Rd	0.02	1600	R			From:							NA	NA	08/15/2011
			To:			SCL Hopewell									
(1343) Hyde Park Dr	0.15	140	R			From:	74-1342 Old Iron Rd						NA	NA	08/15/2011
			To:			74-1318 Cheshire Dr									
(1344) Berkshire Dr	0.05	60	R			From:	Dead End						NA	NA	03/19/2008
			To:			74-1342 Old Iron Rd									
(1344) Berkshire Dr	0.06	530	R			From:							NA	NA	08/15/2011
			To:			74-1345 W, London Rd									
(1344) Berkshire Dr	0.10	380	R			From:							NA	NA	03/19/2008
			To:			74-1345 E, London Rd									
(1345) London Rd	0.03	60	R			From:	Cul-de-Sac						NA	NA	03/19/2008
			To:			74-1346 Branchester Dr									
(1345) London Rd	0.13	240	R			From:							NA	NA	03/19/2008
			To:			74-1344 E, Berkshire Dr									
(1345) London Rd	0.19	150	R			From:							NA	NA	03/19/2008
			To:			74-1344 W, Berkshire Dr									
(1346) Branchester Dr	0.07	50	R			From:	74-1345 London Rd						NA	NA	03/19/2008
			To:			Cul-de-Sac									
(1347)	0.29	600	R			From:	74-1324						NA	NA	08/19/2011
			To:			Dead End									
(1348)	0.03	130	R			From:	Dead End						NA	NA	08/19/2011
			To:			74-1347									























Virginia Department of Transportation  
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route  
Prince George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
<b><u>City of Hopewell</u></b>													
Marion Ave	<b>290</b>	<b>F</b>						0.148	F		310	F	2011
	From:	West Broadway St											
	To:	Norton St											
Maryland Avenue	<b>410</b>	<b>G</b>						NA			410	G	2011
	From:	Atlantic St											
	To:	15th Ave											
Prince George Ave	<b>120</b>	<b>F</b>					0.133		F		130	F	2011
	From:	Day St											
	To:	West Broadway St											
Riverside Avenue	<b>49</b>	<b>G</b>						NA			49	G	2011
	From:	Weston St											
	To:	Marks St											
Stewart Ave	<b>150</b>	<b>F</b>					0.117		F		160	F	2011
	From:	Bassett St											
	To:	Perry St											
Sussex Dr	<b>270</b>	<b>G</b>						NA			270	G	2011
	From:	Dead End											
	To:	Westhill Rd											
Terminal St	<b>1400</b>	<b>G</b>						NA			1400	G	2011
	From:	SR 156 Winston Churchill Dr											
	To:	Booker St											
Wilmington Avenue	<b>340</b>	<b>G</b>						NA			340	G	2011
	From:	Heretick Ave											
	To:	North Ave											