

2011

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Special Locality Report

156

Town of Warrenton

Information in this report is included in Report

30

(Fauquier County)

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Warrenton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW					
							2Axle	3+Axle	1Trail	2Trail											
  Eastern Bypass	Town of Warrenton (Maint: 30)	0.26	47000	G	91%	1%	1%	1%	7%	0%	F	0.073	F	0.563	47000	G					
   James Madison Hwy	Town of Warrenton	0.34	10000	N	98%	1%	1%	1%	1%	0%	N	0.099	N	11000	N						
 Falmouth St	Town of Warrenton	0.89	3900	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.537	4200	G					
 Main St	Town of Warrenton	0.32	6000	G	99%	0%	1%	0%	0%	0%	C	0.103	F	0.552	6200	G					
 Main St	Town of Warrenton	0.05	7100	G									0.103	N	0.552	7200	G				
  Main St	Town of Warrenton	0.01	6000	N	99%	0%	1%	0%	0%	0%	N	0.103	N	0.552	6200	N					
  Alexandria Pike	Town of Warrenton	0.24	6600	G	99%	1%	0%	0%	0%	0%	C	0.101	F	0.549	6700	G					
  Alexandria St	Town of Warrenton	0.21	7000	G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.563	7100	G					
  Blackwell Rd	Town of Warrenton	0.58	7200	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.548	7300	G					
  Lee Highway	Town of Warrenton	0.59	32000	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.526	33000	G					
	Town of Warrenton (Maint: 30)	1.52	14000	G	87%	1%	1%	1%	10%	1%	F	0.071	F	0.503	14000	G					
   James Madison Hwy	Town of Warrenton	0.34	10000	N	98%	1%	1%	1%	1%	0%	N	0.099	N	11000	N						
  East Shirley Ave	Town of Warrenton	0.96	14000	G	98%	1%	1%	0%	0%	0%	C	0.087	F	0.511	14000	G					
  West Shirley Ave	Town of Warrenton	0.80	19000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	0.508	20000	G					
   Broadview Ave	Town of Warrenton	0.86	35000	G	98%	1%	1%	0%	1%	0%	C	0.078	F	0.565	36000	G					

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Warrenton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 17 Broadview Ave	Town of Warrenton	0.57	11000	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.555	11000	G
	From: Bus US 29 Lee Hwy	To: NCL Warrenton														
29 15 Eastern Bypass	Town of Warrenton (Maint: 30)	0.26	47000	G	91%	1%	1%	1%	7%	0%	F	0.073	F	0.563	47000	G
	From: SCL Warrenton	To: NCL Warrenton														
Bus 29 15 17 James Madison Hwy	Town of Warrenton	0.34	10000	N	98%	1%	1%	1%	1%	0%	N	0.099	N		11000	N
	From: SCL Warrenton	To: BUS US 17 Shirley Ave														
Bus 29 17 East Shirley Ave	Town of Warrenton	0.96	14000	G	98%	1%	1%	0%	0%	0%	C	0.087	F	0.511	14000	G
	From: BUS US 15	To: Culpeper St														
Bus 29 17 West Shirley Ave	Town of Warrenton	0.80	19000	G	97%	1%	1%	0%	0%	0%	C	0.087	F	0.508	20000	G
	From: US 17, US 211	To: Culpeper St														
Bus 29 17 211 Broadview Ave	Town of Warrenton	0.86	35000	G	98%	1%	1%	0%	1%	0%	C	0.078	F	0.565	36000	G
	From: Bus US 17 Broadview Ave	To: Bus US 17 Broadview Ave														
Bus 29 211 Lee Highway	Town of Warrenton	0.55	29000	G	97%	1%	1%	0%	1%	0%	C	0.082	F	0.554	30000	G
	From: Bus US 15 Blackwell Rd	To: Bus US 15 Blackwell Rd														
Bus 29 15 Lee Highway	Town of Warrenton	0.59	32000	G	99%	0%	0%	0%	0%	0%	F	0.087	F	0.526	33000	G
	From: BUS US 15	To: NCL Warrenton														
211 Frost Ave	Town of Warrenton	0.48	22000	G	98%	1%	1%	0%	0%	0%	C	0.095	F	0.675	23000	G
	From: WCL Warrenton	To: Bus US 17; Bus US 29														
211 17 29 Broadview Ave	Town of Warrenton	0.86	35000	G	98%	1%	1%	0%	1%	0%	C	0.078	F	0.565	36000	G
	From: Shirley Ave; Bus US 17	To: Bus US 17 Broadview Ave														
211 29 Lee Highway	Town of Warrenton	0.55	29000	G	97%	1%	1%	0%	1%	0%	C	0.082	F	0.554	30000	G
	From: Bus US 15 Blackwell Rd	To: Bus US 15 Blackwell Rd														
Bus 211 Waterloo St	Town of Warrenton	0.62	6800	G	98%	1%	1%	0%	0%	0%	C	0.093	F	0.597	6900	G
	From: Broadview Ave	To: Diagonal St														
Bus 211 Waterloo St	Town of Warrenton	0.10	6000	G	98%	1%	1%	0%	0%	0%	F	0.095	F	0.518	6100	G
	From: Diagonal St	To: US 15 Bus														
Bus 211 15 Main St	Town of Warrenton	0.01	6000	N	99%	0%	1%	0%	0%	0%	N	0.103	N	0.552	6200	N
	From: US 15 Bus	To: Alexandria Pike														
Bus 211 15 Alexandria Pike	Town of Warrenton	0.24	6600	G	99%	1%	0%	0%	0%	0%	C	0.101	F	0.549	6700	G
	From: Alexandria Pike	To: King St														

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Warrenton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 211 Bus 15 Alexandria St	Town of Warrenton	0.21	7000 G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.563	7100	G	
							To:	King St								
Bus 211 Bus 15 Blackwell Rd	Town of Warrenton	0.58	7200 G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.548	7300	G	
							To:	Blackwell Rd								
							From:	Alexandria Pike								
							To:	US 29 BUS US 211 Lee Hwy								

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Warrenton

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Warrenton																
(1541) 30	0.04	NA				From:	CL Warrenton				NA			NA		
(1541) 30	0.17	NA				To:	30-1542				NA			NA		
(1542) 30	0.28	NA				From:	Cul-de-Sac				NA			NA		
(1542) 30	0.14	NA				To:	30-1541				NA			NA		
(1543) 30	0.04	NA				From:	Warrenton CL				NA			NA		
(2) Alexandria Pike	0.58	290	G	93%	3%	2%	0%	1%	0%	C	0.131	F	0.605	300	G	2011
						To:	Blackwell Rd									
(3) Oak Springs Dr	0.26	3600	G	99%	0%	1%	0%	0%	0%	C	0.112	F	0.549	3700	G	2011
						To:	Branch Dr									
(4) Branch Dr	0.19	4700	G	98%	0%	0%	0%	0%	0%	C	0.099	F	0.514	4800	G	2011
						To:	Lee Highway									
(880) Bear Wallow Rd	0.49	4200	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.553	4300	G	2011
						To:	Broadview Ave									
(886) Waterloo Rd	0.58	4000	G	98%	1%	0%	0%	0%	0%	C	0.108	F	0.756	4100	G	2011
						To:	Rappahannock St									
(886) Rappahannock St	0.03	1900	G	98%	1%	0%	0%	0%	0%	F	0.105	F	0.961	1900	G	2011
						To:	Waterloo Rd									
						To:	US 211 Frost Ave									
(893) Old Meetze Rd	0.37	540	G	96%	2%	2%	0%	0%	0%	C	0.101	F	0.649	560	G	2011
						To:	Dead End									
(1893) Winchester St	0.42	3600	G	100%	0%	0%	0%	0%	0%	F	0.099	F	0.588	3700	G	2011
						To:	Alexandria St									
(1893) Winchester St	0.69	4900	G	100%	0%	0%	0%	0%	0%	C	0.093	F	0.571	5000	G	2011
						To:	King St									
(1894) Culpeper St	0.38	2800	G	98%	0%	1%	0%	0%	0%	C	0.101	F	0.660	2900	G	2011
						To:	Shirley Ave									
(1894) Culpeper St	0.04	1600	G	98%	0%	1%	0%	0%	0%	F	0.098	F		1700	G	2011
						To:	Hotel St									
						To:	Main St									
(1895) Old Broadview Ave	0.17	5800	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.544	6000	G	2011
						To:	US 15									
						To:	US 17									
Culpeper St	5400	G									NA			5400	G	2011
East St	180	G									0.138	F	0.537	190	G	2011
Fletcher Dr	2300	G									0.100	F	0.513	2300	G	2011

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Warrenton

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Warrenton																
Foxcroft Rd	1600	G												1600	G	2011
			From:			Bear Wallow Dr										
			To:			Fauquier Rd										
Lee St	4100	G												4100	G	2011
			From:			3rd St										
			To:			4th St										
Meetze Rd	10000	G												10000	G	2011
			From:			Falmouth St										
			To:			East St										