2012

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 107

City of Covington

Information in this report is included in Report

03

(Alleghany County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	te
(F241)	Frontage Road (F	precedes frontage route number)
(600)	Secondary Route	

Special Routes

Bus	Bus - Business Route	
{29}	Bypas - Bypass Route	
	Truck - Truck Route	
ALT	ALT - Alternate Route	
(220)	Wye - Wye Route connector	

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

								Tru	ıck			K		Dir		
Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	2Axle	3+Axle			QC	Factor	QK	Factor	AAWDT	- QV
	From:	SC	CL Covington	ı												
18) Indian Valley	City of Covington	0.37	3600	G	98%	1%	0%	1%	0%	0%	F	0.125	F	0.570	3800	G
\smile	To:	S	Pitzer Ridge													
18 S Carpenter Dr	City of Covington		5100	G	98%	1%	0%	1%	0%	0%	С	0.102	F	0.627	5500	(
	To:	G	Gordon Street													
	From:		t Gordon Stre													
18) S Carpenter Dr	City of Covington		5800	G	98%	1%	0%	1%	0%	0%	F	0.098	F	0.627	6100	(
<u> </u>	To:		Igemont Drive													
18 Carpenter Dr	City of Covington		yant Road Ex 4600	G	96%	1%	1%	1%	2%	0%	С	0.092	F	0.629	4900	
18 Carpenter Dr	City of Covingion		220 Madison	_	90%	170	170	170	Z-70	0%	C	0.092	Г	0.029	4900	•
~	O'thank On in the		CL Covingtor		000/	00/		40/	007	00/	_	0.007	_	0.500	0000	,
N Monroe Avenue	City of Covington	0.09	3700	G	98%	0%	0%	1%	0%	0%	F	0.087	F	0.593	3900	(
~~~	To: From:	SR 15	4 W Riversid													
60 N Monroe Avenue	City of Covington	n 0.14	3600	G	98%	0%	0%	1%	0%	0%	F	0.094	F	0.523	3900	C
<u>~</u>	To	W	Locust Street	t			$\neg$ $\vdash$									
60 S Monroe Avenue	City of Covington		5100	G	98%	0%	0%	1%	0%	0%	С	0.092	F	0.549	5400	(
	To:		7 O-1- Ctt													
S Monroe Avenue	From: City of Covington		E Oak Street <b>5400</b>	G	98%	0%	0%	1%	0%	0%	F	0.086	F	0.601	5700	(
S Monroe Avenue	City of Covingion	0.40	3400		30 /0	070	070	1 /0	070	076	'	0.000	'	0.001	3700	
~~~	To: From:		N Alleghany								_					
60) (220) E Madison Avenue	City of Covington	0.12	13000	G	98%	0%	0%	1%	0%	0%	F	NA			14000	C
	To: From:	SI	Highland Ave				-									
60 220 East Madison St	City of Covington	0.26	14000	G	92%	1%	0%	1%	6%	0%	С	0.083	F	0.575	15000	C
\rightarrow	Tax	SR	18 Carpenter	St												
60 220 E Madison St	City of Covington		12000	G	92%	0%	0%	1%	7%	0%	С	0.083	F	0.587	13000	G
00) (220) =	To:		CL Covington				- i	.,.	. , .	-,-	-		•			_
inat	From:	W	CL Covingtor	n												
East 64)	City of Covington (Mair		5200	G	77%	1%	1%	1%	20%	0%	F	NA			4700	
64)	Combined Traffic Estimates for 2 Parallel Ro			G	77%	1%	1%	1%	21%	0%	F	NA			9900	(
	Combined Traine Estimates for 21 draile No				1170	1 70	1 70	1 /0	21/0	076	'	INA			3300	
East	To: From:	SR	154 Durant R	Rd												
East 64)	City of Covington (Mair	nt: 03) 1.19	6100	G	77%	1%	1%	1%	20%	0%	F	NA			5600	C
\mathcal{L}	Combined Traffic Estimates for 2 Parallel Ro	oadways on this Route:	12000	G	77%	1%	1%	1%	21%	0%	F	NA			11000	
	To:	EC	CL Covington	1												
ast	From:	I-64-E TO RT	154NORTH	I & SO	UTH											
Ramp	City of Covington (Mair		NA									NA			NA	
	To:	107-3605 SR	154; 107-360	5-N00	IA G											
/est	From:	We	CL Covingtor	n												
64)	City of Covington (Mair		5500	G	76%	1%	1%	1%	21%	0%	F	NA			5100	
55)	Combined Traffic Estimates for 2 Parallel Ro	•		G	77%	1%	1%	1%	21%	0%	F	NA			9900	G
	5555d Framo Estimatos for 2 Farallol No		154 Durant R		,5	1 / 0	- 73	1 /0	, , ,	0 / 0	•				0000	_

Virginia Department of Transportation Traffic Engineering Division

2012 Annual Average Daily Traffic Volume Estimates By Section of Route City of Covington

									Tru	ıck			K		Dir		
Route	Jurisdictio	on	Length	AADT	QA	4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	Q
Vest	From:	(Marian 00)		154 Durant		700/	40/	40/	40/	040/	00/	_	NIA			F700	
54	City of Covington (I	` '	1.08	6100	G	76%	1%	1%	1%	21%	0%	F	NA			5700	(
	Combined Traffic Estimates for 2 Paralle	el Roadways o		12000 CL Covingt	on	77%	1%	1%	1%	21%	0%	F	NA			11000	
est	From:	:	I-64-W TO R			штн											
Ramp	City of Covington (I	(Maint: 03)	0.12	2500	G	70 111							NA			2500	
14)	To:	:	SR 154 SR 1			I-64											
	From:	:	I-	64 Covingto	on			Ī									
54)S Durant Rd/S Craig Ave	City of Covington (I	(Maint: 03)	0.75	11000	G	98%	0%	0%	1%	0%	0%	С	0.098	F	0.561	12000	
<u> </u>	To:		C	hestnut Stre	eet			_									
Craig Ave	City of Coving	gton	0.56	5400	G	99%	0%	0%	0%	0%	0%	С	0.102	F	0.662	5800	
<i>)</i>	To:			Locust Stree													
54) E Riverside St	City of Covin	orton.	0.28	sington Ave	enue G	98%	0%	1%	1%	0%	0%	С	0.099	F	0.586	3300	
54 E Riverside St	City of Coving	igion	0.20	3200	<u> </u>	90%	0%	170	1 70	0%	0%	C	0.099	Г	0.566	3300	
	To: From:			onroe Aven		0.407	407		001	100/	201	_	0.000	_	0.040	5700	
E Riverside St	City of Coving	igton	0.24	5300	G	84%	1%	1%	2%	13%	0%	С	0.096	F	0.616	5700	
	To: From:			gazine Ave										_			
East Hickory St	City of Coving	igton	0.09	1100	G	84%	1%	1%	2%	13%	0%	F	0.102	F	0.680	1200	
	10.			eghany Ave													
Pomp	City of Covington (SR 154-S000A;	107-3605-N 2900	1001A FE G	ROM RT							0.007	F		2900	
Ramp	City of Covington (I	` <u> </u>	64-E FROM RT			I ID ANT D	,						0.097	Г		2900	
	From:	:	SR 154 I-64-W				`										
54)Ramp	City of Covington (I	(Maint: 03)	0.16	1000	G	13 04							0.128	F		1000	
54)· tsip	To:	:	I-64-W FROM			SOUTH							020	•			
outh	From:		SR 15	54 TO I-64 l	EAST												
Ramp	City of Covington (I	(Maint: 03)	0.04	1500	G								0.107	F		1500	
<u> </u>	To:	,	SR 154- A; 10	7-3605-N00	1A FRC	M RT											
	From:	:	Е	CL Covingt	on												
20 60 E Madison St	City of Coving	gton	0.46	12000	G	92%	0%	0%	1%	7%	0%	С	0.083	F	0.587	13000	
~~ <u>~</u>	To		SR	18 Carpente	er St												
20 60 East Madison St	City of Coving	gton	0.26	14000	G	92%	1%	0%	1%	6%	0%	С	0.083	F	0.575	15000	
	To:		SH	ighland Ave	enne												
E Madison Avenue	City of Coving	gton	0.12	13000	G	98%	0%	0%	1%	0%	0%	F	NA			14000	
20) (0)	To	<u> </u>	CA	Ionroe Ave	m110												
N Alleghany Ave	From: City of Coving	aton	0.93	9200	G	97%	0%	1%	1%	1%	0%	F	0.083	F	0.526	9800	
20)	7J					/ •	-70		. , 0	.,0	- / 0	-			 -	- 500	
N Alleghany Ave	From: City of Coving	aton	0.62	Locust Stre 9100	G	97%	0%	1%	1%	1%	0%	F	0.082	F	0.512	9600	
ZO N Allograny Ave	City of Coving	19.011				J1 /0	0 /0	1 /0	1 /0	1 /0	U /0	•	0.002	'	0.012	5500	
~\N Alloghany Ava	To: From:	et on		agazine Av		070/	00/	10/	10/	40/	00/		0.000		0.570	6200	
N Alleghany Ave	City of Coving	igion	0.66	6000	G	97%	0%	1%	1%	1%	0%	С	0.096	F	0.579	6300	

						City 0	Covingion								
Route	Length	AADT	QA	4Tire	Bus		Truck- 3+Axle 1T		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Covington		From:	1			411 1	G . I .								
F ₂₀₃ Totten Dr	0.79	60	R			Allegna	ny County Line			NA			NA		07/31/200
(1203)		To				107-360	5, S Durrant Rd								
		From:				SR 18	Carolton Rd								
(F204) Carlton Dr	0.48	110	R							NA			NA		07/31/200
		To:				D	ead End								
C Mallaus Dal	0.00	From:	<u> </u>	070/	20/		Carpenter Drive	0/ 00	, NI		N.	0.740	C40	N.	2042
1 E Mallow Rd	d 0.86	590 _{To:}	N	97%	2%	0%	0% 0	% 0%	_b N	0.119	N	0.743	610	N	2012
		From:					54 Craig Ave			1					
2 Hawthorne St	0.42	530	G	97%	1%	2%		% 0%	. C	0.140	F	0.663	560	G	2012
2)	•	To:			.,,		Monroe Avenue				-				
		From:				107-5	Chestnut St								
3 Lexington Ave	0.71	1300	G	97%	1%	1%		% 0%	ъ С	0.109	F	0.524	1400	G	2012
		To				Ri	verside St								
		From:				SR 15	54 Craig Ave								
4 Locust St	0.13	3400	G	97%	0%	1%		% 0%	S C	0.098	F	0.520	3600	G	2012
<u> </u>		To:				107-3 I	exington Ave								
01	0.40	From		000/		•	Ave; S. Duran				_	0.550	0700	_	0040
5 Chestnut St	0.13	2600	G	98%	0%	0%	1% 0	% 0%	S C	0.099	F	0.556	2700	G	2012
		From:	<u> </u>				exington Ave								
5 Chestnut St	0.29	1700	G	99%	0%	0%	0% 0 V Alleghany Ave	% 0%	5 C	0.099	F		1800	G	2012
		From:						;							
S Pitzer Ridge	0.37	510	G	99%	0%	0%	SR 18 0% 0	% 0%	6 C	0.107	F	0.617	540	G	2012
S Pitzer Ridge	0.01	To	Ť	0070	070		Covington	70 07		0.107	•	0.017	040	Ü	2012
		From					arpenter Dr								
3605) W Edgemont Dr	0.67	3600	G	96%	1%	0%		% 0%	5 C	0.098	F	0.514	3900	G	2012
		To					yon Drive								
C Payon Dr	0.21	3300	G	98%	0%	W Edg 1%	gemont Drive 0% 1	% 0%	6 C	0.097	F	0.644	2500	G	2012
3605 S Rayon Dr	0.21	3300 To:		90%	0%		ckson Street	76 07	, C	0.097	Г	0.641	3500	G	2012
		From					ayon Drive								
3605) W Jackson St	0.43	4000	G	98%	1%	0%	1% 1	% 0%	6 C	0.095	F	0.632	4300	G	2012
$\overline{}$		To: From:				S Wi	illis Avenue								
3605) S Durrant Rd	0.45	11000	G	98%	0%	0%		% 0%	S C	0.088	F	0.547	11000	G	2012
$\overline{}$		To:					I-64								
North		From:			107	7-3605 SR	154 I-64-E014	A Ga							
3605) Ramp	0.04	1200	G		CD 15	4 0000 4 0	ID 154 A EDG	A DT 1		0.096	F		1200	G	2012
		10:			SR 154		SR 154- A FRO	MRTT							
Beverly Avenue		130	G			С	ypress St			0.105	F	0.529	130	G	2012
beverly Averlue		To:				(Cedar St			0.105	Г	0.529	130	G	2012
		From:					ontas Avenue			+					
Cedar St		320	G			rocan	ontas Avenue			0.151	F	0.684	320	G	2012
		To:	Ť			Green	brier Avenue				•	0.00	020	Ū	_0
		From				E Ma	dison Street								
Dollyann Dr		550	G							0.107	F	0.78	550	G	2012
		To:				S Po	ond Avenue								
		From:				CS	X Railroad								
E Chestnut St		6800	G							NA			6800	G	2012
		To: From:					ghland Ave Monroe Ave								
E Chestnut St		1200	G			03 00	MIOHUE AVE			NA			1200	G	2012
		To:				US 220 S	Alleghany Ave	:						_	
·													_		

					City of Covington								
Route	Length AADT	QA 4	Tire	Bus	Truck 2Axle 3+Axle 1Trail	(QC F	K actor	QK	Dir Factor	AAWDT	QW	Year
v of Covington	From				E Cardand Drive			1					
E Fairlawn Dr	130	G			E Scotland Drive		(」).179	F	0.689	130	G	2012
_ : aa	To				S Carlton Drive			1	•	0.000			
	From				S Powhatan Avenue			Ī					
E Gordon St	180	G					(.114	F	0.7	180	G	2012
	То				Smith Avenue								
- 0.	From				S Mound Avenue								
E Gray St	200	G			C. D 1 A		().136 T	F	0.536	200	G	2012
	From				S Pond Avenue			<u> </u>					
E Hawthorne St	NA NA				S Lawn Ave			J NA			NA		
E Hawthome of	To				S Highland Ave			, , , , , , , , , , , , , , , , , , ,			14/1		
	From				US 220 N Alleghany Ave			i					
E Magazine Ave	220	G						NA			220	G	201
	То				Hazel St								
	From				SR 18 S Carpenter Dr								
E Mallow St	1300	G						NA			1300	G	201
	То				E Hamilton Dr								
	From				S Greenway Drive]	_				
E Michigan St	230	G			W46-14 D-			0.16	F	0.579	230	G	201
	From				Woodfield Dr			<u> </u>					
E Scotland Rd	70	G			S Carlton Drive).143	F	0.609	70	G	201
L Scotland Nu	To	<u> </u>			E Fairlawn Drive			7. 143 7		0.009	70	G	201
	From				Carpenter Drive			i					
E Trout St	1800	G			Carpenter Drive		(F	0.513	1800	G	201
	To				ECL Covington								
	From				S Greenway Drive								
Forest Avenue	100	G						0.14	F	0.571	100	G	201
	То				Dead End								
	From				E Larch St								
N Magazine Ave	4400 _{To}	G			MACH D 1			NA			4400	G	201
					N Mill Rd			<u> </u>					
N Maple Ave	From 1200	G			W Locust St			NA			1200	G	201
N Maple Ave	1 200				W Main St			7			1200	G	201
	From				W Locust Street			ì					
N Marion St	380	G			W Locust Street			0.11	F	0.605	380	G	201
	To				W Hawthorne Street								
	From				E. Willow St.			T					
N Rockbridge Ave	70	G					(.287	F	0.612	70	G	201
	То				E. Cedar St.								
	From				Cedar Street								
Pocahontas Avenue	190	G					().133	F	0.68	190	G	201
	То				McAllister Street								
C Caultan Du	From				E Scotland Road				_	0.000	400	_	004
S Carlton Dr	160 To	G	—		E Fairlawn Drive).129 7	F	0.636	160	G	201
	From							\vdash					
S Greenway Dr	420	G			E Michigan Street		(.).104	F	0.539	420	G	201
	To	L			E Pennsylvania Street			1				_	
	From				E Pine St			Ī					
S Highland Ave	2000	G						NA			2000	G	201
	То				E Oak St								
	From				W Fudge St								
S Maple	250	G					C	.117	F	0.803	250	G	201
	To				W Pine St								

AAWDT QW	Year
760 G	2012
2100 G	2012
590 G	2012
30 G	201
	2100 G 590 G