

**2014**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**13**

Buchanan County  
Town of Grundy

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axe Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axe Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	US Route	
	Virginia State Route	
	Frontage Road (F precedes frontage route number)	
	Secondary Route	

### Special Routes

	Bus - Business Route
	Bypas - Bypass Route
	Truck - Truck Route
	ALT - Alternate Route
	Wve - Wve Route connector
	P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
	The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2014  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
80 Red Bud Hwy	Buchanan County	9.92	<b>1600</b>	<b>G</b>	95%	1%	1%	1%	1%	0%	C	0.103	F	0.549	1600	G
80 Breaks Park Rd	Buchanan County	1.60	<b>720</b>	<b>G</b>	87%	0%	1%	2%	10%	0%	F	NA			760	G
83	Buchanan County	2.47	<b>2900</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	F	0.102	F	0.721	3100	G
83	Buchanan County	5.96	<b>2900</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	C	0.106	F	0.661	3000	G
83 Dickenson Hwy	Buchanan County	1.95	<b>4600</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	F	0.094	F	0.682	4800	G
83 460	Buchanan County	1.99	<b>10000</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	NA			11000	G
83 460	Town of Grundy (Maint: 13)	1.96	<b>9800</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	NA			11000	G
83 Edgewater Dr	Town of Grundy (Maint: 13)	1.49	<b>6900</b>	<b>G</b>	94%	1%	1%	1%	3%	0%	F	0.1	F	0.557	7200	G
83 State Creek Rd	Buchanan County	2.93	<b>5300</b>	<b>G</b>	94%	1%	1%	1%	3%	0%	F	0.093	F	0.614	5600	G
83	Buchanan County	4.24	<b>2800</b>	<b>G</b>	94%	1%	1%	1%	3%	0%	C	0.099	F	0.531	3000	G
83	Buchanan County	2.47	<b>1700</b>	<b>G</b>	94%	1%	1%	1%	3%	0%	F	0.107	F	0.566	1800	G
83	Buchanan County	4.67	<b>810</b>	<b>G</b>	94%	1%	1%	1%	3%	0%	F	0.098	F	0.740	850	G
460	Buchanan County	2.61	<b>3200</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	0.096	F	0.511	3500	G
460	Buchanan County	2.09	<b>3300</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	0.091	F	0.506	3600	G
460	Buchanan County	2.36	<b>3900</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	0.089	F	0.674	4300	G
460	Buchanan County	2.59	<b>5600</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	0.106	F	0.622	6200	G
460	Buchanan County	1.56	<b>5900</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	0.098	F	0.639	6400	G

Virginia Department of Transportation  
Traffic Engineering Division  
2014  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
460	Town of Grundy (Maint: 13)	1.62	5900	N	95%	0%	1%	1%	3%	0%	N	0.098	N	0.639	6400	N
	To:	US 460 Par; 13-1006 NORTH														
	From:	US 460 Par; 13-1006 South														
460 83	Town of Grundy (Maint: 13)	1.96	9800	G	95%	0%	1%	1%	3%	0%	F	NA			11000	G
	To:	SCL Grundy														
460 83	Buchanan County	1.99	10000	G	95%	0%	1%	1%	3%	0%	F	NA			11000	G
	To:	SR 83 South Intersection														
460	Buchanan County	3.59	8200	G	95%	0%	1%	1%	3%	0%	F	0.088	F	0.536	9000	G
	To:	13-638 Dismal River Rd														
460	Buchanan County	5.25	7200	G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.525	7900	G
	To:	13-1101 Keen Mtn Camp														
	From:	13-1101 Keen Mtn. Camp														
460	Buchanan County	2.21	7300	G	95%	0%	1%	1%	3%	0%	F	0.093	F	0.541	8000	G
	To:	13-680 Contrary Creek Rd														
460	Buchanan County	6.30	6700	G	95%	0%	1%	1%	3%	0%	F	0.082	F	0.609	7400	G
	To:	Tazewell County Line														

Virginia Department of Transportation  
Traffic Engineering Division

2014 Annual Average Daily Traffic Volume Estimates By Section of Route Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(600) Hurricane	0.10	990	G	96%	1%	2%	2%	0%	0%	C	0.121	F	0.584	1000	G	2014
(600) Hurricane	0.90	930	G	96%	1%	2%	2%	0%	0%	F	0.116	F	0.601	980	G	2014
(600) Hurricane	7.00	170	G	96%	1%	2%	2%	0%	0%	F	0.116	F	0.558	180	G	2014
(601) Convict Hwy	2.20	1100	R											NA	NA	12/10/2007
(602) Indian Creek	0.55	440	G	87%	0%	4%	8%	0%	0%	F	0.13	F	0.603	460	G	2014
(602) Indian Creek Rd	1.41	340	G	87%	0%	4%	8%	0%	0%	C	0.143	F	0.635	360	G	2014
(602)	3.67	600	R											NA	NA	03/03/2008
(602)	3.06	70	R											NA	NA	03/03/2008
(602)	1.01	70	R											NA	NA	03/03/2008
(602)	1.52	410	R											NA	NA	03/05/2008
(603)	0.90	120	R											NA	NA	01/29/2008
(603)	0.70	90	R											NA	NA	04/07/2008
(603)	1.50	60	R											NA	NA	01/28/2008
(604) Poplar Gap Rd	2.04	900	R											NA	NA	12/12/2007
(604) Poplar Gap Rd	2.96	540	R											NA	NA	12/12/2007
(604) Poplar Gap Rd	1.40	400	R											NA	NA	12/10/2007
(604) Poplar Gap Rd	1.00	540	R											NA	NA	12/10/2007
(604) Poplar Gap Rd	2.52	1000	R											NA	NA	01/07/2008
(605) Russell Fork	3.22	490	R											NA	NA	01/28/2008
(605) Russell Fork	1.10	950	R											NA	NA	01/16/2008
(605) Russell Fork	2.20	160	R											NA	NA	01/16/2008
(606) Rakes Ridge	1.30	550	R											NA	NA	12/12/2007

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(607) Fletchers Hwy	0.90	100	R			From:	13-600 Hurricane			NA			NA		03/17/2008	
			To:				Dead End									
(608) Right Fork Greenbrier	2.30	1200	R			From:	13-611 Greenbrier			NA			NA		12/12/2007	
			To:				2.30 ME 13-611 Greenbrier									
(608) Right Fork Greenbrier	1.30	430	R			From:				NA			NA		12/12/2007	
			To:				Dead End									
(609) King Solomon Colley Rd	4.64	560	G	94%	1%	1%	3%	2%	0%	F	0.102	F	0.612	590	G	2014
			From:				Dickenson County Line									
(609) King Solomon Colley Rd	0.94	1100	G	94%	1%	1%	3%	2%	0%	F	0.094	F	0.612	1200	G	2014
			To:				13-664 Deel Fork									
(609) Bull Creek Rd	1.76	1600	G	94%	1%	1%	3%	2%	0%	F	0.094	F	0.72	1700	G	2014
			From:				13-614 Woods Fork									
(609) Bull Creek Rd	0.92	2100	G	94%	1%	1%	3%	2%	0%	C	0.085	F	0.730	2200	G	2014
			To:				US 460									
(610) Conaway/Cow Fork	3.79	370	R			From:				NA			NA		11/05/2007	
			To:				SR 80									
(610) Conaway/Cow Fork	2.51	500	R			From:				NA			NA		11/05/2007	
			To:				3.79 MN SR 80									
(610) Conaway/Cow Fork	2.72	670	R			From:				NA			NA		11/05/2007	
			To:				6.30 MN SR 80									
(611) Greenbrier	1.56	1400	R			From:				NA			NA		12/12/2007	
			To:				SR 83									
(611) Greenbrier	1.20	940	R			From:				NA			NA		01/16/2008	
			To:				13-714 Little Greenbrier									
(612) Looneys Fork	0.70	170	R			From:				NA			NA		01/16/2008	
			To:				Dead End									
(613)	3.40	250	R			From:				NA			NA		02/14/2008	
			To:				13-636									
(613)	3.40	110	R			From:				NA			NA		02/19/2008	
			To:				3.40 MN 13-636									
(614)	4.00	210	R			From:				NA			NA		12/10/2007	
			To:				4.00 MN 13-604									
(614)	1.00	440	R			From:				NA			NA		12/10/2007	
			To:				13-609 Bull Creek Rd									
(615) Hoot Owl St	2.70	740	G	98%	0%	2%	0%	0%	0%	C	NA		740	G	2014	
			From:				13-604 Poplar Gap Rd									
			To:				WCL Grundy									
<b>Town of Grundy</b>																
(615) Hoot Owl St	0.49	610	R			From:				NA			NA		01/07/2008	
			To:				WCL Grundy									
(615) Hoot Owl St	0.06	860	R			From:				NA			NA		01/07/2008	
			To:				13-1009 Levisa St									
							US 460, SR 83									
<b>Buchanan County</b>																
(616)	0.60	190	R			From:				NA			NA		02/21/2008	
			To:				92-622 Reynolds Ridge Rd									
							Tazewell County Line ; 92-612									

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(616)	1.60	60	R								NA		NA		01/31/2008	
(616)	2.40	90	R								NA		NA		01/31/2008	
(616)	1.50	90	R								NA		NA		01/31/2008	
(616)	4.60	50	R								NA		NA		01/31/2008	
(616)	0.60	40	R								NA		NA		01/31/2008	
(616)	1.00	80	R								NA		NA		01/31/2008	
(616)	0.70	290	R								NA		NA		02/19/2008	
(616)	1.00	380	R								NA		NA		03/17/2008	
(616)	1.00	570	R								NA		NA		01/31/2008	
(616)	0.60	180	R								NA		NA		01/31/2008	
(617) Little Prater	1.90	420	R								NA		NA		04/03/2008	
(617) Little Prater	0.30	1600	G	92%	1%	0%	6%	1%	0%	C	NA		1600	G	2014	
(618) Fox Ridge Dr	1.39	130	R								NA		NA		01/09/2008	
(618) Fox Ridge Dr	1.01	200	R								NA		NA		01/09/2008	
(618) Fox Ridge Dr	2.22	380	R								NA		NA		01/09/2008	
(619) Lee Master Dr	3.82	590	R								NA		NA		01/28/2008	
(619) Lee Master Dr	2.96	210	R								NA		NA		01/16/2008	
(619) Lee Master Dr	2.00	1400	R								NA		NA		04/03/2008	
(620)	1.56	430	R								NA		NA		03/05/2008	
(620)	3.21	290	R								NA		NA		03/17/2008	
(620)	0.98	210	R								NA		NA		03/17/2008	
(620)	2.75	180	R								NA		NA		04/07/2008	
(620) Indian Gap Rd	1.35	300	G	89%	0%	1%	8%	2%	0%	F	0.115	F	0.649	310	G	2014
(620) Deskins Rd	2.82	350	G	89%	0%	1%	8%	2%	0%	F	0.129	F	0.824	370	G	2014

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(620)	3.42	1100	G	89%	0%	1%	8%	2%	0%	C	0.097	F	0.806	1200	G	2014
(621) Brown Mtn	2.00	180	R										NA		NA	02/21/2008
(621) Brown Mtn	2.20	540	R										NA		NA	02/21/2008
(622) Ball Creek	2.40	250	R										NA		NA	03/17/2008
(622) Ball Creek	1.70	170	R										NA		NA	03/17/2008
(623) Council Mtn	0.10	30	R										NA		NA	03/05/2008
(623) Council Mtn	1.50	30	R										NA		NA	03/03/2008
(623) Council Mtn	0.49	47	R										NA		NA	03/05/2008
(623) Council Mtn	1.00	60	R										NA		NA	03/05/2008
(623) Council Mtn	0.26	100	R										NA		NA	03/05/2008
(623) Council Mtn	0.25	220	R										NA		NA	03/17/2008
(624) Garden Creek Rd	2.23	1300	G	95%	0%	1%	1%	2%	0%	F	0.095	F	0.651	1400	G	2014
(624) Garden Creek Rd	1.28	1600	G	95%	0%	1%	1%	2%	0%	F	0.1	F	0.673	1700	G	2014
(624)	0.92	1700	G	95%	0%	1%	1%	2%	0%	F	0.096	F	0.626	1800	G	2014
(624)	2.57	1800	G	95%	0%	1%	1%	2%	0%	F	0.094	F	0.678	1900	G	2014
(624)	0.59	2200	G	95%	0%	1%	1%	2%	0%	F	0.094	F	0.643	2300	G	2014
(624)	0.25	2600	G	95%	0%	1%	1%	2%	0%	F	0.095	F	0.653	2700	G	2014
(624)	1.40	3000	G	95%	0%	1%	1%	2%	0%	C	0.098	F	0.627	3100	G	2014
(624) Garden Creek Rd	0.18	3200	G	95%	0%	1%	1%	2%	0%	F	0.096	F	0.641	3300	G	2014
(624) Garden Creek Rd	2.35	260	R										NA		NA	12/18/2007
(624) Kennel Gap Rd	0.35	50	R										NA		NA	03/17/2008
(625)	0.35	50	R										NA		NA	03/17/2008
(625)	1.70	120	R										NA		NA	03/17/2008
(625)	2.05	100	R										NA		NA	03/17/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Buchanan County</b>															
(625)	0.35	110	R			From:	3.75 ME 13-620						NA	03/17/2008	
			To:				Russell County Line								
(626) Trace Branch	2.90	210	R			From:	13-632 Page						NA	01/09/2008	
			To:				US 460								
(627) Dry Fork	3.50	640	R			From:	SR 83						NA	04/03/2008	
			To:				3.50 ME SR 83								
(627) Dry Fork	5.10	290	R			From:	13-624						NA	04/07/2008	
			To:												
(628) Horn Mtn Rd	3.91	160	R			From:	13-629						NA	02/14/2008	
			To:				13-633 Horn Mtn								
(628) Horn Mtn Rd	2.43	70	R			From:							NA	02/14/2008	
			To:				2.43 MN 13-633 Horn Mtn								
(628) Horn Mtn Rd	0.17	200	R			From:	13-638 WEST						NA	02/14/2008	
			To:				13-638 EAST								
(628) Horn Mtn Rd	2.50	220	R			From:							NA	02/14/2008	
			To:				2.50 MN 13-628								
(628) Horn Mtn Rd	1.00	190	R			From:							NA	02/14/2008	
			To:				3.50 MN 13-638								
(628) Horn Mtn Rd	0.50	170	R			From:	13-639 Compton Mtn Rd						NA	02/14/2008	
			To:				US 460								
(629)	0.80	450	R			From:							NA	02/21/2008	
			To:				92-617 Red Root Ridge Rd								
(629)	4.00	360	R			From:							NA	02/21/2008	
			To:				13-628 Horn Mtn Rd								
(629)	1.50	130	R			From:							NA	02/14/2008	
			To:				1.50 MW 05-628 Horn Mtn Rd								
(629)	2.50	1100	R			From:							NA	02/21/2008	
			To:				13-680 MID								
(629)	1.97	3500	R			From:							NA	02/21/2008	
			To:				13-680 SOUTH								
(629)	0.76	50	R			From:							NA	02/21/2008	
			To:				1.97 MN 13-680								
(629) Big Branch Rd	2.54	200	R			From:	13-715 Upper Big Branch						NA	02/11/2008	
			To:				13-680 NORTH								
(630) Drill	0.50	80	R			From:	Dead End						NA	02/06/2008	
			To:				Russell County Line								
(631) Middle Fork	0.01	490	R			From:	Dickenson County Line; 05-768						NA	12/10/2007	
			To:												
(631) Middle Fork	1.50	180	R			From:	13-693 Crow Pass Rd						NA	12/10/2007	
			To:												
(631) Middle Fork	0.99	100	R			From:	1.50 ME 13-693 Crow Pass Rd						NA	12/10/2007	
			To:				Dead End								
(632) Page Dr	1.60	130	G	51%	1%	2%	36%	10%	0%	F	0.108	F	0.512	140	
			From:				Russell County Line; 83-632								
			To:				13-734 Hale Branch								

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(632) Page Dr	3.30	150	G	51%	1%	2%	36%	10%	0%	F	0.114	F	0.7	160	G	2014
(632) Page Dr	3.10	720	G	51%	1%	2%	36%	10%	0%	C	0.098	F	0.56	750	G	2014
(633) Horn Mtn	0.50	20	R											NA		02/14/2008
(634) Pistol Branch	1.70	240	R											NA		01/09/2008
(635)	6.82	570	R											NA		02/21/2008
(635) Wimmer Gap Rd	3.92	910	G	86%	1%	1%	5%	6%	0%	C	0.089	F	0.540	960	G	2014
(636)	4.14	310	G	90%	0%	0%	7%	2%	0%	C	0.139	F	0.822	330	G	2014
(636)	0.16	270	R											NA		02/14/2008
(636)	5.24	100	R											NA		02/19/2008
(637) Bearwallow	1.90	170	R											NA		01/31/2008
(638) Dismal River Rd	0.85	1800	G	76%	0%	2%	9%	13%	0%	C	0.098	F	0.589	1900	G	2014
(638) Dismal River Rd	3.06	1200	G	76%	0%	2%	9%	13%	0%	F	0.090	F	0.637	1200	G	2014
(638) Dismal River Rd	2.47	720	G	76%	0%	2%	9%	13%	0%	F	0.101	F	0.629	760	G	2014
(638) Dismal River Rd	5.16	590	G	76%	0%	2%	9%	13%	0%	F	0.106	F	0.942	620	G	2014
(638) Dismal River Rd	2.52	1400	G	85%	1%	1%	2%	11%	0%	C	0.09	F	0.591	1400	G	2014
(638) Dismal River Rd	0.46	2700	G	85%	1%	1%	2%	11%	0%	F	0.079	F	0.564	2900	G	2014
(638) Dismal River Rd	1.77	2600	G	85%	1%	1%	2%	11%	0%	F	0.084	F	0.583	2800	G	2014
(638) Dismal River Rd	0.81	1600	G	85%	1%	1%	2%	11%	0%	F	0.094	F	0.562	1700	G	2014
(638) Dismal River Rd	3.75	1400	G	85%	1%	1%	2%	11%	0%	F	0.099	F	0.526	1400	G	2014
(639) Compton Mtn Rd	4.50	150	R											NA		12/05/2007
(639) Compton Mtn Rd	1.25	170	R											NA		02/14/2008
(639) Compton Mtn Rd	0.45	170	R											NA		01/31/2008

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(640) Hale Creek	0.30	1600	R								NA			NA		02/11/2008
(640) Hale Creek	2.24	1600	R								NA			NA		02/11/2008
(640) Hale Creek	0.16	1700	R								NA			NA		02/21/2008
(640) Hale Creek	1.40	490	R								NA			NA		12/05/2007
(640) Hale Creek	0.10	870	R								NA			NA		12/05/2007
(641) Patterson	2.30	650	R								NA			NA		02/11/2008
(641) Patterson	3.20	640	R								NA			NA		02/11/2008
(642) Elkins Branch	5.25	1700	R								NA			NA		12/20/2007
(643) Hurley Rd	4.11	1300	G	96%	1%	1%	1%	1%	0%	F	0.091	F	0.558	1400	G	2014
(643) Hurley Rd	1.64	1600	G	96%	1%	1%	1%	1%	0%	F	0.107	F	0.575	1700	G	2014
(643) Hurley Rd	2.15	1700	G	96%	1%	1%	1%	1%	0%	F	0.138	F	0.661	1800	G	2014
(643) Hurley Rd	1.22	2200	G	96%	1%	1%	1%	1%	0%	F	0.101	F	0.597	2300	G	2014
(643) Hurley Rd	0.28	2300	G	96%	1%	1%	1%	1%	0%	F	0.105	F	0.609	2400	G	2014
(643) Hurley Rd	1.00	2200	G	96%	1%	1%	1%	1%	0%	C	0.106	F	0.580	2300	G	2014
(643) Hurley Rd	0.82	1800	G	96%	1%	1%	1%	1%	0%	F	0.134	F	0.594	1900	G	2014
(643) Hurley Rd	1.06	1500	G	96%	1%	1%	1%	1%	0%	F	0.094	F	0.504	1600	G	2014
(643) Hurley Rd	1.74	1300	G	96%	1%	1%	1%	1%	0%	F	0.1	F	0.564	1300	G	2014
(643) Hurley Rd	1.64	840	G	96%	1%	1%	1%	1%	0%	F	0.112	F	0.555	880	G	2014
(643) Hurley Rd	0.60	20	R								NA			NA		11/15/2007
(644) Hunts Fork Rd	2.00	300	R								NA			NA		11/15/2007
(645)	0.10	3100	G	96%	0%	2%	2%	0%	0%	F	0.091	F	0.538	3300	G	2014
(645)	0.21	1700	G	96%	0%	2%	2%	0%	0%	F	0.099	F	0.627	1800	G	2014
(645)	6.98	770	G	96%	0%	2%	2%	0%	0%	C	0.12	F	0.537	810	G	2014

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(645) Paw Paw Rd	2.46	1000	G	96%	0%	2%	2%	0%	0%	F	0.098	F	0.507	1100	G	2014
			From:	13-644 Hunts Fork Rd						To:	13-643 Hurley Rd					
(646) Guesses Fork	2.88	940	G	96%	1%	2%	1%	1%	0%	C	0.1	F	0.531	990	G	2014
			From:	13-643 Hurley Rd						To:	13-647 Old Guesses Fork Rd					
(646)	3.03	610	G	96%	1%	2%	1%	1%	0%	F	0.104	F	0.539	640	G	2014
			From:	West Virginia State Line						To:						
(647)	1.50	310	R	Dead End							NA					
			From:	1.50 MN Dead End						To:						
(647)	0.50	390	R	NA							NA					
			From:	2.00 MN Dead End						To:						
(647)	1.00	520	R	NA							NA					
			From:	3.00 MN Dead End						To:						
(647)	2.00	540	R	NA							NA					
			From:	13-646 Guesses Fork						To:						
(648) Pounding Mill Branch	0.80	110	R	Dead End							NA					
			From:	NA						To:	0.80 ME Dead End					
(648) Pounding Mill Branch	1.10	170	R	NA							NA					
			From:	13-643 Hurley Rd						To:						
(649) Laurel Fork	0.37	180	R	NA							NA					
			From:	NA						To:	0.37 ME 13-643					
(649) Laurel Fork	1.63	40	R	NA							NA					
			From:	Dead End						To:						
(650) Home Creek Rd	2.34	810	G	93%	1%	2%	3%	1%	0%	C	0.1	F	0.533	860	G	2014
			From:	13-700 Thomas Mtn Rd						To:	13-659 Left Fork Home Creek					
(650) Home Creek Rd	6.09	470	G	93%	1%	2%	3%	1%	0%	F	0.098	F	0.587	490	G	2014
			From:	13-659 Old Home Creek Rd						To:						
(650) Lesters Fork Rd	5.71	970	G	93%	1%	2%	3%	1%	0%	F	0.094	F	0.515	1000	G	2014
			From:	13-651 S. Left Fork Lesters						To:	13-643 Hurley Rd					
(651) Left Fork Lesters	0.80	1300	R	NA							NA					
			From:	NA						To:	13-642 Elkins Branch					
(651) Left Fork Lesters	1.57	650	R	NA							NA					
			From:	NA						To:	1.57 MN 13-642					
(651) Left Fork Lesters	0.13	290	R	NA							NA					
			From:	NA						To:	13-675 Brushey Fork					
(651) Lt. Fk. Lesters	0.93	270	R	NA							NA					
			From:	NA						To:	0.93 MN 13-675 Brushey Fork					
(651) Lt. Fk. Lesters	2.07	340	R	NA							NA					
			From:	NA						To:	13-650 Lesters Fork Rd					
(652)	1.25	250	R	Dead End							NA					
			From:	NA						To:	13-643 SOUTH					
(652)	0.90	720	R	NA							NA					
			From:	NA						To:	13-643 NORTH					
(652)	1.10	310	R	NA							NA					
			From:	NA						To:	13-706 Lick Creek					
(652)				1.10 ME 13-706 Lick Creek							NA					

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Buchanan County</b>															
(652)	0.99	260	R			From:	1.10 ME 13-706 Lick Creek			NA		NA	NA	11/13/2007	
(652)	0.50	160	R			To:	2.09 ME 13-706 Lick Creek			NA		NA	NA	11/13/2007	
(652)	4.01	120	R			From:	2.59 ME 13-706 Lick Creek			NA		NA	NA	11/13/2007	
(652)						To:	West Virginia State Line								
(653) Coon Branch	0.50	490	R			From:	13-643 Hurley Rd			NA		NA	NA	11/13/2007	
(653) Coon Branch	0.20	390	R			To:	0.50 ME 13-643 Hurley Rd			NA		NA	NA	11/13/2007	
(653) Coon Branch	1.30	150	R			From:	13-709 Blacky Fork			NA		NA	NA	11/13/2007	
(653) Coon Branch						To:	Dead End								
(654) Spruce Pine	1.00	250	R			From:	13-638 Dismal River Rd			NA		NA	NA	02/11/2008	
(654) Spruce Pine	1.10	40	R			To:	1.00 MN 13-638			NA		NA	NA	02/11/2008	
(655) Lynn Camp	4.55	390	R			From:	US 460			NA		NA	NA	11/05/2007	
(655) Lynn Camp	0.35	46	R			To:	4.55 ME US 460			NA		NA	NA	11/05/2007	
(656) Looney Creek	3.00	120	R			From:	US 460			NA		NA	NA	12/20/2007	
(656) Looney Creek	0.90	130	R			To:	13-677 Wolfpen			NA		NA	NA	12/20/2007	
(657) Back Hurricane	0.85	630	R			From:	13-600 Hurricane			NA		NA	NA	01/28/2008	
(657) Back Hurricane	0.45	600	R			To:	0.85 MN 13-600 Hurricane			NA		NA	NA	01/28/2008	
(657) Back Hurricane	0.50	480	R			From:	13-603 SOUTH			NA		NA	NA	01/28/2008	
(657) Back Hurricane	5.30	450	R			To:	13-603 NORTH			NA		NA	NA	01/28/2008	
(658) Little Paw Paw	3.09	200	R			From:	13-605 Russell Fork			NA		NA	NA	12/12/2007	
(658) Little Paw Paw	0.91	500	R			To:	3.09 MN 13-605 Russell Fork			NA		NA	NA	12/12/2007	
(659) Left Fork Home Creek	0.80	220	R			From:	SR 83								
(659) Left Fork Home Creek	1.10	170	R			To:	13-650 Home Creek Rd			NA		NA	NA	12/20/2007	
(659) Left Fork Home Creek						From:	0.80 MN 13-650 Home Creek Rd								
(660) Long Branch	1.10	300	R			To:	Dead End			NA		NA	NA	02/06/2008	
(660) Long Branch						From:	Dead End								
(660) Long Branch						To:	13-624 Garden Creek Rd			NA		NA	NA	02/06/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Grundy</b>															
(661) Watkins Branch	0.36	240	R			Dead End							NA	NA	01/14/2008
(661) Watkins Branch	0.20	980	R			From: 13-1010 Holland St							NA	NA	01/14/2008
						To: US 460									
<b>Buchanan County</b>															
(662)	0.30	80	R			From: Dead End							NA	NA	02/06/2008
(662)	0.90	130	R			From: 0.30 MS Dead End							NA	NA	02/06/2008
(662) Robinson Fork Rd	2.00	460	G 95%	1%	0%	3%	0%	0%	C 0.112	F 0.519	480	G	2014		
						To: 13-620 N, Deskins Rd; Indian Gap Rd									
						13-624 Garden Creek Rd									
(663) Laurel Branch	1.10	170	R			From: 13-605 Russell Fork							NA	NA	01/28/2008
(663) Laurel Branch	0.75	90	R			From: 1.10 MS 13-605 Russell Fork							NA	NA	01/28/2008
						To: Dead End									
(664) Deel Fork	0.90	230	R			From: Dead End							NA	NA	01/07/2008
						To: 13-609 King Solomon Colley Rd									
(665) Rosin Camp	0.30	120	R			From: 13-624 Garden Creek Rd							NA	NA	02/06/2008
(665) Rosin Camp	1.20	90	R			From: 0.30 MN 13-624							NA	NA	02/06/2008
						To: Dead End									
(666) Mill Branch	2.10	190	R			From: 13-638 Dismal River Rd							NA	NA	02/11/2008
						To: Dead End									
(667) Whitts Branch	0.50	140	R			From: Dead End							NA	NA	02/06/2008
						To: 13-660 Long Branch									
(668) Little Garden	0.98	100	R			From: Dead End							NA	NA	12/18/2007
						To: 13-624									
(669) Garden School	0.10	80	R			From: 13-624 Garden Creek Rd							NA	NA	12/18/2007
						To: Dead End									
(670) Abners Fork Rd	0.34	60	R			From: Dead End							NA	NA	11/15/2007
						To: 0.34 MN Dead End									
(670) Abners Fork Rd	0.51	130	R			From: 13-645							NA	NA	11/15/2007
						To: 13-618 Fox Ridge Dr									
(671) Davis Mtn	1.50	130	R			From: 13-671 Davis Mtn							NA	NA	01/09/2008
						To: US 460									
(671) Davis Mtn	0.07	140	R			From: 13-602							NA	NA	01/09/2008
						To: 0.80 ME 13-602									
(672) Copperhead	0.80	140	R			From: SR 80							NA	NA	03/03/2008
						To: SR 80									

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(673) War Fork	0.77	120	R			SR 83					NA		NA		12/12/2007	
(673) War Fork	0.23	80	R			From: 0.77 MS SR 83					NA		NA		12/12/2007	
(673) War Fork	0.29	20	R			From: 1.00 MS SR 83					NA		NA		12/12/2007	
(674) Upper Mill Branch	1.70	310	R			To: Dead End					NA		NA		12/05/2007	
(675) Brushey Fork	0.50	90	R			From: Dead End					NA		NA		11/15/2007	
(675) Brushey Fork	0.69	120	R			From: 13-740 Davis Fork					NA		NA		11/15/2007	
(675) Brushey Fk	0.51	310	R			From: 0.70 MS 13-740 Davis Fork					NA		NA		11/15/2007	
(676) Race Fork	1.37	540	R			From: Dead End					NA		NA		11/07/2007	
(676) Race Fork	0.69	1600	R			From: 1.37 MN Dead End					NA		NA		11/07/2007	
(677) Wolfpen	1.00	40	R			From: 13-656 Looneys Creek					NA		NA		12/20/2007	
(678) Patterson	0.10	50	R			From: Dead End					NA		NA		1986	
(679) Jakes Branch	0.50	20	R			From: 13-603					NA		NA		01/28/2008	
(680) Contrary Creek Rd	0.65	4900	G	87%	1%	1%	4%	7%	0%	C	0.089	F	0.542	5100	G	2014
(680) Contrary Creek Rd	2.48	4200	G	87%	1%	1%	4%	7%	0%	F	0.09	F	0.503	4400	G	2014
(680) Contrary Creek Rd	1.67	3200	G	87%	1%	1%	4%	7%	0%	F	0.096	F	0.558	3300	G	2014
(681) Rockhouse	1.60	150	R			From: 13-600 Hurricane					NA		NA		12/18/2007	
(682) Mavisdale Hill Rd	0.10	190	R			To: 13-623 Council Mtn					NA		NA		12/18/2007	
(682) Mavisdale Hill Rd	0.20	130	R			From: Dead End					NA		NA		03/05/2008	
(683) Horn Branch	1.00	160	R			From: 13-624					NA		NA		02/06/2008	
(683) Horn Branch	0.25	48	R			From: 1.00 MN 13-624					NA		NA		02/06/2008	
(684) Webb Branch	0.15	900	R			To: Dead End					NA		NA		04/07/2008	
						From: Dead End					NA		US 460			

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Buchanan County</b>																
(685) Lower Big Branch	0.10	60	R			From:	13-638 Dismal River Rd				NA		NA		02/11/2008	
(685) Lower Big Branch	2.40	40	R			To:	0.10 MN 13-638				NA		NA		02/11/2008	
(686) Booth Branch	0.23	240	R			From:	Dead End				NA		NA		02/25/2008	
(686) Booth Branch						To:	SR 83				NA		NA		02/25/2008	
<b>Town of Grundy</b>																
(687) Yates St	0.03	240	R			From:	13-688 Russell Hill				NA		NA		01/14/2008	
(687) Yates St						To:	US 460				NA		NA		01/14/2008	
(688) Yates St	0.25	150	R			From:	Dead End				NA		NA		01/14/2008	
(688) Yates St	0.16	90	R			From:	13-687 Russell Hill				NA		NA		01/14/2008	
(688) Yates St						To:	Dead End				NA		NA		01/14/2008	
(689) Mimosa St	0.15	60	R			From:	SR 83 Edgewater Dr				NA		NA		02/25/2008	
(689) Mimosa St						To:	SR 83 Edgewater Dr				NA		NA		02/25/2008	
<b>Buchanan County</b>																
(690) Harrys Branch	0.50	170	R			From:	13-638 Dismal River Rd				NA		NA		02/14/2008	
(690) Harrys Branch	1.00	140	R			From:	0.50 MW 13-638				NA		NA		02/14/2008	
(690) Harrys Branch						To:	Dead End				NA		NA		02/14/2008	
(691)	0.35	410	R			From:	13-645				NA		NA		01/07/2008	
(691)	2.15	340	R			From:	13-699				NA		NA		01/07/2008	
(691)						To:	Dead End				NA		NA		01/07/2008	
(692) Combs Ridge	0.90	160	R			From:	Dead End				NA		NA		03/03/2008	
(692) Combs Ridge						To:	13-602				NA		NA		03/03/2008	
(693) Crow Pass Rd	1.35	240	R			From:	13-631 Middle Fork				NA		NA		01/07/2008	
(693) Crow Pass Rd						To:	Dead End				NA		NA		01/07/2008	
(694) Mill Creek	1.00	200	R			From:	Dead End				NA		NA		11/07/2007	
(694) Mill Creek						To:	13-697 Knox Creek; Cedar Branch				NA		NA		11/07/2007	
(695) Cripple Bridge	0.01	150	R			From:	Dead End				NA		NA		04/03/2008	
(695) Cripple Bridge						To:	13-617 Little Prater				NA		NA		04/03/2008	
(696) Funeral Home	0.35	45	R			From:	13-730 Funeral Home				NA		NA		01/14/2008	
(696) Funeral Home						To:	US 460				NA		NA		01/14/2008	
(697) Cedar Branch	0.10	710	G	97%	1%	1%	1%	0%	0%	F	0.11	F	0.513	740	G	2014
(697) Cedar Branch						From:	13-643 Hurley Rd				NA		NA		2014	
(697) Knox Creek	2.50	510	G	97%	1%	1%	1%	0%	0%	C	0.13	F	0.516	540	G	2014
(697) Knox Creek						To:	Kentucky State Line				NA		NA		2014	
(698) Garden Creek	0.02	80	R			From:	13-624				NA		NA		12/18/2007	
(698) Garden Creek						To:	Dead End				NA		NA		12/18/2007	

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck						QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail									
<b>Buchanan County</b>																		
(699)	0.50	200	R			From:	13-645					NA		NA		NA	01/07/2008	
						To:	13-691											
(700)	1.13	1000	R			From:	US 460					NA		NA		NA	12/20/2007	
						To:	13-650 Home Creek Rd											
(700) Thomas Mtn Rd	1.34	450	G	89%	1%	3%	2%	5%	0%	C	0.122	F	0.509	480	G	2014		
						From:	13-645											
(700)	2.32	3700	R			To:	Kentucky State Line					NA		NA		NA	1992	
						From:	13-733 State Line Est					NA		NA		NA	1992	
(700)	0.45	2100	R			To:	Kentucky State Line					NA		NA		NA	1992	
						From:	SR 83											
(701) Smith Branch	1.00	290	R			To:	1.00 MN SR 83					NA		NA		NA	12/05/2007	
						From:	Dead End											
(701) Smith Branch	0.30	210	R			To:	Dead End					NA		NA		NA	12/05/2007	
						From:	Dead End											
(702)	0.84	130	R			To:	13-624					NA		NA		NA	01/09/2008	
						From:	13-671 Davis Mtn											
(703) Davis Ridge	0.75	80	R			To:	Dead End					NA		NA		NA	01/09/2008	
						From:	Dead End											
(704) Peapatch	0.75	30	R			To:	13-616					NA		NA		NA	01/31/2008	
						From:	13-605 Russell Fork											
(705) Little Fox	2.00	180	R			To:	2.00 ME 13-605 Russell Fork					NA		NA		NA	01/16/2008	
						From:	Dead End											
(705) Little Fox	0.05	130	R			To:	Dead End					NA		NA		NA	01/16/2008	
						From:	SR 83											
(706) Lick Creek	1.00	40	R			To:	Dead End					NA		NA		NA	11/13/2007	
						From:	13-652											
(707) Bear Branch	1.45	150	R			To:	Dead End					NA		NA		NA	12/12/2007	
						From:	SR 83											
(708) Harman Junction	0.30	10	R			To:	Dead End					NA		NA		NA	12/10/2007	
						From:	0.30 ME Dead End											
(708) Harman Junction	0.10	40	R			To:	US 460					NA		NA		NA	12/10/2007	
						From:	Dead End											
(709) Blacky Fork	0.50	60	R			To:	13-653 Coon Branch					NA		NA		NA	11/13/2007	
						From:	Begin Loop											
(710) Loop Rd	0.41	90	R			To:	13-638 Dismal River Rd					NA		NA		NA	02/21/2008	
						From:	Kentucky State Line											
(711) Upper Elk Creek	2.75	310	R			To:	2.75 ME of State Line					NA		NA		NA	11/07/2007	
						From:	Dead End											
(711) Upper Elk Creek	0.55	240	R			To:	Dead End					NA		NA		NA	11/07/2007	

Virginia Department of Transportation  
Traffic Engineering Division  
2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Buchanan County</b>															
(712) Hollow Poplar	0.72	110	R			SR 80					NA		NA		03/03/2008
			From:							To:	Dead End				
(713) Horn Mtn	0.50	20	R			13-628 Horn Mtn Rd					NA		NA		02/14/2008
			From:							To:	Dead End				
(714) Little Greenbrier	0.04	90	R			Dead End					NA		NA		12/12/2007
			From:							To:	13-611 Greenbrier				
(715) Upper Big Branch	4.30	180	R			13-629 Big Branch Rd					NA		NA		02/11/2008
			From:							To:	13-638 Dismal River Rd				
(716) Stone Coal Branch	0.30	260	R			SR 83					NA		NA		12/05/2007
			From:							To:	Dead End				
(717) Vocational School	0.03	830	R			SR 83					NA		NA		02/25/2008
			From:							To:	13-728 Hobbs Branch				
(717) Vocational School	0.25	320	R			Dead End					NA		NA		02/25/2008
			From:							To:	13-728 Hobbs Branch				
(718) Airport Rd	1.90	440	R			SR 83					NA		NA		04/03/2008
			From:							To:	Dead End				
(719) Mitchell Rd	0.90	50	R			Dead End					NA		NA		01/31/2008
			From:							To:	13-616				
(720) Worm Branch	0.41	50	R			13-600 Hurricane					NA		NA		03/05/2008
			From:							To:	Dead End				
(721) Needmore	0.05	120	R			US 460					NA		NA		01/14/2008
			From:							To:	13-723 Short Gap				
(721) Needmore	0.30	40	R			Dead End					NA		NA		01/14/2008
			From:							To:	13-723 Short Gap				
(722) Mullins Rd	0.27	90	R			Dead End					NA		NA		02/21/2008
			From:							To:	13-680 Contrary Creek Rd				
(723) Short Gap	0.05	20	R			Dead End					NA		NA		01/14/2008
			From:							To:	13-721 Needmore				
(724)	0.07	20	R			Dead End					NA		NA		02/21/2008
			From:							To:	13-629				
(725) Tookland	0.02	120	R			US 460					NA		NA		04/03/2008
			From:							To:	Dead End				
(726) Grassy Creek	0.07	49	R			Dead End					NA		NA		04/07/2008
			From:							To:	US 460				
(727) Grimsleyville	0.23	40	R			US 460					NA		NA		04/07/2008
			From:							To:	US 460				
(728) Hobbs Branch	1.30	30	R			Dead End					NA		NA		02/25/2008
			From:							To:	1.30 MN Dead End				

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Buchanan County</b>															
(728) Hobbs Branch	0.66	320	R			From:	1.30 MN Dead End					NA		NA	02/25/2008
						To:	13-717 Vocational School								
(729) Laurel Branch	0.35	120	R			From:	SR 83					NA		NA	12/12/2007
						To:	Dead End								
(730) Funeral Home	0.30	180	R			From:	Dead End					NA		NA	01/14/2008
						To:	13-696 Funeral Home								
(730) Funeral Home	0.10	270	R			From:	US 460					NA		NA	01/14/2008
						To:	Dead End								
(731) Bill Young	0.10	30	R			From:	13-680 Contrary Creek Rd					NA		NA	1992
						To:	Dead End								
(732) Vansant	0.08	200	R			From:	US 460					NA		NA	04/07/2008
						To:	Dead End								
(733) State Line Est	0.11	30	R			From:	US 460					NA		NA	01/07/2008
						To:	13-700								
(734) Hale Branch	0.15	270	R			From:	Dead End					NA		NA	04/07/2008
						To:	13-632 Page								
(736) Honaker Branch	0.50	140	R			From:	13-680 Contrary Creek Rd					NA		NA	02/21/2008
						To:	Dead End								
(737)	0.67	NA				From:	Cul-de-Sac					NA		NA	
						To:	13-718 Airport Rd.								
(738) Fowler Rd	0.10	90	R			From:	13-728 Hobbs Branch					NA		NA	02/25/2008
						To:	Dead End								
(740) Davis Fork	0.25	80	R			From:	13-675 Brushey Fork					NA		NA	11/15/2007
						To:	Dead End								
(745) Puncheon Camp	0.15	100	R			From:	Dead End					NA		NA	11/15/2007
						To:	0.15 MN Dead End								
(745) Puncheon Camp	0.90	200	R			From:	13-645					NA		NA	11/15/2007
						To:	Dead End								
(748)	0.23	NA				From:	13-609					NA		NA	
						To:	Dead End								
(750) Strip Bench Rd	0.60	45	R			From:	Dead End					NA		NA	04/03/2008
						To:	13-718 Airport Rd								
(755) Childress Branch	0.04	48	R			From:	Dead End					NA		NA	12/20/2007
						To:	US 460								
(759) Childress Branch	0.12	40	R			From:	US 460					NA		NA	04/07/2008
						To:	Dead End								
(760) Dicks Branch	0.20	30	R			From:	13-619 Lee Master Dr					NA		NA	01/16/2008
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Buchanan County</b>															
(765) Spruce Pine	1.06	120	R			From:	13-608 Right Fork Greenbrier			NA		NA		NA	01/16/2008
						To:	Dead End								
(800) Keen Mtn	1.85	450	R			From:	SR 330 Keen Mountain Correctional Ctr Rd Sys			NA		NA		NA	02/21/2008
						To:	13-629								
(801)	1.00	NA				From:	Dead End			NA		NA		NA	
						To:	13-800 Keen Mtn.								
(838) Stateline Ridge Rd	2.23	130	R			From:	13-639 Compton Mtn Rd			NA		NA		NA	01/31/2008
						To:	Dead End								
<b>Town of Grundy</b>															
(1001) Long Bottom	0.01	860	R			From:	SR 83 Edgewater Dr			NA		NA		NA	07/23/2001
						To:	13-1002 W, Long Bottom								
(1001) Long Bottom	0.11	48	R			From:	13-1008 Long Bottom			NA		NA		NA	1992
						To:	13-1002 E, Long Bottom								
(1002) Long Bottom	0.08	50	R			From:	Dead End			NA		NA		NA	1992
						To:	13-1001 Long Bottom								
(1002) Long Bottom	0.03	50	R			From:	13-1001 Long Bottom			NA		NA		NA	07/23/2001
						To:	13-1008 Long Bottom								
(1002) Long Bottom	0.06	320	R			From:	13-1001 Long Bottom			NA		NA		NA	07/23/2001
						To:	13-1008 Long Bottom								
(1002) Long Bottom	0.06	200	R			From:	13-1001 Long Bottom			NA		NA		NA	07/23/2001
						To:	Dead End								
(1003) Walnut St	0.21	710	R			From:	SR 83 Edgewater Dr			NA		NA		NA	07/23/2001
						To:	13-1004 Newhouse Branch								
(1003) Walnut St	0.30	650	R			From:	SR 83 Edgewater Dr			NA		NA		NA	07/23/2001
						To:	13-1003 Walnut St								
(1004) Newhouse Branch	0.14	320	R			From:	13-1003 Walnut St			NA		NA		NA	07/23/2001
						To:	13-1011 McGlothlin St								
(1004) Newhouse Branch	0.76	270	R			From:	13-1011 McGothlin St			NA		NA		NA	07/23/2001
						To:	Dead End								
(1005) Poetown Rd	0.27	590	R			From:	US 460			NA		NA		NA	01/07/2008
						To:	US 460								
(1007) Grundy	0.12	860	R			From:	13-1006 Riverside Dr			NA		NA		NA	07/23/2001
						To:	Dead End								
(1008) Long Bottom	0.03	70	R			From:	13-1001 Long Bottom			NA		NA		NA	07/23/2001
						To:	13-1002 Long Bottom								
(1009) Levisa St	0.16	180	R			From:	Dead End			NA		NA		NA	01/07/2008
						To:	13-615 Hoot Owl St								
(1010) Holland St	0.04	30	R			From:	13-661 Watkins Branch			NA		NA		NA	01/14/2008
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2014

Annual Average Daily Traffic Volume Estimates By Section of Route  
Buchanan Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Grundy</b>															
(1011) McGlothlin St	0.15	70	R			From:	Dead End				NA		NA		07/23/2001
						To:	13-1004 Newhouse Branch								
(1012) Depot Rd	0.04	200	R			From:	US 460				NA		NA		1994
						To:	Dead End								
<b>Buchanan County</b>															
(1013) Carter Rd	0.09	130	R			From:	US 460				NA		NA		04/07/2008
						To:	Dead End								
(1020) Deel	0.04	150	R			From:	Dead End				NA		NA		04/03/2008
						To:	US 460								
(1025)	0.04	20	R			From:	Dead End				NA		NA		02/25/2008
						To:	US 460								
(1030) Council Park	0.38	60	R			From:	Dead End				NA		NA		07/18/2001
						To:	SR 80								
(1101) Keen Mtn Camp	0.17	10	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1106 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.04	120	R			From:	13-1105 Keen Mtn Camp				NA		NA		12/18/2007
						To:	13-1104 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.03	210	R			From:	13-1104 Keen Mtn Camp				NA		NA		12/18/2007
						To:	13-1103 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.04	210	R			From:	13-1103 Keen Mtn Camp				NA		NA		12/18/2007
						To:	13-1102 Keen Mtn Camp								
(1101) Keen Mtn Camp	0.06	530	R			From:	13-1102 Keen Mtn Camp				NA		NA		12/18/2007
						To:	US 460								
(1102) Keen Mtn. Camp	0.04	120	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1103) Keen Mtn. Camp	0.06	100	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1104) Keen Mtn. Camp	0.06	40	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1105) Keen Mtn. Camp	0.07	20	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(1106) Keen Mtn. Camp	0.06	60	R			From:	Dead End				NA		NA		12/18/2007
						To:	13-1101 Keen Mtn Camp								
(9000) Grundy High	0.41	1100	R			From:	Cul-de-Sac				NA		NA		02/25/2008
						To:	SR 83 Edgewater Dr								
(607) <sub>25</sub>	0.30	820	N			From:	Dickenson County Line				NA		NA		08/26/2003
						To:	Buchanan CL; 13-606								