### 2014

# Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

# Special Locality Report 113

City of Galax

Information in this report is included in Report

**17** 

(Carroll County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

#### Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

#### **Publication Notes**

#### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

#### Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

#### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

**2Axle Truck**: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck**: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

### Route Shield Legend

#### Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	


(F241)	Frontage Road (F precedes frontage route number)


(600) Secondary Route

### Special Routes

Bus	Bus - Business Route
[29]	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wve - Wve Route connector

Virginia State Route





### Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route City of Galax

		Oity	of Galax								17		D:		
Route	Jurisdiction	Length /	AADT QA	4Tire	Bus		Tru 3+Axle	-		QC	K Factor	QK	Dir Factor	AAWDT	Q۷
	From:	Wo	CL Galax			ZAXIE	3+Axie	TITAL	ZIIali		1 actor		i actor		
58) (221) Reserve Blvd	City of Galax		7500 G	97%	0%	1%	1%	2%	0%	С	0.094	F	0.537	8000	G
	To	Greenville	Rd W Stuart D	r											
58 (221) Reserve Blvd; W Stuart Dr	City of Galax		6800 G	97%	0%	1%	1%	2%	0%	F	0.084	F	0.556	7200	G
	To	ъ	Fries Rd												
58 (221 W Stuart Dr	City of Galax		11000 G	97%	0%	1%	1%	2%	0%	F	0.088	F	0.574	12000	G
30) (221)	-		89 Main St												
58 (221) E Stuart Dr	City of Galax		14000 G	96%	0%	1%	0%	3%	0%	F	0.094	F	0.533	7 8000 G 6 7200 G 1 12000 G 1 15000 G 1 21000 G 1 7000 G 6 5400 G 6 5200 G 7 8000 G 7 8000 G 7 8000 G 1 12000 G	
58 221 E Stuart Dr	only of datax				0 70		0 70	070	0 70	•	0.001	•	0.000	10000	`
58 (221) E Stuart Dr	City of Galax		eadow St 19000 G	96%	0%	1%	0%	3%	0%	F	0.078	F	0.504	21000	(
58 (221) E Stuart Dr	Oity of Galax			30 /8	0 70	1 /0	0 70	0 /0	0 70	·	0.070	•	0.504	21000	
58)(221)E Stuart Dr	City of Coloy		aynes Rd	069/	0%	10/	00/	3%	0%	С	0.079	F	0.54	17000	
58 221 E Stuart Dr	City of Galax		16000 <b>G</b>	96%	0%	1%	0%	3%	0%	C	0.079	г	0.54	17000	
	From:														
89) Main St	City of Galax		5000 G	97%	0%	1%	1%	1%	0%	С	0.091	F	0.566	5400	(
89 Main St	only of Galax			01 70	0 70	170	1 70	1 70	0 70	Ü	0.001	•	0.000	0400	`
Moin St	City of Coloy		Pipers Gap Rd 5900 G	99%	00/	10/	00/	00/	00/		0.006	F	0.550	6000	
89) Main St	City of Galax	0.90	5900 G	99%	0%	1%	0%	0%	0%	С	0.086	Г	0.559	6200	,
	From:		oon Tide Dr	2001	00/		00/	201	00/		0.000		0.504	5000	
Main St	City of Galax	0.16	5000 G	99%	0%	1%	0%	0%	0%	F	0.083	F	0.564	5300	(
	To: From:		ldtown St												
89) Main St	City of Galax		3000 G	98%	0%	1%	0%	0%	0%	С	0.102	F	0.561	3200	(
<u> </u>			58 Stuart Dr												
Diagram Com Dd	From:		89 Main St	000/	00/	40/	00/	00/	00/	_	0.005	_	0.044	0700	,
97) Pipers Gap Rd	City of Galax		<b>2500 G</b> CL Galax	99%	0%	1%	0%	0%	0%	С	0.095	F	0.611	2700	(
	From:														
221 (58) Reserve Blvd	City of Galax		7500 <b>G</b>	97%	0%	1%	1%	2%	0%	С	0.094	F	0.537	8000	,
221 (58) Heselve Blvd	Oity of Galax			31 /6	0 /6	1 /6	1 /0	2/0	0 /6	O	0.034	'	0.557	0000	`
221 ( 58) Reserve Blvd; W Stuart Dr	From From From From From From From From		dtown Rd	97%	00/	10/	10/	20/	0%	F	0.004	F	0.550	7000	
Reserve Blvd; W Stuart Dr	City of Galax	1.10	6800 G	97%	0%	1%	1%	2%	0%	Г	0.084	Г	0.556	7200	,
~~~~~	From:		Fries Rd							_					
(58) W Stuart Dr	City of Galax	0.20 1	11000 G	97%	0%	1%	1%	2%	0%	F	0.088	F	0.574	12000	(
	To: From:		9 MAIN ST												
(58) E Stuart Dr	City of Galax	0.34 1	14000 G	96%	0%	1%	0%	3%	0%	F	0.094	F	0.533	15000	(
~ ~	To: From:	Me	eadow St												
221 (58) E Stuart Dr	City of Galax	1.81 <b>1</b>	19000 G	96%	0%	1%	0%	3%	0%	F	0.078	F	0.504	21000	(
~~	To	На	aynes Rd												
221 (58) E Stuart Dr	City of Galax		16000 G	96%	0%	1%	0%	3%	0%	С	0.079	F	0.54	17000	(
~ <i>/ /</i>	To:	EC	CL Galax												

7 4/21/2015

# Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route City of Galax

Route	Length	AADT	QA	4Tire	Bus	2Axle 3+A			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Galax		From				Y CC	C.			-					
2 Calhoun St	0.07	1700	G	94%	3%	Jeffersor 2% 0°		0%	F	0.090	F	0.552	1800	G	2014
2 Calhoun St	0.07	To	Ĕ	0 T 70	0 70	SR 89 Ma		070	•	0.000	•	0.002	1000	u	2014
		From				US 58 Stua				i					
3 Fries Rd	0.58	1400	G	99%	0%	1% 09		0%	С	NA			1500 G  .588 1700 G  .588 1400 G  .582 520 G  .558 1200 G  .501 3400 G  .514 3500 G  .542 2600 G  .564 2200 G  .564 5300 G  .502 9300 G	2014	
3)		To												-	
3 Fries Rd	1.03	1600	G	99%	0%	Sherry L 1% 0°		0%	F	0.097	F	N 588	1700	G	2014
3 Fries Rd	1.00	To	<u> </u>	33 78	0 70	NCL Ga		0 70		0.037	•	0.500	1700	u	2014
		From:			1					1					
4 Iron Bridge Rd	0.21	1300	G	99%	1%	13-3 Fries Rd, I 0% 0°		0%	F	0.108	F	0.586	1400	G	2014
4) 2ago : .a	0.2.	To:	Ť		. , ,	38-607 NCL		0,0	-		•	0.000		<b>O</b> .	_0
		From:				SCL Ga				i					
Branch St/Chestnut Di	0.43	490	G	99%	1%	0% 09		0%	С	0.121	F	0.582	520	G	2014
4031)		To				SR 89 Ma					-			-	
		From:				WCL Ga									
4052) Greenville Rd	0.37	1100	G	96%	0%	1% 19		0%	С	0.097	F	0.558	1200	G	2014
		To				US 58								G G G G G G G G G G G G G	
$\overline{}$		From		_		US 58 By	pass	_						_	
4052) Stuart Dr	0.48	3200	G	99%	0%	1% 09	% 0%	0%	F	0.099	F	0.501	3400	G	2014
$\overline{}$		To				Alderma	st								
4052) Stuart Dr	0.29	3300	G	99%	0%	1% 09	% 0%	0%	F	0.099	F	0.514	3500	G	2014
$\overline{}$		То				Stanford									
AA - Author Ot	0.40	From	<u> </u>	000/	00/	US 58 Stua		00/			_	0.540	0000	_	004.4
Mac Arthur St	0.19	2400	G	99%	0%	1% 09	% 0%	0%	С	0.082	F	0.542	2600	G	2014
		To: From:				Circle I	)r								
4052 Mac Arthur St	0.31	2100	G	99%	0%	1% 09		0%	F	0.09	F	0.564	2200	G	2014
$\overline{}$		To				SR 89 Ma	in St								
		From				SR 89 Ma									
4053 Lineberry Rd	1.21	5000	G	97%	0%	1% 19	% 1%	0%	С	0.089	F	0.564	5300	G	2014
$\overline{}$		To:				Oldtown	St			$\neg$ —					
4053) Meadow St	0.59	8700	G	97%	0%	1% 19	% 1%	0%	F	0.087	F	0.502	9300	G	2014
$\bigcup$		To				US 58 E Stu	art Dr								
		From				113-4055 Jeff	erson St								
4054) Grayson St	0.38	2300	G	98%	0%	1% 09	% 0%	0%	С	0.112	F	0.596	2400	G	2014
$\bigcup$		To				113-4053 Me	adow St								
		From				Calhoun	St								
4055) Jefferson St	0.12	450	G	98%	0%	1% 19		0%	F	0.130	F	0.5	480	G	2014
$\bigcirc$		To				Grayson	St								
Jefferson St	0.29	920 From:	G	98%	0%	1% 19		0%	С	0.113	F	0.701	980	G	2014
		To:				US 58 Stua									
		From		_		Meadow		_		ī				_	
4056) Poplar Knob Rd	0.14	1800	G	98%	0%	1% 19		0%	С	0.095	F	0.590	2000	G	2014
		To:								—ı				G G G G G G G G G G G G G G G G G G G	
4056) Poplar Knob Rd	1.08	1400	G	98%	0%	Oak S 1% 1°		0%	F	0.106	F	0.615	1500	G G G G G G G G G G G G G G G G G G G	2014
Poplar Knob Rd	1.00	To:		JU /0	U /0	ECL Ga		0 /0	- 1	0.100	•	0.013	1300	u	2014
		From:								<u> </u>					
4057) Country Club Lane	0.21	1000	G	100%	0%	SECL Ga		0%	F	0.099	F	0.534	1100	G	2014
<sub>4057)</sub> Country Club Lane	0.21	1000		100 /0	U /0			0 /0	1	0.033	'	0.334	1100	u	2014
		From:	ـــِــا	100::		Poplar Kno						0 = : =	225-		
			G	100%	0%	0% 09	% 0%	0%	С	0.096	F	0.543	3000	G	2014
4057) Country Club Lane	0.78	2800													
	0.78	2800				US 58 E Stu	art Dr								-
	0.78	2800 From:	G	100%	0%	US 58 E Stu		0%	F	0.093	F	0.550	1600	G	2014
		To: From:	G	100%	0%		% 0%	0%	F	0.093	F	0.550	1600	G	2014
		1500	G	100%	0%	0% 09	% 0% Rd	0%	F	0.093	F	0.550	1600	G	2014
4057 Country Club Lane 4057 Larkspur Lane 4058 Glendale Rd		1500 To:	G G	100%	0%	0% 0° Glendale	% 0% Rd art Dr	0%	F	0.093	F	0.550	1600 7200	G G	2014

4/21/2015 8

# Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route City of Galax

						,	o. o.a.a.									
Route	Length	AADT	QA	4Tire	Bus		Trι 3+Axle	-		QC	K Factor	QK	Dir Factor	AAWDT	QW	Yea
City of Galax						ZAXIC	JTANE	IIIaii	ZIIali		i actor		i actor			
		From				Cli	ffview Rd									
4058 Glendale Rd	1.05	5900	G	99%	0%	0%	0%	0%	0%	С	0.099	F	0.536	6300	G	2014
Olandala Dd	1.00	From	$\overline{}$	000/	00/		aynes Rd	00/	00/	F		F	0.504	0000		001
(4058) Glendale Rd	1.02	3700 To:	G	99%	0%	0% NO	0% CL Galax	0%	0%	<u> </u>	0.092	г	0.531	3900	G	2014
		From				Gle	endale Rd									
(4059) Cliffview Rd	0.39	4800	G	98%	0%	0%	1%	1%	0%	С	0.092	F	0.606	5100	G	2014
$\bigcup$		To:				NO	CL Galax									
<u> </u>		From:					endale Rd								_	
4060 Cranberry Rd	0.24	2900	G	97%	0%	1%	1%	2%	0%	С	0.094	F	0.574	3100	G	2014
		To:				US 5	8 Stuart D	r								
4060 Cranberry Rd	0.30	2100	G	97%	0%	1%	1%	2%	0%	F	0.101	F	0.609	2300	G	2014
		To:					CL Galax									
Calloway St		From:	G			Ea	stview St				0.122	F	0.633	290	G	2014
		270 To:	<u> </u>			T-	Ianks St				0.122	Г	0.633	290	G	
		From:					anley Dr									
Clover St		980	G				unicy Di				0.12	F	0.606	1000	G	2014
		To:				V	alley St									
		From:				Count	ry Club La	ne								
Forrest Ave		130 To:	G			D	urwell St				0.157	F	0.522	140	G	2014
		From	<u> </u>													
Hospital Dr		3100	G	99%	0%	1%	ctors Park	0%	0%	С	NA			3100	G	2014
1100ptai Bi		To	Ď	0070	0 70		alley St	0 70	070					0100	<u> </u>	201-
		From:				Piin	e Knoll Dr									
Kenbrook Dr		280	G								0.111	F	0.5	300	G	2014
		To:					otland Dr				<u> </u>					
Valley St		From:		000/	00/		8 Glendale		00/	С	NIA .			4700	-	201
Valley St		4700	G	99%	0%	1%	0%	0%	0%	C	NA			4700	G	2014
Valley Ct		From:		070/	10/		ospital Dr	10/	00/	С				1200	G	201
Valley St		1300 To:	G	97%	1%	1%	0% lover St	1%	0%	U	NA			1300	G	2014
							iover st									

4/21/2015 9