2014

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 156

Town of Warrenton

Information in this report is included in Report

30

(Fauquier County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	

(F241)	Frontage Road (F precedes frontage route number)

(600) Secondary Route

Virginia State Route

Special Routes

Bus	Bus - Business Route
[29]	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wye - Wye Route connector

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2014

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Warrenton

					7			K		Dir				
Route	Jurisdiction	Length AADT Q	A 4Tire	Bus	2Axle 3+Ax			QC	Factor	QK	Factor	AAWDT	QW	
~ ~	From:	SCL Warrenton												
15) (29) Eastern Bypass	Town of Warrenton (Maint: 30)	0.26 46000 G	91%	1%	<u>1</u> % 1%	7%	0%	F	0.084	F	0.634	45000	G	
\	To:	NCL Warrenton												
Bus Bus Bus	From:	SCL Warrenton												
15) (17) (29) James Madison Hwy	Town of Warrenton	0.34 11000 N	98%	1%	1% 0%	1%	0%	N	0.102	Ν	0.63	12000	١	
Bus	To: From:	US 17 Bus; Shirley Av	/e											
15) Falmouth St	Town of Warrenton	0.89 4300 G	98%	0%	1% 0%	0%	0%	С	0.089	F	0.577	4600	(
	To From:	Mockingbird Lane												
Bus 15 Main St	Town of Warrenton	0.32 5600 G	99%	0%	 1% 0%	0%	0%	С	0.093	F	0.566	5700	(
19)	To	Culpeper St												
Bus 15 Main St	Town of Warrenton	0.05 6400 G	98%	1%	 1% 0%	0%	0%	С	0.093	N	0.566	6600	(
Main St	Town of Warrenton		3 90%	1 70	176 076	076	0%	C	0.093	IN	0.566	6600		
Bus Bus	To- From:	US 211 Bus												
15) (211) Main St	Town of Warrenton	0.01 5600 N	99%	0%	1% 0%	0%	0%	N	0.093	N	0.566	5700		
Dura Bura	To:	Alexandria Pike												
Bus 15) (211) Alexandria Pike	Town of Warrenton	Main St 0.24 6400 G	100%	0%	0% 0%	0%	0%	С	0.096	F	0.57	6500	(
<i>> ></i>	To	King St												
Bus Bus (211 Alexandria St	Town of Warrenton	0.21 6800 G	99%	0%	 0% 0%	0%	0%	F	0.093	F	0.565	7000		
13) (211),,	To:	Blackwell Rd	. 0070	0,0		0,0	0,0	•	0.000	•	0.000			
dus Bus	From:	Alexandria Pike											_	
15 (211) Blackwell Rd	Town of Warrenton	0.58 7100 G	99%	0%	0% 0%	0%	0%	С	0.093	F	0.549	7200		
	To:	US 29 Bus US 211; Lee I	Hwy											
us Bus	From:	US 29 Bus US 211; Blackw												
29 Lee Highway	Town of Warrenton	0.59 32000 G	99%	0%	<u>0%</u> 0%	0%	0%	F	NA			33000		
<i>></i>	To:	NCL Warrenton												
	From:	SCL Warrenton												
17	Town of Warrenton (Maint: 30)	1.52 12000 G	3 87%	1%	1% 1%	10%	1%	F	0.073	F	0.517	12000		
~	To:	NCL Warrenton												
Bus Bus Bus	From:	SCL Warrenton												
17) (15) (29) James Madison Hwy	Town of Warrenton	0.34 11000 N	l 98%	1%	1% 0%	1%	0%	Ν	0.102	Ν	0.63	12000		
	To:	Bus US 15												
us Bus	From:	Bus US 15 Falmouth S	St											
7) (29) East Shirley Ave	Town of Warrenton	0.96 12000 G	98%	0%	1% 0%	0%	0%	С	0.085	F	0.504	12000		
<i>></i>	To: From:	Culpeper St												
Bus Bus (29) West Shirley Ave	Town of Warrenton	0.80 17000 G	98%	0%	 1% 0%	0%	0%	С	0.084	F	0.51	18000		
~ · · · · · · · · · · · · · · · · · · ·	To	Bus US 211 Waterloo S	St											
Bus Bus	From			00/	10/ 00/	00/	00/	^	0.00	г	0.504	20000		
17 (29) (211) Broadview Ave	Town of Warrenton	0.86 32000 G		0%	1% 0%	0%	0%	С	0.08	F	0.584	32000	(
~ ~ ~	10"	Bus US 29 Lee Hwy												

4/21/2015 7

Virginia Department of Transportation Traffic Engineering Division 2014

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Warrenton

_				_			_	K		Dir	A A14/DT		
Route	Jurisdiction	Length AADT QA	4Tire	Bus		B+Axle 1Tı		QC	Factor	QK	Factor	AAWDT	QW
Bus	From:	Bus US 29 Lee Hwy											
17 Broadview Ave	Town of Warrenton	0.57 10000 G	99%	0%	1%	0% 09	6 0%	С	0.093	F	0.562	10000	G
<u> </u>	То:	NCL Warrenton											
	From:	SCL Warrenton											
29 15 Eastern Bypass	Town of Warrenton (Maint: 30)	0.26 46000 G	91%	1%	1%	1% 79	6 0%	F	0.084	F	0.634	45000	G
\bigcirc	To:	NCL Warrenton											
Bus Bus Bus	From:	SCL Warrenton											
29 (15) (17) James Madison Hwy	Town of Warrenton	0.34 11000 N	98%	1%	1%	0% 19	6 0%	Ν	0.102	Ν	0.63	12000	Ν
$\downarrow \downarrow \downarrow \downarrow$	To:	BUS US 17 Shirley Ave											
Bus Bus	Towns of Marriage	BUS US 15	000/	00/	10/	00/ 00	, OO/	_	0.005	F	0.504	10000	_
29 17 East Shirley Ave	Town of Warrenton	0.96 12000 G	98%	0%	1%	0% 09	6 0%	С	0.085	г	0.504	12000	G
Bus Bus	To: From:	Culpeper St											
29 17 West Shirley Ave	Town of Warrenton	0.80 17000 G	98%	0%	1%	0% 09	6 0%	С	0.084	F	0.51	18000	G
	To	**** 15 ****			_								
Bus Bus	From:	US 17, US 211											
29) (17) (211) Broadview Ave	Town of Warrenton	0.86 32000 G	98%	0%	1%	0% 09	6 0%	С	0.08	F	0.584	32000	G
	To	Bus US 17 Broadview Av	e										
Bus 29 (211 Lee Highway	Town of Warrenton		98%	0%	1%	0% 19	6 0%	С	0.077	F	0.537	20000	G
29 (211) Lee Highway	To:	0.55 28000 G Bus US 15 Blackwell Rd		0%	170	U% 17	0 0%	C	0.077	Г	0.557	20000	G
Bus Bus	From:	BUS US 15											
29 (15) Lee Highway	Town of Warrenton	0.59 32000 G	99%	0%	0%	0% 09	6 0%	F	NA			33000	G
	To:	NCL Warrenton											
	From:	WCL Warrenton											
Frost Ave	Town of Warrenton	0.48 21000 G	98%	0%	1%	0% 09	6 0%	С	0.087	F	0.678	21000	G
	To:	Bus US 17; Bus US 29											
Bus Bus	From:	Shirley Ave; Bus US 17											
211 (17) (29) Broadview Ave	Town of Warrenton	0.86 32000 G	98%	0%	1%	0% 09	6 0%	С	0.08	F	0.584	32000	G
	To: From:	Bus US 17 Broadview Av	e		\neg \vdash								
Bus 211 (29) Lee Highway	Town of Warrenton	0.55 28000 G	98%	0%	1%	0% 19	6 0%	С	0.077	F	0.537	28000	G
211 29 Lee Highway	To:	Bus US 15 Blackwell Rd		0 /6	1 /0	U /0 I	0 0/0	C	0.077	•	0.557	20000	G
	From:												
Bus 211 Waterloo St	Town of Warrenton	0.62 6400 G	99%	0%	0%	0% 09	6 0%	С	0.093	F	0.64	6600	G
211 Waterioo St		0.02 0400 G	99%	0%	U 76	U% U	0 0%	C	0.093	Г	0.64	0000	G
Bus	To: From:	Diagonal St											
Waterloo St	Town of Warrenton	0.10 5700 G	99%	0%	0%	0% 09	6 0%	F	0.096	F	0.557	5900	G
	To:	US 15 Bus											
Bus Bus	From:	Bus US 15	•										
211 (15) Main St	Town of Warrenton	0.01 5600 N	99%	0%	1%	0% 09	6 0%	Ν	0.093	Ν	0.566	5700	N
~ ~ ~	To:	Alexandria Pike											
Bus Bus	From:	Main St	10001	00/	00′	00/ 00	, 00/	^	0.000	_	0.57	0500	^
211 (15) Alexandria Pike	Town of Warrenton	0.24 6400 G	100%	0%	0%	0% 09	6 0%	С	0.096	F	0.57	6500	G
~ ~	To:	King St											

Virginia Department of Transportation Traffic Engineering Division 2014

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Warrenton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru 3+Axle		2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW
Bus Bus (211) (15) Alexandria St	From:		King St													
	Town of Warrenton	0.21	6800	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.565	7000	G
	To:	To: Blackwell Rd														
Bus Bus	From:	Al	exandria Pil	ke												
211 15 Blackwell Rd	Town of Warrenton	0.58	7100	G	99%	0%	0%	0%	0%	0%	С	0.093	F	0.549	7200	G
	To:	US 29 BU	US 29 BUS US 211 Lee Hwy													

Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Warrenton

						TOWIT OF WATE	HILOH								
Route	Length	AADT	QA	4Tire	Bus	2Axle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
own of Warrenton		From	1-			CL Warrento	n								
1541	0.04	NA				CL warrento	11			NA			NA		
1541	0.17	NA From	1			30-1542				NA			NA		
30)		To):			Cul-de-Sac									
_		From	1.			Cul-de-Sac									
1542	0.28	NA				20.1541				NA			NA		
1542	0.14	NA From				30-1541				NA			NA		
						Cul-de-Sac									
1543	0.04	NA From	1.2			Warrenton C	L			NA			NA		
307		To):			30-1542									
<u> </u>		Fron	Ь			Blackwell Ro									
2 Alexandria Pike	0.58	280	G	96%	1%	1% 0% Dead End	1%	0%	С	0.092	F	0.548	280	G	2014
		Fron	1:			Broadview Av	/e								
3 Oak Springs Dr	0.26	3000	G	99%	0%	1% 0%	0%	0%	С	0.105	F	0.538	3100	G	2014
		To				Branch Dr									
	0.45	Fron	12	0051	261	Lee Highway		001		0.15:	-	0.555			66.
4 Branch Dr	0.19	3700 _{то}	G	98%	0%	1% 0%	0%	0%	С	0.101	F	0.582	3800	G	2014
			1			Oak Springs I									
Ban Bear Wallow Rd	0.40	4000	G G	99%	00/	WCL Warrent	on 0%	00/	С	0.085	F	0.511	4100	C	2014
Bear Wallow Rd	0.49	4000 Tr	<u>, </u>	99%	0%	0% 0% Broadview Av		0%	C	0.085	Г	0.511	4100	G	2014
		Fron	12							l l					
886) Waterloo Rd	0.58	2600	G	98%	0%	WCL Warrent	on 0%	0%	С	0.138	F	0.825	2700	G	2014
oob Waterioo Ha	0.00	To	<u> </u>	0070	0 70	Rappahannock		070		1	•	0.020	2700	ŭ	2017
		Fron	1:			Waterloo Ro	l								
886) Rappahannock St	0.03	1700	G	98%	0%	1% 0%	0%	0%	F	0.137	F	0.938	1800	G	2014
<u> </u>		To				US 211 Frost A	Ave								
Old Mastra Dd	0.07	Fron	Ь	000/	00/	Falmouth St	00/	00/		0.000	_	0.500	F00	_	0014
893) Old Meetze Rd	0.37	490	G	98%	0%	1% 0% Dead End	0%	0%	С	0.089	F	0.529	500	G	2014
		Fron													
1893) Winchester St	0.42	3300	G	99%	0%	Alexandria S	0%	0%	F	0.107	F	0.513	3300	G	2014
Winchester St	0.72	3300		33 76	0 70		0 70	0 70	'	0.107		0.515	3300	G	2014
Winchester St	0.69	4100		99%	0%	King St 1% 0%	0%	0%	С	0.094	F	0.619	4200	G	2014
1893) Winchester St	0.09	4100 To	G	99%	076	Lee Highway		076	U	0.094	F	0.619	4200	G	2014
		Fron	1:			Shirley Ave									
Culpeper St	0.38	2500	G	99%	0%	0% 0%	0%	0%	С	0.105	F	0.633	2600	G	2014
1094)	-		.—											-	
1894) Culpeper St	0.04	1600 From	G	99%	0%	Hotel St 0%	0%	0%	F	0.102	F		1600	G	2014
Culpeper St	0.04	Т-	┌┷	0070	0 70	Main St	0 70	070		0.102	•		1000	ŭ	2014
		Fron	1:			US 15				i I					
Old Broadview Ave	0.17	4900	G	99%	0%	1% 0%	0%	0%	С	0.089	F	0.513	5000	G	2014
1033)	_	To				US 17									
		From	n-			SCL Warrento	on								
Culpeper St		5400	G	98%	1%	1% 0%	0%	0%	С	NA			5400	G	2014
		Te	n-			Fisher Ln									
		Fron	1:			Falmouth St									
East St		190	G							0.225	F	0.581	200	G	2014
		To):			Meetze Rd									
		Fron	Ь			Bus US 29									
Fletcher Dr		2200	G	98%	1%	1% 0%	0%	0%	С	0.101	F	0.562	2200	G	2014
		To):			Oak Springs I	Or								

Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Warrenton

Route	Length	AADT	QA	4Tire	Bus	2Axle	Tru 3+Axle	ıck 1Trail		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Warrenton From: Bear Wallow Dr																
Foxcroft Rd		1600	G	99%	1%	1%	0%	0%	0%	С	NA			1600	G	2014
. 5.15.511 114		To		3370	. 70		quier Rd	0 70	0 70					. 300	ŭ	
		From		3rd St												
Lee St		4100	G	97%	1%	1%	0%	1%	0%	С	NA			4100	G	2014
		To					4th St									
		From			Falmouth St											
Meetze Rd		10000	G	98%	1%	1%	0%	0%	0%	С	NA			10000	G	2014
		To	East St													