2015

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 106

City of Colonial Heights

Information in this report is included in Report

20

(Chesterfield County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	

(F241)	Frontage Road (F precedes frontage route number)

(600) Secondary Route

Virginia State Route

Special Routes

Bus	Bus - Business Route
[29]	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wye - Wye Route connector

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2015

Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

	-				_		Tru	ck			K		Dir		
Jurisdictio	on Length	AADT	QA	4Tire	Bus	2Axle	3+Axle	1Trail	2Trail	QC	Factor	QK	Factor	AAWDT	QW
City of Colonial		ICL Petersbur 12000	rg F	99%	0%	0%	0%	0%	0%	F	0.098		0.583	13000	F
Too From: City of Colonial	Heights 0.40	Dupuy Ave 19000	F	99%	0%	0%	0%	0%	0%	F	0.085		0.535	20000	F
Ton From: City of Colonial		Westover Ave 20000	A	99%	0%	0%	0%	0%	0%	С	0.103		0.519	21000	Α
Ton From: City of Colonial		anders Bridge 23000	Rd F	99%	0%	0%	0%	0%	0%	F	0.081		0.503	25000	F
Toe From: City of Colonial	Heights 0.74	Temple Ave 22000	F	99%	0%	0%	0%	0%	0%	F	0.09		0.530	24000	F
From: City of Colonial		Lakeview Av	e F	99%	0%	0%	0%	0%	0%	F	0.088		0.517	25000	F
From: City of Colonial	Heights 0.19	Ellerslie Ave	F	99%	0%	0%	0%	0%	0%	F	0.091		0.501	29000	F
From: City of Colonial	Heights 0.62	28000	G	99%	0%	0%	0%	0%	0%	F	0.093		0.54	30000	G
City of Colonial Heigh	ts (Maint: 20) 0.18	NA		95							NA			NA	
,	ts (Maint: 20) 0.21	54000	Α	92%	1%	1%	1%	6%	0%	F	0.090	^	0.500	53000	A G
Tombined Hamic Estimates for 2 Farallet				9176	170	176	170	0%	076	Г	0.091		0.505	106000	<u> </u>
,	,	46000 93000	A A	92% 91%	1% 1%	1% 1%	1% 1%	6% 6%	0% 0%	F F	0.091 0.088	Α	0.511	45000 92000	A A
,	ts (Maint: 20) 2.38	51000	Α	92%	1%	1%	1%	6%	0%	С	0.09	^	0.506	51000	A
To To		Colonial He		3 1%	1 70	170	1 70	0%	U%		0.069	^	0.506	101000	A
From:	ts (Maint: 20) 0.21	I-95 North	Α								0.109			11000	Α
City of Colonial Heigh		-2 Southpark	Blvd												
	City of Colonial To City of Colonial Heigh Combined Traffic Estimates for 2 Parallel City of Colonial Heigh Combined Traffic Estimates for 2 Parallel City of Colonial Heigh Combined Traffic Estimates for 2 Parallel	Jurisdiction Length	Durisdiction Length AADT	Surperson	City of Colonial Heights	Jurisdiction Length AADT QA 4Tire Bus	Durisdiction Length AADT QA 4Tire Bus 2Axle	Durisdiction Length AADT QA 4Tire Bus AAXe 2Axie 3+Axie 3+Axie	Durisdiction Length AADT QA 4Tire Bus Combined Traffic Estimates for 2 Parallel Roadways on this Route. 1.95 North. 1.95 Nor	Substitution Length Radius Clay of Colonial Heights City of Colonial Heights Substitution Substit	Durisdiction	No. Processor Processor	City of Colonial Heights Note Patrophysical Register N	Length AADT QA 4Tire Bus 2AXIe 3+AXIe 1Trail 2Trail 2Tr	Second Registration Length AADT QA 4 Time Bus 2 2 2 2 2 3 4 4 1 Time 1 2 2 3 4 3 4 4 1 1 2 2 3 4 4 4 1 1 2 3 4 4 4 4 4 4 4 4 4

5/3/2016 7

Virginia Department of Transportation Traffic Engineering Division 2015

Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

5 .							_		Tru	ck			K	01/	Dir		
Route	Jurisdictio	n		AADT	QA	4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	QW
South	City of Colonial Height	te (Maint: 20)	0.37	CL Petersbu 54000	ırg G	91%	1%	1%	1%	7%	0%	F	0.092			53000	G
95	Combined Traffic Estimates for 2 Parallel	,			G	91%	1%	1%	1%	6%	0%	F	0.092	Α	0.503	106000	
	Tallot Ta	Troddinayo orr ir				0170	1 70		170	070	070		0.001	,,	0.000	100000	
South	From:	. (84)		outhpark Bl		2121						_					
95)	City of Colonial Height	,	1.05	47000	A	91%	1%	1%	1%	7%	0%	F	0.091	^	0.511	46000	A
	Combined Traffic Estimates for 2 Parallel	Hoadways on tr			Α	91%	1%	1%	1%	6%	0%	F	0.088	Α	0.511	92000	Α
South	To: From:		SR	144 Temple	Ave												
95)	City of Colonial Height	,	2.15	50000	Α	91%	1%	1%	1%	7%	0%	С	0.092			50000	Α
	Combined Traffic Estimates for 2 Parallel	Roadways on th			Α	91%	1%	1%	1%	6%	0%	С	0.089	Α	0.506	101000	Α
	To:		NCL	Colonial He	eights												
South 95 Ramp	From: City of Colonial Height	to (Maint: 20)	0.06	I-95 South 2900	G								0.099			2900	C
95 Ramp	To:	ts (Marrit. 20)		est Roslyn l									0.033			2300	
outh	From:			I-95 South													
95) Ramp	City of Colonial Height	ts (Maint: 20)	0.06	11000	F	97%	0%	1%	1%	1%	0%	С	0.098			11000	ı
	To:		Ram	p from I-95	North												
	From:		ECL	Colonial He	eights												
144)Temple Ave	City of Colonial I	Heights	0.93	29000	F	99%	0%	0%	0%	0%	0%	F	0.1		0.702	30000	I
<u> </u>	To: From:			Conduit Rd													
144 Temple Ave	City of Colonial I	Heights	0.37	34000	F	99%	0%	0%	0%	0%	0%	F	0.085		0.546	35000	F
$\stackrel{\smile}{=}$	To: From:			I-95													
Temple Ave	City of Colonial I	Heights	0.50	25000	F	99%	0%	0%	0%	0%	0%	F	0.080		0.552	26000	F
	To: From:			S 1 Bouleva													
144 (1) (301) Boulevard	City of Colonial I	Heights	0.74	22000	F	99%	0%	0%	0%	0%	0%	F	0.09		0.530	24000	F
	To: From:		I	akeview Av				\Box \vdash									
144) (1) (301) Boulevard	City of Colonial I	Heights	0.17	23000	F	99%	0%	0%	0%	0%	0%	F	0.088		0.517	25000	F
	To: From:			Ellerslie Ave													
144) (1) (301) Boulevard	City of Colonial I	Heights	0.19	26000	F	99%	0%	0%	0%	0%	0%	F	0.091		0.501	29000	F
	To: From:			herwood Av				\Box \vdash									
144) (1) (301) Boulevard	City of Colonial I	Heights	0.62	28000	G	99%	0%	0%	0%	0%	0%	F	0.093		0.54	30000	(
<u> </u>	10.			Colonial He													
Pomp	City of Colonial Haight	to (Maint: 20)	0.15	144 Temple 15000	Ave G	97%	0%	1%	1%	1%	0%	С	0.088			15000	(
144)Ramp	City of Colonial Height	is (Mairit. 20)	0.15		G	9770	0%	1 70	1 70	1 70	076	C	0.000			13000	•
Ramp	Tide To the Colonial Height City of Colonial Height	te (Maint: 20)	0.27	Ramp Split 7400	G	98%	0%	0%	1%	1%	0%	С	0.083			7400	
144)Ramp	Gity of Colorlial Height	is (Manni. 20)	0.27	7400 I-95 South	G	30 70	U 7/0	0%	I 70	I 70	U 70	U	0.063			7400	
	From:			Ramp Split													_
144)Ramp	L City of Colonial Height	ts (Maint: 20)	0.38	5900	G	97%	0%	1%	1%	1%	0%	С	0.11			5900	
177	To:	(== == == = = = = = = = = = = = = = =		I-95 North	-			TÎ.				-					_

Virginia Department of Transportation Traffic Engineering Division 2015

Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Trı	ıck		QC	K	QK Dir	AAWDT	ΟW
noute	Julisaiction	Lengin	AADI	QA	41116	Dus	2Axle	3+Axle	1Trail	2Trail	QU	Factor	Factor	AAWDI	QVV
	From:	N	CL Petersbu	ırg											
(301) (1) Boulevard	City of Colonial Heights	0.53	12000	F	99%	0%	0%	0%	0%	0%	F	0.098	0.583	13000	F
	To: From:		Dupuy Ave				_								
301 1 Boulevard	City of Colonial Heights	0.40	19000	F	99%	0%	0%	0%	0%	0%	F	0.085	0.535	20000	F
\bigcirc	To:	L	ynchburg Av	ve											
~~~	From:	V	Vestover Av	/e											
(301) (1) Boulevard	City of Colonial Heights	0.33	20000	Α	99%	0%	0%	0%	0%	0%	С	0.103	0.519	21000	Α
<del></del>	To: From	Brai	nders Bridge	e Rd											
(301) (1) Boulevard	City of Colonial Heights	0.26	23000	F	99%	0%	0%	0%	0%	0%	F	0.081	0.503	25000	F
<del></del>	To: From:		Temple Ave	2			_								
(301) (1) (144) Boulevard	City of Colonial Heights	0.74	22000	F	99%	0%	0%	0%	0%	0%	F	0.09	0.530	24000	F
<del>*</del> * * *	To	L	akeview Av	ve											
(301) (1) (144) Boulevard	City of Colonial Heights	0.17	23000	F	99%	0%	0%	0%	0%	0%	F	0.088	0.517	25000	F
$\stackrel{\diamondsuit}{\longrightarrow} \stackrel{\smile}{\cup}$	To	]	Ellerslie Ave	e			$\neg$ $\vdash$								
(301) (1) (144) Boulevard	City of Colonial Heights	0.19	26000	F	99%	0%	0%	0%	0%	0%	F	0.091	0.501	29000	F
<del>~~~</del>	To	S	herwood Av	ve											
(301) (1) (144) Boulevard	City of Colonial Heights	0.62	28000	G	99%	0%	0%	0%	0%	0%	F	0.093	0.54	30000	G
$\sim$	To:	NCL	Colonial He	eights											

5/3/2016

# Virginia Department of Transportation Traffic Engineering Division 2015 Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

						ity of Col	ioniai He	ignts								
Route	Length	AADT	QA	4Tire	Bus		Trud 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Colonial Heights																
O 0 11 15 1 1 15 1		From	<u> </u>			•	park Blvd								_	
(1) C H Dimmock Pkwy	0.69	14000	F	99%	0%	0%	0%	0%	0%	F	0.088		0.526	14000	F	2015
		10	<u> </u>			Tem	ple Ave				<u> </u>					
2 Southpark Blvd	0.31	23000	G	99%	0%	NB Rar 0%	mp To I-95 0%	0%	0%	F	0.096		0.51	25000	G	2015
		To:				Sov	ıth Ave				$\neg$ —					
2 Southpark Blvd	0.25	23000 To:	G	99%	0%	0%	0% nmock Pkw	0%	0%	F	0.094		0.518	24000	G	2015
		From:					ark Circle	_								
2 Southpark Blvd	0.05	8200 To:	F	99%	0%	0% Tem	0% nple Ave	0%	0%	F	0.099		0.646	8900	F	2015
		From:			TD 1	06 FROM (		TOD DE								
2 Ramp	0.05	9500	F		JD-1	JO FROM C	CONNEC	IOK KL	<u>'</u>		0.119			9500	F	2015
2 Ramp	0.00	To	Ė		I-95	-S FROM C	CONNEC"	TOR RD			<u> </u>			0000	•	2010
		F														
Pamp	0.19	From:			106-2 I-	-95-N053A	. TO AND	FROM	KT		0.101			2000	G	2015
2 Ramp	0.19	3000 _{To:}	G		T (	5-N FROM	4 CONNE	СТОР			0.101			3000	G	2015
			<u>—</u>		1-9			LIUK			<del>_</del>					
Ohamus d Di	0.05	From:		000/	00/		stview Dr	00′	00/				0.500	0000	_	0015
(4) Sherwood Dr	0.25	3300	F	99%	0%	0%	0%	0%	0%	С	0.094		0.599	3600	F	2015
<u> </u>		To:	<u> </u>			US 1 I	Boulevard									
		From:					lonial Heig									
(9020) Dupuy Ave	0.42	20000	G	99%	0%	0%	0%	0%	0%	С	0.083		0.512	21000	G	2015
$\overline{}$		To	<u> </u>			US 1 I	Boulevard									
		From:			•	US 1 I	Boulevard									-
(9024) Westover Ave	0.66	6200	F	100%	0%	0%	0%	0%	0%	С	0.092		0.552	6700	F	2015
$\bigcirc$		To				Con	duit Rd									
		From				WCL Col	lonial Heig	hts								
(9026) Branders Bridge Rd	0.30	6100	F	99%	0%	0%	0%	0%	0%	С	0.085		0.579	6600	F	2015
3		To					Boulevard				$\neg$					
		From:				WCL Col	lonial Heig	hte			$\equiv$					
(ango) Lakeview Ave	0.85	7500	F	99%	0%	0%	0%	0%	0%	С	0.099		0.664	8200	F	2015
(9030) Lakeview Ave	0.00	To:	_		- 070		Boulevard	0 70	070	<u> </u>			0.001	0200	•	2010
		From:									<del></del>					
C Floralia Ava	1 15		`	000/	00/		Boulevard	00/	00/				0.517	14000	_	0015
(9032) E Ellerslie Ave	1.15	13000	┌╌	99%	0%	0%	0%	0%	0%	С	0.093		0.517	14000	F	2015
			<u> </u>			Con	duit Rd									
		From:					Boulevard								_	
(9035) Washington Ave	0.37	710	F	98%	0%	1%	0%	0%	0%	С	0.092		0.635	770	F	2015
		To: From:	—				art Ave				$+\!\!\!-$					
Stuart Ava	0.10		<u> </u>	000/	00/		ngton Ave		00/				0.601	1200	_	2015
9035 Stuart Ave	0.10	1200	F	98%	0%	1%	0%	0%	0%	F	0.097		0.621	1300	F	2015
$\overline{}$		To- From:					stol Ave				$\supset$					
9035) Conduit Rd	0.05	1900	F	98%	0%	1%	0%	0%	0%	F	0.108		0.535	2100	F	2015
$\overline{}$		To	-			Ive	ey Ave				$\neg$ —					
(9035) Conduit Rd	0.24	2600 From:	F	98%	0%	1%	0%	0%	0%	F	0.108		0.576	2900	F	2015
		т-														
(9035) Conduit Rd	0.22	5000 From:	<u>+</u> F	99%	0%	Lynch 0%	nburg Ave		00/	С	0.105		0.504	5400	F	2015
9035 Conduit Rd	0.22	5000		<b>3</b> 3 %	U 7/0	U-76	0%	0%	0%	U	0.105		0.504	3400	Г	2015
		To: From:					over Ave				$\supset$					
(9035) Conduit Rd	0.47	9100	F	98%	0%	1%	0%	0%	0%	F	0.096		0.531	9900	F	2015
$\overline{}$		To	-			Tem	ple Ave				$\neg$ —					
(9035) Conduit Rd	0.54	20000 From:	F	98%	0%	1%	0%	0%	0%	F	0.088		0.532	22000	F	2015
3333													<b></b>			_3.0
Canadada Dal		From:		000/	00/		erslie Ave	00′	00/				0.550			
(9035) Conduit Rd	2.02	5200	F	99%	0%	1%	0%	0%	0%	С	0.104		0.559	5700	F	2015
		To:				Wate	rfront Dr				$\Box$ —					
9035 Dunston Point Pkwy	0.28	950	F	99%	0%	1%	0%	0%	0%	F	0.117		0.577	1000	F	2015

5/3/2016 10

# Virginia Department of Transportation Traffic Engineering Division 2015 Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

					C	ity of Colonial He	eignts							
Route	Length	AADT	QA	4Tire	Bus	Tru 2Axle 3+Axle			QC	K Factor	QK Dir Factor	AAWDT	QW	Year
City of Colonial Heights														
C Hamilton Acco	0.07	From	<u> </u>	000/	00/	US 1 Boulevard		00/			0.507	500	_	0045
9037 Hamilton Ave	0.67	540	F	98%	0%	1% 0% E Westover Ave	0%	0%	С	0.117	0.507	590	F	2015
		From				Westover Ave	7							
9037) Hamilton Ave	0.55	2100	F	99%	0%	1% 0%	0%	0%	F	0.101	0.55	2300	F	2015
$\bigcirc$		To				Temple Ave								
		From				US 1 Boulevard								
9066) Lynchburg Ave	0.65	1600	F	99%	0%	0% 0%	0%	0%	С	0.1	0.551	1800	F	2015
$\cup$		To				Conduit Rd								
		From				Cedarwood Ave	;							
Covington Rd		590	G	99%	0%	0% 0%	1%	0%	С	0.101	0.521	590	G	2015
		To				Appomatox Dr								
		From				Greenwood Ave	,							
Elmwood Dr		470	G	100%	0%	0% 0%	0%	0%	С	0.108	0.686	470	G	2015
		To				Cedarwood Ave	;							
		From	1			Sherwood Ave					·	<u> </u>		
Forestview Dr		320	G	98%	1%	1% 0%	0%	0%	С	0.094	0.705	320	G	2015
		To				Brookhill Ave								
		From				Snead Ave				1				
James Ave		790	F			Shoud 1110				0.103	0.656	860	F	2015
<b>/-</b>		To	Ė			Hamilton Ave					2.000			_3.0
		From				US 1				1				
Lafayette Ave		330	F			051				0.097	0.707	360	F	2015
Lalayotto Avo		To	Ė			Danville Ave				0.037	0.707	300	•	2013
		From												
Lawrence Access			<u> </u>	000/	00/	Angus Lane	00/	00/			0.704	050	0	0015
Longhorn Avenue		850 To	G	98%	0%	1% 0%	0%	0%	С	0.099	0.724	850	G	2015
			1			Honeycreek Ct								
		From	<u> </u>	000/	00/	Meridian Ave	00/	00/			0.550	4000	0	0015
Maple Avenue		1200	G	98%	0%	1% 0%	0%	0%	С	0.091	0.559	1200	G	2015
		To	9			Cottage Grove Av	ve							
_		From				SR 144 Temple A							_	
Ramp		7400	F	96%	0%	1% 2%	2%	0%	С	0.096		7400	F	2015
		To	1			I-95 North								
		From				US 1								
Richmond Ave		340	F							0.110	0.56	370	F	2015
		To				Hill Pl								
		From	1			Roslyn Ave								
Riverview Rd		160	G							0.142	0.689	160	G	2015
		To				Pinehurst Ave								
		From				Walnut Ave								
Snead Ave		1100	F			77 amat 21vc				0.104	0.644	1200	F	2015
= = ===================================		To	Ė			Mac Arthur Ave	;				2.0.1			_3.0
		From				Flintlock Dr								
Swift Creek Lane		640	G	99%	0%	1% 0%	0%	0%	С	0.098	0.552	640	G	2015
OWIN OIGEN LAIR		To		JJ /0	U /0	Biltmore Dr	U /0	0 /0	0	0.090	0.002	040	u	2010
		From	1							1				
M/ Dooyden Acco			<u> </u>			Conduit Rd					0.554	E00	_	0045
W Rosylyn Ave		540	F			Washington				0.132	0.551	580	F	2015
						Washington Ave	;			1				
		From	<u> </u>			Hamilton Ave							_	
Walnut Ave		240	F							0.107	0.524	260	F	2015
		To	1			Elko Ave								
		From				Moose Ave								
White Bank Rd		620	G	98%	0%	1% 0%	0%	0%	С	0.254	0.853	620	G	2015
		To				Dunston Point Pky	хy							
		From				Meridian Ave								
Wrights Ave		410	F							0.118	0.67	440	F	2015
		To				Battery Pl								
						-				•				

5/3/2016 11