2018

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 177

Town of Broadway

Information in this report is included in Report

82

(Rockingham County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

29 US Route	North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	29	US Route	

- Frontage Road (F precedes frontage route number)
- (600) Secondary Route

Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
\smile	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wye - Wye Route connector

Virginia State Route

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2018

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Broadway

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru			QC	K	QK	Dir	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail		Factor		Factor		
	From:		L Broadway													
(42) S Main St	Town of Broadway (Maint	it: 82) 0.81	9200	N	96%	1%	1%	1%	1%	0%	N	0.102	F	0.667	9100	N
ALT	To: From:	ALT SR	259 Broadw	ay Ave												
ALT (259) S Main Street	Town of Broadway (Maint	nt: 82) 0.32	5700	F	96%	1%	1%	1%	1%	0%	С	0.09	F	0.593	6100	F
	To: From:	SR 259 W Lee St														
(42) (259) W Lee St	Town of Broadway (Maint	it: 82) 0.33	7400	F	96%	1%	1%	1%	1%	0%	F	0.083	F	0.577	7900	F
	To:	EC	L Broadway	у												
	From:	EC	L Broadway	y												
(259) Mayland Rd	Town of Broadway (Maint	it: 82) 0.45	8900	N	93%	1%	1%	1%	4%	0%	Ν	0.092	F	0.571	8900	N
	To:	SR 42 I	East of Broa	dway												
	From:		L Broadway													
(259)(42) W Lee St	Town of Broadway (Maint	it: 82) 0.33	7400	F	96%	1%	1%	1%	1%	0%	F	0.083	F	0.577	7900	F
\bigcirc	To	SR 42	BROADW	AY			_									
259 Brocks Gap Rd	Town of Broadway (Maint	nt: 82) 0.36	9300	F	93%	1%	1%	1%	4%	0%	F	0.088	F	0.633	9900	F
	To:		CL Broadwa	y												
ALT	From:	SR	259 SOUTI	Н												
(259) (42) S Main Street	Town of Broadway (Maint		5700	F	96%	1%	1%	1%	1%	0%	С	0.09	F	0.593	6100	F
200 (42)	To:		SR 42													
ALT	From:	SR	42 Main St	t												
(259) Broadway Ave	Town of Broadway (Maint	nt: 82) 0.72	1400	F	98%	1%	1%	0%	0%	0%	С	0.093	F	0.511	1500	F
\smile	To:	SR 259 May	land Rd, Ti	mber W	'ay											

5/8/2019 7

						TOWIT	of Broad	iway								
Route	Length	AADT	QA	4Tire	Bus		Tr e 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Broadway			1								. 40101		. 40101			
617 S Sunset Rd	0.24	800	N	97%	1%	1%		0%	0%	N	0.110	F	0.646	850	N	2018
617 N Sunset Dr	0.66	1200 From	F	98%	1%	1%	E Springbr 0% CL Broadwa	0%	0%	С	0.13	F	0.562	1300	F	2018
(617) Spar Mine Rd	0.10	2000	F	96%	1%	SR 259 1%	E, Brocks C 1%	Gap Rd 1%	0%	С	0.093	F	0.6	2100	F	2018
(801) Holsinger Rd	0.15	From 820	R			SR 4	2 Timber V	Vay			NA			NA		03/07/201
803 Brethren Rd	0.12	From 1200	F	96%	1%	EC 0%	L Broadwa	2%	0%	F	0.142	F	0.656	1200	F	2018
(1401) Cline St	0.09	70 To	R				Alt SR 259 Dead End	OOK KU			NA			NA		03/24/200
1402 Linville St	0.11	210 To	R				Dead End Alt SR 259				NA			NA		03/24/2009
1403 Atlantic Ave	0.29	430	F	99%	1%	0%	Alt SR 259	0% er Way	0%	С	0.121	F	0.661	460	F	2018
1403	0.15	190 190	R			SR 4	2 Timber W				NA			NA		08/01/201
(1404) Linden Ave	0.07	90 To	R				Dead End Alt SR 259				NA			NA		03/24/200
1405 82 High St	0.11	160	R				Alt SR 259				NA			NA		11/01/201
1405	0.07	130 From	R				1408 Miller				NA			NA		11/01/201
High St	0.10	370 From	R				407 Mason 2 Timber W				NA			NA		11/01/201
(1406) Central St	0.16	450	R				1426 Rock				NA			NA		05/02/201
(1406) Central St	0.11	580 From	R			,	Alt SR 259				NA			NA		05/02/2018
(1406) Central St	0.07	450 From	R				1408 Miller 407 Mason				NA			NA		05/02/2018
(1407) Mason St	0.12	430	R			SR 4	2 Timber W	Vay			NA			NA		05/02/2018
(1407) Mason St	0.12	230 To	R			82-14	405 E, High 405 W, High 03 Atlantic	h St			NA			NA		11/01/2012
(1408) Miller St	0.04	From 280	R				2 Timber W				NA			NA		05/02/2018
(1408) Miller St	0.06	320 From	R				406 Central				NA			NA		05/02/2018
(1408) Miller St	0.14	220 From	R				1405 High				NA			NA		10/26/2012

								OI DI										
Route	Length	AADT	QA	4Tire	Вι	sL			Trucl Axle 1		QC	K Facto	gK r	Dir Facto	r A	AWDT	QW	Year
Town of Broadwav		From					CD 4	2 Timel	Way									
(1409) Louisa St	0.13	110	R				SK 4	2 11mc	oer Way			NA				NA		08/01/201
(1409) Louisa St		To					82-1	410 C	arrie St									
$\widehat{}$		From					SR 4	2 Timb	er Way									
(1410) Carrie St	0.09	80	R					100 Y				NA				NA		05/02/201
		From							ouisa St									
(1411) Shenandoah Ave	0.07	150	R				SR 259	Brock	s Gap R	a		NA				NA		03/07/201
Shenandoah Ave		To				0.07.1	MN SI	2 250 1	Brocks G	an Pd								
(1411) Shenandoah Ave	0.13	140 From	R		•	0.07 1	WII V DI	(23)1	JIOCKS C	ар Ка		NA				NA		03/07/201
82		To			-	0.20 1	MN SF	R 259 I	Brocks G	ap Rd								
Shenandoah Ave	0.05	70 From	R									NA				NA		03/07/201
82)		To					NC	CL Broa	adway									
\bigcirc	0.00	From	Ļ					Dead E	End			\Box				NIA.		00/07/004
(1412) 82	0.22	700	R			-	SR 250) Brock	s Gap R	d		NA				NA		03/07/201
		From							rner Ave									
Holly Hill St	0.43	500	R				02-14	-14 Tul	ilici Avc			NA				NA		03/07/201
(Ř2)		To				5	SR 259	Brock	ks Gap R	d								
		From					82-61	7, N S	unset Rd									
1414 Turner Ave	0.41	1200	R									NA				NA		03/07/201
		From					82-14	13 Hol	ly Hill S	t								
1414 Turner Ave	0.14	2500	R				CD 4	2 TF: 1	***			NA				NA		03/07/201
		From	l						er Way									
(1415) Early Rd	0.18	510	N				SC	L Broa	idway			NA				NA		03/07/201
Early Rd	00	To				82-	-1421,	E Spri	ngbrook	Rd								00/07/20:
		From					SR 4	2 Timb	er Way									
1416 82 Third St	0.16	220	R									NA				NA		08/01/201
		To From					82-14	24 Line	dsay Ave	;								
Third St	0.21	160	R									NA				NA		08/01/201
		From				—		2-1417 2-1423										
Third St	0.07	80	R									NA				NA		08/01/201
(RZ)		To					82-142	25 Cres	stover D	r								
O		From	<u> </u>				(Cul-de-	Sac									
1417 East Ave	0.02	200	R									NA				NA		08/01/201
Cost Aug	0.00	From	<u> </u>				82-	1433 F	ifth St							NIA		00/01/001
(1417) East Ave	0.08	290	R									NA				NA		08/01/201
(1417) East Ave	0.06	390 From	R				82-	-1428 4	4th St			NA				NA		08/01/201
(1417) East Ave	0.00	390										INA				INA		00/01/201
(1417) East Ave	0.06	510 From	R			—	82-1	1416 T	hird St			NA				NA		08/01/201
East Ave	0.00	310					02.1	110.0	1.0							IVA		00/01/201
1417) East Ave	0.07	540 From	R				82-14	418 Se	cond St			NA				NA		08/01/201
East Ave		Te					92	·1422 F	Zimat C4									
(1417) East Ave	0.06	630 From	R				82-	1422 F	пят Эт			NA				NA		08/01/201
East Ave		To				82	-1421,	E Spri	ngbrook	Rd							_	
		From						Dead E	End									
1418 2nd St	0.12	170	R									NA				NA		08/01/201
		To						2-1424 ad End				_						
(1418) Second St	0.07	60	R					LIIU	., оар			NA				NA		08/01/201
82		To					82-1	417 E	ast Ave									

						I own o	Trı				l/		Dir			
Route	Length	AADT	QA	4Tire	Bus				2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Broadway		From				De	ad End									
(1421) E Springbrook Rd	0.20	90	R								NA			NA		03/07/2018
(1421) E Springbrook Rd	0.42	1200	F	99%	0%	1%	Sunset R 0%	0%	0%	С	0.128	F	0.834	1300	F	2018
(1421) E Springbrook Rd	0.24	1100 From	F	99%	0%	82-141 1 %	0%	0%	0%	С	0.115	F	0.825	1200	F	2018
E Springbrook Rd	0.43	6500 To	F	93%	1%	SR 4 1% Broadway;	2 Main St 1%	3%	0%	С	0.116	F	0.550	7000	F	2018
		From			LCL		ad End	oretimen i	Ku							
First St	0.10	180	R				7 East Av	ve			NA			NA		08/01/2012
		From				82-1429 B	roadmoor	Lane								
(1423) Elm St	0.22	480 To	R			82.14	16 Third S	2+			NA			NA		08/01/2012
(1423) Elm St	0.19	630 From	R			02-14	10 Tilliu S) i			NA			NA		08/01/2012
82		To					Brethren !									
Lindsay Ave	0.06	70	R			82-142	8 Fourth	St			NA			NA		08/01/2012
$\widehat{}$	0.00	From				82-14	16 Third S	St						NΙΔ		00/01/0010
Lindsay Ave	0.06	190 To	R			92 141	8 Second	C+			NA			NA		08/01/2012
(1424) Lindsay Ave	0.13	380 From	R			02-141	o second	Si .			NA			NA		08/01/2012
82)		To			8	82-1421, E	Springbro	ook Rd								
(1425) Crestover Dr	0.12	40	R			De	ad End				NA			NA		08/01/2012
		From				82-14	16 Third S	St			<u> </u>					00/01/00/
Crestover Dr	0.06	70	R			NCL	Broadway	v			NA			NA		08/01/2012
		From					Γimber W				i					
(1426) Rock St	0.03	210	R								NA			NA		03/07/2018
<u> </u>	2.22	From				82-140	6 Central	St			\Rightarrow					00/07/004
Rock St	0.06	80	R			De	ad End				NA			NA		03/07/2018
		From	:				Skymont	Dr								
(1427) Morningside Dr	0.18	260	R								NA			NA		08/01/2012
		To	1				Turner A									
(1428) 4th St	0.16	350	 R			SR 42	Γimber W	ay			NA			NA		08/01/2012
(1428) 4th St	00	To	<u></u>			82-1424	Lindsay A	Ave								00/01/2012
1428 4th St	0.21	310 From	R			02 1121	Emasay 2	110			NA			NA		08/01/2012
82		To					7 East Av									
(1429) Broadmoor Lane	0.13	110	 R			82-14	23 Elm S	t			NA			NA		08/01/2012
Broadmoor Lane	0.10	To				82-1430 S	Showater (Court								00/01/2012
Broadmoor Lane	0.04	20 From	R			02-1430 0	mowater	Court			NA			NA		08/01/2012
M2		To		•			ad End									
(1430) Showater Court	0.11	50	R			82-1429 B	roadmoor	Lane			NA			NA		08/01/2012
(1430) Showater Court	U.11	50				Cui	l-de-Sac							INA		
		From					Turner A	Ave			j					
(1431) Skymont Dr	0.08	110	R								NA			NA		08/01/2012
		To	c			82-1427 N	Morningsio	de Dr								

						Town of Broadway							
Route	Length	AADT	QA	4Tire	Bus	Truck 2Axle 3+Axle 1Trail	C.	C Facto	g QK	Dir Factor	AAWDT	QW	Year
Town of Broadway		From	-			SR 42 Harpine Hwy							
1432 82 Fifth St	0.20	260	R			·		NA			NA		08/01/2012
82		To				Dead End							
		From:				Cul-de-Sac							
(1433) Fifth St	0.06	110	R					NA			NA		08/01/2012
		To				82-1417 East Ave							
C 51	0.44	From	<u> </u>			Dead End							11/01/0010
First St	0.11	270 To:	R			92 1424 Lindayy Ava		NA			NA		11/01/2012
		From:				82-1424 Lindsay Ave							
	0.09	510	R			82-1436		NA			NA		03/07/2018
(1435)	0.03	J I U				SR 42 Timber Way					INA		03/01/2010
		From:				Dead End		i					
(1426)	0.16	120	R			Dead Elid		NA			NA		03/07/2018
(1436)		To:	m			82-1435							
		From:				Cul-de-Sac							
Trumbo Court	0.04	190	R					NA			NA		03/07/2018
82		To				SR 259 Mayland Rd							
		From:				Dead End							
1439 Robin Roost Ct	0.27	180	R					NA			NA		03/07/2018
82)		To				82-1415 Early Rd							
		From:				SR 42 Timber Way							
Gap Place	0.07	230	R					NA			NA		11/01/2012
<u> </u>		To				Cul-de-Sac							
		From	<u> </u>			82-1440 Gap Place							
1441 Meyers Court	0.12	130	R			Cul de Coe		NA			NA		10/31/2012
		From:				Cul-de-Sac							
(1442) Lilly Square	0.25	1400	R			82-1421, E Springbrook Rd		NA			NA		03/24/2009
(1442) Lilly Square	0.23	To:				Cul-de-Sac					INA		03/24/2003
		From:				82-1446; 82-1447							
(1442)	0.18	430	R			82-1440, 82-1447		NA			NA		03/24/2009
(1443)		To:				82-1421, E Springbrook Rd							
		From:				Cul-de-Sac							
1444	0.09	80	R					NA			NA		03/24/2009
82		To				82-1443							
		From:				82-1443							
1445	0.08	90	R					NA			NA		03/24/2009
(82)		To				Cul-de-Sac							
		From:				Cul-de-Sac							
1446	0.10	140	R					NA			NA		03/24/2009
<u> </u>		To	<u> </u>			82-1443							
\bigcirc		From:				82-1443				· · · · · · · · · · · · · · · · · · ·			00/0//==::
1447	0.07	130	R			0.1.1.0		NA			NA		03/24/2009
		To				Cul-de-Sac							
	0.40	From	ᄂᢩ		8	2-1421 W, E Springbrook Rd					N 1 A		00/40/0000
9383	0.18	1800 To:	R			92 1417, 92 1421 EACT		NA			NA		06/16/2009
		10.	<u> </u>			82-1417; 82-1421 EAST							