2019

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 154

Town of Christiansburg

Information in this report is included in Report

60

(Montgomery County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
$\overline{}$		

Frontage Road (F precedes frontage route number)

(600) Secondary Route

Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wve - Wve Route connector

Virginia State Route

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Christiansburg

		TOWN OF CHIISTIAN				Tru	ck			K		Dir		
Route	Jurisdiction	Length AADT	QA 4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	QW
8 W Main St	Town of Christiansburg (Maint: 60)	SCL Christiansburg No.22 14000	ear I-81 G 97%	1%	1%	0%	1%	0%	F	0.103	F	0.567	15000	G
8 W Main St	Town of Christiansburg	Old SCL Christians 0.77 12000 US 11; Radford S	G 97%	1%	1%	0%	1%	0%	С	0.097	F	0.568	13000	G
8 Ramp to I-81 N at Exit 101	Town of Christiansburg (Maint: 60)	SR 8 W Main S 0.20 4300 I-81 N								0.159	F		4300	G
8 Ramp to I-81 S at Exit 101	Town of Christiansburg (Maint: 60)	SR 8 W Main S 0.12 2400 I-81 S	G G							0.114	F		2400	G
(11) Radford St	Town of Christiansburg	WCL Christiansbu 1.40 12000 SR 8 W Main S	G 98%	0%	1%	0%	1%	0%	С	0.105	F	0.518	13000	G
11 W Main St	Town of Christiansburg	SR 8, Radford S 0.30 5200	G 98%	0%	1%	0%	1%	0%	F	0.095	F	0.546	5700	G
Bus (11) (460) E Main St	Town of Christiansburg	0.12 7100 Roanoke St	G 98%	0%	1%	0%	1%	0%	F	0.091	F	0.542	7700	G
Bus (11) (460) Roanoke St	Town of Christiansburg	E Main St 0.11 11000	G 98%	0%	1%	0%	1%	0%	F	0.098	F	0.57	12000	G
Bus (11) (460) Roanoke St	Town of Christiansburg	First St SE 0.98 12000	G 98%	0%	1%	0%	1%	0%	F	0.103	F	0.577	13000	G
Bus (11) (460) Roanoke St	Town of Christiansburg	SR 111 Depot S 0.86 16000	G 98%	0%	1%	1%	0%	0%	С	0.104	F	0.602	17000	G
(11) Roanoke St	Town of Christiansburg (Maint: 60)	US 460 1.15 16000 I-81	G 96%	0%	1%	1%	1%	0%	С	0.095	F	0.528	18000	G
(11) (460) Roanoke St	Town of Christiansburg (Maint: 60)	0.09 9500 Tower Rd, Hampton	N 96%	0%	1%	1%	2%	0%	N	0.1	F	0.558	10000	N
(11) (460) Roanoke St	Town of Christiansburg	2.01 9500 ECL Christiansbu	G 96%	0%	1%	1%	2%	0%	F	0.1	F	0.558	10000	G
(11) Ramp	Town of Christiansburg (Maint: 60)	11 FROM RT 460 TO 81 St 0.10 2800	G							0.108	F		2800	G
(11) Ramp	Town of Christiansburg (Maint: 60) Town US 460	US 11- 120C TO PARKW. 0.18 1300 -E124A FROM RT 11 AND	G	RIV						0.112	F		1300	G
11 Ramp	Town of Christiansburg (Maint: 60)	Ramp from US 460 0.15 5700 I-81 South Collecto	G				_			0.140	F		6200	G

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Christiansburg

			I OWI O	r Christiai	nsbur	4											
Route	Jurisdiction	n	Length	AADT	QA	4Tire	Bus		Tr = 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW
	From:	II	S 11- 120A	TO PARKV	VAY D	RIVE		2///	5 OTANIC	IIIaii	ZIIali		1 actor		1 actor		
11 Ramp	Town of Christiansbur		0.13	1500	G								0.137	F		1500	G
	To:		US 46	60 FROM R	T 11												
	From:		US 11, Bus	s US 460 R	oanoke	St											
11 Ramp	Town of Christiansbur	g (Maint: 60)	0.13	7500	G								0.101	F		7500	G
	Tα:		J	JS 460 East													
North	From:		US 11 TO R	OUTE RT	81 SOU	TH											
11 Ramp	Town of Christiansbur	• ,	0.15	1200	G								0.097	F		1200	G
<u> </u>	To:]	I-81-S118X	FROM RT	11 NOF	RTH											
North	From:			O RT 81 N													
(11) Ramp	Town of Christiansbur	g (Maint: 60)	0.22	1200	G								0.087	F		1200	G
	To:		I-81-N1	18X FROM	RT 11												
South	From:			TO RT 81 S													
(11) Ramp	Town of Christiansbur		0.22	1600	G								0.107	F		1600	G
<u> </u>	Ťα:	I-8	31-S118X FR			OUTH											
South	From:			11 Roanoke										_			_
(11) Ramp	Town of Christiansbur	g (Maint: 60)	0.16	300	G								0.118	F		330	G
	10.			orth Collect													
North	Front	(14: 1.00)		Christiansb	-	700/	101	401	40/	000/	00/	_	0.077	_		07000	•
81	Town of Christiansbur	• ,	3.90	27000	G	73%	1%	1%	1%	23%	2%	F _	0.077	F		27000	G
	Combined Traffic Estimates for 2 Parallel I	Roadways on the	is Route:	53000	G	74%	1%	1%	1%	21%	2%	F	0.08	F	0.549	52000	G
North	To: From:		US	S 11, US 46	0												
81)	Town of Christiansbur	g (Maint: 60)	0.77	27000	F	74%	1%	1%	1%	22%	2%	С	0.097	В		26000	F
	Combined Traffic Estimates for 2 Parallel I	Roadways on thi	is Route:	49000	G	75%	1%	1%	1%	21%	2%	F	0.099	F	0.632	48000	G
	To:			Christiansb	ourg												
North	From:			I-81 North													
(81) Ramp I-81 N Exit 101 to 5	SR 8 Town of Christiansbur	g (Maint: 60)	0.10	2500	G								0.105	F		2500	G
	Τα:		SR	8 W Main	St												
North	Fronz		I-81 North	Exit 118 Co	ollector	Rd											
(81) Ramp	Town of Christiansbur	g (Maint: 60)	0.23	990	G								0.162	F		1100	G
$\overline{}$	Tα:		Pa	rkway Driv	'e												
North	Fron:		I-81 North	Exit 118 Co	ollector	Rd											
(81) Ramp	Town of Christiansbur	g (Maint: 60)	0.18	3500	G								0.185	F		3500	G
$\overline{}$	Tα:		U	S 460 West	t												
North	From		I-81 North		ollector	Rd											
(81) (460) Ramp	Town of Christiansbur	g (Maint: 60)	0.29	7400	G								0.073	F		7400	G
	Tα		US	11 Roanoke	St												
North	From:			I-81 North													
81 I-81 North Collector Rd	Town of Christiansbur	g (Maint: 60)	0.33	8500	G								0.096	F		9200	G
$\overline{}$	Tα		I-81 Nor	th Exit 118A	A Ramp												

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Christiansburg

			TOI CHIISUA	anobarş	-			Tru	ıok			K		Dir		
Route	Jurisdictio	n Leng	th AADT	QA	4Tire	Bus		e 3+Axle			QC	Factor	QK	Factor	AAWDT	QW
North	Fron:	D _o	np from US 11	Courtle			ZAXI	e 3+Axie	TITALI	ZITali		Factor		Factor		
81 I-81 North Collector Rd	Town of Christiansbur			G								NA			7900	G
(81) TOT NOTH CONCOLOT THE	To	g (Mant. 00) 0.00	I-81 North									1471			7000	ď
South	Fronx		CL Christians													
(81)	Town of Christiansbur			G G	76%	1%	1%	1%	20%	2%	F	0.086	F		26000	G
81)	Combined Traffic Estimates for 2 Parallel	• '		G	74%	1%	1%		21%	2%	F	0.08	F	0.549	52000	G
	- I	riodaways on this riod			7 4 70	1 /0		1 70	2170	270	•	0.00	•	0.040	02000	ď
South	To: From:		US 11, US 4	60												
(81)	Town of Christiansbur	g (Maint: 60) 0.34	22000	G	76%	1%	1%	1%	20%	2%	F	0.118	F		22000	G
\smile	Combined Traffic Estimates for 2 Parallel	Roadways on this Rout	e: 49000	G	75%	1%	1%	1%	21%	2%	F	0.099	F	0.632	48000	G
	To:	ı	ICL Christians	burg												
South	From:		I-81 South													
(81) Ramp I-81 S Exit 101 to	SR 8 Town of Christiansbur	rg (Maint: 60) 0.10	4200	G								0.156	F		4200	G
	To:		SR 8 W Main	St												
South	From:		uth Exit 118 C	ollector l	Rd											
(81) Ramp	Town of Christiansbur	rg (Maint: 60) 0.17	470	G								0.115	F		470	G
$\overline{}$	To:		US 460 Eas	t												
South	From:		1 South Collec	tor Rd												
(81) Ramp	Town of Christiansbur	rg (Maint: 60) 0.09	6000	G								0.093	F		6600	G
$\underline{\hspace{1cm}}$	To:		Ramp to US	11												
South	From:	I-81 So	uth Exit 118 C	ollector l	Rd											
(81) Ramp	Town of Christiansbur	rg (Maint: 60) 0.30	1800	G								0.092	F		1900	G
	To:		US 11 Roanok	e St												
South	From:		I-81 South													
(81) I-81 South Collector Rd	Town of Christiansbur	g (Maint: 60) 0.34	7500	G								0.092	F		8200	G
	To:		81 South Exit													
South (81) I-81 South Collector Rd	Town of Christiansbur		from US 11 & 8900	<u>E US 460</u> G)							NA			9700	G
81 1-81 South Collector Au	TOWN OF CHIRSTIANSDUI	g (Mairit. 60) 0.52	I-81 South									INA			9700	G
-																
Combrin St	Town of Christia	Insburg 0.79	BUS 460 7300	G	96%	1%	10/	20/	0%	00/	0	0.110	F	0.501	0000	G
111 Cambria St	Town of Christia	insburg 0.78	7300	G	90%	176	1%	2%	0%	0%	С	0.113	Г	0.591	8000	G
	To: From:		Ellett Rd													
(111) Cambria St	Town of Christia	ensburg 0.39		G	98%	1%	1%	0%	0%	0%	С	0.117	F	0.538	7000	G
	To: From:		Depot St Cambria St													
(111)Depot St	Town of Christia	unsburg 0.97		G	97%	1%	1%	2%	0%	0%	F	0.104	F	0.541	5400	G
111)3000101	- 1	0.01			0.70	1,75	- , , 0	_,0	0 / 0	0 /0	•	3.101	•	3.0 . 1	0.00	<u>~</u>
Danat Ot	To:		Park St		070/	40/		00/	001	00/		0.404	_	0.007	0000	
111 Depot St	Town of Christia			G	97%	1%	1%	2%	0%	0%	С	0.101	F	0.607	6300	G
	100		US 11 Roanok													
	From		/CL Christians		000/	00/		40/	40/	00/	_	0.40.	_	0.50	10000	•
114 Peppers Ferry Rd	Town of Christia	insburg 0.9		G	98%	0%	0%	1%	1%	0%	F	0.104	F	0.53	18000	G
	To		Somerset S	t												

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Christiansburg

		100011 01 01111					Tru	ıck			K		Dir		
Route	Jurisdiction	Length AAD	T QA	4Tire	Bus		3+Axle	-		QC	Factor	QK	Factor	AAWDT	QW
	From:	Somerse								_					_
114 Peppers Ferry Rd	Town of Christiansburg	0.53 1800	0 G	98%	0%	0%	1%	1%	0%	С	0.102	F	0.586	20000	G
Despess Farm Dd	Too From:	Bus US		000/	00/		00/	10/	00/		0.007	F	0.540	15000	
114 Peppers Ferry Rd	Town of Christiansburg	0.63 1400 US 40		98%	0%	0%	0%	1%	0%	С	0.097	г	0.546	15000	G
	From: IJ9	S 460 PARKWAY DRI		81 NORTH	ī										
460 (460 Ramp toward I-81 N (to C	CD Road) at ExitoWin8 of Christiansburg (Maint: 60)					30 for di	rectional	traffic v	volume (estima	ates for th	nis se	gment.		
		-N118X FROM RT 460		WAY DRI	VE										
460 (81) Ramp	Town of Christiansburg (Maint: 60)	I-81-N118X 7	IORIII	S	ee I-81	for dire	ctional tr	affic vo	lume es	stimate	es for this	s seai	ment.		
400 (81)	Τα	US 11 FROM R	Γ81 NORT									9			
C Passalia Ct	From:	I-81:		000/	0%	10/	10/	00/	00/	NI	0.1	_	0.550	10000	N.
(460) (11) Roanoke St	Town of Christiansburg (Maint: 60)			96%	0%	1%	1%	2%	0%	N	0.1	F	0.558	10000	N
460 (11) Roanoke St	Town of Christiansburg	Tower Rd, Ha 2.01 950		96%	0%	1%	1%	2%	0%	F	0.1	F	0.558	10000	G
460 11 Roanoke St	Town of Christiansburg	ECL Christi		30 /6	0 /6	1 /0	1 /0	2/0	0 /6	'	0.1	'	0.556	10000	G
East	From:	US 460; Park													
	ad) at Exit 118Town of Christiansburg (Maint: 60)		_			·					0.086	F		4900	G
	Tα	I-81-N118X Collecte	or Distribut	or Rd											
West	Front.	US 460 TC									0.110	_		0000	
460 Ramp	Town of Christiansburg (Maint: 60)	0.12 220 81-S118D FROM PARE		IVE WEST	-	1					0.112	F		2200	G
West	From	US 460 TO RT			•										
460 Ramp	Town of Christiansburg (Maint: 60)										0.149	F		490	G
	To: I-	81-S118X FROM PARI	WAY DR	IVEWEST	,										
Bus	From:	NCL Christ													
460 N Franklin St	Town of Christiansburg (Maint: 60)	0.97 1700	0 N	98%	0%	1%	0%	0%	0%	Ν	0.102	F	0.588	18000	N
Bus	To: From:	SR 114 Pepper	s Ferry Rd												
460 N Franklin St	Town of Christiansburg (Maint: 60)	0.45 2200	0 G	98%	0%	1%	0%	0%	0%	С	0.089	F	0.526	24000	G
Bus	To: From:	Farmvie SR 111 Car													
460 N Franklin St	Town of Christiansburg	1.38 260 0		98%	0%	1%	0%	0%	0%	С	0.091	F	0.515	28000	G
440	То	Depot	St			i									
Bus 460 N Franklin St	Town of Christiansburg	0.28 110 0		98%	0%	1%	0%	0%	0%	_	0.087	F	0.539	12000	G
460 N FIANKIII St	Town of Crinstiansburg	US 11, SR 8		30%	U%	170	U%	U%	U%	Г	0.007	٢	0.559	12000	G
Bus	From	US 11 M	ain St												
(460) (11) E Main St	Town of Christiansburg	0.12 710		98%	0%	1%	0%	1%	0%	F	0.091	F	0.542	7700	G
Bus	ro* From	Roanok E Mair													
460 11 Roanoke St	Town of Christiansburg	0.11 1100		98%	0%	1%	0%	1%	0%	F	0.098	F	0.57	12000	G
\smile	To	Craig	St												

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Christiansburg

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW
Bus (460) (11) Roanoke St	Town of Christiansburg	0.98	Craig St 12000	G	98%	0%	1%	0%	1%	0%	F	0.103	F	0.577	13000	G
Bus 460 11 Roanoke St	Town of Christiansburg	0.86	111 Depot 16000 US 460	St G	98%	0%	1%	1%	0%	0%	С	0.104	F	0.602	17000	G

Virginia Department of Transportation Traffic Engineering Division 2019 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Christiansburg

					10	own of Christian	isburg								
Route	Length	AADT	QA	4Tire	Bus	Tri 2Axle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Christiansburg		From				0.76 MW of CC	ч								
(F60) Flanagan Dr	0.04	300	R			0.76 MW of SC	.L			NA			NA		04/16/2013
(100)		To				SR 8 Riner Ro	l								
		From	:			Houchins Rd									
(F63) Brammer Lane	0.24	70	R							NA			NA		05/08/2013
		То	<u> </u>			Dead End									
(F856) Mill Lane	0.13	1500	 R			Dead End				NA			NA		02/23/2016
(F856) Mill Lane	0.10	To]	Bus US 460 , Railro	oad St						IVA		02/20/2011
North		From			Par	kway Drive To Rt	81 North								
99027 Ramp	0.31	3300	G			-				0.113	F		3300	G	2019
nii)		То	:		I-81-N1	18X FROM PARK	WAY DR	IVE							
O 5 111 5 1 5 1	2.12	From	<u> </u>	2221		Dead End		221			_		100	_	2212
1 Falling Branch Rd	0.46	440 To	G	98%	1%	1% 1% US 11 Roanoke	0%	0%	F	0.127	F	0.627	480	G	2019
		From			60.66	6 JB-154 WCL Chi									
(3500) Mud Pike Rd	0.14	2600	G	98%	1%	1% 1%	0%	<u>g</u> 0%	F	0.110	F	0.581	2800	G	2019
0000	-	To	:			8 W Main Street; N									
		From	:			ECL Christiansb	urg								
(3501) S Franklin St	1.21	5400	G	98%	0%	1% 0%	0%	0%	С	0.11	F	0.693	5900	G	2019
		To	:			Alleghany St									
(3501) S Franklin St	0.57	5300	G	98%	0%	Allleghany St 1% 0%	0%	0%	F	0.099	F	0.616	5700	G	2019
0301)		To				US 460 Main S									
		From				US 11 Main S	t								
(3502) Phlegar St	0.08	4600	G	99%	0%	1% 0%	0%	0%	F	0.105	F	0.544	5000	G	2019
		To				First St Phlegar St									
(3502) First St	0.40	5000	G	99%	0%	1% 0%	0%	0%	С	0.111	F	0.560	5400	G	2019
		То	:			US 460 Roanoke	St								
<u> </u>		From				SR 8 App. Loc									
(3503) Depot St	0.12	7800	G	98%	0%	1% 0%	0%	0%	F	0.092	F	0.546	8400	G	2019
<u> </u>		From				College St									
(3503) Depot St	0.14	9500	G	97%	1%	1% 1%	0%	0%	F	0.1	F	0.573	10000	G	2019
		To From				US 11 Radford									
(3503) Depot St	0.41	13000	G	97%	1%	1% 1%	0%	0%	С	0.093	F	0.500	15000	G	2019
		From				C7US 460]					
(3503) Depot St	0.91	2800 To	G	97%	1%	1% 1%	0%	0%	F	0.124	F	0.584	3000	G	2019
_		From			310	R 111 Depot St; Car	nona st								
(3504) Park St	0.87	1800	G	98%	1%	E Main St 1% 1%	0%	0%	С	0.111	F		1900	G	2019
(3504) 1 4.11 51	0.07	То		0070	.,,	SR 111 Depot S		0,70		Ť	•		.000	<u> </u>	_0.0
		From				Roanoke St									
(3505) E Main St	0.17	1800	G	98%	1%	1% 1%	0%	0%	F	0.117	F	0.526	1900	G	2019
\bigcirc		To From				Park St									
(3505) Main St	0.60	990	G	98%	1%	1% 1%	0%	0%	F	0.125	F	0.523	1100	G	2019
$\overline{}$		To				SR 111 Roanoke	St								
Client D.1	0.00	From	Ę	000/	00/	SR 111 Cambria		00/	_	0.400	_	0.540	0400		0010
(3506) Ellett Rd	0.39	2000 To	G	98%	0%	1% 0% NCL Christiansb	0%	0%	С	0.108	F	0.548	2100	G	2019
		From	!			Canaan Rd	u15			<u> </u>					
Alleghany St		1500	G			Callaali Ku				0.13	F	0.697	1700	G	2019
		То	:			Miller St									
		From				Bus US 460 Rar	np								
Cambria St		5400	G	95%	1%	3% 0%	1%	0%	С	0.1	F	0.541	5400	G	2019
		То			I	Bus US 460 N Fran	klin St								

Virginia Department of Transportation Traffic Engineering Division 2019 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Christiansburg

					11	OWIT OF	Cilistian	Sburg								
Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Yea
vn of Christiansburg		From:									-					
Church St		490	G				Plum St				0.142	F	0.500	530	G	201
Church St		490 To:					King St				0.142	Г	0.532	530	G	201
		From:	l								<u> </u>					
Clearview Dr		2100	G			Ra	gan Drive				0.113	F	0.534	2100	G	201
Clearview Dr		∠100 To:				Win	nmer Street				0.113	Г	0.534	2100	G	201
Floatrio Mov		From:	G			I	Fisher St				0.132	F	0.564	430	G	201
Electric Way		400 To:				C:-	nmons Rd				0.132	Г	0.564	430	G	201
			<u> </u>													
Indonesia Dhid		From:	<u> </u>	070/	10/		ld Leaf Dr	00/	00/			_	0.000	4700	_	001
Independence Blvd		4700 To:	G	97%	1%	1%	0% 60 N Frank	0%	0%	С	0.125	F	0.806	4700	G	201
Manda a Dal		From:	<u> </u>	050/			60 N Frank		00/			_	0.000	0000	_	004
Merrimac Rd		3600 To:	G	95%	1%	2%	2%	1%	0%	С	0.094	F	0.626	3600	G	201
							rginian Dr									
N # B		From:	<u> </u>			De	epot Street					_	0.505	000	_	004
North Dr		300 To:	G			г.					0.120	F	0.595	300	G	201
							Main Street									
B B.		From:				Le	ster Street					_			_	
Republic Rd		830	G								0.105	F	0.647	830	G	201
		To:					ark Street									
B		From:	<u> </u>			O	verhill Rd					_	. =	400	_	
Ridge Rd		90	G								0.163	F	0.586	100	G	201
		To:					vood Terrac									
	•	From		•		Briar	wood Driv	e					•		·	
Summitridge Rd		590	G								0.122	F	0.584	590	G	201
		To				S. Fr	anklin Stree	et								